



The NPD Group, Inc.
900 West Shore Road
Port Washington, NY 11050
Telephone: 516.625.0700

Graywater Study

Prepared for:
The Soap and Detergent Association

Prepared by:
The NPD Group, Inc.

August, 1998

NPD Job#: W4RE003-1

METHODOLOGY

The Soap and Detergent Association Graywater Study Methodology

Background and Objectives:

The SDA is a national trade organization representing over 130 companies that formulate cleaning products or supply the ingredients and packaging used for those formulations. It is expected that many of these cleaning product ingredients will be discharged directly into the soil through a system called "graywater" disposal without undergoing typical wastewater treatment. Due to the expectation that graywater reuse/disposal will become increasingly widespread, the SDA is interested in better understanding the fate and effects of cleaning product ingredients in residential graywater.

Methodology and Sample:

A quantitative mail survey was conducted among a balanced sample of graywater disposers/reusers identified in the InstaVue screening. A four-page legal size questionnaire was mailed out on June 10, 1998. Total outgo was 650, with a total return of 491 (return rate of 79%).

Key areas of questioning included:

- frequency of graywater disposal/reuse
- length of time disposing/reusing graywater
- uses for graywater
- graywater sources/volume
- graywater disposal/distribution methods
- seasonality factors
- reasons for using/not using graywater (advantages/disadvantages)
- compositions of graywater
- sources of information on graywater
- demographic profile

Data Processing:

Two banners of tabulations were run. The banner definitions are filed in this binder under a separate tab.

BANNER 1

NPD Custom Services

Project W4RE0031 GRAYWATER DISPOSAL/REUSE

Page ----	Table -----	Title -----	Base ----	Total -----
1	1	Q.1 How Often Does Your Household Reuse Graywater?		491
3	2	Q.2 How Many Years Has Your Household Been Reusing Graywater?		491
5	3	Q.3 How Many Years Has Your Household Been Reusing Graywater At Your Current Residence?		491
7	4	Q.4a During Which Months Of The Year Does Your Household Reuse Graywater?		491
11	5	Q.4b During Which Month Of The Year, If Any, Does Your Household Reuse Graywater Most?		491
14	6	Q.5 In What Type Of Residence Do You Reuse Graywater?		491
16	7	Q.6 What Specifically Caused You To Start Using Graywater?		491
24	8	Q.7 Who In Your Household Made The Decision To Begin Reusing Graywater?		491
26	9	Q.8a How Often Does Your Household Store Or Reuse Graywater From A Bath/Shower?		491
29	10	Q.8a How Often Does Your Household Store Or Reuse Graywater From An In Sink Garbage Disposal?		491
32	11	Q.8a How Often Does Your Household Store Or Reuse Graywater From Hand Dishwashing In Sink?		491
35	12	Q.8a How Often Does Your Household Store Or Reuse Graywater From An Automatic Dishwasher?		491
38	13	Q.8a How Often Does Your Household Store Or Reuse Graywater From A Laundry/Washing Machine?		491

NPD Custom Services

Project W4RE0031 GRAYWATER DISPOSAL/REUSE

Page ----	Table -----	Title -----	Base ----	Total -----
41	14	Q.8a How Often Does Your Household Store Or Reuse Graywater From Car Washing (At Your Home)?		491
44	15	Q.8a How Often Does Your Household Store Or Reuse Graywater From House Cleaning - Using Water Combined With Cleaning Products?		491
47	16	Q.8b An Average, Approximately How Many Gallons Of Graywater Are Reused Each Month?		491
49	17	Q.9 Does Your Household Have A Fruit Or Vegetable Garden At Any Time During The Year?		491
50	18	Q.10 For Which Of The Following Purposes, If Any, Does Your Household Reuse Graywater?		491
53	19	Q.11 How Often Do You Use Graywater For Watering Flowers/Plants?		380
55	20	Q.11 How Often Do You Use Graywater For Watering Vegetable/Fruit Garden?		223
57	21	Q.12 In What Seasons Do You Use Graywater For Watering Flowers/Plants?		380
58	22	Q.12 In What Seasons Do You Use Graywater For Watering Vegetable/Fruit Garden?		223
59	23	Q.13 Why Does Your Household Reuse Graywater?		491
66	24	Q.14 Where Did Your Household First Learn About Reusing Graywater?		491
69	25	Q.15 What Methods Does Your Household Currently Use To Keep Updated On Graywater Reuse?		491
72	26	Q.16 How Likely Are You To Continue Reusing Graywater In The Next 12 Months?		491
74	27	Q.17 Over The Next 12 Months, Do You Think Your Household Will....		491

NPD Custom Services

Project W4RE0031 GRAYWATER DISPOSAL/REUSE

Page -----	Table -----	Title -----	Base -----	Total -----
75	28	Q.18a Which Of The Following, If Any, Do You Feel Are Disadvantages To Reusing Graywater?		491
77	29	Q.18b How Safe Is The Graywater That Is Reused?		491
79	30	Q.19 What System Does Your Household Use For Graywater Storage And/Or Removal?		491
85	31	Q.20 Does The Plumbing In Your Household Have Separate Wastewater Streams For Graywater Versus Toilets, Or Not?		491
86	32	Q.21 For Outside Use Of Graywater, Is The Graywater Distribution System Above Ground, Under Ground Or Both?		491
87	33	Q.22 Which Of The Following Features, If Any, Does Your Household's Graywater Handling/Treatment System Have?		491
90	34	Q.23 How Many Gallons Does The Graywater Treatment System In Your Household Store?		234
92	35	Q.24 How Long Is Graywater Stored In Your Household's Graywater Treatment System Before It Is Reused?		234
94	36	Q.25 Rating Of Complexity Of Graywater Reuse System		491
96	37	Q.26 Does Your Household Have A Septic Tank Or Sewer?		491
97	38	Q.27 What Is Your Household's Water Source?		491
98	39	Q.28 Does Your Household Have A Mechanical Water Softening System?		491
99	40	Q.29 Frequency Household Uses Bath/Shower		491
102	41	Q.29 Frequency Household Uses An In Sink Garbage Disposal		491
105	42	Q.29 Frequency Household Does Hand Dishwashing In Sink		491

NPD Custom Services

Project W4RE0031 GRAYWATER DISPOSAL/REUSE

Page -----	Table -----	Title -----	Base -----	Total -----
108	43	Q.29 Frequency Household Uses An Automatic Dishwasher		491
111	44	Q.29 Frequency Household Uses A Laundry/Washing Machine		491
114	45	Q.29 Frequency Household Does Car Washing (At Your Home)		491
117	46	Q.29 Frequency Household Does House Cleaning - Using Water Combined With Cleaning Products		491
120	47	Q.30 Which Of The Following Products, If Any, Are Discharged Into The Graywater That Is Reused?		491
125	48	Q.31 Approximately How Much Bleach Is Used Per Usage Occasion?		184
127	49	Q.31 Approximately How Much Fabric Softener Is Used Per Usage Occasion?		121
129	50	Q.31 Approximately How Many Laundry Boosters Are Used Per Usage Occasion?		27
131	51	Q.31 Approximately How Much Laundry Detergent Is Used Per Usage Occasion?		289
133	52	Q.31 Approximately How Many Laundry Presoaks Are Used Per Usage Occasion?		40
135	53	Q.31 Approximately How Many Laundry Prewashes/ Stain Removers Are Used Per Usage Occasion?		87
137	54	Q.31 Approximately How Many All Purpose Household Cleaners Are Used Per Usage Occasion?		106
139	55	Q.31 Approximately How Much Ammonia Is Used Per Usage Occasion?		38
141	56	Q.31 Approximately How Much Baking Soda Is Used Per Usage Occasion?		101
143	57	Q.31 Approximately How Much Borax Is Used Per Usage Occasion?		30
145	58	Q.31 Approximately How Much Carpet Cleaner Is Used Per Usage Occasion?		14

NPD Custom Services

Project W4RE0031 GRAYWATER DISPOSAL/REUSE

Page -----	Table -----	Title -----	Base -----	Total -----
147	59	Q.31 Approximately How Much Disinfectant Cleaner Is Used Per Usage Occasion?		61
149	60	Q.31 Approximately How Much Floor/Furniture Cleaner Is Used Per Usage Occasion?		38
151	61	Q.31 Approximately How Much Multi-Surface Cleaner Is Used Per Usage Occasion?		49
153	62	Q.31 Approximately How Much Tub/Tile/Sink Cleaner Is Used Per Usage Occasion?		66
155	63	Q.31 Approximately How Much Hand Dish Washing Liquid Is Used Per Usage Occasion?		277
157	64	Q.31 Approximately How Much Automatic Dish Washer Detergent Is Used Per Usage Occasion?		38
159	65	Q.31 Approximately How Many Rinse Agents For Dishwashers Are Used Per Usage Occasion?		17
161	66	Q.31 Approximately How Much Film And Spot Remover Is Used Per Usage Occasion?		7
163	67	Q.31 Approximately How Much Hand/Body Soap Is Used Per Usage Occasion?		235
165	68	Q.31 Approximately How Much Car Washing Liquid Is Used Per Usage Occasion?		89
167	69	Q.31 Approximately How Much Drain Opening Liquid Is Used Per Usage Occasion?		18
169	70	Q.31 Approximately How Many Packaged Water Softeners Are Used Per Usage Occasion?		7
171	71	Q.32 How Often Does Your Household Participate In Bicycling/Mountain Biking?		491
174	72	Q.32 How Often Does Your Household Participate In Camping?		491
177	73	Q.32 How Often Does Your Household Participate In Crafts?		491
180	74	Q.32 How Often Does Your Household Participate In Fishing?		491

NPD Custom Services

Project W4RE0031 GRAYWATER DISPOSAL/REUSE

Page -----	Table -----	Title -----	Base -----	Total -----
183	75	Q.32 How Often Does Your Household Participate In Gardening?		491
186	76	Q.32 How Often Does Your Household Participate In Hiking?		491
189	77	Q.32 How Often Does Your Household Participate In Painting/Sculpting?		491
192	78	Q.32 How Often Does Your Household Participate In Running/Walking?		491
195	79	Q.32 How Often Does Your Household Participate In Sports/Athletics/Working Out?		491
198	80	Q.33 Sex Of Respondent		491
199	81	Q.34 Age Of Respondent		491
202	82	Q.35 Do You Have A Child In Your Household That Currently Wears Diapers?		491
203	83	Q.36 Types Of Diapers Used		43
204	84	Region		491
207	85	Market Size - MSA		491
209	86	Income (Actual)		491
214	87	Age & Presence Of Children		491
216	88	Household Size		491
218	89	Household Composition		491
220	90	Socio-Economic Status		491
222	91	IBM State		491
230	92	Education Of Head Of Household		491
232	93	Employment Of Head Of Household		491
233	94	Occupation Of Head Of Household		491
236	95	Race		491

NPD Custom Services

Project W4RE0031 GRAYWATER DISPOSAL/REUSE

Page ----	Table -----	Title -----	Base -----	Total -----
237	96	Hispanic Origin		491
238	97	Own Or Rent		491
239	98	Kitchen Appliances		491
240	99	Marital Status		491
241	100	Detailed Occupation		491
249	101	MSA		491

Table 1
Q.1 How Often Does Your Household Reuse Graywater?

TOTAL	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	RENT/ LEASE /OTHR		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
10	-	3	-	3	1	2	-	1	1	4	5	7	3	-	-	4	4	5	4
2.0	-	3.4	-	3.9	3.3	2.4	-	1.3	0.5	2.8	3.4	1.8	3.0	-	-	1.7	1.8	1.6	2.4
100.0	-	30.0	-	30.0	10.0	20.0	-	10.0	10.0	40.0	50.0	70.0	30.0	-	-	40.0	40.0	50.0	40.0
481	14**	86*	98*	74*	29**	80*	21**	79*	202	137	142	377	97*	291	190	236	220	305	161
100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
100.0	2.9**	17.9*	20.4*	15.4*	6.0**	16.6*	4.4**	16.4*	42.0	28.5	29.5	78.4	20.2*	60.5	39.5	49.1	45.7	63.4	33.5
12	1	3	3	-	1	1	-	3	5	1	6	8	4	-	12	6	4	7	4
2.5	7.1	3.5	3.1	-	3.4	1.3	-	3.8	2.5	0.7	4.2	2.1	4.1	-	6.3	2.5	1.8	2.3	2.5
100.0	8.3	25.0	25.0	-	8.3	8.3	-	25.0	41.7	8.3	50.0	66.7	33.3	-	100.0	50.0	33.3	58.3	33.3
21	3	5	3	3	-	2	1	4	9	6	6	16	4	-	21	7	13	15	6
4.4	21.4	5.8	3.1	4.1	-	2.5	4.8	5.1	4.5	4.4	4.2	4.2	4.1	-	11.1	3.0	5.9	4.9	3.7
100.0	14.3	23.8	14.3	14.3	-	9.5	4.8	19.0	42.9	28.6	28.6	76.2	19.0	-	100.0	33.3	61.9	71.4	28.6
42	1	11	8	9	7	2	1	3	17	11	14	32	9	-	42	19	23	28	12
8.7	7.1	12.8	8.2	12.2	24.1	2.5	4.8	3.8	8.4	8.0	9.9	8.5	9.3	-	22.1	8.1	10.5	9.2	7.5
100.0	2.4	26.2	19.0	21.4	16.7	4.8	2.4	7.1	40.5	26.2	33.3	76.2	21.4	-	100.0	45.2	54.8	66.7	28.6
38	3	8	6	6	3	3	3	6	20	11	7	24	14	-	38	10	24	30	7
7.9	21.4	9.3	6.1	8.1	10.3	3.8	14.3	7.6	9.9	8.0	4.9	6.4	14.4	-	20.0	4.2	10.9	9.8	4.3
100.0	7.9	21.1	15.8	15.8	7.9	7.9	7.9	15.8	52.6	28.9	18.4	63.2	36.8	-	100.0	26.3	63.2	78.9	18.4
77	3	17	10	17	1	15	2	12	36	26	15	65	11	-	77	36	38	48	28
16.0	21.4	19.8	10.2	23.0	3.4	18.8	9.5	15.2	17.8	19.0	10.6	17.2	11.3	-	40.5	15.3	17.3	15.7	17.4
100.0	3.9	22.1	13.0	22.1	1.3	19.5	2.6	15.6	46.8	33.8	19.5	84.4	14.3	-	100.0	46.8	49.4	62.3	36.4

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 1
Q.1 How Often Does Your Household Reuse Graywater?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE																					
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	OWN	RENT/ LEASE /OTHR	AT LEAST ONCE A WK.		SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER																	
																(A)	(B)					(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Answering	481	14**	86*	98*	74*	29**	80*	21**	79*	202	137	142	377	97*	291	190	236	220	305	161																		
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0																		
	100.0	2.9**	17.9*	20.4*	15.4*	6.0**	16.6*	4.4**	16.4*	42.0	28.5	29.5	78.4	20.2*	60.5	39.5	49.1	45.7	63.4	33.5																		
At least once a week (52)	291	3	42	68	39	17	57	14	51	115	82	94	232	55	291	-	158	118	177	104																		
	60.5	21.4	48.8	69.4	52.7	58.6	71.3	66.7	64.6	56.9	59.9	66.2	61.5	56.7	100.0	-	66.9	53.6	58.0	64.6																		
	100.0	1.0	14.4	23.4B	13.4	5.8	19.6BD	4.8	17.5B	39.5	28.2	32.3	79.7	18.9	100.00	-	54.3Q	40.5	60.8	35.7																		
Sigma	481	14	86	98	74	29	80	21	79	202	137	142	377	97	291	190	236	220	305	161																		
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0																		
	100.0	2.9	17.9	20.4	15.4	6.0	16.6	4.4	16.4	42.0	28.5	29.5	78.4	20.2	60.5	39.5	49.1	45.7	63.4	33.5																		
Mean Base	481	14	86	98	74	29	80	21	79	202	137	142	377	97	291	190	236	220	305	161																		
Mean	36.65	19.39	31.84	39.64	34.42	33.53	42.13	38.90	38.35	35.46	37.01	38.01	37.29	34.37	52.00	13.15	39.35	33.83	35.56	38.63																		
			B			BD		B						O	Q																							
Std. Deviation	19.95	19.66	21.00	19.44	19.79	22.74	16.39	19.59	19.47	20.05	19.33	20.44	19.60	21.07	0.00	9.66	18.94	20.61	20.30	19.08																		
Std. Error	0.91	5.26	2.26	1.96	2.30	4.22	1.83	4.27	2.19	1.41	1.65	1.72	1.01	2.14	0.00	0.70	1.23	1.39	1.16	1.50																		

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 2
Q.2 How Many Years Has Your Household Been Reusing Graywater?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG-	MID- ATL-	SOUTH	GREAT	MID-	SOUTH	ROCKY	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT	LESS	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
		LAND	ANTIC	-EAST	LAKES	WEST	-WEST	MOUN- TAIN				WEST		ONCE A WK.	THAN ONCE A WK.					
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	14	-	4	2	1	-	1	1	5	8	5	1	13	-	9	4	9	4	9	4
	2.9	-	4.5	2.0	1.3	-	1.2	4.8	6.3	3.9	3.5	0.7	3.4	-	3.1	2.1	3.8	1.8	2.9	2.4
	100.0	-	28.6	14.3	7.1	-	7.1	7.1	35.7	57.1	35.7	7.1	92.9	-	64.3	28.6	64.3	28.6	64.3	28.6
Base: Total Answering	477	14**	85*	96*	76*	30*	81*	20**	75*	195	136	146	371	100	282	186	231	220	301	161
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	17.8*	20.1*	15.9*	6.3*	17.0*	4.2**	15.7*	40.9	28.5	30.6	77.8	21.0	59.1	39.0	48.4	46.1	63.1	33.8
Less than 1 year	20	1	3	4	2	2	5	-	3	6	7	7	12	8	4	14	10	6	9	9
	4.2	7.1	3.5	4.2	2.6	6.7	6.2	-	4.0	3.1	5.1	4.8	3.2	8.0	1.4	7.5	4.3	2.7	3.0	5.6
	100.0	5.0	15.0	20.0	10.0	10.0	25.0	-	15.0	30.0	35.0	35.0	60.0	40.0L	20.0	70.0N	50.0	30.0	45.0	45.0
1 - 2	58	-	9	16	9	3	13	1	7	21	17	20	36	20	30	28	25	29	39	17
	12.2	-	10.6	16.7	11.8	10.0	16.0	5.0	9.3	10.8	12.5	13.7	9.7	20.0	10.6	15.1	10.8	13.2	13.0	10.6
	100.0	-	15.5	27.6	15.5	5.2	22.4	1.7	12.1	36.2	29.3	34.5	62.1	34.5L	51.7	48.3	43.1	50.0	67.2	29.3
3 - 4	71	4	12	16	10	3	15	1	10	29	19	23	46	25	47	24	31	34	48	22
	14.9	28.6	14.1	16.7	13.2	10.0	18.5	5.0	13.3	14.9	14.0	15.8	12.4	25.0	16.7	12.9	13.4	15.5	15.9	13.7
	100.0	5.6	16.9	22.5	14.1	4.2	21.1	1.4	14.1	40.8	26.8	32.4	64.8	35.2L	66.2	33.8	43.7	47.9	67.6	31.0
5 - 9	84	2	13	16	14	5	13	3	18	30	24	30	65	19	52	27	45	35	54	27
	17.6	14.3	15.3	16.7	18.4	16.7	16.0	15.0	24.0	15.4	17.6	20.5	17.5	19.0	18.4	14.5	19.5	15.9	17.9	16.8
	100.0	2.4	15.5	19.0	16.7	6.0	15.5	3.6	21.4	35.7	28.6	35.7	77.4	22.6	61.9	32.1	53.6	41.7	64.3	32.1
10 - 19	126	3	23	23	18	5	18	9	27	57	38	31	104	19	76	50	58	64	80	43
	26.4	21.4	27.1	24.0	23.7	16.7	22.2	45.0	36.0	29.2	27.9	21.2	28.0	19.0	27.0	26.9	25.1	29.1	26.6	26.7
	100.0	2.4	18.3	18.3	14.3	4.0	14.3	7.1	21.4	45.2	30.2	24.6	82.5	15.1	60.3	39.7	46.0	50.8	63.5	34.1

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 2
Q.2 How Many Years Has Your Household Been Reusing Graywater?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE		FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT	MID-	SOUTH	ROCKY	URBAN LARGE MSAS	URBAN	RURAL	OWN	RENT/ LEASE /OTHR	AT	LESS	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER	
		ENG- LAND	ATL- ANTIC		LAKES WEST	MOUN- -WEST TAIN WEST	SMALL MSAS													
		(A)	(B)		(C)	(D)	(E)	(F)		(G)				(H)	(I)					(J)
Base: Total Answering	477	14**	85*	96*	76*	30*	81*	20**	75*	195	136	146	371	100	282	186	231	220	301	161
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	17.8*	20.1*	15.9*	6.3*	17.0*	4.2**	15.7*	40.9	28.5	30.6	77.8	21.0	59.1	39.0	48.4	46.1	63.1	33.8
20+ years	118	4	25	21	23	12	17	6	10	52	31	35	108	9	73	43	62	52	71	43
	24.7	28.6	29.4	21.9	30.3	40.0	21.0	30.0	13.3	26.7	22.8	24.0	29.1	9.0	25.9	23.1	26.8	23.6	23.6	26.7
	100.0	3.4	21.2H	17.8	19.5H	10.2F	14.4	5.1	8.5	44.1	26.3	29.7	91.5M	7.6	61.9	36.4	52.5	44.1	60.2	36.4
					H															
Sigma	477	14	85	96	76	30	81	20	75	195	136	146	371	100	282	186	231	220	301	161
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9	17.8	20.1	15.9	6.3	17.0	4.2	15.7	40.9	28.5	30.6	77.8	21.0	59.1	39.0	48.4	46.1	63.1	33.8
Mean Base	477	14	85	96	76	30	81	20	75	195	136	146	371	100	282	186	231	220	301	161
Mean	12.71	10.25	13.91	10.29	15.07	17.50	10.72	17.05	11.61	13.71	11.89	12.14	14.16M	7.48	13.76	11.30	13.21	12.59	12.70	12.93
		C			CF	CF								O						
Std. Deviation	12.61	8.29	12.68	9.32	14.90	16.10	10.79	13.57	13.43	13.55	11.20	12.52	13.12	9.07	13.54	11.03	12.88	12.19	13.17	11.77
Std. Error	0.58	2.22	1.38	0.95	1.71	2.94	1.20	3.04	1.55	0.97	0.96	1.04	0.68	0.91	0.81	0.81	0.85	0.82	0.76	0.93

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
 * small base; ** very small base (under 30) ineligible for sig testing

Table 3
Q.3 How Many Years Has Your Household Been Reusing Graywater At
Your Current Residence?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	SUB- URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491 100.0 100.0	14** 100.0** 2.9**	89* 100.0* 18.1*	98* 100.0* 20.0*	77* 100.0* 15.7*	30* 100.0* 6.1*	82* 100.0* 16.7*	21** 100.0** 4.3**	80* 100.0* 16.3*	203 100.0 41.3	141 100.0 28.7	147 100.0 29.9	384 100.0 78.2	100 100.0 20.4	291 100.0 59.3	190 100.0 38.7	240 100.0 48.9	224 100.0 45.6	310 100.0 63.1	165 100.0 33.6
No answer	9 1.8 100.0	- - -	4 4.5 44.4C	- - -	1 1.3 11.1	- - -	- - -	- - -	4 5.0 44.4C	6 3.0 66.7K	3 2.1 33.3	- - -	8 2.1 88.9	1 1.0 11.1	4 1.4 44.4	4 2.1 44.4	2 0.8 22.2	7 3.1 77.8	7 2.3 77.8	2 1.2 22.2
F																				
Base: Total Answering	482 100.0 100.0	14** 100.0** 2.9**	85* 100.0* 17.6*	98* 100.0* 20.3*	76* 100.0* 15.8*	30* 100.0* 6.2*	82* 100.0* 17.0*	21** 100.0** 4.4**	76* 100.0* 15.8*	197 100.0 40.9	138 100.0 28.6	147 100.0 30.5	376 100.0 78.0	99* 100.0* 20.5*	287 100.0 59.5	186 100.0 38.6	238 100.0 49.4	217 100.0 45.0	303 100.0 62.9	163 100.0 33.8
Less than 1 year	43 8.9 100.0	1 7.1 2.3	7 8.2 16.3	13 13.3 30.2	4 5.3 9.3	3 10.0 7.0	8 9.8 18.6	2 9.5 4.7	5 6.6 11.6	16 8.1 37.2	12 8.7 27.9	15 10.2 34.9	22 5.9 51.2	21 21.2 48.8L	12 4.2 27.9	29 15.6 67.4N	18 7.6 41.9	18 8.3 41.9	29 9.6 67.4	12 7.4 27.9
1 - 2	90 18.7 100.0	1 7.1 1.1	11 12.9 12.2	22 22.4 24.4	12 15.8 13.3	4 13.3 4.4	19 23.2 21.1	5 23.8 5.6	16 21.1 17.8	36 18.3 40.0	23 16.7 25.6	31 21.1 34.4	54 14.4 60.0	33 33.3 36.7L	46 16.0 51.1	43 23.1 47.8	41 17.2 45.6	45 20.7 50.0	57 18.8 63.3	31 19.0 34.4
3 - 4	80 16.6 100.0	5 35.7 6.3	12 14.1 15.0	17 17.3 21.3	14 18.4 17.5	3 10.0 3.8	15 18.3 18.8	1 4.8 1.3	13 17.1 16.3	31 15.7 38.8	26 18.8 32.5	23 15.6 28.8	59 15.7 73.8	21 21.2 26.3	51 17.8 63.8	27 14.5 33.8	35 14.7 43.8	39 18.0 48.8	56 18.5 70.0	23 14.1 28.8
5 - 9	83 17.2 100.0	2 14.3 2.4	17 20.0 20.5	17 17.3 20.5	14 18.4 16.9	5 16.7 6.0	10 12.2 12.0	4 19.0 4.8	14 18.4 16.9	31 15.7 37.3	29 21.0 34.9	23 15.6 27.7	70 18.6 84.3	12 12.1 14.5	58 20.2 69.90	22 11.8 26.5	47 19.7 56.6	32 14.7 38.6	50 16.5 60.2	29 17.8 34.9

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 3
Q.3 How Many Years Has Your Household Been Reusing Graywater At
Your Current Residence?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE		FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
	TOTAL	NEW	MID-	SOUTH	GREAT	MID-	SOUTH	ROCKY	SUB-	URBAN	URBAN	RURAL	OWN	RENT/ LEASE /OTHR	AT	LESS	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER
		ENG-	ATL-												LEAST	THAN				
		LAND	ANTIC												ONCE	ONCE				
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	482	14**	85*	98*	76*	30*	82*	21**	76*	197	138	147	376	99*	287	186	238	217	303	163
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	17.6*	20.3*	15.8*	6.2*	17.0*	4.4**	15.8*	40.9	28.6	30.5	78.0	20.5*	59.5	38.6	49.4	45.0	62.9	33.8
10 - 19	109	3	20	17	17	6	18	5	23	47	35	27	96	11	63	46	53	54	68	38
	22.6	21.4	23.5	17.3	22.4	20.0	22.0	23.8	30.3	23.9	25.4	18.4	25.5	11.1	22.0	24.7	22.3	24.9	22.4	23.3
	100.0	2.8	18.3	15.6	15.6	5.5	16.5	4.6	21.1C	43.1	32.1	24.8	88.1M	10.1	57.8	42.2	48.6	49.5	62.4	34.9
20+ years	77	2	18	12	15	9	12	4	5	36	13	28	75	1	57	19	44	29	43	30
	16.0	14.3	21.2	12.2	19.7	30.0	14.6	19.0	6.6	18.3	9.4	19.0	19.9	1.0	19.9	10.2	18.5	13.4	14.2	18.4
	100.0	2.6	23.4H	15.6	19.5H	11.7C	15.6	5.2	6.5	46.8J	16.9	36.4J	97.4M	1.3	74.00	24.7	57.1	37.7	55.8	39.0
						H														
Sigma	482	14	85	98	76	30	82	21	76	197	138	147	376	99	287	186	238	217	303	163
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9	17.6	20.3	15.8	6.2	17.0	4.4	15.8	40.9	28.6	30.5	78.0	20.5	59.5	38.6	49.4	45.0	62.9	33.8
Mean Base	482	14	85	98	76	30	82	21	76	197	138	147	376	99	287	186	238	217	303	163
Mean	9.62	8.25	11.21C	7.70	11.51	12.45C	8.90	10.33	8.11	10.69J	8.01	9.68	11.17M	3.76	10.900	7.84	10.41	9.00	9.13	10.30
					CH	H														
Std. Deviation	10.46	7.89	11.47	9.20	11.96	11.62	9.99	10.90	9.06	11.69	7.88	10.73	11.02	5.04	10.96	9.52	10.65	10.12	10.38	10.36
Std. Error	0.48	2.11	1.24	0.93	1.37	2.12	1.10	2.38	1.04	0.83	0.67	0.89	0.57	0.51	0.65	0.70	0.69	0.69	0.60	0.81

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 4
Q.4a During Which Months Of The Year Does Your Household Reuse Graywater?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER	WATER SOURCE					
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	OWN		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	MUNI- CIPAL SEWER	PRI- VATE WELL	PRI- VATE WATER
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)			
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165	
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6	
No answer	8	1	2	2	1	-	-	-	2	3	2	3	6	2	1	7	3	2	3	3	
	1.6	7.1	2.2	2.0	1.3	-	-	-	2.5	1.5	1.4	2.0	1.6	2.0	0.3	3.7	1.3	0.9	1.0	1.8	
	100.0	12.5	25.0	25.0	12.5	-	-	-	25.0	37.5	25.0	37.5	75.0	25.0	12.5	87.5N	37.5	25.0	37.5	37.5	
Base: Total Answering	483	13**	87*	96*	76*	30*	82*	21**	78*	200	139	144	378	98*	290	183	237	222	307	162	
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0	
	100.0	2.7**	18.0*	19.9*	15.7*	6.2*	17.0*	4.3**	16.1*	41.4	28.8	29.8	78.3	20.3*	60.0	37.9	49.1	46.0	63.6	33.5	
Winter (Net)	313	7	42	60	42	18	74	12	58	129	99	85	241	67	226	83	163	136	199	105	
	64.8	53.8	48.3	62.5	55.3	60.0	90.2	57.1	74.4	64.5	71.2	59.0	63.8	68.4	77.9	45.4	68.8	61.3	64.8	64.8	
	100.0	2.2	13.4	19.2	13.4	5.8	23.6BC	3.8	18.5B	41.2	31.6K	27.2	77.0	21.4	72.20	26.5	52.1	43.5	63.6	33.5	
							DEH		D												
January	277	6	37	51	38	14	68	10	53	113	87	77	216	56	208	65	148	118	173	97	
	57.3	46.2	42.5	53.1	50.0	46.7	82.9	47.6	67.9	56.5	62.6	53.5	57.1	57.1	71.7	35.5	62.4	53.2	56.4	59.9	
	100.0	2.2	13.4	18.4	13.7	5.1	24.5BC	3.6	19.1B	40.8	31.4	27.8	78.0	20.2	75.10	23.5	53.4Q	42.6	62.5	35.0	
							DEH		CDE												
February	275	6	37	51	37	14	68	10	52	111	87	77	213	57	207	64	147	117	172	96	
	56.9	46.2	42.5	53.1	48.7	46.7	82.9	47.6	66.7	55.5	62.6	53.5	56.3	58.2	71.4	35.0	62.0	52.7	56.0	59.3	
	100.0	2.2	13.5	18.5	13.5	5.1	24.7BC	3.6	18.9B	40.4	31.6	28.0	77.5	20.7	75.30	23.3	53.5Q	42.5	62.5	34.9	
							DEH		D												
March	306	7	40	60	41	17	73	12	56	126	96	84	237	64	225	77	159	133	195	102	
	63.4	53.8	46.0	62.5	53.9	56.7	89.0	57.1	71.8	63.0	69.1	58.3	62.7	65.3	77.6	42.1	67.1	59.9	63.5	63.0	
	100.0	2.3	13.1	19.6B	13.4	5.6	23.9BC	3.9	18.3B	41.2	31.4	27.5	77.5	20.9	73.50	25.2	52.0	43.5	63.7	33.3	
							DEH		D												

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 4
Q.4a During Which Months Of The Year Does Your Household Reuse Graywater?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT	MID-	SOUTH -WEST	ROCKY	URBAN LARGE MSAS	URBAN	RURAL		OWN	RENT/ LEASE /OTHR	AT	LESS	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL
		ENG-	ATL-		LAKES	MOUN-		SMALL		LEAST					THAN					
		LAND	ANTIC		WEST	TAIN		MSAS		ONCE					ONCE					
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	483	13**	87*	96*	76*	30*	82*	21**	78*	200	139	144	378	98*	290	183	237	222	307	162
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.7**	18.0*	19.9*	15.7*	6.2*	17.0*	4.3**	16.1*	41.4	28.8	29.8	78.3	20.3*	60.0	37.9	49.1	46.0	63.6	33.5
Spring (Net)	458	11	79	94	71	27	80	21	75	196	127	135	361	90	289	161	225	212	294	151
	94.8	84.6	90.8	97.9	93.4	90.0	97.6	100.0	96.2	98.0	91.4	93.8	95.5	91.8	99.7	88.0	94.9	95.5	95.8	93.2
	100.0	2.4	17.2	20.5B	15.5	5.9	17.5	4.6	16.4	42.8J	27.7	29.5	78.8	19.7	63.10	35.2	49.1	46.3	64.2	33.0
										K										
April	377	7	59	80	58	20	74	17	62	160	111	106	302	69	261	110	195	166	239	128
	78.1	53.8	67.8	83.3	76.3	66.7	90.2	81.0	79.5	80.0	79.9	73.6	79.9	70.4	90.0	60.1	82.3	74.8	77.9	79.0
	100.0	1.9	15.6	21.2B	15.4	5.3	19.6BD	4.5	16.4	42.4	29.4	28.1	80.1M	18.3	69.20	29.2	51.7	44.0	63.4	34.0
							E													
May	421	9	68	88	64	25	77	19	71	177	119	125	335	80	282	133	213	189	265	144
	87.2	69.2	78.2	91.7	84.2	83.3	93.9	90.5	91.0	88.5	85.6	86.8	88.6	81.6	97.2	72.7	89.9	85.1	86.3	88.9
	100.0	2.1	16.2	20.9B	15.2	5.9	18.3B	4.5	16.9B	42.0	28.3	29.7	79.6	19.0	67.00	31.6	50.6	44.9	62.9	34.2
June	450	11	77	93	69	25	80	21	74	194	125	131	354	89	288	154	224	205	286	151
	93.2	84.6	88.5	96.9	90.8	83.3	97.6	100.0	94.9	97.0	89.9	91.0	93.7	90.8	99.3	84.2	94.5	92.3	93.2	93.2
	100.0	2.4	17.1	20.7B	15.3	5.6	17.8BE	4.7	16.4	43.1J	27.8	29.1	78.7	19.8	64.00	34.2	49.8	45.6	63.6	33.6
							E			K										
Summer (Net)	465	12	84	93	73	29	79	21	74	192	134	139	364	94	284	171	228	213	293	158
	96.3	92.3	96.6	96.9	96.1	96.7	96.3	100.0	94.9	96.0	96.4	96.5	96.3	95.9	97.9	93.4	96.2	95.9	95.4	97.5
	100.0	2.6	18.1	20.0	15.7	6.2	17.0	4.5	15.9	41.3	28.8	29.9	78.3	20.2	61.10	36.8	49.0	45.8	63.0	34.0
July	459	12	82	93	71	28	79	20	74	189	132	138	361	92	284	166	226	210	288	158
	95.0	92.3	94.3	96.9	93.4	93.3	96.3	95.2	94.9	94.5	95.0	95.8	95.5	93.9	97.9	90.7	95.4	94.6	93.8	97.5
	100.0	2.6	17.9	20.3	15.5	6.1	17.2	4.4	16.1	41.2	28.8	30.1	78.6	20.0	61.90	36.2	49.2	45.8	62.7	34.4

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 4
Q.4a During Which Months Of The Year Does Your Household Reuse Graywater?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL												OWN	RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER
		NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS									
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	483	13**	87*	96*	76*	30*	82*	21**	78*	200	139	144	378	98*	290	183	237	222	307	162
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.7**	18.0*	19.9*	15.7*	6.2*	17.0*	4.3**	16.1*	41.4	28.8	29.8	78.3	20.3*	60.0	37.9	49.1	46.0	63.6	33.5
August	451	12	78	91	70	28	78	20	74	187	129	135	355	90	283	158	221	207	282	155
	93.4	92.3	89.7	94.8	92.1	93.3	95.1	95.2	94.9	93.5	92.8	93.8	93.9	91.8	97.6	86.3	93.2	93.2	91.9	95.7
	100.0	2.7	17.3	20.2	15.5	6.2	17.3	4.4	16.4	41.5	28.6	29.9	78.7	20.0	62.70	35.0	49.0	45.9	62.5	34.4
September	423	10	75	85	62	25	77	21	68	179	122	122	336	81	280	136	212	192	265	145
	87.6	76.9	86.2	88.5	81.6	83.3	93.9	100.0	87.2	89.5	87.8	84.7	88.9	82.7	96.6	74.3	89.5	86.5	86.3	89.5
	100.0	2.4	17.7	20.1	14.7	5.9	18.20	5.0	16.1	42.3	28.8	28.8	79.4	19.1	66.20	32.2	50.1	45.4	62.6	34.3
Fall (Net)	343	9	51	63	49	19	74	15	63	146	103	94	269	68	246	93	178	149	212	120
	71.0	69.2	58.6	65.6	64.5	63.3	90.2	71.4	80.8	73.0	74.1	65.3	71.2	69.4	84.8	50.8	75.1	67.1	69.1	74.1
	100.0	2.6	14.9	18.4	14.3	5.5	21.6BC DE	4.4 CD	18.4B	42.6	30.0	27.4	78.4	19.8	71.70	27.1	51.9	43.4	61.8	35.0
October	338	8	51	63	48	18	73	15	62	146	100	92	266	66	246	88	174	148	210	117
	70.0	61.5	58.6	65.6	63.2	60.0	89.0	71.4	79.5	73.0	71.9	63.9	70.4	67.3	84.8	48.1	73.4	66.7	68.4	72.2
	100.0	2.4	15.1	18.6	14.2	5.3	21.6BC DE	4.4 CDE	18.3B	43.2	29.6	27.2	78.7	19.5	72.80	26.0	51.5	43.8	62.1	34.6
November	278	5	36	51	39	14	68	12	53	114	86	78	219	54	216	58	148	117	175	96
	57.6	38.5	41.4	53.1	51.3	46.7	82.9	57.1	67.9	57.0	61.9	54.2	57.9	55.1	74.5	31.7	62.4	52.7	57.0	59.3
	100.0	1.8	12.9	18.3	14.0	5.0	24.5BC DEH	4.3 CDE	19.1B	41.0	30.9	28.1	78.8	19.4	77.70	20.9	53.2Q	42.1	62.9	34.5
December	267	6	33	49	37	14	67	10	51	107	85	75	208	54	205	58	144	112	166	94
	55.3	46.2	37.9	51.0	48.7	46.7	81.7	47.6	65.4	53.5	61.2	52.1	55.0	55.1	70.7	31.7	60.8	50.5	54.1	58.0
	100.0	2.2	12.4	18.4	13.9	5.2	25.1BC DEH	3.7 D	19.1B	40.1	31.8	28.1	77.9	20.2	76.80	21.7	53.9Q	41.9	62.2	35.2

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 4
Q.4a During Which Months Of The Year Does Your Household Reuse Graywater?

TOTAL	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
	NEW	MID-	SOUTH	GREAT	MID-	ROCKY	SOUTH	URBAN	URBAN	RURAL	RENT/ LEASE		AT	LESS	SEP-	MUNI- CIPAL WATER	PRI- VATE WELL		
	ENG-	ATL-		LAKES	WEST	WEST		LARGE	SMALL		ONCE		ONCE	TIC					
	LAND	ANTIC		-EAST	-WEST	TAIN		MSAS	MSAS		A WK.	A WK.	TANK	SEWER					
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
483	13**	87*	96*	76*	30*	82*	21**	78*	200	139	144	378	98*	290	183	237	222	307	162
100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
100.0	2.7**	18.0*	19.9*	15.7*	6.2*	17.0*	4.3**	16.1*	41.4	28.8	29.8	78.3	20.3*	60.0	37.9	49.1	46.0	63.6	33.5
4322	99	673	855	634	242	882	187	750	1803	1279	1240	3402	852	2985	1267	2211	1914	2716	1483
894.8	761.5	773.6	890.6	834.2	806.7	1075.6	890.5	961.5	901.5	920.1	861.1	900.0	869.4	1029.3	692.3	932.9	862.2	884.7	915.4
100.0	2.3	15.6	19.8	14.7	5.6	20.4	4.3	17.4	41.7	29.6	28.7	78.7	19.7	69.1	29.3	51.2	44.3	62.8	34.3

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 5
Q.4b During Which Month Of The Year, If Any, Does Your Household Reuse
Graywater Most?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER	WATER SOURCE				
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	ROCKY MOUN- -WEST	TAIN WEST	SUB-				RENT/ LEASE ONCE /OTHR	AT LEAST ONCE A WK.		LESS THAN ONCE A WK.	SEP- TIC TANK	MUNI- CIPAL SEWER	PRI- VATE WELL	WATER
									URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL									
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	91	2	14	18	12	4	21	5	15	34	24	33	74	14	66	23	51	31	53	33
	18.5	14.3	15.7	18.4	15.6	13.3	25.6	23.8	18.8	16.7	17.0	22.4	19.3	14.0	22.7	12.1	21.3	13.8	17.1	20.0
	100.0	2.2	15.4	19.8	13.2	4.4	23.1	5.5	16.5	37.4	26.4	36.3	81.3	15.4	72.50	25.3	56.00	34.1	58.2	36.3
Base: Total Answering	400	12**	75*	80*	65*	26**	61*	16**	65*	169	117	114	310	86*	225	167	189	193	257	132
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	3.0**	18.8*	20.0*	16.3*	6.5**	15.3*	4.0**	16.3*	42.3	29.3	28.5	77.5	21.5*	56.3	41.8	47.3	48.3	64.3	33.0
Winter (Net)	41	2	3	9	4	4	8	-	11	19	12	10	30	10	30	11	20	19	25	15
	10.3	16.7	4.0	11.3	6.2	15.4	13.1	-	16.9	11.2	10.3	8.8	9.7	11.6	13.3	6.6	10.6	9.8	9.7	11.4
	100.0	4.9	7.3	22.0	9.8	9.8	19.5	-	26.88	46.3	29.3	24.4	73.2	24.4	73.20	26.8	48.8	46.3	61.0	36.6
January	32	1	3	5	4	3	8	-	8	14	11	7	25	6	24	8	18	12	19	13
	8.0	8.3	4.0	6.3	6.2	11.5	13.1	-	12.3	8.3	9.4	6.1	8.1	7.0	10.7	4.8	9.5	6.2	7.4	9.8
	100.0	3.1	9.4	15.6	12.5	9.4	25.0	-	25.0	43.8	34.4	21.9	78.1	18.8	75.00	25.0	56.3	37.5	59.4	40.6
February	30	1	3	4	4	2	7	-	9	16	6	8	23	6	25	5	16	12	17	12
	7.5	8.3	4.0	5.0	6.2	7.7	11.5	-	13.8	9.5	5.1	7.0	7.4	7.0	11.1	3.0	8.5	6.2	6.6	9.1
	100.0	3.3	10.0	13.3	13.3	6.7	23.3	-	30.08	53.3	20.0	26.7	76.7	20.0	83.30	16.7	53.3	40.0	56.7	40.0
March	33	-	3	7	4	3	7	-	9	18	7	8	24	8	27	6	15	16	21	11
	8.3	-	4.0	8.8	6.2	11.5	11.5	-	13.8	10.7	6.0	7.0	7.7	9.3	12.0	3.6	7.9	8.3	8.2	8.3
	100.0	-	9.1	21.2	12.1	9.1	21.2	-	27.38	54.5	21.2	24.2	72.7	24.2	81.80	18.2	45.5	48.5	63.6	33.3
Spring (Net)	155	3	22	30	32	11	29	5	23	71	39	45	125	29	96	57	79	67	96	51
	38.8	25.0	29.3	37.5	49.2	42.3	47.5	31.3	35.4	42.0	33.3	39.5	40.3	33.7	42.7	34.1	41.8	34.7	37.4	38.6
	100.0	1.9	14.2	19.4	20.68	7.1	18.78	3.2	14.8	45.8	25.2	29.0	80.6	18.7	61.9	36.8	51.0	43.2	61.9	32.9

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 5
Q.4b During Which Month Of The Year, If Any, Does Your Household Reuse
Graywater Most?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB- URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WATER	WELL WATER	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	400	12**	75*	80*	65*	26**	61*	16**	65*	169	117	114	310	86*	225	167	189	193	257	132
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	3.0**	18.8*	20.0*	16.3*	6.5**	15.3*	4.0**	16.3*	42.3	29.3	28.5	77.5	21.5*	56.3	41.8	47.3	48.3	64.3	33.0
April	59	-	9	12	9	5	10	2	12	24	18	17	49	9	44	14	26	29	37	19
	14.8	-	12.0	15.0	13.8	19.2	16.4	12.5	18.5	14.2	15.4	14.9	15.8	10.5	19.6	8.4	13.8	15.0	14.4	14.4
	100.0	-	15.3	20.3	15.3	8.5	16.9	3.4	20.3	40.7	30.5	28.8	83.1	15.3	74.60	23.7	44.1	49.2	62.7	32.2
May	81	-	11	14	11	8	20	3	14	40	17	24	64	16	63	18	42	35	50	27
	20.3	-	14.7	17.5	16.9	30.8	32.8	18.8	21.5	23.7	14.5	21.1	20.6	18.6	28.0	10.8	22.2	18.1	19.5	20.5
	100.0	-	13.6	17.3	13.6	9.9	24.7BC	3.7	17.3	49.4	21.0	29.6	79.0	19.8	77.80	22.2	51.9	43.2	61.7	33.3
						D														
June	131	3	18	25	27	8	27	5	18	61	30	40	103	27	87	43	68	54	78	46
	32.8	25.0	24.0	31.3	41.5	30.8	44.3	31.3	27.7	36.1	25.6	35.1	33.2	31.4	38.7	25.7	36.0	28.0	30.4	34.8
	100.0	2.3	13.7	19.1	20.68	6.1	20.68	3.8	13.7	46.6	22.9	30.5	78.6	20.6	66.40	32.8	51.9	41.2	59.5	35.1
Summer (Net)	319	8	64	61	49	21	51	14	51	137	91	91	244	71	191	122	148	157	206	105
	79.8	66.7	85.3	76.3	75.4	80.8	83.6	87.5	78.5	81.1	77.8	79.8	78.7	82.6	84.9	73.1	78.3	81.3	80.2	79.5
	100.0	2.5	20.1	19.1	15.4	6.6	16.0	4.4	16.0	42.9	28.5	28.5	76.5	22.3	59.90	38.2	46.4	49.2	64.6	32.9
July	228	4	37	47	40	17	42	8	33	94	63	71	173	51	139	87	111	106	147	74
	57.0	33.3	49.3	58.8	61.5	65.4	68.9	50.0	50.8	55.6	53.8	62.3	55.8	59.3	61.8	52.1	58.7	54.9	57.2	56.1
	100.0	1.8	16.2	20.6	17.5	7.5	18.48H	3.5	14.5	41.2	27.6	31.1	75.9	22.4	61.0	38.2	48.7	46.5	64.5	32.5
August	186	6	39	34	27	11	30	8	31	89	48	49	141	43	120	62	86	90	117	63
	46.5	50.0	52.0	42.5	41.5	42.3	49.2	50.0	47.7	52.7	41.0	43.0	45.5	50.0	53.3	37.1	45.5	46.6	45.5	47.7
	100.0	3.2	21.0	18.3	14.5	5.9	16.1	4.3	16.7	47.8	25.8	26.3	75.8	23.1	64.50	33.3	46.2	48.4	62.9	33.9

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 5
Q.4b During Which Month Of The Year, If Any, Does Your Household Reuse
Graywater Most?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
													AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK		PRI- MUNI- CIPAL	VATE WELL WATER		
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	RENT/ LEASE /OTHR								
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	400	12**	75*	80*	65*	26**	61*	16**	65*	169	117	114	310	86*	225	167	189	193	257	132
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	3.0**	18.8*	20.0*	16.3*	6.5**	15.3*	4.0**	16.3*	42.3	29.3	28.5	77.5	21.5*	56.3	41.8	47.3	48.3	64.3	33.0
September	81	1	10	15	11	6	15	4	19	41	18	22	60	19	60	21	38	38	51	26
	20.3	8.3	13.3	18.8	16.9	23.1	24.6	25.0	29.2	24.3	15.4	19.3	19.4	22.1	26.7	12.6	20.1	19.7	19.8	19.7
	100.0	1.2	12.3	18.5	13.6	7.4	18.5	4.9	23.58	50.6	22.2	27.2	74.1	23.5	74.10	25.9	46.9	46.9	63.0	32.1
Fall (Net)	38	-	5	8	5	3	8	-	9	17	12	9	32	5	33	5	23	13	22	15
	9.5	-	6.7	10.0	7.7	11.5	13.1	-	13.8	10.1	10.3	7.9	10.3	5.8	14.7	3.0	12.2	6.7	8.6	11.4
	100.0	-	13.2	21.1	13.2	7.9	21.1	-	23.7	44.7	31.6	23.7	84.2	13.2	86.80	13.2	60.5	34.2	57.9	39.5
October	36	-	5	7	4	3	8	-	9	17	11	8	31	4	33	3	22	12	20	15
	9.0	-	6.7	8.8	6.2	11.5	13.1	-	13.8	10.1	9.4	7.0	10.0	4.7	14.7	1.8	11.6	6.2	7.8	11.4
	100.0	-	13.9	19.4	11.1	8.3	22.2	-	25.0	47.2	30.6	22.2	86.1	11.1	91.70	8.3	61.1	33.3	55.6	41.7
November	25	-	2	4	4	2	7	-	6	13	6	6	20	4	23	2	14	9	16	9
	6.3	-	2.7	5.0	6.2	7.7	11.5	-	9.2	7.7	5.1	5.3	6.5	4.7	10.2	1.2	7.4	4.7	6.2	6.8
	100.0	-	8.0	16.0	16.0	8.0	28.08	-	24.0	52.0	24.0	24.0	80.0	16.0	92.00	8.0	56.0	36.0	64.0	36.0
December	26	-	2	5	4	2	7	-	6	13	7	6	21	4	23	3	15	9	17	9
	6.5	-	2.7	6.3	6.2	7.7	11.5	-	9.2	7.7	6.0	5.3	6.8	4.7	10.2	1.8	7.9	4.7	6.6	6.8
	100.0	-	7.7	19.2	15.4	7.7	26.98	-	23.1	50.0	26.9	23.1	80.8	15.4	88.50	11.5	57.7	34.6	65.4	34.6
Sigma	948	16	142	179	149	70	188	30	174	440	242	266	734	197	668	272	471	422	590	324
	237.0	133.3	189.3	223.8	229.2	269.2	308.2	187.5	267.7	260.4	206.8	233.3	236.8	229.1	296.9	162.9	249.2	218.7	229.6	245.5
	100.0	1.7	15.0	18.9	15.7	7.4	19.8	3.2	18.4	46.4	25.5	28.1	77.4	20.8	70.5	28.7	49.7	44.5	62.2	34.2

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 6
Q.5 In What Type Of Residence Do You Reuse Graywater?

	REGION								MARKET SIZE			OWN/RENT OWN	RENT/ LEASE /OTHR	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	SUB- URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL			AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WATER	VATE WELL WATER	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	20	1	7	2	2	-	1	-	7	12	4	4	15	5	7	13	7	9	11	6
	4.1	7.1	7.9	2.0	2.6	-	1.2	-	8.8	5.9	2.8	2.7	3.9	5.0	2.4	6.8	2.9	4.0	3.5	3.6
	100.0	5.0	35.0F	10.0	10.0	-	5.0	-	35.0C	60.0	20.0	20.0	75.0	25.0	35.0	65.0N	35.0	45.0	55.0	30.0
F																				
Base: Total Answering	471	13**	82*	96*	75*	30*	81*	21**	73*	191	137	143	369	95*	284	177	233	215	299	159
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.8**	17.4*	20.4*	15.9*	6.4*	17.2*	4.5**	15.5*	40.6	29.1	30.4	78.3	20.2*	60.3	37.6	49.5	45.6	63.5	33.8
Single family house	405	12	70	80	65	28	68	18	64	160	118	127	337	61	251	146	212	178	250	143
	86.0	92.3	85.4	83.3	86.7	93.3	84.0	85.7	87.7	83.8	86.1	88.8	91.3	64.2	88.4	82.5	91.0	82.8	83.6	89.9
	100.0	3.0	17.3	19.8	16.0	6.9	16.8	4.4	15.8	39.5	29.1	31.4	83.2M	15.1	62.0	36.0	52.3Q	44.0	61.7	35.3
Multiple family house	20	1	6	4	4	1	1	1	2	10	8	2	12	8	13	7	7	12	15	5
	4.2	7.7	7.3	4.2	5.3	3.3	1.2	4.8	2.7	5.2	5.8	1.4	3.3	8.4	4.6	4.0	3.0	5.6	5.0	3.1
	100.0	5.0	30.0	20.0	20.0	5.0	5.0	5.0	10.0	50.0	40.0K	10.0	60.0	40.0L	65.0	35.0	35.0	60.0	75.0	25.0
Condo/Co-op	3	-	-	-	-	-	1	-	2	2	1	-	3	-	1	2	-	3	3	-
	0.6	-	-	-	-	-	1.2	-	2.7	1.0	0.7	-	0.8	-	0.4	1.1	-	1.4	1.0	-
	100.0	-	-	-	-	-	33.3	-	66.7	66.7	33.3	-	100.0	-	33.3	66.7	-	100.0	100.0	-
Apartment	22	-	2	5	5	1	5	-	4	10	8	4	-	22	8	13	2	15	19	2
	4.7	-	2.4	5.2	6.7	3.3	6.2	-	5.5	5.2	5.8	2.8	-	23.2	2.8	7.3	0.9	7.0	6.4	1.3
	100.0	-	9.1	22.7	22.7	4.5	22.7	-	18.2	45.5	36.4	18.2	-	100.0L	36.4	59.1N	9.1	68.2P	86.4S	9.1
Vacation home	4	-	1	1	-	-	1	1	-	2	2	-	4	-	-	4	-	2	3	1
	0.8	-	1.2	1.0	-	-	1.2	4.8	-	1.0	1.5	-	1.1	-	-	2.3	-	0.9	1.0	0.6
	100.0	-	25.0	25.0	-	-	25.0	25.0	-	50.0	50.0	-	100.0	-	-	100.0N	-	50.0	75.0	25.0

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 6
Q.5 In What Type Of Residence Do You Reuse Graywater?

TOTAL	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB-				RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER
									URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL								
									(A)	(B)	(C)								
471	13**	82*	96*	75*	30*	81*	21**	73*	191	137	143	369	95*	284	177	233	215	299	159
100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
100.0	2.8**	17.4*	20.4*	15.9*	6.4*	17.2*	4.5**	15.5*	40.6	29.1	30.4	78.3	20.2*	60.3	37.6	49.5	45.6	63.5	33.8
17	-	3	6	1	-	5	1	1	7	-	10	13	4	11	5	12	5	9	8
3.6	-	3.7	6.3	1.3	-	6.2	4.8	1.4	3.7	-	7.0	3.5	4.2	3.9	2.8	5.2	2.3	3.0	5.0
100.0	-	17.6	35.3	5.9	-	29.4	5.9	5.9	41.2J	-	58.8J	76.5	23.5	64.7	29.4	70.6	29.4	52.9	47.1
471	13	82	96	75	30	81	21	73	191	137	143	369	95	284	177	233	215	299	159
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
100.0	2.8	17.4	20.4	15.9	6.4	17.2	4.5	15.5	40.6	29.1	30.4	78.3	20.2	60.3	37.6	49.5	45.6	63.5	33.8

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 7
Q.6 What Specifically Caused You To Start Using Graywater?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB-			RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WATER	VATE WELL WATER	
										URBAN LARGE MSAS	URBAN SMALL MSAS									RURAL
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	16	1	3	2	4	3	1	1	1	5	4	7	13	2	7	8	8	5	8	7
	3.3	7.1	3.4	2.0	5.2	10.0	1.2	4.8	1.3	2.5	2.8	4.8	3.4	2.0	2.4	4.2	3.3	2.2	2.6	4.2
	100.0	6.3	18.8	12.5	25.0	18.8FH	6.3	6.3	6.3	31.3	25.0	43.8	81.3	12.5	43.8	50.0	50.0	31.3	50.0	43.8
Base: Total Answering	475	13**	86*	96*	73*	27**	81*	20**	79*	198	137	140	371	98*	284	182	232	219	302	158
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.7**	18.1*	20.2*	15.4*	5.7**	17.1*	4.2**	16.6*	41.7	28.8	29.5	78.1	20.6*	59.8	38.3	48.8	46.1	63.6	33.3
Environmental Concerns (Net)	152	4	32	25	24	7	25	7	28	74	38	40	118	32	93	58	68	78	94	53
	32.0	30.8	37.2	26.0	32.9	25.9	30.9	35.0	35.4	37.4	27.7	28.6	31.8	32.7	32.7	31.9	29.3	35.6	31.1	33.5
	100.0	2.6	21.1	16.4	15.8	4.6	16.4	4.6	18.4	48.7	25.0	26.3	77.6	21.1	61.2	38.2	44.7	51.3	61.8	34.9
Water Conservation (Subnet)	128	3	23	22	21	7	20	6	26	60	31	37	101	25	81	46	57	67	78	45
	26.9	23.1	26.7	22.9	28.8	25.9	24.7	30.0	32.9	30.3	22.6	26.4	27.2	25.5	28.5	25.3	24.6	30.6	25.8	28.5
	100.0	2.3	18.0	17.2	16.4	5.5	15.6	4.7	20.3	46.9	24.2	28.9	78.9	19.5	63.3	35.9	44.5	52.3	60.9	35.2
Water conservation/save water/save water supply	75	1	18	15	8	2	12	3	16	34	16	25	59	16	49	26	37	35	43	28
	15.8	7.7	20.9	15.6	11.0	7.4	14.8	15.0	20.3	17.2	11.7	17.9	15.9	16.3	17.3	14.3	15.9	16.0	14.2	17.7
	100.0	1.3	24.0	20.0	10.7	2.7	16.0	4.0	21.3	45.3	21.3	33.3	78.7	21.3	65.3	34.7	49.3	46.7	57.3	37.3
Don't like to waste valuable water	54	2	6	7	13	5	8	3	10	27	15	12	43	9	33	20	21	32	36	17
	11.4	15.4	7.0	7.3	17.8	18.5	9.9	15.0	12.7	13.6	10.9	8.6	11.6	9.2	11.6	11.0	9.1	14.6	11.9	10.8
	100.0	3.7	11.1	13.0	24.1BC	9.3	14.8	5.6	18.5	50.0	27.8	22.2	79.6	16.7	61.1	37.0	38.9	59.3	66.7	31.5
All other water conservation mentions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 7
Q.6 What Specifically Caused You To Start Using Graywater?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	ROCKY MOUN- -WEST	TAIN WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT	LESS	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
		ENG-	ATL-											ONCE	ONCE					
		LAND	ANTIC											A WK.	A WK.					
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	475	13**	86*	96*	73*	27**	81*	20**	79*	198	137	140	371	98*	284	182	232	219	302	158
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.7**	18.1*	20.2*	15.4*	5.7**	17.1*	4.2**	16.6*	41.7	28.8	29.5	78.1	20.6*	59.8	38.3	48.8	46.1	63.6	33.3
Concern for environment/ natural resources	31	2	11	5	3	-	5	2	3	16	9	6	24	7	17	14	14	15	22	9
	6.5	15.4	12.8	5.2	4.1	-	6.2	10.0	3.8	8.1	6.6	4.3	6.5	7.1	6.0	7.7	6.0	6.8	7.3	5.7
	100.0	6.5	35.5H	16.1	9.7	-	16.1	6.5	9.7	51.6	29.0	19.4	77.4	22.6	54.8	45.2	45.2	48.4	71.0	29.0
Save energy	2	-	-	1	-	-	-	-	1	-	-	2	1	1	2	-	2	-	-	2
	0.4	-	-	1.0	-	-	-	-	1.3	-	-	1.4	0.3	1.0	0.7	-	0.9	-	-	1.3
	100.0	-	-	50.0	-	-	-	-	50.0	-	-	100.0	50.0	50.0	100.0	-	100.0	-	-	100.0
All other environmental concerns mentions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Price/Cost (Net)	81	4	16	19	9	2	10	8	13	30	30	21	67	14	55	24	24	55	70	9
	17.1	30.8	18.6	19.8	12.3	7.4	12.3	40.0	16.5	15.2	21.9	15.0	18.1	14.3	19.4	13.2	10.3	25.1	23.2	5.7
	100.0	4.9	19.8	23.5	11.1	2.5	12.3	9.9	16.0	37.0	37.0	25.9	82.7	17.3	67.9	29.6	29.6	67.9P	86.4S	11.1
Price/cost/price/cost of water/high water bills	42	4	8	10	5	1	3	3	8	15	18	9	37	5	29	12	8	33	41	1
	8.8	30.8	9.3	10.4	6.8	3.7	3.7	15.0	10.1	7.6	13.1	6.4	10.0	5.1	10.2	6.6	3.4	15.1	13.6	0.6
	100.0	9.5	19.0	23.8	11.9	2.4	7.1	7.1	19.0	35.7	42.9	21.4	88.1	11.9	69.0	28.6	19.0	78.6P	97.6S	2.4
Saves money/save on water bill	32	1	7	6	3	1	5	4	5	10	10	12	25	7	22	9	12	19	26	5
	6.7	7.7	8.1	6.3	4.1	3.7	6.2	20.0	6.3	5.1	7.3	8.6	6.7	7.1	7.7	4.9	5.2	8.7	8.6	3.2
	100.0	3.1	21.9	18.8	9.4	3.1	15.6	12.5	15.6	31.3	31.3	37.5	78.1	21.9	68.8	28.1	37.5	59.4	81.3S	15.6
Economical	6	-	1	3	-	-	2	-	-	4	2	-	4	2	3	3	4	2	3	2
	1.3	-	1.2	3.1	-	-	2.5	-	-	2.0	1.5	-	1.1	2.0	1.1	1.6	1.7	0.9	1.0	1.3
	100.0	-	16.7	50.0	-	-	33.3	-	-	66.7	33.3	-	66.7	33.3	50.0	50.0	66.7	33.3	50.0	33.3

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 7
Q.6 What Specifically Caused You To Start Using Graywater?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB- URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	AT RENT/ LEASE /OTHR	LESS THAN ONCE A WK.	AT RENT/ LEASE /OTHR	SEPTIC TANK	SEWER	PRI- MUNI- CIPAL WATER	VATE WELL WATER
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	475	13**	86*	96*	73*	27**	81*	20**	79*	198	137	140	371	98*	284	182	232	219	302	158
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.7**	18.1*	20.2*	15.4*	5.7**	17.1*	4.2**	16.6*	41.7	28.8	29.5	78.1	20.6*	59.8	38.3	48.8	46.1	63.6	33.3
All other price/cost mentions	5	-	2	1	1	-	-	1	-	3	1	1	4	1	3	2	1	4	4	1
	1.1	-	2.3	1.0	1.4	-	-	5.0	-	1.5	0.7	0.7	1.1	1.0	1.1	1.1	0.4	1.8	1.3	0.6
	100.0	-	40.0	20.0	20.0	-	-	20.0	-	60.0	20.0	20.0	80.0	20.0	60.0	40.0	20.0	80.0	80.0	20.0
Convenience (Net)	9	-	-	5	-	1	1	-	2	4	1	4	5	4	6	2	5	4	6	2
	1.9	-	-	5.2	-	3.7	1.2	-	2.5	2.0	0.7	2.9	1.3	4.1	2.1	1.1	2.2	1.8	2.0	1.3
	100.0	-	-	55.68	-	11.1	11.1	-	22.2	44.4	11.1	44.4	55.6	44.4	66.7	22.2	55.6	44.4	66.7	22.2
Convenient	6	-	-	3	-	1	-	-	2	4	-	2	4	2	3	2	3	3	4	1
	1.3	-	-	3.1	-	3.7	-	-	2.5	2.0	-	1.4	1.1	2.0	1.1	1.1	1.3	1.4	1.3	0.6
	100.0	-	-	50.0	-	16.7	-	-	33.3	66.7	-	33.3	66.7	33.3	50.0	33.3	50.0	50.0	66.7	16.7
All other convenience mentions	3	-	-	2	-	-	1	-	-	-	1	2	1	2	3	-	2	1	2	1
	0.6	-	-	2.1	-	-	1.2	-	-	-	0.7	1.4	0.3	2.0	1.1	-	0.9	0.5	0.7	0.6
	100.0	-	-	66.7	-	-	33.3	-	-	-	33.3	66.7	33.3	66.7	100.0	-	66.7	33.3	66.7	33.3
Weather Conditions (Net)	100	3	25	21	10	5	6	5	25	39	33	28	80	19	46	51	37	56	72	24
	21.1	23.1	29.1	21.9	13.7	18.5	7.4	25.0	31.6	19.7	24.1	20.0	21.6	19.4	16.2	28.0	15.9	25.6	23.8	15.2
	100.0	3.0	25.0D	21.0F	10.0	5.0	6.0	5.0	25.0D	39.0	33.0	28.0	80.0	19.0	46.0	51.0N	37.0	56.0P	72.0S	24.0
			F						F											
Hot summer/hot summer months	9	-	1	4	3	-	-	-	1	4	1	4	8	1	4	5	5	3	6	3
	1.9	-	1.2	4.2	4.1	-	-	-	1.3	2.0	0.7	2.9	2.2	1.0	1.4	2.7	2.2	1.4	2.0	1.9
	100.0	-	11.1	44.4	33.3	-	-	-	11.1	44.4	11.1	44.4	88.9	11.1	44.4	55.6	55.6	33.3	66.7	33.3
Dry weather/dry summer	22	-	10	6	3	1	1	-	1	5	9	8	19	2	10	12	10	11	16	6
	4.6	-	11.6	6.3	4.1	3.7	1.2	-	1.3	2.5	6.6	5.7	5.1	2.0	3.5	6.6	4.3	5.0	5.3	3.8
	100.0	-	45.5F	27.3	13.6	4.5	4.5	-	4.5	22.7	40.9	36.4	86.4	9.1	45.5	54.5	45.5	50.0	72.7	27.3
			H																	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 7
Q.6 What Specifically Caused You To Start Using Graywater?

	REGION											MARKET SIZE			OWN/RENT RESIDENCE		FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE	
												SUB-			RENT/ LEASE /OTHR		AT LEAST ONCE A WK.		LESS THAN ONCE A WK.		PRI- VATE CIPAL WELL	
												URBAN LARGE MSAS							SEP- TIC TANK		MUNI- WATER	
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	OWN	RENT/ LEASE /OTHR	OWN	RENT/ LEASE /OTHR	A WK.	A WK.	TANK	SEWER	WATER	WATER	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)			
Base: Total Answering	475	13**	86*	96*	73*	27**	81*	20**	79*	198	137	140	371	98*	284	182	232	219	302	158		
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0		
	100.0	2.7**	18.1*	20.2*	15.4*	5.7**	17.1*	4.2**	16.6*	41.7	28.8	29.5	78.1	20.6*	59.8	38.3	48.8	46.1	63.6	33.3		
Drought/little rain	32	2	4	4	3	-	2	-	17	19	9	4	24	8	15	16	10	19	26	5		
	6.7	15.4	4.7	4.2	4.1	-	2.5	-	21.5	9.6	6.6	2.9	6.5	8.2	5.3	8.8	4.3	8.7	8.6	3.2		
	100.0	6.3	12.5	12.5	9.4	-	6.3	-	53.1B	59.4K	28.1	12.5	75.0	25.0	46.9	50.0	31.3	59.4	81.3S	15.6		
									CDF													
Lack of water/rainfall/water shortage	33	1	9	8	3	2	3	3	4	14	11	8	25	8	16	17	14	17	22	9		
	6.9	7.7	10.5	8.3	4.1	7.4	3.7	15.0	5.1	7.1	8.0	5.7	6.7	8.2	5.6	9.3	6.0	7.8	7.3	5.7		
	100.0	3.0	27.3	24.2	9.1	6.1	9.1	9.1	12.1	42.4	33.3	24.2	75.8	24.2	48.5	51.5	42.4	51.5	66.7	27.3		
Water restrictions due to drought/water rationing	20	-	6	4	2	2	-	2	4	5	7	8	18	2	8	10	4	14	15	3		
	4.2	-	7.0	4.2	2.7	7.4	-	10.0	5.1	2.5	5.1	5.7	4.9	2.0	2.8	5.5	1.7	6.4	5.0	1.9		
	100.0	-	30.0F	20.0	10.0	10.0	-	10.0	20.0F	25.0	35.0	40.0	90.0	10.0	40.0	50.0	20.0	70.0P	75.0	15.0		
All other weather conditions mentions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Usage (Net)	137	4	18	28	21	10	32	6	18	46	39	52	107	28	81	54	71	61	88	48		
	28.8	30.8	20.9	29.2	28.8	37.0	39.5	30.0	22.8	23.2	28.5	37.1	28.8	28.6	28.5	29.7	30.6	27.9	29.1	30.4		
	100.0	2.9	13.1	20.4	15.3	7.3	23.4BH	4.4	13.1	33.6	28.5	38.0I	78.1	20.4	59.1	39.4	51.8	44.5	64.2	35.0		
Watering Vegetation (Subnet)	121	3	13	28	17	9	28	6	17	39	32	50	98	21	77	42	67	50	76	44		
	25.5	23.1	15.1	29.2	23.3	33.3	34.6	30.0	21.5	19.7	23.4	35.7	26.4	21.4	27.1	23.1	28.9	22.8	25.2	27.8		
	100.0	2.5	10.7	23.1B	14.0	7.4	23.1B	5.0	14.0	32.2	26.4	41.3I	81.0	17.4	63.6	34.7	55.4	41.3	62.8	36.4		
									J													
Watering houseplants	2	-	-	-	1	1	-	-	-	1	-	1	2	-	-	2	-	2	2	-		
	0.4	-	-	-	1.4	3.7	-	-	-	0.5	-	0.7	0.5	-	-	1.1	-	0.9	0.7	-		
	100.0	-	-	-	50.0	50.0	-	-	-	50.0	-	50.0	100.0	-	-	100.0	-	100.0	100.0	-		

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 7
Q.6 What Specifically Caused You To Start Using Graywater?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER			SEPTIC TANK VS. SEWER		WATER SOURCE		
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER	
TOTAL	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	475	13**	86*	96*	73*	27**	81*	20**	79*	198	137	140	371	98*	284	182	232	219	302	158
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.7**	18.1*	20.2*	15.4*	5.7**	17.1*	4.2**	16.6*	41.7	28.8	29.5	78.1	20.6*	59.8	38.3	48.8	46.1	63.6	33.3
Watering flowers/plants/ garden	66	2	7	16	8	5	11	4	13	25	17	24	55	11	45	21	37	28	45	21
	13.9	15.4	8.1	16.7	11.0	18.5	13.6	20.0	16.5	12.6	12.4	17.1	14.8	11.2	15.8	11.5	15.9	12.8	14.9	13.3
	100.0	3.0	10.6	24.2	12.1	7.6	16.7	6.1	19.7	37.9	25.8	36.4	83.3	16.7	68.2	31.8	56.1	42.4	68.2	31.8
Watering yard/lawn	35	-	-	7	6	5	11	2	4	15	6	14	29	5	28	7	22	11	19	15
	7.4	-	-	7.3	8.2	18.5	13.6	10.0	5.1	7.6	4.4	10.0	7.8	5.1	9.9	3.8	9.5	5.0	6.3	9.5
	100.0	-	-	20.0B	17.1B	14.3	31.4B	5.7	11.4B	42.9	17.1	40.0	82.9	14.3	80.00	20.0	62.9	31.4	54.3	42.9
Watering vegetables/fruit garden	9	1	-	2	3	1	1	-	1	-	1	8	8	1	5	4	7	1	3	5
	1.9	7.7	-	2.1	4.1	3.7	1.2	-	1.3	-	0.7	5.7	2.2	1.0	1.8	2.2	3.0	0.5	1.0	3.2
	100.0	11.1	-	22.2	33.3	11.1	11.1	-	11.1	-	11.1	88.9J	88.9	11.1	55.6	44.4	77.8Q	11.1	33.3	55.6
Use on plants/flowers/ garden/good for plants	23	1	5	7	3	2	1	1	3	4	7	12	16	6	11	10	9	13	15	8
	4.8	7.7	5.8	7.3	4.1	7.4	1.2	5.0	3.8	2.0	5.1	8.6	4.3	6.1	3.9	5.5	3.9	5.9	5.0	5.1
	100.0	4.3	21.7	30.4	13.0	8.7	4.3	4.3	13.0	17.4	30.4	52.2J	69.6	26.1	47.8	43.5	39.1	56.5	65.2	34.8
Washing machine drains into backyard/onto grass/flowers/ trees	9	-	1	1	-	-	6	1	-	1	3	5	8	1	4	5	7	2	5	4
	1.9	-	1.2	1.0	-	-	7.4	5.0	-	0.5	2.2	3.6	2.2	1.0	1.4	2.7	3.0	0.9	1.7	2.5
	100.0	-	11.1	11.1	-	-	66.7B	11.1	-	11.1	33.3	55.6J	88.9	11.1	44.4	55.6	77.8	22.2	55.6	44.4
							CDH													
All other watering mentions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 7
Q.6 What Specifically Caused You To Start Using Graywater?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER			SEPTIC TANK VS. SEWER		WATER SOURCE		
	TOTAL								SUB- URBAN				RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WATER	VATE WELL WATER	
		NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL									
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)									(K)
Base: Total Answering	475	13**	86*	96*	73*	27**	81*	20**	79*	198	137	140	371	98*	284	182	232	219	302	158
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.7**	18.1*	20.2*	15.4*	5.7**	17.1*	4.2**	16.6*	41.7	28.8	29.5	78.1	20.6*	59.8	38.3	48.8	46.1	63.6	33.3
Bug Deterrent (Subnet)	7	-	2	1	3	-	1	-	-	4	1	2	3	4	3	4	3	3	5	2
	1.5	-	2.3	1.0	4.1	-	1.2	-	-	2.0	0.7	1.4	0.8	4.1	1.1	2.2	1.3	1.4	1.7	1.3
	100.0	-	28.6	14.3	42.9	-	14.3	-	-	57.1	14.3	28.6	42.9	57.1L	42.9	57.1	42.9	42.9	71.4	28.6
To keep bugs off plants/ soapy water is natural bug deterrent	7	-	2	1	3	-	1	-	-	4	1	2	3	4	3	4	3	3	5	2
	1.5	-	2.3	1.0	4.1	-	1.2	-	-	2.0	0.7	1.4	0.8	4.1	1.1	2.2	1.3	1.4	1.7	1.3
	100.0	-	28.6	14.3	42.9	-	14.3	-	-	57.1	14.3	28.6	42.9	57.1L	42.9	57.1	42.9	42.9	71.4	28.6
All other bug deterrent mentions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Use for garage floors/garage way/driveways	6	-	1	2	-	1	-	-	2	2	2	2	4	2	1	5	1	5	5	1
	1.3	-	1.2	2.1	-	3.7	-	-	2.5	1.0	1.5	1.4	1.1	2.0	0.4	2.7	0.4	2.3	1.7	0.6
	100.0	-	16.7	33.3	-	16.7	-	-	33.3	33.3	33.3	33.3	66.7	33.3	16.7	83.3N	16.7	83.3	83.3	16.7
All other usage mentions	21	2	3	1	4	2	5	1	3	6	8	7	16	5	8	12	10	11	13	8
	4.4	15.4	3.5	1.0	5.5	7.4	6.2	5.0	3.8	3.0	5.8	5.0	4.3	5.1	2.8	6.6	4.3	5.0	4.3	5.1
	100.0	9.5	14.3	4.8	19.0	9.5	23.8	4.8	14.3	28.6	38.1	33.3	76.2	23.8	38.1	57.1	47.6	52.4	61.9	38.1
Miscellaneous (Net)	155	3	26	30	28	11	32	5	20	56	45	54	123	28	105	46	103	42	71	77
	32.6	23.1	30.2	31.3	38.4	40.7	39.5	25.0	25.3	28.3	32.8	38.6	33.2	28.6	37.0	25.3	44.4	19.2	23.5	48.7
	100.0	1.9	16.8	19.4	18.1	7.1	20.6	3.2	12.9	36.1	29.0	34.8I	79.4	18.1	67.7O	29.7	66.5Q	27.1	45.8	49.7R
Just run on ground	6	-	-	-	1	-	3	1	1	2	2	2	6	-	5	-	5	1	2	4
	1.3	-	-	-	1.4	-	3.7	5.0	1.3	1.0	1.5	1.4	1.6	-	1.8	-	2.2	0.5	0.7	2.5
	100.0	-	-	-	16.7	-	50.0	16.7	16.7	33.3	33.3	33.3	100.0	-	83.3	-	83.3	16.7	33.3	66.7

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 7
Q.6 What Specifically Caused You To Start Using Graywater?

	REGION										MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	OWN		RENT/ LEASE	AT	LESS	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL
		ENG- LAND	ATL- ANTIC												ONCE A WK.	ONCE A WK.					
		(A)	(B)											(C)	(D)	(E)	(F)				
Base: Total Answering	475	13**	86*	96*	73*	27**	81*	20**	79*	198	137	140	371	98*	284	182	232	219	302	158	
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0	
	100.0	2.7**	18.1*	20.2*	15.4*	5.7**	17.1*	4.2**	16.6*	41.7	28.8	29.5	78.1	20.6*	59.8	38.3	48.8	46.1	63.6	33.3	
Trying to reduce water in septic tank	47	1	3	11	2	1	16	3	10	15	14	18	41	6	38	9	45	2	19	26	
	9.9	7.7	3.5	11.5	2.7	3.7	19.8	15.0	12.7	7.6	10.2	12.9	11.1	6.1	13.4	4.9	19.4	0.9	6.3	16.5	
	100.0	2.1	6.4	23.4BD	4.3	2.1	34.0BD	6.4	21.3B	31.9	29.8	38.3	87.2	12.8	80.90	19.1	95.7Q	4.3	40.4	55.3R	
									D												
Have a well/well water	14	-	5	2	2	2	1	-	2	4	5	5	12	1	9	5	13	1	1	12	
	2.9	-	5.8	2.1	2.7	7.4	1.2	-	2.5	2.0	3.6	3.6	3.2	1.0	3.2	2.7	5.6	0.5	0.3	7.6	
	100.0	-	35.7	14.3	14.3	14.3	7.1	-	14.3	28.6	35.7	35.7	85.7	7.1	64.3	35.7	92.9Q	7.1	7.1	85.7R	
Shallow/low well	15	2	5	3	2	2	1	-	-	2	4	9	12	3	6	9	14	-	3	12	
	3.2	15.4	5.8	3.1	2.7	7.4	1.2	-	-	1.0	2.9	6.4	3.2	3.1	2.1	4.9	6.0	-	1.0	7.6	
	100.0	13.3	33.3H	20.0	13.3	13.3	6.7	-	-	13.3	26.7	60.0I	80.0	20.0	40.0	60.0	93.3Q	-	20.0	80.0R	
Something family member always did/ie - grandmother/ mother/sister	26	-	4	4	10	4	-	1	3	10	9	7	18	7	16	9	6	16	15	9	
	5.5	-	4.7	4.2	13.7	14.8	-	5.0	3.8	5.1	6.6	5.0	4.9	7.1	5.6	4.9	2.6	7.3	5.0	5.7	
	100.0	-	15.4	15.4	38.5B	15.4	-	3.8	11.5	38.5	34.6	26.9	69.2	26.9	61.5	34.6	23.1	61.5P	57.7	34.6	
					CFH																
Always did it	3	-	1	1	1	-	-	-	-	1	1	1	3	-	3	-	1	1	-	2	
	0.6	-	1.2	1.0	1.4	-	-	-	-	0.5	0.7	0.7	0.8	-	1.1	-	0.4	0.5	-	1.3	
	100.0	-	33.3	33.3	33.3	-	-	-	-	33.3	33.3	33.3	100.0	-	100.0	-	33.3	33.3	-	66.7	
Washing machine with sudsaver	6	-	1	-	4	-	-	1	-	3	2	1	5	1	4	2	3	3	3	3	
	1.3	-	1.2	-	5.5	-	-	5.0	-	1.5	1.5	0.7	1.3	1.0	1.4	1.1	1.3	1.4	1.0	1.9	
	100.0	-	16.7	-	66.7CFH	-	-	16.7	-	50.0	33.3	16.7	83.3	16.7	66.7	33.3	50.0	50.0	50.0	50.0	
All other miscellaneous mentions	43	-	8	9	6	3	11	-	6	20	10	13	31	10	28	13	21	18	28	13	
	9.1	-	9.3	9.4	8.2	11.1	13.6	-	7.6	10.1	7.3	9.3	8.4	10.2	9.9	7.1	9.1	8.2	9.3	8.2	
	100.0	-	18.6	20.9	14.0	7.0	25.6	-	14.0	46.5	23.3	30.2	72.1	23.3	65.1	30.2	48.8	41.9	65.1	30.2	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 7
Q.6 What Specifically Caused You To Start Using Graywater?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL								URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL		
		NEW	MID-					ROCKY												
		ENG-	ATL-	SOUTH	GREAT	MID-	SOUTH	MOUN-												
		LAND	ANTIC	-EAST	LAKES	WEST	-WEST	TAIN												
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	475	13**	86*	96*	73*	27**	81*	20**	79*	198	137	140	371	98*	284	182	232	219	302	158
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.7**	18.1*	20.2*	15.4*	5.7**	17.1*	4.2**	16.6*	41.7	28.8	29.5	78.1	20.6*	59.8	38.3	48.8	46.1	63.6	33.3
Don't know	1	-	1	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	1	-
	0.2	-	1.2	-	-	-	-	-	-	0.5	-	-	0.3	-	-	0.5	-	0.5	0.3	-
	100.0	-	100.0	-	-	-	-	-	-	100.0	-	-	100.0	-	-	100.0	-	100.0	100.0	-
Sigma	711	22	130	146	103	44	110	36	120	276	201	234	566	136	431	266	351	327	450	238
	149.7	169.2	151.2	152.1	141.1	163.0	135.8	180.0	151.9	139.4	146.7	167.1	152.6	138.8	151.8	146.2	151.3	149.3	149.0	150.6
	100.0	3.1	18.3	20.5	14.5	6.2	15.5	5.1	16.9	38.8	28.3	32.9	79.6	19.1	60.6	37.4	49.4	46.0	63.3	33.5

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 8
Q.7 Who In Your Household Made The Decision To Begin Reusing Graywater?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	ROCKY MOUN- -WEST TAIN WEST		URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
							(A)	(B)												(C)
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	23	1	3	5	5	1	5	-	3	10	6	7	16	7	10	10	11	9	12	9
	4.7	7.1	3.4	5.1	6.5	3.3	6.1	-	3.8	4.9	4.3	4.8	4.2	7.0	3.4	5.3	4.6	4.0	3.9	5.5
	100.0	4.3	13.0	21.7	21.7	4.3	21.7	-	13.0	43.5	26.1	30.4	69.6	30.4	43.5	43.5	47.8	39.1	52.2	39.1
Base: Total Answering	468	13**	86*	93*	72*	29**	77*	21**	77*	193	135	140	368	93*	281	180	229	215	298	156
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.8**	18.4*	19.9*	15.4*	6.2**	16.5*	4.5**	16.5*	41.2	28.8	29.9	78.6	19.9*	60.0	38.5	48.9	45.9	63.7	33.3
Male Head of Household	171	5	32	27	21	10	39	12	25	73	41	57	145	24	103	66	94	71	103	65
	36.5	38.5	37.2	29.0	29.2	34.5	50.6	57.1	32.5	37.8	30.4	40.7	39.4	25.8	36.7	36.7	41.0	33.0	34.6	41.7
	100.0	2.9	18.7	15.8	12.3	5.8	22.8CD	7.0	14.6	42.7	24.0	33.3	84.8M	14.0	60.2	38.6	55.0	41.5	60.2	38.0
							H													
Female Head of Household	278	8	52	65	47	17	33	9	47	111	90	77	214	61	166	107	123	137	183	85
	59.4	61.5	60.5	69.9	65.3	58.6	42.9	42.9	61.0	57.5	66.7	55.0	58.2	65.6	59.1	59.4	53.7	63.7	61.4	54.5
	100.0	2.9	18.7F	23.4F	16.9F	6.1	11.9	3.2	16.9F	39.9	32.4K	27.7	77.0	21.9	59.7	38.5	44.2	49.3P	65.8	30.6
Other Male aged 18 or older	6	-	1	1	-	-	1	-	3	3	-	3	4	2	3	3	4	2	3	2
	1.3	-	1.2	1.1	-	-	1.3	-	3.9	1.6	-	2.1	1.1	2.2	1.1	1.7	1.7	0.9	1.0	1.3
	100.0	-	16.7	16.7	-	-	16.7	-	50.0	50.0	-	50.0	66.7	33.3	50.0	50.0	66.7	33.3	50.0	33.3
Other Female aged 18 or older	1	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	1	1	-
	0.2	-	-	-	-	-	-	-	1.3	0.5	-	-	0.3	-	0.4	-	-	0.5	0.3	-
	100.0	-	-	-	-	-	-	-	100.0	100.0	-	-	100.0	-	100.0	-	-	100.0	100.0	-
Other	12	-	1	-	4	2	4	-	1	5	4	3	4	6	8	4	8	4	8	4
	2.6	-	1.2	-	5.6	6.9	5.2	-	1.3	2.6	3.0	2.1	1.1	6.5	2.8	2.2	3.5	1.9	2.7	2.6
	100.0	-	8.3	-	33.3C	16.7	33.3C	-	8.3	41.7	33.3	25.0	33.3	50.0L	66.7	33.3	66.7	33.3	66.7	33.3

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 8
Q.7 Who In Your Household Made The Decision To Begin Reusing Graywater?

TOTAL	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB- URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WATER	VATE WELL	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
468	13**	86*	93*	72*	29**	77*	21**	77*	193	135	140	368	93*	281	180	229	215	298	156
100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
100.0	2.8**	18.4*	19.9*	15.4*	6.2**	16.5*	4.5**	16.5*	41.2	28.8	29.9	78.6	19.9*	60.0	38.5	48.9	45.9	63.7	33.3
468	13	86	93	72	29	77	21	77	193	135	140	368	93	281	180	229	215	298	156
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
100.0	2.8	18.4	19.9	15.4	6.2	16.5	4.5	16.5	41.2	28.8	29.9	78.6	19.9	60.0	38.5	48.9	45.9	63.7	33.3

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 9
Q.8a How Often Does Your Household Store Or Reuse Graywater From
A Bath/Shower?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	RENT/ LEASE /OTHR	AT	LESS	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL
															LEAST	THAN				
															ONCE A WK.	ONCE A WK.				
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	157	4	28	32	27	8	29	4	25	69	39	49	123	31	95	58	81	64	94	54
	32.0	28.6	31.5	32.7	35.1	26.7	35.4	19.0	31.3	34.0	27.7	33.3	32.0	31.0	32.6	30.5	33.8	28.6	30.3	32.7
	100.0	2.5	17.8	20.4	17.2	5.1	18.5	2.5	15.9	43.9	24.8	31.2	78.3	19.7	60.5	36.9	51.6	40.8	59.9	34.4
Base: Total Answering	334	10**	61*	66*	50*	22**	53*	17**	55*	134	102	98*	261	69*	196	132	159	160	216	111
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	3.0**	18.3*	19.8*	15.0*	6.6**	15.9*	5.1**	16.5*	40.1	30.5	29.3*	78.1	20.7*	58.7	39.5	47.6	47.9	64.7	33.2
Once A Week Or More (Net)	118	3	18	21	17	7	24	8	20	41	38	39	96	21	94	23	64	52	71	45
	35.3	30.0	29.5	31.8	34.0	31.8	45.3	47.1	36.4	30.6	37.3	39.8	36.8	30.4	48.0	17.4	40.3	32.5	32.9	40.5
	100.0	2.5	15.3	17.8	14.4	5.9	20.3	6.8	16.9	34.7	32.2	33.1	81.4	17.8	79.70	19.5	54.2	44.1	60.2	38.1
More than once a day (10)	32	-	7	7	1	2	7	2	6	14	8	10	28	3	29	2	20	11	21	9
	9.6	-	11.5	10.6	2.0	9.1	13.2	11.8	10.9	10.4	7.8	10.2	10.7	4.3	14.8	1.5	12.6	6.9	9.7	8.1
	100.0	-	21.9	21.9	3.1	6.3	21.90	6.3	18.8	43.8	25.0	31.3	87.5	9.4	90.60	6.3	62.5	34.4	65.6	28.1
Once a day (7)	29	-	4	4	4	3	8	3	3	11	8	10	26	3	21	8	18	11	17	12
	8.7	-	6.6	6.1	8.0	13.6	15.1	17.6	5.5	8.2	7.8	10.2	10.0	4.3	10.7	6.1	11.3	6.9	7.9	10.8
	100.0	-	13.8	13.8	13.8	10.3	27.6	10.3	10.3	37.9	27.6	34.5	89.7	10.3	72.4	27.6	62.1	37.9	58.6	41.4
A few times a week (3.5)	45	3	5	9	7	2	9	3	7	12	17	16	32	13	36	9	22	22	25	20
	13.5	30.0	8.2	13.6	14.0	9.1	17.0	17.6	12.7	9.0	16.7	16.3	12.3	18.8	18.4	6.8	13.8	13.8	11.6	18.0
	100.0	6.7	11.1	20.0	15.6	4.4	20.0	6.7	15.6	26.7	37.8	35.6	71.1	28.9	80.00	20.0	48.9	48.9	55.6	44.4
Once a week (1)	12	-	2	1	5	-	-	-	4	4	5	3	10	2	8	4	4	8	8	4
	3.6	-	3.3	1.5	10.0	-	-	-	7.3	3.0	4.9	3.1	3.8	2.9	4.1	3.0	2.5	5.0	3.7	3.6
	100.0	-	16.7	8.3	41.7CF	-	-	-	33.3F	33.3	41.7	25.0	83.3	16.7	66.7	33.3	33.3	66.7	66.7	33.3

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 9
Q.8a How Often Does Your Household Store Or Reuse Graywater From
A Bath/Shower?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER	
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)		(K)							
Base: Total Answering	334	10**	61*	66*	50*	22**	53*	17**	55*	134	102	98*	261	69*	196	132	159	160	216	111
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	3.0**	18.3*	19.8*	15.0*	6.6**	15.9*	5.1**	16.5*	40.1	30.5	29.3*	78.1	20.7*	58.7	39.5	47.6	47.9	64.7	33.2
A few times a month (0.65)	23	-	4	7	4	1	1	3	3	7	9	7	17	6	8	13	11	9	13	9
	6.9	-	6.6	10.6	8.0	4.5	1.9	17.6	5.5	5.2	8.8	7.1	6.5	8.7	4.1	9.8	6.9	5.6	6.0	8.1
	100.0	-	17.4	30.4	17.4	4.3	4.3	13.0	13.0	30.4	39.1	30.4	73.9	26.1	34.8	56.5N	47.8	39.1	56.5	39.1
Once a month (0.25)	9	2	3	2	-	-	1	-	1	2	4	3	7	2	1	8	5	3	4	4
	2.7	20.0	4.9	3.0	-	-	1.9	-	1.8	1.5	3.9	3.1	2.7	2.9	0.5	6.1	3.1	1.9	1.9	3.6
	100.0	22.2	33.3	22.2	-	-	11.1	-	11.1	22.2	44.4	33.3	77.8	22.2	11.1	88.9N	55.6	33.3	44.4	44.4
Less often than once a month (0.1)	23	1	6	3	3	2	-	1	7	9	10	4	21	2	7	16	6	16	18	5
	6.9	10.0	9.8	4.5	6.0	9.1	-	5.9	12.7	6.7	9.8	4.1	8.0	2.9	3.6	12.1	3.8	10.0	8.3	4.5
	100.0	4.3	26.1F	13.0	13.0	8.7	-	4.3	30.4F	39.1	43.5	17.4	91.3	8.7	30.4	69.6N	26.1	69.6P	78.3	21.7
Never (0)	161	4	30	33	26	12	27	5	24	75	41	45	120	38	86	72	73	80	110	48
	48.2	40.0	49.2	50.0	52.0	54.5	50.9	29.4	43.6	56.0	40.2	45.9	46.0	55.1	43.9	54.5	45.9	50.0	50.9	43.2
	100.0	2.5	18.6	20.5	16.1	7.5	16.8	3.1	14.9	46.6J	25.5	28.0	74.5	23.6	53.4	44.7	45.3	49.7	68.3	29.8
Sigma	334	10	61	66	50	22	53	17	55	134	102	98	261	69	196	132	159	160	216	111
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	3.0	18.3	19.8	15.0	6.6	15.9	5.1	16.5	40.1	30.5	29.3	78.1	20.7	58.7	39.5	47.6	47.9	64.7	33.2
Mean Base (Including Never)	334	10	61	66	50	22	53	17	55	134	102	98	261	69	196	132	159	160	216	111
Mean (Including Never)	2.13	1.11	1.99	2.06	1.41	2.22	2.99D	3.15	2.04	2.01	2.04	2.39	2.29	1.49	2.94O	0.94	2.62Q	1.75	2.02	2.30
Std. Deviation	3.32	1.65	3.46	3.35	2.43	3.54	3.75	3.68	3.36	3.42	3.12	3.41	3.46	2.59	3.71	2.13	3.62	3.00	3.32	3.24
Std. Error	0.18	0.52	0.44	0.41	0.34	0.76	0.51	0.89	0.45	0.30	0.31	0.34	0.21	0.31	0.26	0.19	0.29	0.24	0.23	0.31

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 9
Q.8a How Often Does Your Household Store Or Reuse Graywater From
A Bath/Shower?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	RENT/ LEASE /OTHR		AT ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER		
	TOTAL											OWN								
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Answering	334	10**	61*	66*	50*	22**	53*	17**	55*	134	102	98*	261	69*	196	132	159	160	216	111
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	3.0**	18.3*	19.8*	15.0*	6.6**	15.9*	5.1**	16.5*	40.1	30.5	29.3*	78.1	20.7*	58.7	39.5	47.6	47.9	64.7	33.2
Mean Base (Excluding Never)	173	6	31	33	24	10	26	12	31	59	611	53	141	31	110	60	86	80	106	63
Mean (Excluding Never)	4.12	1.85	3.92	4.12	2.93	4.89	6.09	4.46	3.63	4.56	3.42	4.43	4.25	3.33	5.250	2.06	4.840	3.50	4.11	4.05
Std. Deviation	3.63	1.81	4.02	3.75	2.81	3.85	3.08	3.64	3.79	3.87	3.41	3.54	3.72	2.99	3.52	2.79	3.68	3.45	3.73	3.37
Std. Error	0.28	0.74	0.72	0.65	0.57	1.22	0.60	1.05	0.68	0.50	0.44	0.49	0.31	0.54	0.34	0.36	0.40	0.39	0.36	0.43

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 10
Q.8a How Often Does Your Household Store Or Reuse Graywater From
An In Sink Garbage Disposal?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG-	MID- ATL-	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE	LESS THAN ONCE	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER	
		LAND	ANTIC					WEST				MSAS		MSAS	A WK.					A WK.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	207	6	38	36	36	14	36	7	34	83	58	66	167	37	124	79	107	89	126	72
	42.2	42.9	42.7	36.7	46.8	46.7	43.9	33.3	42.5	40.9	41.1	44.9	43.5	37.0	42.6	41.6	44.6	39.7	40.6	43.6
	100.0	2.9	18.4	17.4	17.4	6.8	17.4	3.4	16.4	40.1	28.0	31.9	80.7	17.9	59.9	38.2	51.7	43.0	60.9	34.8
Base: Total Answering	284	8**	51*	62*	41*	16**	46*	14**	46*	120	83*	81*	217	63*	167	111	133	135	184	93*
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0*
	100.0	2.8**	18.0*	21.8*	14.4*	5.6**	16.2*	4.9**	16.2*	42.3	29.2*	28.5*	76.4	22.2*	58.8	39.1	46.8	47.5	64.8	32.7*
Once A Week Or More (Net)	27	-	3	7	3	2	5	2	5	10	9	8	21	5	22	3	10	13	16	8
	9.5	-	5.9	11.3	7.3	12.5	10.9	14.3	10.9	8.3	10.8	9.9	9.7	7.9	13.2	2.7	7.5	9.6	8.7	8.6
	100.0	-	11.1	25.9	11.1	7.4	18.5	7.4	18.5	37.0	33.3	29.6	77.8	18.5	81.50	11.1	37.0	48.1	59.3	29.6
More than once a day (10)	14	-	1	3	2	1	5	-	2	6	4	4	10	3	11	1	5	6	9	3
	4.9	-	2.0	4.8	4.9	6.3	10.9	-	4.3	5.0	4.8	4.9	4.6	4.8	6.6	0.9	3.8	4.4	4.9	3.2
	100.0	-	7.1	21.4	14.3	7.1	35.7	-	14.3	42.9	28.6	28.6	71.4	21.4	78.60	7.1	35.7	42.9	64.3	21.4
Once a day (7)	6	-	2	2	1	-	-	-	1	2	2	2	5	1	4	2	2	3	3	2
	2.1	-	3.9	3.2	2.4	-	-	-	2.2	1.7	2.4	2.5	2.3	1.6	2.4	1.8	1.5	2.2	1.6	2.2
	100.0	-	33.3	33.3	16.7	-	-	-	16.7	33.3	33.3	33.3	83.3	16.7	66.7	33.3	33.3	50.0	50.0	33.3
A few times a week (3.5)	4	-	-	1	-	-	-	2	1	2	1	1	3	1	4	-	2	2	2	2
	1.4	-	-	1.6	-	-	-	14.3	2.2	1.7	1.2	1.2	1.4	1.6	2.4	-	1.5	1.5	1.1	2.2
	100.0	-	-	25.0	-	-	-	50.0	25.0	50.0	25.0	25.0	75.0	25.0	100.0	-	50.0	50.0	50.0	50.0
Once a week (1)	3	-	-	1	-	1	-	-	1	-	2	1	3	-	3	-	1	2	2	1
	1.1	-	-	1.6	-	6.3	-	-	2.2	-	2.4	1.2	1.4	-	1.8	-	0.8	1.5	1.1	1.1
	100.0	-	-	33.3	-	33.3	-	-	33.3	-	66.7	33.3	100.0	-	100.0	-	33.3	66.7	66.7	33.3

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 10
Q.8a How Often Does Your Household Store Or Reuse Graywater From
An In Sink Garbage Disposal?

	REGION										MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE	
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	RENT/ LEASE /OTHR		AT	LESS	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER
		ENG- LAND	ATL- ANTIC												LEAST	THAN				
		(A)	(B)											(C)	(D)	(E)				
Base: Total Answering	284	8**	51*	62*	41*	16**	46*	14**	46*	120	83*	81*	217	63*	167	111	133	135	184	93*
	100.0	100.0**	100.0*	100.0*	100.0*	100.0**	100.0*	100.0**	100.0*	100.0	100.0*	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0*
	100.0	2.8**	18.0*	21.8*	14.4*	5.6**	16.2*	4.9**	16.2*	42.3	29.2*	28.5*	76.4	22.2*	58.8	39.1	46.8	47.5	64.8	32.7*
A few times a month (0.65)	6	-	1	2	1	-	2	-	-	3	1	2	4	2	1	5	3	3	3	3
	2.1	-	2.0	3.2	2.4	-	4.3	-	-	2.5	1.2	2.5	1.8	3.2	0.6	4.5	2.3	2.2	1.6	3.2
	100.0	-	16.7	33.3	16.7	-	33.3	-	-	50.0	16.7	33.3	66.7	33.3	16.7	83.3N	50.0	50.0	50.0	50.0
Once a month (0.25)	1	-	1	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	1	-
	0.4	-	2.0	-	-	-	-	-	-	0.8	-	-	0.5	-	-	0.9	-	0.7	0.5	-
	100.0	-	100.0	-	-	-	-	-	-	100.0	-	-	100.0	-	-	100.0	-	100.0	100.0	-
Less often than once a month (0.1)	5	-	-	1	1	-	1	-	2	3	2	-	3	2	2	3	2	2	3	1
	1.8	-	-	1.6	2.4	-	2.2	-	4.3	2.5	2.4	-	1.4	3.2	1.2	2.7	1.5	1.5	1.6	1.1
	100.0	-	-	20.0	20.0	-	20.0	-	40.0	60.0	40.0	-	60.0	40.0	40.0	60.0	40.0	40.0	60.0	20.0
Never (0)	245	8	46	52	36	14	38	12	39	103	71	71	188	54	142	99	118	116	161	81
	86.3	100.0	90.2	83.9	87.8	87.5	82.6	85.7	84.8	85.8	85.5	87.7	86.6	85.7	85.0	89.2	88.7	85.9	87.5	87.1
	100.0	3.3	18.8	21.2	14.7	5.7	15.5	4.9	15.9	42.0	29.0	29.0	76.7	22.0	58.0	40.4	48.2	47.3	65.7	33.1
Sigma	284	8	51	62	41	16	46	14	46	120	83	81	217	63	167	111	133	135	184	93
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.8	18.0	21.8	14.4	5.6	16.2	4.9	16.2	42.3	29.2	28.5	76.4	22.2	58.8	39.1	46.8	47.5	64.8	32.7
Mean Base (Including Never)	284	8	51	62	41	16	46	14	46	120	83	81	217	63	167	111	133	135	184	93
Mean (Including Never)	0.72	0.00	0.49	0.80	0.68	0.69	1.12	0.50	0.69	0.70	0.73	0.74	0.70	0.67	0.930	0.25	0.56	0.68	0.67	0.58
Std. Deviation	2.38	0.00	1.93	2.47	2.40	2.50	3.14	1.27	2.31	2.37	2.39	2.42	2.34	2.32	2.69	1.33	2.10	2.30	2.33	2.07
Std. Error	0.14	0.00	0.27	0.31	0.38	0.62	0.46	0.34	0.34	0.22	0.26	0.27	0.16	0.29	0.21	0.13	0.18	0.20	0.17	0.21

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 10
Q.8a How Often Does Your Household Store Or Reuse Graywater From
An In Sink Garbage Disposal?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE				
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	OWN	RENT/ LEASE /OTHR	AT	LESS	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL
																LEAST	THAN				
																ONCE	ONCE				
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)			
Base: Total Answering	284	8**	51*	62*	41*	16**	46*	14**	46*	120	83*	81*	217	63*	167	111	133	135	184	93*	
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0*	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0*	
	100.0	2.8**	18.0*	21.8*	14.4*	5.6**	16.2*	4.9**	16.2*	42.3	29.2*	28.5*	76.4	22.2*	58.8	39.1	46.8	47.5	64.8	32.7*	
Mean Base (Excluding Never)	39	-	5	10	5	2	8	2	7	17	12	10	29	9	25	12	15	19	23	12	
Mean (Excluding Never)	5.22	-	4.98	4.99	5.55	5.50	6.43	3.50	4.53	4.91	5.03	5.98	5.23	4.67	6.23	2.32	4.94	4.86	5.33	4.50	
Std. Deviation	4.25	-	4.32	4.26	4.88	6.36	4.94	0.00	4.45	4.43	4.36	4.14	4.20	4.56	3.96	3.51	4.29	4.25	4.38	4.06	
Std. Error	0.68	-	1.93	1.35	2.18	4.50	1.75	0.00	1.68	1.07	1.26	1.31	0.78	1.52	0.79	1.01	1.11	0.98	0.91	1.17	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 11
Q.8a How Often Does Your Household Store Or Reuse Graywater From
Hand Dishwashing In Sink?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	SUB- URBAN SMALL MSAS	RURAL		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	MUNI- CIPAL SEWER	PRI- VATE WELL WATER			
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)		(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)
Base: Total Respondents	491 100.0 100.0	14** 100.0** 2.9**	89* 100* 18.1*	98* 100.0* 20.0*	77* 100.0* 15.7*	30* 100.0* 6.1*	82* 100.0* 16.7*	21** 100.0** 4.3**	80* 100.0* 16.3*	203 100.0 41.3	141 100.0 28.7	147 100.0 29.9	384 100.0 78.2	100 100.0 20.4	291 100.0 59.3	190 100.0 38.7	240 100.0 48.9	224 100.0 45.6	310 100.0 63.1	165 100.0 33.6
No answer	133 27.1 100.0	3 21.4 2.3	27 30.3 20.3	19 19.4 14.3	18 23.4 13.5	9 30.0 6.8	31 37.8 23.3C	7 33.3 5.3	19 23.8 14.3	58 28.6 43.6	36 25.5 27.1	39 26.5 29.3	111 28.9 83.5	21 21.0 15.8	75 25.8 56.4	55 28.9 41.4	78 32.5 58.6Q	49 21.9 36.8	74 23.9 55.6	53 32.1 39.8
Base: Total Answering	358 100.0 100.0	11** 100.0** 3.1**	62* 100* 17.3*	79* 100.0* 22.1*	59* 100.0* 16.5*	21** 100.0** 5.9**	51* 100.0* 14.2*	14** 100.0** 3.9**	61* 100.0* 17.0*	145 100.0 40.5	105 100.0 29.3	108 100.0 30.2	273 100.0 76.3	79* 100.0* 22.1*	216 100.0 60.3	135 100.0 37.7	162 100.0 45.3	175 100.0 48.9	236 100.0 65.9	112 100.0 31.3
Once A Week Or More (Net)	189 52.8 100.0	5 45.5 2.6	36 58.1 19.0	39 49.4 20.6	34 57.6 18.0	9 42.9 4.8	26 51.0 13.8	8 57.1 4.2	32 52.5 16.9	75 51.7 39.7	54 51.4 28.6	60 55.6 31.7	146 53.5 77.2	39 49.4 20.6	149 69.0 78.80	38 28.1 20.1	91 56.2 48.1	89 50.9 47.1	118 50.0 62.4	66 58.9 34.9
More than once a day (10)	73 20.4 100.0	- - -	10 16.1 13.7	16 20.3 21.9	12 20.3 16.4	4 19.0 5.5	12 23.5 16.4	2 14.3 2.7	17 27.9 23.3	30 20.7 41.1	22 21.0 30.1	21 19.4 28.8	58 21.2 79.5	12 15.2 16.4	62 28.7 84.90	9 6.7 12.3	41 25.3 56.2Q	28 16.0 38.4	46 19.5 63.0	24 21.4 32.9
Once a day (7)	43 12.0 100.0	1 9.1 2.3	7 11.3 16.3	12 15.2 27.9	6 10.2 14.0	3 14.3 7.0	5 9.8 11.6	4 28.6 9.3	5 8.2 11.6	14 9.7 32.6	8 7.6 18.6	21 19.4 48.81	31 11.4 72.1	12 15.2 27.9	30 13.9 69.8	13 9.6 30.2	21 13.0 48.8	20 11.4 46.5	25 10.6 58.1	16 14.3 37.2
A few times a week (3.5)	58 16.2 100.0	4 36.4 6.9	18 29.0 31.0C	7 8.9 12.1	12 20.3 20.7	2 9.5 3.4	5 9.8 8.6	1 7.1 1.7	9 14.8 15.5	26 17.9 44.8	20 19.0 34.5	12 11.1 20.7	50 18.3 86.2	8 10.1 13.8	44 20.4 75.90	14 10.4 24.1	22 13.6 37.9	34 19.4 58.6	37 15.7 63.8	21 18.8 36.2

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 11
Q.8a How Often Does Your Household Store Or Reuse Graywater From
Hand Dishwashing In Sink?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
									SUB-				RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL									
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)									
Base: Total Answering	358	11**	62*	79*	59*	21**	51*	14**	61*	145	105	108	273	79*	216	135	162	175	236	112
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	3.1**	17.3*	22.1*	16.5*	5.9**	14.2*	3.9**	17.0*	40.5	29.3	30.2	76.3	22.1*	60.3	37.7	45.3	48.9	65.9	31.3
Once a week (1)	15	-	1	4	4	-	4	1	1	5	4	6	7	7	13	2	7	7	10	5
	4.2	-	1.6	5.1	6.8	-	7.8	7.1	1.6	3.4	3.8	5.6	2.6	8.9	6.0	1.5	4.3	4.0	4.2	4.5
	100.0	-	6.7	26.7	26.7	-	26.7	6.7	6.7	33.3	26.7	40.0	46.7	46.7L	86.70	13.3	46.7	46.7	66.7	33.3
A few times a month (0.65)	35	2	4	8	5	3	4	3	6	14	6	15	25	10	9	25	11	21	26	8
	9.8	18.2	6.5	10.1	8.5	14.3	7.8	21.4	9.8	9.7	5.7	13.9	9.2	12.7	4.2	18.5	6.8	12.0	11.0	7.1
	100.0	5.7	11.4	22.9	14.3	8.6	11.4	8.6	17.1	40.0	17.1	42.9J	71.4	28.6	25.7	71.4N	31.4	60.0	74.3	22.9
Once a month (0.25)	12	-	-	6	3	-	1	-	2	4	5	3	6	6	2	9	5	4	10	2
	3.4	-	-	7.6	5.1	-	2.0	-	3.3	2.8	4.8	2.8	2.2	7.6	0.9	6.7	3.1	2.3	4.2	1.8
	100.0	-	-	50.0B	25.0	-	8.3	-	16.7	33.3	41.7	25.0	50.0	50.0L	16.7	75.0N	41.7	33.3	83.3	16.7
Less often than once a month (0.1)	19	1	2	6	3	-	3	-	4	7	6	6	14	5	9	9	10	8	12	6
	5.3	9.1	3.2	7.6	5.1	-	5.9	-	6.6	4.8	5.7	5.6	5.1	6.3	4.2	6.7	6.2	4.6	5.1	5.4
	100.0	5.3	10.5	31.6	15.8	-	15.8	-	21.1	36.8	31.6	31.6	73.7	26.3	47.4	47.4	52.6	42.1	63.2	31.6
Never (0)	103	3	20	20	14	9	17	3	17	45	34	24	82	19	47	54	45	53	70	30
	28.8	27.3	32.3	25.3	23.7	42.9	33.3	21.4	27.9	31.0	32.4	22.2	30.0	24.1	21.8	40.0	27.8	30.3	29.7	26.8
	100.0	2.9	19.4	19.4	13.6	8.7	16.5	2.9	16.5	43.7	33.0	23.3	79.6	18.4	45.6	52.4N	43.7	51.5	68.0	29.1
Sigma	358	11	62	79	59	21	51	14	61	145	105	108	273	79	216	135	162	175	236	112
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	3.1	17.3	22.1	16.5	5.9	14.2	3.9	17.0	40.5	29.3	30.2	76.3	22.1	60.3	37.7	45.3	48.9	65.9	31.3
Mean Base (Including Never)	358	11	62	79	59	21	51	14	61	145	105	108	273	79	216	135	162	175	236	112
Mean (Including Never)	3.57	2.04	3.48	3.54	3.60	3.33	3.52	3.89	3.97	3.48	3.39	3.85	3.66	3.13	4.650	1.86	4.01	3.21	3.37	3.90

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 11
Q.8a How Often Does Your Household Store Or Reuse Graywater From
Hand Dishwashing In Sink?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
	TOTAL	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)		(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)
Base: Total Answering	358	11**	62*	79*	59*	21**	51*	14**	61*	145	105	108	273	79*	216	135	162	175	236	112
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	3.1**	17.3*	22.1*	16.5*	5.9**	14.2*	3.9**	17.0*	40.5	29.3	30.2	76.3	22.1*	60.3	37.7	45.3	48.9	65.9	31.3
Std. Deviation	3.96	2.31	3.66	4.07	3.90	4.12	4.19	3.91	4.27	3.96	3.97	3.97	3.98	3.79	4.07	3.06	4.17	3.72	3.93	3.97
Std. Error	0.21	0.70	0.46	0.46	0.51	0.90	0.59	1.04	0.55	0.33	0.39	0.38	0.24	0.43	0.28	0.26	0.33	0.28	0.26	0.37
Mean Base (Excluding Never)	255	8	42	59	45	12	34	11	44	100	71	84	191	60	1690	81	117	122	166	82
Mean (Excluding Never)	5.01	2.80	5.14	4.74	4.72	5.83	5.28	4.95	5.51	5.05	5.01	4.95	5.23	4.13	5.940	3.10	5.56	4.60	4.79	5.33
Std. Deviation	3.85	2.27	3.34	4.06	3.83	3.87	4.13	3.75	4.11	3.85	3.89	3.85	3.79	3.85	3.67	3.43	3.93	3.67	3.89	3.72
Std. Error	0.24	0.80	0.52	0.53	0.57	1.12	0.71	1.13	0.62	0.39	0.46	0.42	0.27	0.50	0.28	0.38	0.36	0.33	0.30	0.41

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 12
Q.8a How Often Does Your Household Store Or Reuse Graywater From
An Automatic Dishwasher?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL								URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER		
		NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST												
		(A)	(B)	(C)	(D)	(E)	(F)	(G)											(H)	(I)
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	207	5	37	42	31	14	38	8	32	77	64	66	165	39	126	76	104	88	127	70
	42.2	35.7	41.6	42.9	40.3	46.7	46.3	38.1	40.0	37.9	45.4	44.9	43.0	39.0	43.3	40.0	43.3	39.3	41.0	42.4
	100.0	2.4	17.9	20.3	15.0	6.8	18.4	3.9	15.5	37.2	30.9	31.9	79.7	18.8	60.9	36.7	50.2	42.5	61.4	33.8
Base: Total Answering	284	9**	52*	56*	46*	16**	44*	13**	48*	126	77*	81*	219	61*	165	114	136	136	183	95*
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0*	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0*
	100.0	3.2**	18.3*	19.7*	16.2*	5.6**	15.5*	4.6**	16.9*	44.4	27.1*	28.5*	77.1	21.5*	58.1	40.1	47.9	47.9	64.4	33.5*
Once A Week Or More (Net)	44	2	5	7	8	4	10	2	6	18	9	17	35	8	33	9	25	19	24	19
	15.5	22.2	9.6	12.5	17.4	25.0	22.7	15.4	12.5	14.3	11.7	21.0	16.0	13.1	20.0	7.9	18.4	14.0	13.1	20.0
	100.0	4.5	11.4	15.9	18.2	9.1	22.7	4.5	13.6	40.9	20.5	38.6	79.5	18.2	75.00	20.5	56.8	43.2	54.5	43.2
More than once a day (10)	9	-	-	2	-	1	3	-	3	4	1	4	7	1	7	1	7	2	5	4
	3.2	-	-	3.6	-	6.3	6.8	-	6.3	3.2	1.3	4.9	3.2	1.6	4.2	0.9	5.1	1.5	2.7	4.2
	100.0	-	-	22.2	-	11.1	33.3	-	33.3	44.4	11.1	44.4	77.8	11.1	77.8	11.1	77.8	22.2	55.6	44.4
Once a day (7)	9	-	-	2	2	2	2	1	-	4	1	4	8	1	7	2	7	2	3	6
	3.2	-	-	3.6	4.3	12.5	4.5	7.7	-	3.2	1.3	4.9	3.7	1.6	4.2	1.8	5.1	1.5	1.6	6.3
	100.0	-	-	22.2	22.2	22.2	22.2	11.1	-	44.4	11.1	44.4	88.9	11.1	77.8	22.2	77.8	22.2	33.3	66.7R
A few times a week (3.5)	19	2	4	3	1	1	5	1	2	6	6	7	14	5	13	5	11	8	12	7
	6.7	22.2	7.7	5.4	2.2	6.3	11.4	7.7	4.2	4.8	7.8	8.6	6.4	8.2	7.9	4.4	8.1	5.9	6.6	7.4
	100.0	10.5	21.1	15.8	5.3	5.3	26.3	5.3	10.5	31.6	31.6	36.8	73.7	26.3	68.4	26.3	57.9	42.1	63.2	36.8
Once a week (1)	7	-	1	-	5	-	-	-	1	4	1	2	6	1	6	1	-	7	4	2
	2.5	-	1.9	-	10.9	-	-	-	2.1	3.2	1.3	2.5	2.7	1.6	3.6	0.9	-	5.1	2.2	2.1
	100.0	-	14.3	-	71.4CF	-	-	-	14.3	57.1	14.3	28.6	85.7	14.3	85.7	14.3	-	100.0P	57.1	28.6

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 12
Q.8a How Often Does Your Household Store Or Reuse Graywater From
An Automatic Dishwasher?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB- URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WATER	VATE WELL WATER	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	284	9**	52*	56*	46*	16**	44*	13**	48*	126	77*	81*	219	61*	165	114	136	136	183	95*
	100.0	100.0**	100.0*	100.0*	100.0*	100.0**	100.0*	100.0**	100.0*	100.0	100.0*	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0*
	100.0	3.2**	18.3*	19.7*	16.2*	5.6**	15.5*	4.6**	16.9*	44.4	27.1*	28.5*	77.1	21.5*	58.1	40.1	47.9	47.9	64.4	33.5*
A few times a month (0.65)	7	-	1	-	3	-	-	1	2	4	2	1	5	2	-	7	3	4	4	3
	2.5	-	1.9	-	6.5	-	-	7.7	4.2	3.2	2.6	1.2	2.3	3.3	-	6.1	2.2	2.9	2.2	3.2
	100.0	-	14.3	-	42.9	-	-	14.3	28.6	57.1	28.6	14.3	71.4	28.6	-	100.0N	42.9	57.1	57.1	42.9
Once a month (0.25)	1	-	1	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	1	-
	0.4	-	1.9	-	-	-	-	-	-	0.8	-	-	0.5	-	-	0.9	-	0.7	0.5	-
	100.0	-	100.0	-	-	-	-	-	-	100.0	-	-	100.0	-	-	100.0	-	100.0	100.0	-
Less often than once a month (0.1)	4	-	-	-	1	1	1	-	1	-	3	1	3	1	1	3	3	1	2	2
	1.4	-	-	-	2.2	6.3	2.3	-	2.1	-	3.9	1.2	1.4	1.6	0.6	2.6	2.2	0.7	1.1	2.1
	100.0	-	-	-	25.0	25.0	25.0	-	25.0	-	75.0I	25.0	75.0	25.0	25.0	75.0	75.0	25.0	50.0	50.0
Never (0)	228	7	45	49	34	11	33	10	39	103	63	62	175	50	131	94	105	111	152	71
	80.3	77.8	86.5	87.5	73.9	68.8	75.0	76.9	81.3	81.7	81.8	76.5	79.9	82.0	79.4	82.5	77.2	81.6	83.1	74.7
	100.0	3.1	19.7	21.5	14.9	4.8	14.5	4.4	17.1	45.2	27.6	27.2	76.8	21.9	57.5	41.2	46.1	48.7	66.7	31.1
Sigma	284	9	52	56	46	16	44	13	48	126	77	81	219	61	165	114	136	136	183	95
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	3.2	18.3	19.7	16.2	5.6	15.5	4.6	16.9	44.4	27.1	28.5	77.1	21.5	58.1	40.1	47.9	47.9	64.4	33.5
Mean Base (Including Never)	284	9	52	56	46	16	44	13	48	126	77	81	219	61	165	114	136	136	183	95
Mean (Including Never)	0.82	0.78	0.31	0.79	0.53	1.73	1.408	0.86	0.82	0.76	0.53	1.18	0.84	0.60	1.030	0.42	1.17Q	0.53	0.66	1.16
Std. Deviation	2.22	1.54	0.95	2.33	1.52	3.29	2.95	2.08	2.50	2.20	1.63	2.67	2.26	1.78	2.51	1.47	2.71	1.65	1.99	2.64
Std. Error	0.13	0.51	0.13	0.31	0.22	0.82	0.44	0.58	0.36	0.20	0.19	0.30	0.15	0.23	0.20	0.14	0.23	0.14	0.15	0.27

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 12
Q.8a How Often Does Your Household Store Or Reuse Graywater From
An Automatic Dishwasher?

	REGION										MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE	
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	ROCKY MOUN- -WEST	SOUTH TAIN WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	OWN	RENT/ LEASE /OTHR		AT	LESS	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER
		ENG-	ATL-												LEAST	THAN				
		LAND	ANTIC												ONCE	ONCE				
		(A)	(B)												(C)	(D)				
Base: Total Answering	284	9**	52*	56*	46*	16**	44*	13**	48*	126	77*	81*	219	61*	165	114	136	136	183	95*
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0*	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0*
	100.0	3.2**	18.3*	19.7*	16.2*	5.6**	15.5*	4.6**	16.9*	44.4	27.1*	28.5*	77.1	21.5*	58.1	40.1	47.9	47.9	64.4	33.5*
Mean Base (Excluding Never)	56	2	7	7	12	5	11	3	9	23	14	19	44	11	34	20	31	25	31	24
Mean (Excluding Never)	4.14	3.50	2.27	6.36	2.05	5.52	5.60	3.72	4.38	4.17	2.90	5.01	4.20	3.35	5.02	2.38	5.15	2.88	3.87	4.61
Std. Deviation	3.37	0.00	1.55	2.94	2.46	3.80	3.38	3.18	4.39	3.54	2.86	3.39	3.39	2.97	3.27	2.81	3.44	2.87	3.34	3.44
Std. Error	0.45	0.00	0.58	1.11	0.71	1.70	1.02	1.84	1.46	0.74	0.77	0.78	0.51	0.90	0.56	0.63	0.62	0.57	0.60	0.70

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 13
Q.8a How Often Does Your Household Store Or Reuse Graywater From
A Laundry/Washing Machine?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER		
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	112	5	23	25	18	3	13	4	21	51	30	31	87	24	49	58	43	60	66	40
	22.8	35.7	25.8	25.5	23.4	10.0	15.9	19.0	26.3	25.1	21.3	21.1	22.7	24.0	16.8	30.5	17.9	26.8	21.3	24.2
	100.0	4.5	20.5	22.3	16.1	2.7	11.6	3.6	18.8	45.5	26.8	27.7	77.7	21.4	43.8	51.8N	38.4	53.6P	58.9	35.7
Base: Total Answering	379	9**	66*	73*	59*	27**	69*	17**	59*	152	111	116	297	76*	242	132	197	164	244	125
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.4**	17.4*	19.3*	15.6*	7.1**	18.2*	4.5**	15.6*	40.1	29.3	30.6	78.4	20.1*	63.9	34.8	52.0	43.3	64.4	33.0
Once A Week Or More (Net)	197	3	28	40	25	10	55	8	28	73	53	71	157	36	161	35	130	61	111	80
	52.0	33.3	42.4	54.8	42.4	37.0	79.7	47.1	47.5	48.0	47.7	61.2	52.9	47.4	66.5	26.5	66.0	37.2	45.5	64.0
	100.0	1.5	14.2	20.3	12.7	5.1	27.9BC	4.1	14.2	37.1	26.9	36.0I	79.7	18.3	81.7O	17.8	66.0Q	31.0	56.3	40.6R
							DH					J								
More than once a day (10)	49	-	7	9	5	2	12	4	10	17	15	17	36	12	47	2	32	16	23	23
	12.9	-	10.6	12.3	8.5	7.4	17.4	23.5	16.9	11.2	13.5	14.7	12.1	15.8	19.4	1.5	16.2	9.8	9.4	18.4
	100.0	-	14.3	18.4	10.2	4.1	24.5	8.2	20.4	34.7	30.6	34.7	73.5	24.5	95.9O	4.1	65.3	32.7	46.9	46.9R
Once a day (7)	15	1	3	2	2	2	5	-	-	4	4	7	13	2	14	1	10	4	7	7
	4.0	11.1	4.5	2.7	3.4	7.4	7.2	-	-	2.6	3.6	6.0	4.4	2.6	5.8	0.8	5.1	2.4	2.9	5.6
	100.0	6.7	20.0	13.3	13.3	13.3	33.3H	-	-	26.7	26.7	46.7	86.7	13.3	93.3O	6.7	66.7	26.7	46.7	46.7
A few times a week (3.5)	97	1	14	23	10	5	27	3	14	36	25	36	78	18	78	18	67	27	57	38
	25.6	11.1	21.2	31.5	16.9	18.5	39.1	17.6	23.7	23.7	22.5	31.0	26.3	23.7	32.2	13.6	34.0	16.5	23.4	30.4
	100.0	1.0	14.4	23.7	10.3	5.2	27.8BD	3.1	14.4	37.1	25.8	37.1	80.4	18.6	80.4O	18.6	69.1Q	27.8	58.8	39.2
Once a week (1)	36	1	4	6	8	1	11	1	4	16	9	11	30	4	22	14	21	14	24	12
	9.5	11.1	6.1	8.2	13.6	3.7	15.9	5.9	6.8	10.5	8.1	9.5	10.1	5.3	9.1	10.6	10.7	8.5	9.8	9.6
	100.0	2.8	11.1	16.7	22.2	2.8	30.6	2.8	11.1	44.4	25.0	30.6	83.3	11.1	61.1	38.9	58.3	38.9	66.7	33.3

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 13
Q.8a How Often Does Your Household Store Or Reuse Graywater From
A Laundry/Washing Machine?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	SUB- URBAN SMALL MSAS	RURAL		OWN	RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	379	9**	66*	73*	59*	27**	69*	17**	59*	152	111	116	297	76*	242	132	197	164	244	125
	100.0	100.0**	100.0*	100.0*	100.0*	100.0**	100.0*	100.0**	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.4**	17.4*	19.3*	15.6*	7.1**	18.2*	4.5**	15.6*	40.1	29.3	30.6	78.4	20.1*	63.9	34.8	52.0	43.3	64.4	33.0
A few times a month (0.65)	45	-	4	6	10	8	4	5	8	16	16	13	38	7	17	26	20	22	30	14
	11.9	-	6.1	8.2	16.9	29.6	5.8	29.4	13.6	10.5	14.4	11.2	12.8	9.2	7.0	19.7	10.2	13.4	12.3	11.2
	100.0	-	8.9	13.3	22.2F	17.8	8.9	11.1	17.8	35.6	35.6	28.9	84.4	15.6	37.8	57.8N	44.4	48.9	66.7	31.1
Once a month (0.25)	11	-	4	1	2	1	-	1	2	4	3	4	7	4	3	7	2	9	9	2
	2.9	-	6.1	1.4	3.4	3.7	-	5.9	3.4	2.6	2.7	3.4	2.4	5.3	1.2	5.3	1.0	5.5	3.7	1.6
	100.0	-	36.4F	9.1	18.2	9.1	-	9.1	18.2	36.4	27.3	36.4	63.6	36.4	27.3	63.6N	18.2	81.8P	81.8	18.2
Less often than once a month (0.1)	22	1	5	5	4	1	1	-	5	11	5	6	20	2	9	13	9	12	14	7
	5.8	11.1	7.6	6.8	6.8	3.7	1.4	-	8.5	7.2	4.5	5.2	6.7	2.6	3.7	9.8	4.6	7.3	5.7	5.6
	100.0	4.5	22.7	22.7	18.2	4.5	4.5	-	22.7	50.0	22.7	27.3	90.9	9.1	40.9	59.1N	40.9	54.5	63.6	31.8
Never (0)	104	5	25	21	18	7	9	3	16	48	34	22	75	27	52	51	36	60	80	22
	27.4	55.6	37.9	28.8	30.5	25.9	13.0	17.6	27.1	31.6	30.6	19.0	25.3	35.5	21.5	38.6	18.3	36.6	32.8	17.6
	100.0	4.8	24.0F	20.2F	17.3F	6.7	8.7	2.9	15.4F	46.2K	32.7K	21.2	72.1	26.0	50.0	49.0N	34.6	57.7P	76.9S	21.2
Sigma	379	9	66	73	59	27	69	17	59	152	111	116	297	76	242	132	197	164	244	125
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.4	17.4	19.3	15.6	7.1	18.2	4.5	15.6	40.1	29.3	30.6	78.4	20.1	63.9	34.8	52.0	43.3	64.4	33.0
Mean Base (Including Never)	379	9	66	73	59	27	69	17	59	152	111	116	297	76	242	132	197	164	244	125
Mean (Including Never)	2.65	1.29	2.24	2.67	1.94	2.15	3.81B	3.24	2.70	2.32	2.58	3.16I	2.63	2.72	3.62O	0.94	3.35Q	1.92	2.15	3.47R
							CD													
Std. Deviation	3.34	2.43	3.26	3.26	2.97	3.03	3.40	4.05	3.59	3.20	3.41	3.42	3.28	3.58	3.65	1.70	3.45	3.08	3.04	3.61
Std. Error	0.17	0.81	0.40	0.38	0.39	0.58	0.41	0.98	0.47	0.26	0.32	0.32	0.19	0.41	0.23	0.15	0.25	0.24	0.19	0.32

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 13
Q.8a How Often Does Your Household Store Or Reuse Graywater From
A Laundry/Washing Machine?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	AT RENT/ LEASE ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WATER	VATE WELL WATER	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	379	9**	66*	73*	59*	27**	69*	17**	59*	152	111	116	297	76*	242	132	197	164	244	125
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.4**	17.4*	19.3*	15.6*	7.1**	18.2*	4.5**	15.6*	40.1	29.3	30.6	78.4	20.1*	63.9	34.8	52.0	43.3	64.4	33.0
Mean Base (Excluding Never)	275	4	41	52	41	20	60BCD H	14	43	104	77	941J	222	49	1900	81	1610Q	104	164	103R
Mean (Excluding Never)	3.65	2.90	3.61	3.75	2.79	2.90	4.39D	3.93	3.70	3.39	3.72	3.89	3.52	4.22	4.610	1.53	4.10Q	3.02	3.21	4.22R
Std. Deviation	3.42	3.09	3.50	3.30	3.22	3.21	3.28	4.15	3.75	3.36	3.54	3.40	3.35	3.69	3.51	1.95	3.39	3.41	3.22	3.56
Std. Error	0.21	1.54	0.55	0.46	0.50	0.72	0.42	1.11	0.57	0.33	0.40	0.35	0.22	0.53	0.25	0.22	0.27	0.33	0.25	0.35

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 14
Q.8a How Often Does Your Household Store Or Reuse Graywater From
Car Washing (At Your Home)?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL												RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER	
		NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL									
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)									(K)
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	186	6	33	32	29	11	37	9	29	68	54	64	148	36	117	62	98	75	113	67
	37.9	42.9	37.1	32.7	37.7	36.7	45.1	42.9	36.3	33.5	38.3	43.5	38.5	36.0	40.2	32.6	40.8	33.5	36.5	40.6
	100.0	3.2	17.7	17.2	15.6	5.9	19.9	4.8	15.6	36.6	29.0	34.4	79.6	19.4	62.9	33.3	52.7	40.3	60.8	36.0
Base: Total Answering	305	8**	56*	66*	48*	19**	45*	12**	51*	135	87*	83*	236	64*	174	128	142	149	197	98*
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0*
	100.0	2.6**	18.4*	21.6*	15.7*	6.2**	14.8*	3.9**	16.7*	44.3	28.5*	27.2*	77.4	21.0*	57.0	42.0	46.6	48.9	64.6	32.1*
Once A Week Or More (Net)	50	1	7	15	5	5	7	2	8	16	21	13	41	8	37	13	24	25	33	14
	16.4	12.5	12.5	22.7	10.4	26.3	15.6	16.7	15.7	11.9	24.1	15.7	17.4	12.5	21.3	10.2	16.9	16.8	16.8	14.3
	100.0	2.0	14.0	30.0	10.0	10.0	14.0	4.0	16.0	32.0	42.0	26.0	82.0	16.0	74.0	26.0	48.0	50.0	66.0	28.0
More than once a day (10)	12	-	1	2	1	1	3	-	4	5	4	3	9	2	10	2	6	6	8	4
	3.9	-	1.8	3.0	2.1	5.3	6.7	-	7.8	3.7	4.6	3.6	3.8	3.1	5.7	1.6	4.2	4.0	4.1	4.1
	100.0	-	8.3	16.7	8.3	8.3	25.0	-	33.3	41.7	33.3	25.0	75.0	16.7	83.3	16.7	50.0	50.0	66.7	33.3
Once a day (7)	3	-	-	-	1	2	-	-	-	-	1	2	1	2	3	-	1	2	2	1
	1.0	-	-	-	2.1	10.5	-	-	-	-	1.1	2.4	0.4	3.1	1.7	-	0.7	1.3	1.0	1.0
	100.0	-	-	-	33.3	66.7	-	-	-	-	33.3	66.7	33.3	66.7	100.0	-	33.3	66.7	66.7	33.3
A few times a week (3.5)	9	-	2	3	-	1	-	1	2	2	4	3	7	2	6	3	5	4	5	2
	3.0	-	3.6	4.5	-	5.3	-	8.3	3.9	1.5	4.6	3.6	3.0	3.1	3.4	2.3	3.5	2.7	2.5	2.0
	100.0	-	22.2	33.3	-	11.1	-	11.1	22.2	22.2	44.4	33.3	77.8	22.2	66.7	33.3	55.6	44.4	55.6	22.2
Once a week (1)	26	1	4	10	3	1	4	1	2	9	12	5	24	2	18	8	12	13	18	7
	8.5	12.5	7.1	15.2	6.3	5.3	8.9	8.3	3.9	6.7	13.8	6.0	10.2	3.1	10.3	6.3	8.5	8.7	9.1	7.1
	100.0	3.8	15.4	38.5	11.5	3.8	15.4	3.8	7.7	34.6	46.2	19.2	92.3	7.7	69.2	30.8	46.2	50.0	69.2	26.9

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 14
Q.8a How Often Does Your Household Store Or Reuse Graywater From
Car Washing (At Your Home)?

	TOTAL	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
		NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOON- TAIN	WEST	SUB-				RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL
										URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL								
										(A)	(B)	(C)								
Base: Total Answering	305	8**	56*	66*	48*	19**	45*	12**	51*	135	87*	83*	236	64*	174	128	142	149	197	98*
	100.0	100.0**	100*100.0*	100.0*100.0*	100.0**	100*100.0**	100*100.0**	100*100.0	100.0*100.0	100.0*100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0*
	100.0	2.6**	18.4*	21.6*	15.7*	6.2**	14.8*	3.9**	16.7*	44.3	28.5*	27.2*	77.4	21.0*	57.0	42.0	46.6	48.9	64.6	32.1*
A few times a month (0.65)	48	-	6	10	10	1	5	5	11	23	10	15	34	13	23	24	21	26	28	19
	15.7	-	10.7	15.2	20.8	5.3	11.1	41.7	21.6	17.0	11.5	18.1	14.4	20.3	13.2	18.8	14.8	17.4	14.2	19.4
	100.0	-	12.5	20.8	20.8	2.1	10.4	10.4	22.9	47.9	20.8	31.3	70.8	27.1	47.9	50.0	43.8	54.2	58.3	39.6
Once a month (0.25)	27	-	7	5	4	1	4	1	5	13	8	6	18	8	16	11	11	14	19	7
	8.9	-	12.5	7.6	8.3	5.3	8.9	8.3	9.8	9.6	9.2	7.2	7.6	12.5	9.2	8.6	7.7	9.4	9.6	7.1
	100.0	-	25.9	18.5	14.8	3.7	14.8	3.7	18.5	48.1	29.6	22.2	66.7	29.6	59.3	40.7	40.7	51.9	70.4	25.9
Less often than once a month (0.1)	58	2	6	13	5	6	12	1	13	27	13	18	46	12	29	29	29	26	37	19
	19.0	25.0	10.7	19.7	10.4	31.6	26.7	8.3	25.5	20.0	14.9	21.7	19.5	18.8	16.7	22.7	20.4	17.4	18.8	19.4
	100.0	3.4	10.3	22.4	8.6	10.3	20.7BD	1.7	22.4B	46.6	22.4	31.0	79.3	20.7	50.0	50.0	50.0	44.8	63.8	32.8
Never (0)	122	5	30	23	24	6	17	3	14	56	35	31	97	23	69	51	57	58	80	39
	40.0	62.5	53.6	34.8	50.0	31.6	37.8	25.0	27.5	41.5	40.2	37.3	41.1	35.9	39.7	39.8	40.1	38.9	40.6	39.8
	100.0	4.1	24.6C	18.9	19.7H	4.9	13.9	2.5	11.5	45.9	28.7	25.4	79.5	18.9	56.6	41.8	46.7	47.5	65.6	32.0
			H																	
Sigma	305	8	56	66	48	19	45	12	51	135	87	83	236	64	174	128	142	149	197	98
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.6	18.4	21.6	15.7	6.2	14.8	3.9	16.7	44.3	28.5	27.2	77.4	21.0	57.0	42.0	46.6	48.9	64.6	32.1
Mean Base (Including Never)	305	8	56	66	48	19	45	12	51	135	87	83	236	64	174	128	142	149	197	98
Mean (Including Never)	0.79	0.15	0.49	0.75	0.58	1.58	0.88	0.68	1.15	0.64	0.95	0.87	0.75	0.85	1.050	0.47	0.82	0.83	0.79	0.79
Std. Deviation	2.08	0.35	1.47	1.82	1.73	3.02	2.49	0.95	2.70	1.91	2.25	2.16	2.00	2.12	2.47	1.34	2.13	2.13	2.10	2.10
Std. Error	0.12	0.12	0.20	0.22	0.25	0.69	0.37	0.27	0.38	0.16	0.24	0.24	0.13	0.27	0.19	0.12	0.18	0.17	0.15	0.21

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 14
Q.8a How Often Does Your Household Store Or Reuse Graywater From
Car Washing (At Your Home)?

TOTAL	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	ROCKY			URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL
						SOUTH -WEST	MOUN- TAIN	WEST											
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
305	8**	56*	66*	48*	19**	45*	12**	51*	135	87*	83*	236	64*	174	128	142	149	197	98*
100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0*	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0*
100.0	2.6**	18.4*	21.6*	15.7*	6.2**	14.8*	3.9**	16.7*	44.3	28.5*	27.2*	77.4	21.0*	57.0	42.0	46.6	48.9	64.6	32.1*
183	3	26	43B	24	13	28	9	37BD	79	52	52	139	41	105	77	85	91	117	59
1.32	0.40	1.05	1.15	1.17	2.31	1.41	0.90	1.59	1.10	1.59	1.40	1.27	1.33	1.730	0.78	1.36	1.36	1.33	1.31
2.55	0.52	2.03	2.15	2.32	3.45	3.05	1.01	3.07	2.40	2.74	2.60	2.48	2.54	3.00	1.66	2.61	2.59	2.60	2.59
0.19	0.30	0.40	0.33	0.47	0.96	0.58	0.34	0.50	0.27	0.38	0.36	0.21	0.40	0.29	0.19	0.28	0.27	0.24	0.34

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 15
Q.8a How Often Does Your Household Store Or Reuse Graywater From
House Cleaning - Using Water Combined With Cleaning Products?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	ROCKY MOUN- -WEST TAIN		URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
							(F)	(G)												
																				(A)
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	162	4	29	31	26	7	29	7	29	60	45	57	130	31	98	61	92	59	90	64
	33.0	28.6	32.6	31.6	33.8	23.3	35.4	33.3	36.3	29.6	31.9	38.8	33.9	31.0	33.7	32.1	38.3	26.3	29.0	38.8
	100.0	2.5	17.9	19.1	16.0	4.3	17.9	4.3	17.9	37.0	27.8	35.2	80.2	19.1	60.5	37.7	56.8Q	36.4	55.6	39.5R
Base: Total Answering	329	10**	60*	67*	51*	23**	53*	14**	51*	143	96*	90*	254	69*	193	129	148	165	220	101
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0*	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	3.0**	18.2*	20.4*	15.5*	7.0**	16.1*	4.3**	15.5*	43.5	29.2*	27.4*	77.2	21.0*	58.7	39.2	45.0	50.2	66.9	30.7
Once A Week Or More (Net)	99	3	11	24	15	7	13	4	22	37	37	25	76	20	73	25	41	56	71	25
	30.1	30.0	18.3	35.8	29.4	30.4	24.5	28.6	43.1	25.9	38.5	27.8	29.9	29.0	37.8	19.4	27.7	33.9	32.3	24.8
	100.0	3.0	11.1	24.2B	15.2	7.1	13.1	4.0	22.2B	37.4	37.4I	25.3	76.8	20.2	73.70	25.3	41.4	56.6	71.7	25.3
								F												
More than once a day (10)	13	1	-	4	2	1	2	-	3	4	5	4	7	4	10	2	6	6	8	4
	4.0	10.0	-	6.0	3.9	4.3	3.8	-	5.9	2.8	5.2	4.4	2.8	5.8	5.2	1.6	4.1	3.6	3.6	4.0
	100.0	7.7	-	30.8	15.4	7.7	15.4	-	23.1	30.8	38.5	30.8	53.8	30.8	76.9	15.4	46.2	46.2	61.5	30.8
Once a day (7)	7	-	-	2	1	-	3	-	1	4	3	-	5	2	7	-	2	5	4	2
	2.1	-	-	3.0	2.0	-	5.7	-	2.0	2.8	3.1	-	2.0	2.9	3.6	-	1.4	3.0	1.8	2.0
	100.0	-	-	28.6	14.3	-	42.9	-	14.3	57.1	42.9	-	71.4	28.6	100.00	-	28.6	71.4	57.1	28.6
A few times a week (3.5)	42	2	5	11	6	3	3	1	11	14	15	13	33	9	29	13	17	25	29	12
	12.8	20.0	8.3	16.4	11.8	13.0	5.7	7.1	21.6	9.8	15.6	14.4	13.0	13.0	15.0	10.1	11.5	15.2	13.2	11.9
	100.0	4.8	11.9	26.2	14.3	7.1	7.1	2.4	26.2F	33.3	35.7	31.0	78.6	21.4	69.0	31.0	40.5	59.5	69.0	28.6
Once a week (1)	37	-	6	7	6	3	5	3	7	15	14	8	31	5	27	10	16	20	30	7
	11.2	-	10.0	10.4	11.8	13.0	9.4	21.4	13.7	10.5	14.6	8.9	12.2	7.2	14.0	7.8	10.8	12.1	13.6	6.9
	100.0	-	16.2	18.9	16.2	8.1	13.5	8.1	18.9	40.5	37.8	21.6	83.8	13.5	73.0	27.0	43.2	54.1	81.1	18.9

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 15
Q.8a How Often Does Your Household Store Or Reuse Graywater From
House Cleaning - Using Water Combined With Cleaning Products?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL												OWN	RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER
		NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS									
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	329	10**	60*	67*	51*	23**	53*	14**	51*	143	96*	90*	254	69*	193	129	148	165	220	101
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0*	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	3.0**	18.2*	20.4*	15.5*	7.0**	16.1*	4.3**	15.5*	43.5	29.2*	27.4*	77.2	21.0*	58.7	39.2	45.0	50.2	66.9	30.7
A few times a month (0.65)	43	-	7	8	8	5	12	-	3	23	8	12	37	6	20	20	21	20	27	14
	13.1	-	11.7	11.9	15.7	21.7	22.6	-	5.9	16.1	8.3	13.3	14.6	8.7	10.4	15.5	14.2	12.1	12.3	13.9
	100.0	-	16.3	18.6	18.6	11.6	27.9H	-	7.0	53.5	18.6	27.9	86.0	14.0	46.5	46.5	48.8	46.5	62.8	32.6
Once a month (0.25)	17	-	6	1	4	1	3	1	1	9	5	3	10	7	4	11	3	12	15	2
	5.2	-	10.0	1.5	7.8	4.3	5.7	7.1	2.0	6.3	5.2	3.3	3.9	10.1	2.1	8.5	2.0	7.3	6.8	2.0
	100.0	-	35.3C	5.9	23.5	5.9	17.6	5.9	5.9	52.9	29.4	17.6	58.8	41.2L	23.5	64.7N	17.6	70.6P	88.2	11.8
Less often than once a month (0.1)	34	-	8	6	3	5	2	1	9	18	7	9	27	7	14	19	13	16	24	9
	10.3	-	13.3	9.0	5.9	21.7	3.8	7.1	17.6	12.6	7.3	10.0	10.6	10.1	7.3	14.7	8.8	9.7	10.9	8.9
	100.0	-	23.5	17.6	8.8	14.7	5.9	2.9	26.5F	52.9	20.6	26.5	79.4	20.6	41.2	55.9N	38.2	47.1	70.6	26.5
Never (0)	136	7	28	28	21	5	23	8	16	56	39	41	104	29	82	54	70	61	83	51
	41.3	70.0	46.7	41.8	41.2	21.7	43.4	57.1	31.4	39.2	40.6	45.6	40.9	42.0	42.5	41.9	47.3	37.0	37.7	50.5
	100.0	5.1	20.6	20.6	15.4	3.7	16.9	5.9	11.8	41.2	28.7	30.1	76.5	21.3	60.3	39.7	51.5	44.9	61.0	37.5R
Sigma	329	10	60	67	51	23	53	14	51	143	96	90	254	69	193	129	148	165	220	101
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	3.0	18.2	20.4	15.5	7.0	16.1	4.3	15.5	43.5	29.2	27.4	77.2	21.0	58.7	39.2	45.0	50.2	66.9	30.7
Mean Base (Including Never)	329	10	60	67	51	23	53	14	51	143	96	90	254	69	193	129	148	165	220	101
Mean (Including Never)	1.21	1.70	0.51	1.58B	1.19B	1.20	1.23B	0.49	1.68B	1.06	1.51	1.14	1.11	1.40	1.520	0.72	1.12	1.33	1.20	1.12
Std. Deviation	2.30	3.26	0.97	2.69	2.28	2.23	2.46	0.96	2.64	2.11	2.58	2.26	2.07	2.66	2.59	1.56	2.25	2.33	2.22	2.30
Std. Error	0.13	1.03	0.12	0.33	0.32	0.46	0.34	0.26	0.37	0.18	0.26	0.24	0.13	0.32	0.19	0.14	0.19	0.18	0.15	0.23

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 15
Q.8a How Often Does Your Household Store Or Reuse Graywater From
House Cleaning - Using Water Combined With Cleaning Products?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE																		
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	ROCKY MOUN- TAIN		URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER																
							SOUTH -WEST	WEST																											
							(A)	(B)				(C)								(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Answering	329	10**	60*	67*	51*	23**	53*	14**	51*	143	96*	90*	254	69*	193	129	148	165	220	101															
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0*	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0															
	100.0	3.0**	18.2*	20.4*	15.5*	7.0**	16.1*	4.3**	15.5*	43.5	29.2*	27.4*	77.2	21.0*	58.7	39.2	45.0	50.2	66.9	30.7															
Mean Base (Excluding Never)	193	3	32	39	30	18	30	6	35	87	57	49	150	40	111	75	78	104	137s	50															
Mean (Excluding Never)	2.07	5.67	0.95	2.71B	2.02B	1.53	2.17B	1.14	2.45B	1.74	2.54	2.10	1.87	2.42	2.640	1.24	2.12	2.12	1.92	2.27															
Std. Deviation	2.69	3.75	1.16	3.07	2.69	2.42	2.95	1.22	2.88	2.48	2.93	2.72	2.42	3.13	2.96	1.88	2.75	2.63	2.56	2.86															
Std. Error	0.19	2.17	0.21	0.49	0.49	0.57	0.54	0.50	0.49	0.27	0.39	0.39	0.20	0.49	0.28	0.22	0.31	0.26	0.22	0.40															

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 16
Q.8b An Average, Approximately How Many Gallons Of Graywater Are
Reused Each Month?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL		
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)								
													(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	49	2	9	12	5	2	12	-	7	21	11	17	41	7	29	19	28	17	30	18
	10.0	14.3	10.1	12.2	6.5	6.7	14.6	-	8.8	10.3	7.8	11.6	10.7	7.0	10.0	10.0	11.7	7.6	9.7	10.9
	100.0	4.1	18.4	24.5	10.2	4.1	24.5	-	14.3	42.9	22.4	34.7	83.7	14.3	59.2	38.8	57.1	34.7	61.2	36.7
Base: Total Answering	442	12**	80*	86*	72*	28**	70*	21**	73*	182	130	130	343	93*	262	171	212	207	280	147
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.7**	18.1*	19.5*	16.3*	6.3**	15.8*	4.8**	16.5*	41.2	29.4	29.4	77.6	21.0*	59.3	38.7	48.0	46.8	63.3	33.3
<u>Under 50 Gallons (Net)</u>	236	7	52	43	51	16	19	7	41	110	66	60	171	61	98	130	86	130	161	64
	53.4	58.3	65.0	50.0	70.8	57.1	27.1	33.3	56.2	60.4	50.8	46.2	49.9	65.6	37.4	76.0	40.6	62.8	57.5	43.5
	100.0	3.0	22.0F	18.2F	21.6CF	6.8	8.1	3.0	17.4F	46.6K	28.0	25.4	72.5	25.8L	41.5	55.1N	36.4	55.1P	68.2S	27.1
Under 10	86	6	18	17	22	5	6	2	10	41	20	25	53	31	23	59	29	50	62	22
	19.5	50.0	22.5	19.8	30.6	17.9	8.6	9.5	13.7	22.5	15.4	19.2	15.5	33.3	8.8	34.5	13.7	24.2	22.1	15.0
	100.0	7.0	20.9F	19.8	25.6FH	5.8	7.0	2.3	11.6	47.7	23.3	29.1	61.6	36.0L	26.7	68.6N	33.7	58.1P	72.1	25.6
10 - 19	52	1	13	8	13	4	5	-	8	20	14	18	41	11	18	32	19	30	36	15
	11.8	8.3	16.3	9.3	18.1	14.3	7.1	-	11.0	11.0	10.8	13.8	12.0	11.8	6.9	18.7	9.0	14.5	12.9	10.2
	100.0	1.9	25.0	15.4	25.0	7.7	9.6	-	15.4	38.5	26.9	34.6	78.8	21.2	34.6	61.5N	36.5	57.7	69.2	28.8
20 - 49	98	-	21	18	16	7	8	5	23	49	32	17	77	19	57	39	38	50	63	27
	22.2	-	26.3	20.9	22.2	25.0	11.4	23.8	31.5	26.9	24.6	13.1	22.4	20.4	21.8	22.8	17.9	24.2	22.5	18.4
	100.0	-	21.4F	18.4	16.3	7.1	8.2	5.1	23.5F	50.0K	32.7K	17.3	78.6	19.4	58.2	39.8	38.8	51.0	64.3	27.6
<u>50 - 399 Gallons (Net)</u>	152	4	22	33	16	8	35	8	26	58	51	43	125	26	117	35	87	62	89	59
	34.4	33.3	27.5	38.4	22.2	28.6	50.0	38.1	35.6	31.9	39.2	33.1	36.4	28.0	44.7	20.5	41.0	30.0	31.8	40.1
	100.0	2.6	14.5	21.7D	10.5	5.3	23.0BD	5.3	17.1	38.2	33.6	28.3	82.2	17.1	77.0D	23.0	57.2Q	40.8	58.6	38.8

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 16
Q.8b An Average, Approximately How Many Gallons Of Graywater Are
Reused Each Month?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)		(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)
Base: Total Answering	442	12**	80*	86*	72*	28**	70*	21**	73*	182	130	130	343	93*	262	171	212	207	280	147
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.7**	18.1*	19.5*	16.3*	6.3**	15.8*	4.8**	16.5*	41.2	29.4	29.4	77.6	21.0*	59.3	38.7	48.0	46.8	63.3	33.3
50 - 99	59	2	11	9	9	3	14	4	7	22	23	14	48	11	40	19	25	34	44	14
	13.3	16.7	13.8	10.5	12.5	10.7	20.0	19.0	9.6	12.1	17.7	10.8	14.0	11.8	15.3	11.1	11.8	16.4	15.7	9.5
	100.0	3.4	18.6	15.3	15.3	5.1	23.7	6.8	11.9	37.3	39.0	23.7	81.4	18.6	67.8	32.2	42.4	57.6	74.6	23.7
100 - 399	93	2	11	24	7	5	21	4	19	36	28	29	77	15	77	16	62	28	45	45
	21.0	16.7	13.8	27.9	9.7	17.9	30.0	19.0	26.0	19.8	21.5	22.3	22.4	16.1	29.4	9.4	29.2	13.5	16.1	30.6
	100.0	2.2	11.8	25.8BD	7.5	5.4	22.6BD	4.3	20.4D	38.7	30.1	31.2	82.8	16.1	82.8D	17.2	66.7Q	30.1	48.4	48.4R
400+	54	1	6	10	5	4	16	6	6	14	13	27	47	6	47	6	39	15	30	24
	12.2	8.3	7.5	11.6	6.9	14.3	22.9	28.6	8.2	7.7	10.0	20.8	13.7	6.5	17.9	3.5	18.4	7.2	10.7	16.3
	100.0	1.9	11.1	18.5	9.3	7.4	29.6B	11.1	11.1	25.9	24.1	50.0J	87.0	11.1	87.0D	11.1	72.2Q	27.8	55.6	44.4
							DH					J								
Sigma	442	12	80	86	72	28	70	21	73	182	130	130	343	93	262	171	212	207	280	147
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.7	18.1	19.5	16.3	6.3	15.8	4.8	16.5	41.2	29.4	29.4	77.6	21.0	59.3	38.7	48.0	46.8	63.3	33.3
Mean Base	442	12	80	86	72	28	70	21	73	182	130	130	343	93	262	171	212	207	280	147
Mean	188.3	113.8	131.9	182.0	138.2	230.0	270.5	310.7	189.4	144.7	180.6	257.2	214.1M	91.0	261.7D	67.7	226.8	165.8	177.4	224.2
							B					I								
Std. Deviation	450.3	255.0	408.3	417.6	452.9	522.3	434.3	449.1	532.5	421.7	452.4	481.3	490.9	227.5	515.8	216.2	399.7	515.2	473.3	425.1
Std. Error	21.4	73.6	45.7	45.0	53.4	98.7	51.9	98.0	62.3	31.3	39.7	42.2	26.5	23.6	31.9	16.5	27.5	35.8	28.3	35.1

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 17
Q.9 Does Your Household Have A Fruit Or Vegetable Garden At Any Time During The Year?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	AT LEAST ONCE A WK.		SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
														RENT/ LEASE /OTHR	LESS THAN ONCE A WK.					
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	6	-	-	3	2	-	-	-	1	2	-	4	6	-	3	3	4	2	4	2
	1.2	-	-	3.1	2.6	-	-	-	1.3	1.0	-	2.7	1.6	-	1.0	1.6	1.7	0.9	1.3	1.2
	100.0	-	-	50.0	33.3	-	-	-	16.7	33.3	-	66.7	100.0	-	50.0	50.0	66.7	33.3	66.7	33.3
J																				
Base: Total Answering	485	14**	89*	95*	75*	30*	82*	21**	79*	201	141	143	378	100	288	187	236	222	306	163
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.4*	19.6*	15.5*	6.2*	16.9*	4.3**	16.3*	41.4	29.1	29.5	77.9	20.6	59.4	38.6	48.7	45.8	63.1	33.6
Yes	339	11	67	63	54	22	48	15	59	138	90	111	268	66	208	125	176	148	203	125
	69.9	78.6	75.3	66.3	72.0	73.3	58.5	71.4	74.7	68.7	63.8	77.6	70.9	66.0	72.2	66.8	74.6	66.7	66.3	76.7
	100.0	3.2	19.8F	18.6	15.9	6.5	14.2	4.4	17.4F	40.7	26.5	32.7J	79.1	19.5	61.4	36.9	51.9	43.7	59.9	36.9R
No	146	3	22	32	21	8	34	6	20	63	51	32	110	34	80	62	60	74	103	38
	30.1	21.4	24.7	33.7	28.0	26.7	41.5	28.6	25.3	31.3	36.2	22.4	29.1	34.0	27.8	33.2	25.4	33.3	33.7	23.3
	100.0	2.1	15.1	21.9	14.4	5.5	23.3BH	4.1	13.7	43.2	34.9K	21.9	75.3	23.3	54.8	42.5	41.1	50.7	70.5S	26.0
Sigma	485	14	89	95	75	30	82	21	79	201	141	143	378	100	288	187	236	222	306	163
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9	18.4	19.6	15.5	6.2	16.9	4.3	16.3	41.4	29.1	29.5	77.9	20.6	59.4	38.6	48.7	45.8	63.1	33.6

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 18
Q.10 For Which Of The Following Purposes, If Any, Does Your Household
Reuse Graywater?

	TOTAL	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER	WATER SOURCE				
		NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	SUB- URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.		LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WATER	VATE WELL WATER
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)			
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165	
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6	
No answer	9	1	1	1	2	-	1	-	3	4	2	3	8	1	4	5	6	2	4	4	
	1.8	7.1	1.1	1.0	2.6	-	1.2	-	3.8	2.0	1.4	2.0	2.1	1.0	1.4	2.6	2.5	0.9	1.3	2.4	
	100.0	11.1	11.1	11.1	22.2	-	11.1	-	33.3	44.4	22.2	33.3	88.9	11.1	44.4	55.6	66.7	22.2	44.4	44.4	
Base: Total Answering	482	13**	88*	97*	75*	30*	81*	21**	77*	199	139	144	376	99*	287	185	234	222	306	161	
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0	
	100.0	2.7**	18.3*	20.1*	15.6*	6.2*	16.8*	4.4**	16.0*	41.3	28.8	29.9	78.0	20.5*	59.5	38.4	48.5	46.1	63.5	33.4	
Driveway/street cleaning	86	-	20	18	11	6	8	4	19	42	28	16	66	20	42	42	18	64	69	14	
	17.8	-	22.7	18.6	14.7	20.0	9.9	19.0	24.7	21.1	20.1	11.1	17.6	20.2	14.6	22.7	7.7	28.8	22.5	8.7	
	100.0	-	23.3F	20.9	12.8	7.0	9.3	4.7	22.1F	48.8K	32.6K	18.6	76.7	23.3	48.8	48.8N	20.9	74.4P	80.2S	16.3	
In sink garbage disposal flushing	32	-	5	4	5	3	4	2	9	14	11	7	27	5	24	6	8	18	23	5	
	6.6	-	5.7	4.1	6.7	10.0	4.9	9.5	11.7	7.0	7.9	4.9	7.2	5.1	8.4	3.2	3.4	8.1	7.5	3.1	
	100.0	-	15.6	12.5	15.6	9.4	12.5	6.3	28.1	43.8	34.4	21.9	84.4	15.6	75.00	18.8	25.0	56.3P	71.9	15.6	
Toilet flushing	97	5	21	20	14	7	9	6	15	36	30	31	73	23	58	36	44	46	54	41	
	20.1	38.5	23.9	20.6	18.7	23.3	11.1	28.6	19.5	18.1	21.6	21.5	19.4	23.2	20.2	19.5	18.8	20.7	17.6	25.5	
	100.0	5.2	21.6F	20.6	14.4	7.2	9.3	6.2	15.5	37.1	30.9	32.0	75.3	23.7	59.8	37.1	45.4	47.4	55.7	42.3R	
Water Plants/Vegetation (Net)	456	11	77	90	72	29	80	21	76	188	130	138	352	97	276	171	225	206	287	154	
	94.6	84.6	87.5	92.8	96.0	96.7	98.8	100.0	98.7	94.5	93.5	95.8	93.6	98.0	96.2	92.4	96.2	92.8	93.8	95.7	
	100.0	2.4	16.9	19.7	15.8	6.4	17.5B	4.6	16.7B	41.2	28.5	30.3	77.2	21.3	60.5	37.5	49.3	45.2	62.9	33.8	
Sub-surface irrigation	46	1	7	12	3	5	9	3	6	15	13	18	36	10	32	13	29	16	25	21	
	9.5	7.7	8.0	12.4	4.0	16.7	11.1	14.3	7.8	7.5	9.4	12.5	9.6	10.1	11.1	7.0	12.4	7.2	8.2	13.0	
	100.0	2.2	15.2	26.1	6.5	10.9D	19.6	6.5	13.0	32.6	28.3	39.1	78.3	21.7	69.6	28.3	63.0	34.8	54.3	45.7	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 18
Q.10 For Which Of The Following Purposes, If Any, Does Your Household
Reuse Graywater?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	SUB- URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT	LESS	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
		ENG- LAND	ATL- ANTIC											LEAST	THAN					
		(A)	(B)											ONCE	ONCE					
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	482	13**	88*	97*	75*	30*	81*	21**	77*	199	139	144	376	99*	287	185	234	222	306	161
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.7**	18.3*	20.1*	15.6*	6.2*	16.8*	4.4**	16.0*	41.3	28.8	29.9	78.0	20.5*	59.5	38.4	48.5	46.1	63.5	33.4
Watering flowers/plants	380	11	71	82	63	23	48	17	65	160	107	113	293	82	223	148	174	185	245	122
	78.8	84.6	80.7	84.5	84.0	76.7	59.3	81.0	84.4	80.4	77.0	78.5	77.9	82.8	77.7	80.0	74.4	83.3	80.1	75.8
	100.0	2.9	18.7F	21.6F	16.6F	6.1	12.6	4.5	17.1F	42.1	28.2	29.7	77.1	21.6	58.7	38.9	45.8	48.7P	64.5	32.1
Watering lawn/soil/pastures	273	2	38	57	41	21	59	12	43	111	79	83	215	55	176	93	135	125	180	87
	56.6	15.4	43.2	58.8	54.7	70.0	72.8	57.1	55.8	55.8	56.8	57.6	57.2	55.6	61.3	50.3	57.7	56.3	58.8	54.0
	100.0	0.7	13.9	20.9B	15.0	7.7B	21.6BD	4.4	15.8	40.7	28.9	30.4	78.8	20.1	64.50	34.1	49.5	45.8	65.9	31.9
							H													
Watering shrubs/trees	329	9	50	66	50	24	58	17	55	135	95	99	265	63	210	115	158	160	209	113
	68.3	69.2	56.8	68.0	66.7	80.0	71.6	81.0	71.4	67.8	68.3	68.8	70.5	63.6	73.2	62.2	67.5	72.1	68.3	70.2
	100.0	2.7	15.2	20.1	15.2	7.38	17.6B	5.2	16.7	41.0	28.9	30.1	80.5	19.1	63.80	35.0	48.0	48.6	63.5	34.3
Watering vegetable/fruit garden	223	7	49	47	37	15	25	6	37	91	60	72	176	46	142	77	119	97	133	82
	46.3	53.8	55.7	48.5	49.3	50.0	30.9	28.6	48.1	45.7	43.2	50.0	46.8	46.5	49.5	41.6	50.9	43.7	43.5	50.9
	100.0	3.1	22.0F	21.1F	16.6F	6.7	11.2	2.7	16.6F	40.8	26.9	32.3	78.9	20.6	63.7	34.5	53.4	43.5	59.6	36.8
Laundry/washing clothes	13	-	4	2	5	1	1	-	-	8	2	3	11	2	10	3	5	8	10	3
	2.7	-	4.5	2.1	6.7	3.3	1.2	-	-	4.0	1.4	2.1	2.9	2.0	3.5	1.6	2.1	3.6	3.3	1.9
	100.0	-	30.8	15.4	38.5H	7.7	7.7	-	-	61.5	15.4	23.1	84.6	15.4	76.9	23.1	38.5	61.5	76.9	23.1
Washing car	6	-	2	1	2	-	-	-	1	5	-	1	3	2	-	6	1	5	5	1
	1.2	-	2.3	1.0	2.7	-	-	-	1.3	2.5	-	0.7	0.8	2.0	-	3.2	0.4	2.3	1.6	0.6
	100.0	-	33.3	16.7	33.3	-	-	-	16.7	83.3	-	16.7	50.0	33.3	-	100.0N	16.7	83.3	83.3	16.7
Cleaning/household cleaning	14	-	2	2	5	2	2	-	1	4	7	3	10	4	10	4	4	10	12	2
	2.9	-	2.3	2.1	6.7	6.7	2.5	-	1.3	2.0	5.0	2.1	2.7	4.0	3.5	2.2	1.7	4.5	3.9	1.2
	100.0	-	14.3	14.3	35.7	14.3	14.3	-	7.1	28.6	50.0	21.4	71.4	28.6	71.4	28.6	28.6	71.4	85.7	14.3

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 18
Q.10 For Which Of The Following Purposes, If Any, Does Your Household
Reuse Graywater?

TOTAL	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB- URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WATER	VATE WELL WATER
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
482	13**	88*	97*	75*	30*	81*	21**	77*	199	139	144	376	99*	287	185	234	222	306	161
100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
100.0	2.7**	18.3*	20.1*	15.6*	6.2*	16.8*	4.4**	16.0*	41.3	28.8	29.9	78.0	20.5*	59.5	38.4	48.5	46.1	63.5	33.4
25	2	5	5	6	1	4	1	1	6	13	6	21	4	16	7	11	12	12	13
5.2	15.4	5.7	5.2	8.0	3.3	4.9	4.8	1.3	3.0	9.4	4.2	5.6	4.0	5.6	3.8	4.7	5.4	3.9	8.1
100.0	8.0	20.0	20.0	24.0	4.0	16.0	4.0	4.0	24.0	52.01	24.0	84.0	16.0	64.0	28.0	44.0	48.0	48.0	52.0
188	5	40	37	30	13	18	10	35	83	61	44	148	39	103	79	63	114	131	51
39.0	38.5	45.5	38.1	40.0	43.3	22.2	47.6	45.5	41.7	43.9	30.6	39.4	39.4	35.9	42.7	26.9	51.4	42.8	31.7
100.0	2.7	21.3F	19.7F	16.0F	6.9F	9.6	5.3	18.6F	44.1K	32.4K	23.4	78.7	20.7	54.8	42.0	33.5	60.6P	69.7S	27.1
23	2	9	6	3	1	1	-	1	9	9	5	21	2	9	13	7	15	18	5
4.8	15.4	10.2	6.2	4.0	3.3	1.2	-	1.3	4.5	6.5	3.5	5.6	2.0	3.1	7.0	3.0	6.8	5.9	3.1
100.0	8.7	39.1F	26.1	13.0	4.3	4.3	-	4.3	39.1	39.1	21.7	91.3	8.7	39.1	56.5	30.4	65.2	78.3	21.7
		H																	
175	5	38	35	23	12	17	10	35	74	58	43	138	36	97	72	61	103	119	50
36.3	38.5	43.2	36.1	30.7	40.0	21.0	47.6	45.5	37.2	41.7	29.9	36.7	36.4	33.8	38.9	26.1	46.4	38.9	31.1
100.0	2.9	21.7F	20.0F	13.1	6.9F	9.7	5.7	20.0F	42.3	33.1K	24.6	78.9	20.6	55.4	41.1	34.9	58.9P	68.0	28.6
1524	37	274	316	242	108	227	68	252	627	445	452	1196	316	943	550	706	746	977	504
316.2	284.6	311.4	325.8	322.7	360.0	280.2	323.8	327.3	315.1	320.1	313.9	318.1	319.2	328.6	297.3	301.7	336.0	319.3	313.0
100.0	2.4	18.0	20.7	15.9	7.1	14.9	4.5	16.5	41.1	29.2	29.7	78.5	20.7	61.9	36.1	46.3	49.0	64.1	33.1

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 19
Q.11 How Often Do You Use Graywater For Watering Flowers/Plants?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- -TAIN	URBAN LARGE MSAS	SUB- URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT	LESS	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER	
		ENG- LAND	ATL- ANTIC									LEAST ONCE A WK.		THAN ONCE A WK.						
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Reuse Graywater To Water Flowers/Plants	380 100.0 100.0	11** 100.0** 2.9**	71* 100*100.0* 18.7*	82* 100.0*100.0* 21.6*	63* 100.0*100.0* 16.6*	23** 100.0** 6.1**	48* 100*100.0** 12.6*	17** 100*100.0** 4.5**	65* 100*100.0* 17.1*	160 100.0 42.1	107 100.0 28.2	113 100.0 29.7	293 100.0 77.1	82* 100.0*100.0* 21.6*	223 100.0 58.7	148 100.0 38.9	174 100.0 45.8	185 100.0 48.7	245 100.0 64.5	122 100.0 32.1
No answer	12 3.2 100.0	1 9.1 8.3	1 1.4 8.3	4 4.9 33.3	1 1.6 8.3	- - -	3 6.3 25.0	- - -	2 3.1 16.7	5 3.1 41.7	4 3.7 33.3	3 2.7 25.0	8 2.7 66.7	4 4.9 33.3	6 2.7 50.0	5 3.4 41.7	3 1.7 25.0	7 3.8 58.3	7 2.9 58.3	3 2.5 25.0
Base: Total Answering	368 100.0 100.0	10** 100.0** 2.7**	70* 100*100.0* 19.0*	78* 100.0*100.0* 21.2*	62* 100.0*100.0* 16.8*	23** 100.0** 6.3**	45* 100*100.0** 12.2*	17** 100*100.0** 4.6**	63* 100*100.0* 17.1*	155 100.0 42.1	103 100.0 28.0	110 100.0 29.9	285 100.0 77.4	78* 100.0*100.0* 21.2*	217 100.0 59.0	143 100.0 38.9	171 100.0 46.5	178 100.0 48.4	238 100.0 64.7	119 100.0 32.3
Once A Week Or More (Net)	291 79.1 100.0	8 80.0 2.7	54 77.1 18.6	69 88.5 23.7	44 71.0 15.1	19 82.6 6.5	38 84.4 13.1	11 64.7 3.8	48 76.2 16.5	121 78.1 41.6	81 78.6 27.8	89 80.9 30.6	228 80.0 78.4	58 74.4 19.9	208 95.9 71.5	80 55.9 27.5	150 87.7 51.5	128 71.9 44.0	184 77.3 63.2	98 82.4 33.7
More than once a day (10)	26 7.1 100.0	1 10.0 3.8	1 1.4 3.8	5 6.4 19.2	3 4.8 11.5	3 13.0 11.5	7 15.6 26.9	1 5.9 3.8	5 7.9 19.2	12 7.7 46.2	3 2.9 11.5	11 10.0 42.3	18 6.3 69.2	7 9.0 26.9	23 10.6 88.5	2 1.4 7.7	14 8.2 53.8	11 6.2 42.3	20 8.4 76.9	6 5.0 23.1
Once a day (7)	62 16.8 100.0	- - -	8 11.4 12.9	15 19.2 24.2	13 21.0 21.0	2 8.7 3.2	5 11.1 8.1	5 29.4 8.1	14 22.2 22.6	24 15.5 38.7	20 19.4 32.3	18 16.4 29.0	53 18.6 85.5	9 11.5 14.5	55 25.3 88.7	6 4.2 9.7	31 18.1 50.0	29 16.3 46.8	40 16.8 64.5	21 17.6 33.9
A few times a week (3.5)	147 39.9 100.0	5 50.0 3.4	33 47.1 22.4	38 48.7 25.9	15 24.2 10.2	10 43.5 6.8	15 33.3 10.2	5 29.4 3.4	26 41.3 17.7	57 36.8 38.8	46 44.7 31.3	44 40.0 29.9	118 41.4 80.3	29 37.2 19.7	101 46.5 68.7	45 31.5 30.6	71 41.5 48.3	68 38.2 46.3	92 38.7 62.6	49 41.2 33.3
Once a week (1)	56 15.2 100.0	2 20.0 3.6	12 17.1 21.4	11 14.1 19.6	13 21.0 23.2	4 17.4 7.1	11 24.4 19.6	- - -	3 4.8 5.4	28 18.1 50.0	12 11.7 21.4	16 14.5 28.6	39 13.7 69.6	13 16.7 23.2	29 13.4 51.8	27 18.9 48.2	34 19.9 60.7	20 11.2 35.7	32 13.4 57.1	22 18.5 39.3

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 19
Q.11 How Often Do You Use Graywater For Watering Flowers/Plants?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB- URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	368	10**	70*	78*	62*	23**	45*	17**	63*	155	103	110	285	78*	217	143	171	178	238	119
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.7**	19.0*	21.2*	16.8*	6.3**	12.2*	4.6**	17.1*	42.1	28.0	29.9	77.4	21.2*	59.0	38.9	46.5	48.4	64.7	32.3
A few times a month (0.65)	44	2	7	6	11	2	3	5	8	18	16	10	34	10	7	34	12	28	29	14
	12.0	20.0	10.0	7.7	17.7	8.7	6.7	29.4	12.7	11.6	15.5	9.1	11.9	12.8	3.2	23.8	7.0	15.7	12.2	11.8
	100.0	4.5	15.9	13.6	25.0	4.5	6.8	11.4	18.2	40.9	36.4	22.7	77.3	22.7	15.9	77.3N	27.3	63.6P	65.9	31.8
Once a month (0.25)	18	-	5	2	4	1	2	1	3	10	3	5	12	6	1	16	4	12	14	3
	4.9	-	7.1	2.6	6.5	4.3	4.4	5.9	4.8	6.5	2.9	4.5	4.2	7.7	0.5	11.2	2.3	6.7	5.9	2.5
	100.0	-	27.8	11.1	22.2	5.6	11.1	5.6	16.7	55.6	16.7	27.8	66.7	33.3	5.6	88.9N	22.2	66.7	77.8	16.7
Less often than once a month (0.1)	15	-	4	1	3	1	2	-	4	6	3	6	11	4	1	13	5	10	11	4
	4.1	-	5.7	1.3	4.8	4.3	4.4	-	6.3	3.9	2.9	5.5	3.9	5.1	0.5	9.1	2.9	5.6	4.6	3.4
	100.0	-	26.7	6.7	20.0	6.7	13.3	-	26.7	40.0	20.0	40.0	73.3	26.7	6.7	86.7N	33.3	66.7	73.3	26.7
Sigma	368	10	70	78	62	23	45	17	63	155	103	110	285	78	217	143	171	178	238	119
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.7	19.0	21.2	16.8	6.3	12.2	4.6	17.1	42.1	28.0	29.9	77.4	21.2	59.0	38.9	46.5	48.4	64.7	32.3
Mean Base	368	10	70	78	62	23	45	17	63	155	103	110	285	78	217	143	171	178	238	119
Mean	3.53	3.08	2.85	3.89B	3.14	3.68	3.80	3.88	3.94B	3.42	3.44	3.77	3.61	3.28	4.620	1.92	3.79	3.33	3.60	3.45
Std. Deviation	2.82	2.77	2.23	2.63	2.94	3.12	3.34	3.08	2.93	2.90	2.51	3.00	2.77	2.96	2.75	1.99	2.84	2.82	2.94	2.67
Std. Error	0.15	0.88	0.27	0.30	0.37	0.65	0.50	0.75	0.37	0.23	0.25	0.29	0.16	0.34	0.19	0.17	0.22	0.21	0.19	0.24

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 20
Q.11 How Often Do You Use Graywater For Watering Vegetable/Fruit Garden?

	TOTAL	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
		NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Reuse Graywater To Water Vegetable/Fruit Garden	223 100.0 100.0	7** 100.0** 3.1**	49* 100* 22.0*	47* 100.0* 21.1*	37* 100.0* 16.6*	15** 100.0** 6.7**	25** 100** 11.2**	6** 100** 2.7**	37* 100* 16.6*	91* 100.0* 40.8*	60* 100.0* 26.9*	72* 100.0* 32.3*	176 100.0 78.9	46* 100.0* 20.6*	142 100.0* 63.7	77* 100.0* 34.5*	119 100.0* 53.4	97* 100.0* 43.5*	133 100.0* 59.6	82* 100.0* 36.8*
No answer	7 3.1 100.0	- - -	3 6.1 42.9	3 6.4 42.9	- - -	- - -	- - -	- - -	1 2.7 14.3	3 3.3 42.9	2 3.3 28.6	2 2.8 28.6	7 4.0 100.0	- - -	6 4.2 85.7	1 1.3 14.3	4 3.4 57.1	2 2.1 28.6	4 3.0 57.1	2 2.4 28.6
Base: Total Answering	216 100.0 100.0	7** 100.0** 3.2**	46* 100* 21.3*	44* 100.0* 20.4*	37* 100.0* 17.1*	15** 100.0** 6.9**	25** 100** 11.6**	6** 100** 2.8**	36* 100* 16.7*	88* 100.0* 40.7*	58* 100.0* 26.9*	70* 100.0* 32.4*	169 100.0 78.2	46* 100.0* 21.3*	136 100.0* 63.0	76* 100.0* 35.2*	115 100.0* 53.2	95* 100.0* 44.0*	129 100.0* 59.7	80* 100.0* 37.0*
Once A Week Or More (Net)	171 79.2 100.0	4 57.1 2.3	33 71.7 19.3	37 84.1 21.6	28 75.7 16.4	13 86.7 7.6	22 88.0 12.9	3 50.0 1.8	31 86.1 18.1	70 79.5 40.9	48 82.8 28.1	53 75.7 31.0	136 80.5 79.5	34 73.9 19.9	126 92.6 73.70	43 56.6 25.1	93 80.9 54.4	74 77.9 43.3	107 82.9 62.6	58 72.5 33.9
More than once a day (10)	15 6.9 100.0	2 28.6 13.3	1 2.2 6.7	2 4.5 13.3	2 5.4 13.3	1 6.7 6.7	3 12.0 20.0	- - -	4 11.1 26.7	8 9.1 53.3	1 1.7 6.7	6 8.6 40.0	10 5.9 66.7	4 8.7 26.7	13 9.6 86.7	2 2.6 13.3	10 8.7 66.7	5 5.3 33.3	12 9.3 80.0	3 3.8 20.0
Once a day (7)	39 18.1 100.0	- - -	6 13.0 15.4	11 25.0 28.2	7 18.9 17.9	3 20.0 7.7	4 16.0 10.3	- - -	8 22.2 20.5	16 18.2 41.0	10 17.2 25.6	13 18.6 33.3	28 16.6 71.8	11 23.9 28.2	33 24.3 84.60	6 7.9 15.4	17 14.8 43.6	22 23.2 56.4	25 19.4 64.1	14 17.5 35.9
A few times a week (3.5)	85 39.4 100.0	2 28.6 2.4	20 43.5 23.5	18 40.9 21.2	11 29.7 12.9	6 40.0 7.1	9 36.0 10.6	2 33.3 2.4	17 47.2 20.0	30 34.1 35.3	30 51.7 35.31	25 35.7 29.4	72 42.6 84.7	13 28.3 15.3	61 44.9 71.80	23 30.3 27.1	43 37.4 50.6	40 42.1 47.1	50 38.8 58.8	30 37.5 35.3
Once a week (1)	32 14.8 100.0	- - -	6 13.0 18.8	6 13.6 18.8	8 21.6 25.0	3 20.0 9.4	6 24.0 18.8	1 16.7 3.1	2 5.6 6.3	16 18.2 50.0	7 12.1 21.9	9 12.9 28.1	26 15.4 81.3	6 13.0 18.8	19 14.0 59.4	12 15.8 37.5	23 20.0 71.90	7 7.4 21.9	20 15.5 62.5	11 13.8 34.4

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 20
Q.11 How Often Do You Use Graywater For Watering Vegetable/Fruit Garden?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER	
TOTAL	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	216	7**	46*	44*	37*	15**	25**	6**	36*	88*	58*	70*	169	46*	136	76*	115	95*	129	80*
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100**	100**	100*	100.0*	100.0*	100.0*	100.0	100.0*	100.0	100.0*	100.0	100.0*	100.0	100.0*
	100.0	3.2**	21.3*	20.4*	17.1*	6.9**	11.6**	2.8**	16.7*	40.7*	26.9*	32.4*	78.2	21.3*	63.0	35.2*	53.2	44.0*	59.7	37.0*
A few times a month (0.65)	24	3	7	3	6	-	2	3	-	8	7	9	17	7	7	16	12	11	10	14
	11.1	42.9	15.2	6.8	16.2	-	8.0	50.0	-	9.1	12.1	12.9	10.1	15.2	5.1	21.1	10.4	11.6	7.8	17.5
	100.0	12.5	29.2H	12.5	25.0H	-	8.3	12.5	-	33.3	29.2	37.5	70.8	29.2	29.2	66.7N	50.0	45.8	41.7	58.3R
Once a month (0.25)	10	-	3	1	2	1	-	-	3	6	1	3	7	3	2	8	4	6	6	4
	4.6	-	6.5	2.3	5.4	6.7	-	-	8.3	6.8	1.7	4.3	4.1	6.5	1.5	10.5	3.5	6.3	4.7	5.0
	100.0	-	30.0	10.0	20.0	10.0	-	-	30.0	60.0	10.0	30.0	70.0	30.0	20.0	80.0N	40.0	60.0	60.0	40.0
Less often than once a month (0.1)	11	-	3	3	1	1	1	-	2	4	2	5	9	2	1	9	6	4	6	4
	5.1	-	6.5	6.8	2.7	6.7	4.0	-	5.6	4.5	3.4	7.1	5.3	4.3	0.7	11.8	5.2	4.2	4.7	5.0
	100.0	-	27.3	27.3	9.1	9.1	9.1	-	18.2	36.4	18.2	45.5	81.8	18.2	9.1	81.8N	54.5	36.4	54.5	36.4
Sigma	216	7	46	44	37	15	25	6	36	88	58	70	169	46	136	76	115	95	129	80
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	3.2	21.3	20.4	17.1	6.9	11.6	2.8	16.7	40.7	26.9	32.4	78.2	21.3	63.0	35.2	53.2	44.0	59.7	37.0
Mean Base	216	7	46	44	37	15	25	6	36	88	58	70	169	46	136	76	115	95	129	80
Mean	3.57	4.14	2.90	3.83	3.24	3.69	3.88	1.66	4.40B	3.64	3.40	3.64	3.48	3.78	4.400	2.21	3.49	3.79	3.87	3.18
Std. Deviation	2.84	4.20	2.40	2.73	2.88	2.92	3.15	1.43	2.95	3.05	2.29	3.02	2.72	3.16	2.79	2.38	2.94	2.76	2.98	2.67
Std. Error	0.19	1.59	0.35	0.41	0.47	0.75	0.63	0.59	0.49	0.32	0.30	0.36	0.21	0.47	0.24	0.27	0.27	0.28	0.26	0.30

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 21
Q.12 In What Seasons Do You Use Graywater For Watering Flowers/Plants?

	TOTAL	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
		NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	ROCKY MOUN- -WEST TAIN WEST		URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	AT LEAST ONCE A WK.		LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER		
							(A)	(B)											(C)	(D)
Base: Reuse Graywater To Water Flowers/Plants	380 100.0 100.0	11** 100.0** 2.9**	71* 100* 18.7*	82* 100.0* 21.6*	63* 100.0* 16.6*	23** 100.0** 6.1**	48* 100.0** 12.6*	17** 100* 4.5**	65* 100.0* 17.1*	160 100.0 42.1	107 100.0 28.2	113 100.0 29.7	293 100.0 77.1	82* 100.0* 21.6*	223 100.0 58.7	148 100.0 38.9	174 100.0 45.8	185 100.0 48.7	245 100.0 64.5	122 100.0 32.1
No answer	11 2.9 100.0	1 9.1 9.1	2 2.8 18.2	4 4.9 36.4	1 1.6 9.1	- - -	1 2.1 9.1	- - -	2 3.1 18.2	5 3.1 45.5	4 3.7 36.4	2 1.8 18.2	9 3.1 81.8	2 2.4 18.2	5 2.2 45.5	5 3.4 45.5	4 2.3 36.4	6 3.2 54.5	6 2.4 54.5	4 3.3 36.4
Base: Total Answering	369 100.0 100.0	10** 100.0** 2.7**	69* 100* 18.7*	78* 100.0* 21.1*	62* 100.0* 16.8*	23** 100.0** 6.2**	47* 100.0** 12.7*	17** 100* 4.6**	63* 100.0* 17.1*	155 100.0 42.0	103 100.0 27.9	111 100.0 30.1	284 100.0 77.0	80* 100.0* 21.7*	218 100.0 59.1	143 100.0 38.8	170 100.0 46.1	179 100.0 48.5	239 100.0 64.8	118 100.0 32.0
Winter	144 39.0 100.0	3 30.0 2.1	19 27.5 13.2	29 37.2 20.1	21 33.9 14.6	7 30.4 4.9	28 59.6 19.4	5 29.4 3.5	32 50.8 22.2	69 44.5 47.9	45 43.7 31.3	30 27.0 20.8	107 37.7 74.3	34 42.5 23.6	100 45.9 69.4	41 28.7 28.5	59 34.7 41.0	77 43.0 53.5	106 44.4 73.6	32 27.1 22.2
Spring	291 78.9 100.0	4 40.0 1.4	53 76.8 18.2	67 85.9 23.0	43 69.4 14.8	16 69.6 5.5	43 91.5 14.8	12 70.6 8.0	53 84.1 18.2	128 82.6 44.0	86 83.5 29.6	77 69.4 26.5	220 77.5 75.6	67 83.8 23.0	188 86.2 64.6	98 68.5 33.7	130 76.5 44.7	146 81.6 50.2	194 81.2 66.7	87 73.7 29.9
Summer	361 97.8 100.0	10 100.0 2.8	68 98.6 18.8	76 97.4 21.1	60 96.8 16.6	23 100.0 6.4	47 100.0 13.0	16 94.1 4.4	61 96.8 16.9	151 97.4 41.8	101 98.1 28.0	109 98.2 30.2	280 98.6 77.6	77 96.3 21.3	214 98.2 59.3	139 97.2 38.5	165 97.1 45.7	177 98.9 49.0	233 97.5 64.5	116 98.3 32.1
Fall	233 63.1 100.0	4 40.0 1.7	35 50.7 15.0	49 62.8 21.0	39 62.9 16.7	13 56.5 5.6	36 76.6 15.5	12 70.6 5.2	45 71.4 19.3	107 69.0 45.9	70 68.0 30.0	56 50.5 24.0	179 63.0 76.8	50 62.5 21.5	157 72.0 67.4	72 50.3 30.9	106 62.4 45.5	113 63.1 48.5	159 66.5 68.2	65 55.1 27.9
Sigma	1029 278.9 100.0	21 210.0 2.0	175 253.6 17.0	221 283.3 21.5	163 262.9 15.8	59 256.5 5.7	154 327.7 15.0	45 264.7 4.4	191 303.2 18.6	455 293.5 44.2	302 293.2 29.3	272 245.0 26.4	786 276.8 76.4	228 285.0 22.2	659 302.3 64.0	350 244.8 34.0	460 270.6 44.7	513 286.6 49.9	692 289.5 67.2	300 254.2 29.2

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 22
Q.12 In What Seasons Do You Use Graywater For Watering Vegetable/Fruit Garden?

	TOTAL	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
		NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB- URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Reuse Graywater To Water Vegetable/Fruit Garden	223 100.0 100.0	7** 100.0** 3.1**	49* 100*100.0 22.0*	47* 100.0*100.0 21.1*	37* 100.0*100.0 16.6*	15** 100.0** 6.7**	25** 100** 11.2**	6** 100** 2.7**	37* 100*100.0 16.6*	91* 100.0*100.0 40.8*	60* 100.0*100.0 26.9*	72* 100.0*100.0 32.3*	176 100.0 78.9	46* 100.0 20.6*	142 100.0 63.7	77* 100.0 34.5*	119 100.0 53.4	97* 100.0 43.5*	133 100.0 59.6	82* 100.0 36.8*
No answer	7 3.1 100.0	- - -	1 2.0 14.3	3 6.4 42.9	1 2.7 14.3	- 4.0 -	1 - 14.3	- 2.7 -	1 1.1 14.3	2 3.3 28.6	4 5.6 57.1	5 2.8 71.4	2 4.3 28.6	6 4.2 85.7	- - -	5 4.2 71.4	2 2.1 28.6	5 3.8 71.4	2 2.4 28.6	
Base: Total Answering	216 100.0 100.0	7** 100.0** 3.2**	48* 100*100.0 22.2*	44* 100.0*100.0 20.4*	36* 100.0*100.0 16.7*	15** 100.0** 6.9**	24** 100** 11.1**	6** 100** 2.8**	36* 100*100.0 16.7*	90* 100.0*100.0 41.7*	58* 100.0*100.0 26.9*	68* 100.0*100.0 31.5*	171 100.0 79.2	44* 100.0 20.4*	136 100.0 63.0	77* 100.0 35.6*	114 100.0 52.8	95* 100.0 44.0*	128 100.0 59.3	80* 100.0 37.0*
Winter	31 14.4 100.0	- - -	1 2.1 3.2	9 20.5 29.0BD	- 13.3 -	2 25.0 6.5	6 19.4 -	- 36.1 41.9B	13 15.6 45.2	14 17.2 32.3	10 10.3 22.6	7 12.3 67.7	21 20.5 29.0	9 18.4 80.60	25 7.8 19.4	6 12.3 45.2	14 17.9 54.8	17 18.8 77.4	24 8.8 22.6	
Spring	158 73.1 100.0	3 42.9 1.9	28 58.3 17.7	36 81.8 22.8B	25 69.4 15.8	12 80.0 7.6	19 79.2 12.0	4 66.7 2.5	31 86.1 19.6B	69 76.7 43.7	44 75.9 27.8	45 66.2 28.5	120 70.2 75.9	37 84.1 23.4	108 79.4 68.40	48 62.3 30.4	77 67.5 48.7	76 80.0 48.1P	100 78.1 63.3	53 66.3 33.5
Summer	215 99.5 100.0	7 100.0 3.3	48 100.0 22.3	44 100.0 20.5	36 100.0 16.7	15 100.0 7.0	23 95.8 10.7	6 100.0 2.8	36 100.0 16.7	90 100.0 41.9	57 98.3 26.5	68 100.0 31.6	170 99.4 79.1	44 100.0 20.5	136 100.0 63.3	76 98.7 35.3	113 99.1 52.6	95 100.0 44.2	127 99.2 59.1	80 100.0 37.2
Fall	101 46.8 100.0	2 28.6 2.0	14 29.2 13.9	23 52.3 22.8B	12 33.3 11.9	7 46.7 6.9	15 62.5 14.9	4 66.7 4.0	24 66.7 23.8B	42 46.7 41.6	29 50.0 28.7	30 44.1 29.7	81 47.4 80.2	19 43.2 18.8	76 55.9 75.20	24 31.2 23.8	55 48.2 54.5	42 44.2 41.6	65 50.8 64.4	34 42.5 33.7
Sigma	505 233.8 100.0	12 171.4 2.4	91 189.6 18.0	112 254.5 22.2	73 202.8 14.5	36 240.0 7.1	63 262.5 12.5	14 233.3 2.8	104 288.9 20.6	215 238.9 42.6	140 241.4 27.7	150 220.6 29.7	392 229.2 77.6	109 247.7 21.6	345 253.7 68.3	154 200.0 30.5	259 227.2 51.3	230 242.1 45.5	316 246.9 62.6	174 217.5 34.5

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 23
Q.13 Why Does Your Household Reuse Graywater?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER		
	TOTAL											OWN	RENT/ LEASE /OTHR							
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	13	1	2	2	4	1	-	-	3	6	3	4	10	3	5	7	6	4	7	3
	2.6	7.1	2.2	2.0	5.2	3.3	-	-	3.8	3.0	2.1	2.7	2.6	3.0	1.7	3.7	2.5	1.8	2.3	1.8
	100.0	7.7	15.4	15.4	30.8F	7.7	-	-	23.1	46.2	23.1	30.8	76.9	23.1	38.5	53.8	46.2	30.8	53.8	23.1
Base: Total Answering	478	13**	87*	96*	73*	29**	82*	21**	77*	197	138	143	374	97*	286	183	234	220	303	162
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.7**	18.2*	20.1*	15.3*	6.1**	17.2*	4.4**	16.1*	41.2	28.9	29.9	78.2	20.3*	59.8	38.3	49.0	46.0	63.4	33.9
<u>Environmental Concerns (Net)</u>	304	8	57	62	48	19	41	12	57	138	87	79	239	60	184	115	129	155	199	95
	63.6	61.5	65.5	64.6	65.8	65.5	50.0	57.1	74.0	70.1	63.0	55.2	63.9	61.9	64.3	62.8	55.1	70.5	65.7	58.6
	100.0	2.6	18.8F	20.4	15.8	6.3	13.5	3.9	18.8F	45.4K	28.6	26.0	78.6	19.7	60.5	37.8	42.4	51.0P	65.5	31.3
<u>Water Conservation (Subnet)</u>	17	-	3	2	5	1	-	-	6	10	4	3	15	2	12	4	7	10	10	7
	3.6	-	3.4	2.1	6.8	3.4	-	-	7.8	5.1	2.9	2.1	4.0	2.1	4.2	2.2	3.0	4.5	3.3	4.3
	100.0	-	17.6	11.8	29.4F	5.9	-	-	35.3F	58.8	23.5	17.6	88.2	11.8	70.6	23.5	41.2	58.8	58.8	41.2
Water conservation/save water/save water supply	12	-	3	2	1	1	-	-	5	5	4	3	10	2	8	3	6	6	6	6
	2.5	-	3.4	2.1	1.4	3.4	-	-	6.5	2.5	2.9	2.1	2.7	2.1	2.8	1.6	2.6	2.7	2.0	3.7
	100.0	-	25.0	16.7	8.3	8.3	-	-	41.7F	41.7	33.3	25.0	83.3	16.7	66.7	25.0	50.0	50.0	50.0	50.0
Don't like to waste valuable water	5	-	-	-	4	-	-	-	1	5	-	-	5	-	4	1	1	4	4	1
	1.0	-	-	-	5.5	-	-	-	1.3	2.5	-	-	1.3	-	1.4	0.5	0.4	1.8	1.3	0.6
	100.0	-	-	-	80.0BCF	-	-	-	20.0	100.0	-	-	100.0	-	80.0	20.0	20.0	80.0	80.0	20.0
All other water conservation mentions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 23
Q.13 Why Does Your Household Reuse Graywater?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER	WATER SOURCE				
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE	URBAN SMALL	RURAL		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.		SEP- TIC TANK	MUNI- CIPAL WATER	PRI- VATE WELL WATER		
	TOTAL	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Answering	478	13**	87*	96*	73*	29**	82*	21**	77*	197	138	143	374	97*	286	183	234	220	303	162
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.7**	18.2*	20.1*	15.3*	6.1**	17.2*	4.4**	16.1*	41.2	28.9	29.9	78.2	20.3*	59.8	38.3	49.0	46.0	63.4	33.9
Environmental considerations	296	8	55	60	46	19	41	12	55	134	85	77	232	59	177	114	124	152	196	90
	61.9	61.5	63.2	62.5	63.0	65.5	50.0	57.1	71.4	68.0	61.6	53.8	62.0	60.8	61.9	62.3	53.0	69.1	64.7	55.6
	100.0	2.7	18.6	20.3	15.5	6.4	13.9	4.1	18.6F	45.3K	28.7	26.0	78.4	19.9	59.8	38.5	41.9	51.4P	66.2	30.4
Like to recycle	3	-	1	-	-	-	1	-	1	-	1	2	2	1	2	1	3	-	1	2
	0.6	-	1.1	-	-	-	1.2	-	1.3	-	0.7	1.4	0.5	1.0	0.7	0.5	1.3	-	0.3	1.2
	100.0	-	33.3	-	-	-	33.3	-	33.3	-	33.3	66.7	66.7	33.3	66.7	33.3	100.0	-	33.3	66.7
All other environmental concerns mentions	1	-	-	1	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	1
	0.2	-	-	1.0	-	-	-	-	-	-	-	0.7	0.3	-	0.3	-	0.4	-	-	0.6
	100.0	-	-	100.0	-	-	-	-	-	-	-	100.0	100.0	-	100.0	-	100.0	-	-	100.0
Price/Cost (Net)	201	5	33	44	30	12	32	8	37	81	67	53	159	40	128	69	55	136	175	19
	42.1	38.5	37.9	45.8	41.1	41.4	39.0	38.1	48.1	41.1	48.6	37.1	42.5	41.2	44.8	37.7	23.5	61.8	57.8	11.7
	100.0	2.5	16.4	21.9	14.9	6.0	15.9	4.0	18.4	40.3	33.3	26.4	79.1	19.9	63.7	34.3	27.4	67.7P	87.1S	9.5
Cost of sewage treatment	49	3	8	11	6	2	6	3	10	21	18	10	40	8	36	13	10	34	45	2
	10.3	23.1	9.2	11.5	8.2	6.9	7.3	14.3	13.0	10.7	13.0	7.0	10.7	8.2	12.6	7.1	4.3	15.5	14.9	1.2
	100.0	6.1	16.3	22.4	12.2	4.1	12.2	6.1	20.4	42.9	36.7	20.4	81.6	16.3	73.5	26.5	20.4	69.4P	91.8S	4.1
Cost of water/water bills	195	5	32	44	26	12	32	8	36	77	66	52	153	40	122	69	53	132	171	17
	40.8	38.5	36.8	45.8	35.6	41.4	39.0	38.1	46.8	39.1	47.8	36.4	40.9	41.2	42.7	37.7	22.6	60.0	56.4	10.5
	100.0	2.6	16.4	22.6	13.3	6.2	16.4	4.1	18.5	39.5	33.8	26.7	78.5	20.5	62.6	35.4	27.2	67.7P	87.7S	8.7
Saves money	1	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-
	0.2	-	1.1	-	-	-	-	-	-	-	-	0.7	0.3	-	-	-	-	0.5	0.3	-
	100.0	-	100.0	-	-	-	-	-	-	-	-	100.0	100.0	-	-	-	-	100.0	100.0	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 23
Q.13 Why Does Your Household Reuse Graywater?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER	
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Answering	478	13**	87*	96*	73*	29**	82*	21**	77*	197	138	143	374	97*	286	183	234	220	303	162
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.7**	18.2*	20.1*	15.3*	6.1**	17.2*	4.4**	16.1*	41.2	28.9	29.9	78.2	20.3*	59.8	38.3	49.0	46.0	63.4	33.9
All other price/cost mentions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<u>Convenience (Net)</u>	4	-	-	3	-	1	-	-	-	2	-	2	3	1	4	-	4	-	1	3
	0.8	-	-	3.1	-	3.4	-	-	-	1.0	-	1.4	0.8	1.0	1.4	-	1.7	-	0.3	1.9
	100.0	-	-	75.0	-	25.0	-	-	-	50.0	-	50.0	75.0	25.0	100.0	-	100.0	-	25.0	75.0
Easy/easier than regular watering	4	-	-	3	-	1	-	-	-	2	-	2	3	1	4	-	4	-	1	3
	0.8	-	-	3.1	-	3.4	-	-	-	1.0	-	1.4	0.8	1.0	1.4	-	1.7	-	0.3	1.9
	100.0	-	-	75.0	-	25.0	-	-	-	50.0	-	50.0	75.0	25.0	100.0	-	100.0	-	25.0	75.0
All other convenience mentions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<u>Weather Conditions (Net)</u>	10	1	3	-	1	-	-	1	4	6	3	1	7	3	5	5	5	4	6	3
	2.1	7.7	3.4	-	1.4	-	-	4.8	5.2	3.0	2.2	0.7	1.9	3.1	1.7	2.7	2.1	1.8	2.0	1.9
	100.0	10.0	30.0	-	10.0	-	-	10.0	40.0C	60.0	30.0	10.0	70.0	30.0	50.0	50.0	50.0	40.0	60.0	30.0
F																				
Hot weather	1	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	1	-	-	1
	0.2	-	-	-	-	-	-	-	1.3	-	-	0.7	0.3	-	0.3	-	0.4	-	-	0.6
	100.0	-	-	-	-	-	-	-	100.0	-	-	100.0	100.0	-	100.0	-	100.0	-	-	100.0
Dry weather	1	-	1	-	-	-	-	-	1	-	-	1	-	-	1	-	1	1	1	-
	0.2	-	1.1	-	-	-	-	-	0.5	-	-	0.3	-	-	0.5	-	0.5	0.3	0.3	-
	100.0	-	100.0	-	-	-	-	-	100.0	-	-	100.0	-	-	100.0	-	100.0	100.0	100.0	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 23
Q.13 Why Does Your Household Reuse Graywater?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER	WATER SOURCE				
	TOTAL	NEW	MID-	SOUTH	GREAT	MID-	SOUTH	ROCKY	URBAN LARGE	URBAN SMALL	RURAL		RENT/ LEASE /OTHR	AT		LESS	SEP- TIC TANK	MUNI- CIPAL SEWER	PRI- VATE WELL WATER	
		ENG-	ATL-	-EAST	LAKES	WEST	-WEST	TAIN						WEST		ONCE				THAN
		LAND	ANTIC													A WK.				A WK.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	478	13**	87*	96*	73*	29**	82*	21**	77*	197	138	143	374	97*	286	183	234	220	303	162
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.7**	18.2*	20.1*	15.3*	6.1**	17.2*	4.4**	16.1*	41.2	28.9	29.9	78.2	20.3*	59.8	38.3	49.0	46.0	63.4	33.9
Drought/little rain	4	1	-	-	-	-	-	-	3	3	1	-	1	3	2	2	1	2	2	1
	0.8	7.7	-	-	-	-	-	-	3.9	1.5	0.7	-	0.3	3.1	0.7	1.1	0.4	0.9	0.7	0.6
	100.0	25.0	-	-	-	-	-	-	75.0	75.0	25.0	-	25.0	75.0L	50.0	50.0	25.0	50.0	50.0	25.0
Lack of water/rainfall/water shortage	4	-	2	-	1	-	-	1	-	2	2	-	4	-	2	2	3	1	3	1
	0.8	-	2.3	-	1.4	-	-	4.8	-	1.0	1.4	-	1.1	-	0.7	1.1	1.3	0.5	1.0	0.6
	100.0	-	50.0	-	25.0	-	-	25.0	-	50.0	50.0	-	100.0	-	50.0	50.0	75.0	25.0	75.0	25.0
All other weather conditions mentions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Usage (Net)	19	-	5	4	3	-	4	1	2	11	3	5	14	5	8	9	8	10	12	6
	4.0	-	5.7	4.2	4.1	-	4.9	4.8	2.6	5.6	2.2	3.5	3.7	5.2	2.8	4.9	3.4	4.5	4.0	3.7
	100.0	-	26.3	21.1	15.8	-	21.1	5.3	10.5	57.9	15.8	26.3	73.7	26.3	42.1	47.4	42.1	52.6	63.2	31.6
Watering Vegetation (Subnet)	9	-	4	-	1	-	3	-	1	6	1	2	6	3	4	4	5	4	5	3
	1.9	-	4.6	-	1.4	-	3.7	-	1.3	3.0	0.7	1.4	1.6	3.1	1.4	2.2	2.1	1.8	1.7	1.9
	100.0	-	44.4C	-	11.1	-	33.3	-	11.1	66.7	11.1	22.2	66.7	33.3	44.4	44.4	55.6	44.4	55.6	33.3
Watering flowers/plants/garden	3	-	1	-	1	-	1	-	-	2	1	-	3	-	2	1	3	-	2	1
	0.6	-	1.1	-	1.4	-	1.2	-	-	1.0	0.7	-	0.8	-	0.7	0.5	1.3	-	0.7	0.6
	100.0	-	33.3	-	33.3	-	33.3	-	-	66.7	33.3	-	100.0	-	66.7	33.3	100.0	-	66.7	33.3
Good for my plants/flowers	6	-	3	-	-	-	2	-	1	4	-	2	3	3	2	3	2	4	3	2
	1.3	-	3.4	-	-	-	2.4	-	1.3	2.0	-	1.4	0.8	3.1	0.7	1.6	0.9	1.8	1.0	1.2
	100.0	-	50.0	-	-	-	33.3	-	16.7	66.7	-	33.3	50.0	50.0	33.3	50.0	33.3	66.7	50.0	33.3

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 23
Q.13 Why Does Your Household Reuse Graywater?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	478	13**	87*	96*	73*	29**	82*	21**	77*	197	138	143	374	97*	286	183	234	220	303	162
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.7**	18.2*	20.1*	15.3*	6.1**	17.2*	4.4**	16.1*	41.2	28.9	29.9	78.2	20.3*	59.8	38.3	49.0	46.0	63.4	33.9
All other watering mentions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bug Deterrent (Subnet)	7	-	1	3	2	-	-	-	1	4	2	1	5	2	2	4	2	4	5	2
	1.5	-	1.1	3.1	2.7	-	-	-	1.3	2.0	1.4	0.7	1.3	2.1	0.7	2.2	0.9	1.8	1.7	1.2
	100.0	-	14.3	42.9	28.6	-	-	-	14.3	57.1	28.6	14.3	71.4	28.6	28.6	57.1	28.6	57.1	71.4	28.6
To keep bugs away/kills bugs/prevents bugs on plants	7	-	1	3	2	-	-	-	1	4	2	1	5	2	2	4	2	4	5	2
	1.5	-	1.1	3.1	2.7	-	-	-	1.3	2.0	1.4	0.7	1.3	2.1	0.7	2.2	0.9	1.8	1.7	1.2
	100.0	-	14.3	42.9	28.6	-	-	-	14.3	57.1	28.6	14.3	71.4	28.6	28.6	57.1	28.6	57.1	71.4	28.6
All other bug deterrent mentions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fertilizer/better growth	2	-	-	1	-	-	-	1	-	-	-	2	2	-	2	-	1	1	1	1
	0.4	-	-	1.0	-	-	-	4.8	-	-	-	1.4	0.5	-	0.7	-	0.4	0.5	0.3	0.6
	100.0	-	-	50.0	-	-	-	50.0	-	-	-	100.0	100.0	-	100.0	-	50.0	50.0	50.0	50.0
All other usage mentions	1	-	-	-	-	-	1	-	-	1	-	-	1	-	-	1	-	1	1	-
	0.2	-	-	-	-	-	1.2	-	-	0.5	-	-	0.3	-	-	0.5	-	0.5	0.3	-
	100.0	-	-	-	-	-	100.0	-	-	100.0	-	-	100.0	-	-	100.0	-	100.0	100.0	-
Law/Regulations (Net)	94	4	19	23	7	8	12	4	17	33	26	35	74	19	49	43	45	43	55	36
	19.7	30.8	21.8	24.0	9.6	27.6	14.6	19.0	22.1	16.8	18.8	24.5	19.8	19.6	17.1	23.5	19.2	19.5	18.2	22.2
	100.0	4.3	20.2	24.5	7.4	8.5	12.8	4.3	18.1	35.1	27.7	37.2	78.7	20.2	52.1	45.7	47.9	45.7	58.5	38.3

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 23
Q.13 Why Does Your Household Reuse Graywater?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER		
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Answering	478	13**	87*	96*	73*	29**	82*	21**	77*	197	138	143	374	97*	286	183	234	220	303	162
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.7**	18.2*	20.1*	15.3*	6.1**	17.2*	4.4**	16.1*	41.2	28.9	29.9	78.2	20.3*	59.8	38.3	49.0	46.0	63.4	33.9
Local regulations	11	-	2	1	1	3	1	-	3	4	3	4	10	1	6	5	3	8	7	4
	2.3	-	2.3	1.0	1.4	10.3	1.2	-	3.9	2.0	2.2	2.8	2.7	1.0	2.1	2.7	1.3	3.6	2.3	2.5
	100.0	-	18.2	9.1	9.1	27.3	9.1	-	27.3	36.4	27.3	36.4	90.9	9.1	54.5	45.5	27.3	72.7	63.6	36.4
Water supply restrictions	88	4	19	23	6	6	12	4	14	30	26	32	69	18	45	41	43	39	51	34
	18.4	30.8	21.8	24.0	8.2	20.7	14.6	19.0	18.2	15.2	18.8	22.4	18.4	18.6	15.7	22.4	18.4	17.7	16.8	21.0
	100.0	4.5	21.6D	26.1D	6.8	6.8	13.6	4.5	15.9	34.1	29.5	36.4	78.4	20.5	51.1	46.6	48.9	44.3	58.0	38.6
Miscellaneous (Net)	191	5	33	37	25	11	50	11	19	59	55	77	156	32	128	59	160	25	80	108
	40.0	38.5	37.9	38.5	34.2	37.9	61.0	52.4	24.7	29.9	39.9	53.8	41.7	33.0	44.8	32.2	68.4	11.4	26.4	66.7
	100.0	2.6	17.3	19.4	13.1	5.8	26.2BC	5.8	9.9	30.9	28.8	40.3I	81.7	16.8	67.0D	30.9	83.8Q	13.1	41.9	56.5R
							DH					J								
No sewer hook-up	43	1	7	5	7	1	14	3	5	18	10	15	36	6	30	13	33	7	24	19
	9.0	7.7	8.0	5.2	9.6	3.4	17.1	14.3	6.5	9.1	7.2	10.5	9.6	6.2	10.5	7.1	14.1	3.2	7.9	11.7
	100.0	2.3	16.3	11.6	16.3	2.3	32.6CH	7.0	11.6	41.9	23.3	34.9	83.7	14.0	69.8	30.2	76.7Q	16.3	55.8	44.2
Trying to reduce flow to septic system	158	1	27	34	19	9	40	10	18	48	45	65	130	26	112	42	143	13	63	92
	33.1	7.7	31.0	35.4	26.0	31.0	48.8	47.6	23.4	24.4	32.6	45.5	34.8	26.8	39.2	23.0	61.1	5.9	20.8	56.8
	100.0	0.6	17.1	21.5	12.0	5.7	25.3BD	6.3	11.4	30.4	28.5	41.1I	82.3	16.5	70.9D	26.6	90.5Q	8.2	39.9	58.2R
							H					J								
Have a well/well water	7	1	2	-	2	1	-	-	1	1	3	3	7	-	3	4	7	-	-	7
	1.5	7.7	2.3	-	2.7	3.4	-	-	1.3	0.5	2.2	2.1	1.9	-	1.0	2.2	3.0	-	-	4.3
	100.0	14.3	28.6	-	28.6	14.3	-	-	14.3	14.3	42.9	42.9	100.0	-	42.9	57.1	100.0Q	-	-	100.0R

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 23
Q.13 Why Does Your Household Reuse Graywater?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	URBAN LARGE	URBAN SMALL	RURAL		RENT/ LEASE /OTHR	AT	LESS	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER	
		ENG-	ATL-											LEAST	THAN					
		LAND	ANTIC											ONCE	ONCE					
		(A)	(B)											(C)	(D)					(E)
Base: Total Answering	478	13**	87*	96*	73*	29**	82*	21**	77*	197	138	143	374	97*	286	183	234	220	303	162
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.7**	18.2*	20.1*	15.3*	6.1**	17.2*	4.4**	16.1*	41.2	28.9	29.9	78.2	20.3*	59.8	38.3	49.0	46.0	63.4	33.9
All other miscellaneous mentions	14	2	5	2	1	1	2	-	1	7	3	4	11	3	5	9	5	8	8	6
	2.9	15.4	5.7	2.1	1.4	3.4	2.4	-	1.3	3.6	2.2	2.8	2.9	3.1	1.7	4.9	2.1	3.6	2.6	3.7
	100.0	14.3	35.7	14.3	7.1	7.1	14.3	-	7.1	50.0	21.4	28.6	78.6	21.4	35.7	64.3N	35.7	57.1	57.1	42.9
Don't know	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sigma	916	26	170	190	123	56	153	42	156	369	270	277	731	173	568	329	449	418	596	293
	191.6	200.0	195.4	197.9	168.5	193.1	186.6	200.0	202.6	187.3	195.7	193.7	195.5	178.4	198.6	179.8	191.9	190.0	196.7	180.9
	100.0	2.8	18.6	20.7	13.4	6.1	16.7	4.6	17.0	40.3	29.5	30.2	79.8	18.9	62.0	35.9	49.0	45.6	65.1	32.0

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 24
Q.14 Where Did Your Household First Learn About Reusing Graywater?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE		FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	OWN	RENT/ LEASE /OTHR	AT	LESS	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER	
		ENG- LAND	ATL- ANTIC											LEAST ONCE A WK.	THAN ONCE A WK.					
		(A)	(B)											(C)	(D)					(E)
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	45	1	6	9	13	3	3	3	7	19	10	16	37	8	26	17	27	13	26	16
	9.2	7.1	6.7	9.2	16.9	10.0	3.7	14.3	8.8	9.4	7.1	10.9	9.6	8.0	8.9	8.9	11.3	5.8	8.4	9.7
	100.0	2.2	13.3	20.0	28.9B	6.7	6.7	6.7	15.6	42.2	22.2	35.6	82.2	17.8	57.8	37.8	60.0Q	28.9	57.8	35.6
Base: Total Answering	446	13**	83*	89*	64*	27**	79*	18**	73*	184	131	131	347	92*	265	173	213	211	284	149
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.6*	20.0*	14.3*	6.1**	17.7*	4.0**	16.4*	41.3	29.4	29.4	77.8	20.6*	59.4	38.8	47.8	47.3	63.7	33.4
Advertisement (Net)	92	3	21	15	9	4	15	1	24	41	31	20	69	22	48	43	36	50	61	28
	20.6	23.1	25.3	16.9	14.1	14.8	19.0	5.6	32.9	22.3	23.7	15.3	19.9	23.9	18.1	24.9	16.9	23.7	21.5	18.8
	100.0	3.3	22.8	16.3	9.8	4.3	16.3	1.1	26.1C	44.6	33.7	21.7	75.0	23.9	52.2	46.7	39.1	54.3	66.3	30.4
D																				
Advertisement for graywater system	7	-	-	2	-	1	1	-	3	4	-	3	6	1	5	2	4	3	3	3
	1.6	-	-	2.2	-	3.7	1.3	-	4.1	2.2	-	2.3	1.7	1.1	1.9	1.2	1.9	1.4	1.1	2.0
	100.0	-	-	28.6	-	14.3	14.3	-	42.9	57.1	-	42.9	85.7	14.3	71.4	28.6	57.1	42.9	42.9	42.9
Magazines	57	3	15	11	7	3	8	1	9	22	20	15	46	10	33	23	27	25	33	23
	12.8	23.1	18.1	12.4	10.9	11.1	10.1	5.6	12.3	12.0	15.3	11.5	13.3	10.9	12.5	13.3	12.7	11.8	11.6	15.4
	100.0	5.3	26.3	19.3	12.3	5.3	14.0	1.8	15.8	38.6	35.1	26.3	80.7	17.5	57.9	40.4	47.4	43.9	57.9	40.4
Newspapers	36	3	9	1	2	1	6	-	14	16	14	6	29	7	24	11	10	23	23	10
	8.1	23.1	10.8	1.1	3.1	3.7	7.6	-	19.2	8.7	10.7	4.6	8.4	7.6	9.1	6.4	4.7	10.9	8.1	6.7
	100.0	8.3	25.0C	2.8	5.6	2.8	16.7C	-	38.9C	44.4	38.9	16.7	80.6	19.4	66.7	30.6	27.8	63.9P	63.9	27.8
DF																				

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 24
Q.14 Where Did Your Household First Learn About Reusing Graywater?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL		
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)		(K)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	446	13**	83*	89*	64*	27**	79*	18**	73*	184	131	131	347	92*	265	173	213	211	284	149
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.6*	20.0*	14.3*	6.1**	17.7*	4.0**	16.4*	41.3	29.4	29.4	77.8	20.6*	59.4	38.8	47.8	47.3	63.7	33.4
Pamphlets/Newsletters/Flyers/ Announcements	24	1	3	3	2	1	4	-	10	12	8	4	17	7	6	17	3	20	21	2
	5.4	7.7	3.6	3.4	3.1	3.7	5.1	-	13.7	6.5	6.1	3.1	4.9	7.6	2.3	9.8	1.4	9.5	7.4	1.3
	100.0	4.2	12.5	12.5	8.3	4.2	16.7	-	41.7B	50.0	33.3	16.7	70.8	29.2	25.0	70.8N	12.5	83.3P	87.5S	8.3
									CD											
Personal (Net)	193	3	35	39	33	13	41	9	20	78	54	61	149	43	120	69	108	79	112	78
	43.3	23.1	42.2	43.8	51.6	48.1	51.9	50.0	27.4	42.4	41.2	46.6	42.9	46.7	45.3	39.9	50.7	37.4	39.4	52.3
	100.0	1.6	18.1	20.2H	17.1H	6.7	21.2H	4.7	10.4	40.4	28.0	31.6	77.2	22.3	62.2	35.8	56.0Q	40.9	58.0	40.4R
Co-worker	7	-	-	2	1	1	1	-	2	3	3	1	4	3	6	1	5	2	3	4
	1.6	-	-	2.2	1.6	3.7	1.3	-	2.7	1.6	2.3	0.8	1.2	3.3	2.3	0.6	2.3	0.9	1.1	2.7
	100.0	-	-	28.6	14.3	14.3	14.3	-	28.6	42.9	42.9	14.3	57.1	42.9	85.7	14.3	71.4	28.6	42.9	57.1
Farmer/Farm Association	19	-	2	4	4	2	4	2	1	6	4	9	16	3	11	8	11	7	7	11
	4.3	-	2.4	4.5	6.3	7.4	5.1	11.1	1.4	3.3	3.1	6.9	4.6	3.3	4.2	4.6	5.2	3.3	2.5	7.4
	100.0	-	10.5	21.1	21.1	10.5	21.1	10.5	5.3	31.6	21.1	47.4	84.2	15.8	57.9	42.1	57.9	36.8	36.8	57.9R
Friend/Family member	166	3	31	34	29	12	32	6	19	68	48	50	130	35	102	60	95	67	98	66
	37.2	23.1	37.3	38.2	45.3	44.4	40.5	33.3	26.0	37.0	36.6	38.2	37.5	38.0	38.5	34.7	44.6	31.8	34.5	44.3
	100.0	1.8	18.7	20.5	17.5H	7.2	19.3	3.6	11.4	41.0	28.9	30.1	78.3	21.1	61.4	36.1	57.2Q	40.4	59.0	39.8R
Plumber/Handyman	14	-	3	1	1	1	6	2	-	3	4	7	10	4	13	1	7	6	8	5
	3.1	-	3.6	1.1	1.6	3.7	7.6	11.1	-	1.6	3.1	5.3	2.9	4.3	4.9	0.6	3.3	2.8	2.8	3.4
	100.0	-	21.4	7.1	7.1	7.1	42.9C	14.3	-	21.4	28.6	50.0	71.4	28.6	92.9O	7.1	50.0	42.9	57.1	35.7

H

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 24
Q.14 Where Did Your Household First Learn About Reusing Graywater?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB- URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	RENT/ LEASE /OTHR	AT	LESS	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL
		ENG- LAND	ATL- ANTIC												LEAST ONCE A WK.	THAN ONCE A WK.				
		(A)	(B)									(C)			(D)	(E)				

Base: Total Answering	446	13**	83*	89*	64*	27**	79*	18**	73*	184	131	131	347	92*	265	173	213	211	284	149
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.6*	20.0*	14.3*	6.1**	17.7*	4.0**	16.4*	41.3	29.4	29.4	77.8	20.6*	59.4	38.8	47.8	47.3	63.7	33.4
Government (Net)	19	-	3	4	-	1	4	-	7	11	3	5	15	3	12	7	7	12	13	5
	4.3	-	3.6	4.5	-	3.7	5.1	-	9.6	6.0	2.3	3.8	4.3	3.3	4.5	4.0	3.3	5.7	4.6	3.4
	100.0	-	15.8	21.1	-	5.3	21.1	-	36.8	57.9	15.8	26.3	78.9	15.8	63.2	36.8	36.8	63.2	68.4	26.3
Local/State Government meetings	5	-	-	1	-	1	-	-	3	3	1	1	4	1	3	2	2	3	4	1
	1.1	-	-	1.1	-	3.7	-	-	4.1	1.6	0.8	0.8	1.2	1.1	1.1	1.2	0.9	1.4	1.4	0.7
	100.0	-	-	20.0	-	20.0	-	-	60.0	60.0	20.0	20.0	80.0	20.0	60.0	40.0	40.0	60.0	80.0	20.0
Local/State Government publications	16	-	3	3	-	1	4	-	5	9	2	5	12	3	10	6	6	10	10	5
	3.6	-	3.6	3.4	-	3.7	5.1	-	6.8	4.9	1.5	3.8	3.5	3.3	3.8	3.5	2.8	4.7	3.5	3.4
	100.0	-	18.8	18.8	-	6.3	25.0	-	31.3	56.3	12.5	31.3	75.0	18.8	62.5	37.5	37.5	62.5	62.5	31.3
Internet	2	-	-	-	-	1	1	-	-	-	1	1	2	-	2	-	1	1	1	1
	0.4	-	-	-	-	3.7	1.3	-	-	-	0.8	0.8	0.6	-	0.8	-	0.5	0.5	0.4	0.7
	100.0	-	-	-	-	50.0	50.0	-	-	-	50.0	50.0	100.0	-	100.0	-	50.0	50.0	50.0	50.0
Water company	25	1	2	2	3	-	1	-	16	18	7	-	18	7	13	12	3	20	20	3
	5.6	7.7	2.4	2.2	4.7	-	1.3	-	21.9	9.8	5.3	-	5.2	7.6	4.9	6.9	1.4	9.5	7.0	2.0
	100.0	4.0	8.0	8.0	12.0	-	4.0	-	64.0B	72.0K	28.0K	-	72.0	28.0	52.0	48.0	12.0	80.0P	80.0S	12.0
									CDF											
Other	172	8	33	35	23	11	26	9	27	63	53	56	137	31	106	62	84	78	110	55
	38.6	61.5	39.8	39.3	35.9	40.7	32.9	50.0	37.0	34.2	40.5	42.7	39.5	33.7	40.0	35.8	39.4	37.0	38.7	36.9
	100.0	4.7	19.2	20.3	13.4	6.4	15.1	5.2	15.7	36.6	30.8	32.6	79.7	18.0	61.6	36.0	48.8	45.3	64.0	32.0
Sigma	550	19	101	99	72	36	94	20	109	227	165	158	431	112	334	205	258	265	341	189
	123.3	146.2	121.7	111.2	112.5	133.3	119.0	111.1	149.3	123.4	126.0	120.6	124.2	121.7	126.0	118.5	121.1	125.6	120.1	126.8
	100.0	3.5	18.4	18.0	13.1	6.5	17.1	3.6	19.8	41.3	30.0	28.7	78.4	20.4	60.7	37.3	46.9	48.2	62.0	34.4

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 25
Q.15 What Methods Does Your Household Currently Use To Keep Updated On
Graywater Reuse?

	TOTAL	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
		NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	ROCKY MOUN- TAIN		URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	RENT/ LEASE /OTHR		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER	
							SOUTH -WEST	WEST												
																				(A)
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	185	7	36	37	33	10	26	8	28	80	56	49	144	38	106	76	87	83	116	58
	37.7	50.0	40.4	37.8	42.9	33.3	31.7	38.1	35.0	39.4	39.7	33.3	37.5	38.0	36.4	40.0	36.3	37.1	37.4	35.2
	100.0	3.8	19.5	20.0	17.8	5.4	14.1	4.3	15.1	43.2	30.3	26.5	77.8	20.5	57.3	41.1	47.0	44.9	62.7	31.4
Base: Total Answering	306	7**	53*	61*	44*	20**	56*	13**	52*	123	85*	98*	240	62*	185	114	153	141	194	107
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.3**	17.3*	19.9*	14.4*	6.5**	18.3*	4.2**	17.0*	40.2	27.8*	32.0*	78.4	20.3*	60.5	37.3	50.0	46.1	63.4	35.0
Advertisement (Net)	134	4	22	23	19	8	23	4	31	65	26	43	103	28	72	60	56	75	90	41
	43.8	57.1	41.5	37.7	43.2	40.0	41.1	30.8	59.6	52.8	30.6	43.9	42.9	45.2	38.9	52.6	36.6	53.2	46.4	38.3
	100.0	3.0	16.4	17.2	14.2	6.0	17.2	3.0	23.1C	48.5J	19.4	32.1	76.9	20.9	53.7	44.8N	41.8	56.0P	67.2	30.6
Advertisement for graywater system	10	-	-	3	-	3	2	-	2	1	2	7	9	1	6	4	6	4	5	4
	3.3	-	-	4.9	-	15.0	3.6	-	3.8	0.8	2.4	7.1	3.8	1.6	3.2	3.5	3.9	2.8	2.6	3.7
	100.0	-	-	30.0	-	30.0	20.0	-	20.0	10.0	20.0	70.0I	90.0	10.0	60.0	40.0	60.0	40.0	50.0	40.0
Magazines	76	3	15	14	8	5	16	1	14	34	15	27	61	14	41	34	36	39	50	26
	24.8	42.9	28.3	23.0	18.2	25.0	28.6	7.7	26.9	27.6	17.6	27.6	25.4	22.6	22.2	29.8	23.5	27.7	25.8	24.3
	100.0	3.9	19.7	18.4	10.5	6.6	21.1	1.3	18.4	44.7	19.7	35.5	80.3	18.4	53.9	44.7	47.4	51.3	65.8	34.2
Newspapers	73	2	13	13	8	3	12	2	20	35	13	25	59	14	41	31	29	41	50	20
	23.9	28.6	24.5	21.3	18.2	15.0	21.4	15.4	38.5	28.5	15.3	25.5	24.6	22.6	22.2	27.2	19.0	29.1	25.8	18.7
	100.0	2.7	17.8	17.8	11.0	4.1	16.4	2.7	27.4C	47.9J	17.8	34.2	80.8	19.2	56.2	42.5	39.7	56.2P	68.5	27.4

D

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 25
Q.15 What Methods Does Your Household Currently Use To Keep Updated On
Graywater Reuse?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
													AT LEAST ONCE A WK.		LESS THAN ONCE A WK.					
													RENT/ LEASE /OTHR		SEP- TIC TANK		MUNI- CIPAL WATER			
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		OWN	LEASE /OTHR	SEWER	SEWER	WATER	WATER		
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	306	7**	53*	61*	44*	20**	56*	13**	52*	123	85*	98*	240	62*	185	114	153	141	194	107
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0*	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.3**	17.3*	19.9*	14.4*	6.5**	18.3*	4.2**	17.0*	40.2	27.8*	32.0*	78.4	20.3*	60.5	37.3	50.0	46.1	63.4	35.0
Pamphlets/Newsletters/Flyers/ Announcements	64	2	7	10	11	2	11	3	18	31	14	19	50	12	30	32	24	38	46	17
	20.9	28.6	13.2	16.4	25.0	10.0	19.6	23.1	34.6	25.2	16.5	19.4	20.8	19.4	16.2	28.1	15.7	27.0	23.7	15.9
	100.0	3.1	10.9	15.6	17.2	3.1	17.2	4.7	28.1B	48.4	21.9	29.7	78.1	18.8	46.9	50.0N	37.5	59.4P	71.9	26.6
								C												
Personal (Net)	88	-	12	17	12	6	19	6	16	34	23	31	64	24	55	30	52	34	45	43
	28.8	-	22.6	27.9	27.3	30.0	33.9	46.2	30.8	27.6	27.1	31.6	26.7	38.7	29.7	26.3	34.0	24.1	23.2	40.2
	100.0	-	13.6	19.3	13.6	6.8	21.6	6.8	18.2	38.6	26.1	35.2	72.7	27.3	62.5	34.1	59.1	38.6	51.1	48.9R
Co-worker	5	-	1	2	1	1	-	-	-	2	-	3	4	1	4	1	4	1	1	4
	1.6	-	1.9	3.3	2.3	5.0	-	-	-	1.6	-	3.1	1.7	1.6	2.2	0.9	2.6	0.7	0.5	3.7
	100.0	-	20.0	40.0	20.0	20.0	-	-	-	40.0	-	60.0	80.0	20.0	80.0	20.0	80.0	20.0	20.0	80.0R
Farmer/Farm Association	17	-	3	3	3	1	2	2	6	3	8	16	1	11	6	14	3	4	13	13
	5.6	-	5.7	4.9	6.8	15.0	1.8	15.4	3.8	4.9	3.5	8.2	6.7	1.6	5.9	5.3	9.2	2.1	2.1	12.1
	100.0	-	17.6	17.6	17.6	5.9	11.8	11.8	35.3	17.6	47.1	94.1	5.9	64.7	35.3	82.4Q	17.6	23.5	76.5R	
Friend/Family member	60	-	8	12	9	3	12	4	12	25	17	18	43	17	33	24	31	27	35	25
	19.6	-	15.1	19.7	20.5	15.0	21.4	30.8	23.1	20.3	20.0	18.4	17.9	27.4	17.8	21.1	20.3	19.1	18.0	23.4
	100.0	-	13.3	20.0	15.0	5.0	20.0	6.7	20.0	41.7	28.3	30.0	71.7	28.3	55.0	40.0	51.7	45.0	58.3	41.7
Plumber/Handyman	16	-	1	2	-	2	6	2	3	3	4	9	10	6	15	1	11	5	6	10
	5.2	-	1.9	3.3	-	10.0	10.7	15.4	5.8	2.4	4.7	9.2	4.2	9.7	8.1	0.9	7.2	3.5	3.1	9.3
	100.0	-	6.3	12.5	-	12.5	37.5D	12.5	18.8	18.8	25.0	56.3I	62.5	37.5	93.8O	6.3	68.8	31.3	37.5	62.5R
Government (Net)	26	-	5	3	3	5	-	7	12	3	11	20	5	14	11	12	14	16	9	9
	8.5	-	9.4	4.9	6.8	15.0	8.9	-	13.5	9.8	3.5	11.2	8.3	8.1	7.6	9.6	7.8	9.9	8.2	8.4
	100.0	-	19.2	11.5	11.5	11.5	19.2	-	26.9	46.2	11.5	42.3	76.9	19.2	53.8	42.3	46.2	53.8	61.5	34.6

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 25
Q.15 What Methods Does Your Household Currently Use To Keep Updated On
Graywater Reuse?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	RENT/ LEASE /OTHR	AT	LESS	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER
		ENG- LAND	ATL- ANTIC												LEAST ONCE A WK.	THAN ONCE A WK.				
		(A)	(B)												(C)	(D)				
Base: Total Answering	306	7**	53*	61*	44*	20**	56*	13**	52*	123	85*	98*	240	62*	185	114	153	141	194	107
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0*	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.3**	17.3*	19.9*	14.4*	6.5**	18.3*	4.2**	17.0*	40.2	27.8*	32.0*	78.4	20.3*	60.5	37.3	50.0	46.1	63.4	35.0
Local/State Government meetings	4	-	-	-	2	-	-	-	2	3	-	1	3	1	1	3	-	4	4	-
	1.3	-	-	-	4.5	-	-	-	3.8	2.4	-	1.0	1.3	1.6	0.5	2.6	-	2.8	2.1	-
	100.0	-	-	-	50.0	-	-	-	50.0	75.0	-	25.0	75.0	25.0	25.0	75.0	-	100.0	100.0	-
																	P			
Local/State Government publications	24	-	5	3	1	3	5	-	7	11	3	10	18	5	13	10	12	12	14	9
	7.8	-	9.4	4.9	2.3	15.0	8.9	-	13.5	8.9	3.5	10.2	7.5	8.1	7.0	8.8	7.8	8.5	7.2	8.4
	100.0	-	20.8	12.5	4.2	12.5	20.8	-	29.2	45.8	12.5	41.7	75.0	20.8	54.2	41.7	50.0	50.0	58.3	37.5
Internet	15	1	5	1	2	-	2	-	4	10	3	2	11	4	11	4	5	9	10	5
	4.9	14.3	9.4	1.6	4.5	-	3.6	-	7.7	8.1	3.5	2.0	4.6	6.5	5.9	3.5	3.3	6.4	5.2	4.7
	100.0	6.7	33.3	6.7	13.3	-	13.3	-	26.7	66.7K	20.0	13.3	73.3	26.7	73.3	26.7	33.3	60.0	66.7	33.3
Water company	32	1	3	8	3	1	3	-	13	20	10	2	21	10	16	15	7	23	24	6
	10.5	14.3	5.7	13.1	6.8	5.0	5.4	-	25.0	16.3	11.8	2.0	8.8	16.1	8.6	13.2	4.6	16.3	12.4	5.6
	100.0	3.1	9.4	25.0	9.4	3.1	9.4	-	40.6B	62.5K	31.3K	6.3	65.6	31.3	50.0	46.9	21.9	71.9P	75.0	18.8
								DF												
Other	119	4	24	26	13	8	23	5	16	40	39	40	101	17	80	36	71	41	72	44
	38.9	57.1	45.3	42.6	29.5	40.0	41.1	38.5	30.8	32.5	45.9	40.8	42.1	27.4	43.2	31.6	46.4	29.1	37.1	41.1
	100.0	3.4	20.2	21.8	10.9	6.7	19.3	4.2	13.4	33.6	32.8	33.6	84.9M	14.3	67.20	30.3	59.7Q	34.5	60.5	37.0
Sigma	515	13	85	97	61	34	93	19	113	221	123	171	406	103	302	201	250	247	321	183
	168.3	185.7	160.4	159.0	138.6	170.0	166.1	146.2	217.3	179.7	144.7	174.5	169.2	166.1	163.2	176.3	163.4	175.2	165.5	171.0
	100.0	2.5	16.5	18.8	11.8	6.6	18.1	3.7	21.9	42.9	23.9	33.2	78.8	20.0	58.6	39.0	48.5	48.0	62.3	35.5

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 26
Q.16 How Likely Are You To Continue Reusing Graywater In The Next 12 Months?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	AT LEAST ONCE A WK.		LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER			
	TOTAL										OWN	RENT/ LEASE /OTHR								
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	11	2	1	1	2	1	1	-	3	6	3	2	9	2	2	8	5	3	6	2
	2.2	14.3	1.1	1.0	2.6	3.3	1.2	-	3.8	3.0	2.1	1.4	2.3	2.0	0.7	4.2	2.1	1.3	1.9	1.2
	100.0	18.2	9.1	9.1	18.2	9.1	9.1	-	27.3	54.5	27.3	18.2	81.8	18.2	18.2	72.7N	45.5	27.3	54.5	18.2
Base: Total Answering	480	12**	88*	97*	75*	29**	81*	21**	77*	197	138	145	375	98*	289	182	235	221	304	163
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.5**	18.3*	20.2*	15.6*	6.0**	16.9*	4.4**	16.0*	41.0	28.8	30.2	78.1	20.4*	60.2	37.9	49.0	46.0	63.3	34.0
Very/Somewhat Likely (Net)	459	12	79	93	74	29	77	21	74	186	132	141	360	92	283	167	226	210	289	157
	95.6	100.0	89.8	95.9	98.7	100.0	95.1	100.0	96.1	94.4	95.7	97.2	96.0	93.9	97.9	91.8	96.2	95.0	95.1	96.3
	100.0	2.6	17.2	20.3	16.1B	6.3	16.8	4.6	16.1	40.5	28.8	30.7	78.4	20.0	61.70	36.4	49.2	45.8	63.0	34.2
Very likely (4)	407	11	66	81	65	23	75	20	66	160	123	124	323	78	269	131	203	187	256	141
	84.8	91.7	75.0	83.5	86.7	79.3	92.6	95.2	85.7	81.2	89.1	85.5	86.1	79.6	93.1	72.0	86.4	84.6	84.2	86.5
	100.0	2.7	16.2	19.9	16.0	5.7	18.4B	4.9	16.2	39.3	30.2	30.5	79.4	19.2	66.10	32.2	49.9	45.9	62.9	34.6
Somewhat likely (3)	52	1	13	12	9	6	2	1	8	26	9	17	37	14	14	36	23	23	33	16
	10.8	8.3	14.8	12.4	12.0	20.7	2.5	4.8	10.4	13.2	6.5	11.7	9.9	14.3	4.8	19.8	9.8	10.4	10.9	9.8
	100.0	1.9	25.0F	23.1F	17.3F	11.5	3.8	1.9	15.4F	50.0	17.3	32.7	71.2	26.9	26.9	69.2N	44.2	44.2	63.5	30.8
Somewhat/Very Unlikely (Net)	21	-	9	4	1	-	4	-	3	11	6	4	15	6	6	15	9	11	15	6
	4.4	-	10.2	4.1	1.3	-	4.9	-	3.9	5.6	4.3	2.8	4.0	6.1	2.1	8.2	3.8	5.0	4.9	3.7
	100.0	-	42.9D	19.0	4.8	-	19.0	-	14.3	52.4	28.6	19.0	71.4	28.6	28.6	71.4N	42.9	52.4	71.4	28.6
Somewhat unlikely (2)	7	-	1	2	1	-	2	-	1	2	3	2	5	2	1	6	4	3	4	3
	1.5	-	1.1	2.1	1.3	-	2.5	-	1.3	1.0	2.2	1.4	1.3	2.0	0.3	3.3	1.7	1.4	1.3	1.8
	100.0	-	14.3	28.6	14.3	-	28.6	-	14.3	28.6	42.9	28.6	71.4	28.6	14.3	85.7N	57.1	42.9	57.1	42.9

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 26
Q.16 How Likely Are You To Continue Reusing Graywater In The Next 12 Months?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER	
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Answering	480	12**	88*	97*	75*	29**	81*	21**	77*	197	138	145	375	98*	289	182	235	221	304	163
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.5**	18.3*	20.2*	15.6*	6.0**	16.9*	4.4**	16.0*	41.0	28.8	30.2	78.1	20.4*	60.2	37.9	49.0	46.0	63.3	34.0
Very unlikely (1)	14	-	8	2	-	-	2	-	2	9	3	2	10	4	5	9	5	8	11	3
	2.9	-	9.1	2.1	-	-	2.5	-	2.6	4.6	2.2	1.4	2.7	4.1	1.7	4.9	2.1	3.6	3.6	1.8
	100.0	-	57.1	14.3	-	-	14.3	-	14.3	64.3	21.4	14.3	71.4	28.6	35.7	64.3	35.7	57.1	78.6	21.4
		D																		
Sigma	480	12	88	97	75	29	81	21	77	197	138	145	375	98	289	182	235	221	304	163
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.5	18.3	20.2	15.6	6.0	16.9	4.4	16.0	41.0	28.8	30.2	78.1	20.4	60.2	37.9	49.0	46.0	63.3	34.0
Mean Base	480	12	88	97	75	29	81	21	77	197	138	145	375	98	289	182	235	221	304	163
Mean	3.78	3.92	3.56	3.77	3.85	3.79	3.85	3.95	3.79	3.71	3.83	3.81	3.79	3.69	3.89	3.59	3.80	3.76	3.76	3.81
Std. Deviation	0.62	0.29	0.91	0.59	0.39	0.41	0.57	0.22	0.59	0.71	0.57	0.51	0.59	0.71	0.46	0.78	0.57	0.65	0.65	0.55
Std. Error	0.03	0.08	0.10	0.06	0.05	0.08	0.06	0.05	0.07	0.05	0.05	0.04	0.03	0.07	0.03	0.06	0.04	0.04	0.04	0.04

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 27
Q.17 Over The Next 12 Months, Do You Think Your Household Will....

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	9	1	2	-	3	1	-	-	2	5	2	2	6	3	2	6	3	3	4	2
	1.8	7.1	2.2	-	3.9	3.3	-	-	2.5	2.5	1.4	1.4	1.6	3.0	0.7	3.2	1.3	1.3	1.3	1.2
	100.0	11.1	22.2	-	33.3	11.1	-	-	22.2	55.6	22.2	22.2	66.7	33.3	22.2	66.7	33.3	33.3	44.4	22.2
Base: Total Answering	482	13**	87*	98*	74*	29**	82*	21**	78*	198	139	145	378	97*	289	184	237	221	306	163
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.7**	18.0*	20.3*	15.4*	6.0**	17.0*	4.4**	16.2*	41.1	28.8	30.1	78.4	20.1*	60.0	38.2	49.2	45.9	63.5	33.8
Reuse more graywater than it currently does	73	3	11	18	12	4	13	2	10	33	19	21	55	18	39	31	29	41	53	19
	15.1	23.1	12.6	18.4	16.2	13.8	15.9	9.5	12.8	16.7	13.7	14.5	14.6	18.6	13.5	16.8	12.2	18.6	17.3	11.7
	100.0	4.1	15.1	24.7	16.4	5.5	17.8	2.7	13.7	45.2	26.0	28.8	75.3	24.7	53.4	42.5	39.7	56.2	72.6	26.0
Reuse about the same amount of graywater than it currently does	383	9	66	73	61	25	67	17	65	157	113	113	304	73	240	137	192	171	238	133
	79.5	69.2	75.9	74.5	82.4	86.2	81.7	81.0	83.3	79.3	81.3	77.9	80.4	75.3	83.0	74.5	81.0	77.4	77.8	81.6
	100.0	2.3	17.2	19.1	15.9	6.5	17.5	4.4	17.0	41.0	29.5	29.5	79.4	19.1	62.7	35.8	50.1	44.6	62.1	34.7
Reuse less graywater than it currently does	26	1	10	7	1	-	2	2	3	8	7	11	19	6	10	16	16	9	15	11
	5.4	7.7	11.5	7.1	1.4	-	2.4	9.5	3.8	4.0	5.0	7.6	5.0	6.2	3.5	8.7	6.8	4.1	4.9	6.7
	100.0	3.8	38.5	26.9	3.8	-	7.7	7.7	11.5	30.8	26.9	42.3	73.1	23.1	38.5	61.5	61.5	34.6	57.7	42.3
	F																			
Sigma	482	13	87	98	74	29	82	21	78	198	139	145	378	97	289	184	237	221	306	163
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.7	18.0	20.3	15.4	6.0	17.0	4.4	16.2	41.1	28.8	30.1	78.4	20.1	60.0	38.2	49.2	45.9	63.5	33.8

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 28
Q.18a Which Of The Following, If Any, Do You Feel Are Disadvantages To
Reusing Graywater?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	ROCKY MOUN- -WEST TAIN		URBAN LARGE MSAS	SUB- URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER	
							(F)	(G)												
																				(A)
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	14	-	1	3	6	2	1	-	1	5	2	7	13	1	5	9	7	5	10	3
	2.9	-	1.1	3.1	7.8	6.7	1.2	-	1.3	2.5	1.4	4.8	3.4	1.0	1.7	4.7	2.9	2.2	3.2	1.8
	100.0	-	7.1	21.4	42.9B	14.3	7.1	-	7.1	35.7	14.3	50.0	92.9	7.1	35.7	64.3	50.0	35.7	71.4	21.4
					FH															
Base: Total Answering	477	14**	88*	95*	71*	28**	81*	21**	79*	198	139	140	371	99*	286	181	233	219	300	162
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.4*	19.9*	14.9*	5.9**	17.0*	4.4**	16.6*	41.5	29.1	29.4	77.8	20.8*	60.0	37.9	48.8	45.9	62.9	34.0
Cost of collection/ distribution system	29	-	4	4	6	3	3	3	6	14	6	9	26	3	14	15	10	16	21	6
	6.1	-	4.5	4.2	8.5	10.7	3.7	14.3	7.6	7.1	4.3	6.4	7.0	3.0	4.9	8.3	4.3	7.3	7.0	3.7
	100.0	-	13.8	13.8	20.7	10.3	10.3	10.3	20.7	48.3	20.7	31.0	89.7	10.3	48.3	51.7	34.5	55.2	72.4	20.7
Disappointing cost savings in water bills	45	1	6	12	8	2	5	4	7	19	12	14	34	11	24	20	12	30	39	5
	9.4	7.1	6.8	12.6	11.3	7.1	6.2	19.0	8.9	9.6	8.6	10.0	9.2	11.1	8.4	11.0	5.2	13.7	13.0	3.1
	100.0	2.2	13.3	26.7	17.8	4.4	11.1	8.9	15.6	42.2	26.7	31.1	75.6	24.4	53.3	44.4	26.7	66.7P	86.7S	11.1
Environmental concerns	44	2	10	8	5	3	5	3	8	18	11	15	32	11	24	19	23	19	22	18
	9.2	14.3	11.4	8.4	7.0	10.7	6.2	14.3	10.1	9.1	7.9	10.7	8.6	11.1	8.4	10.5	9.9	8.7	7.3	11.1
	100.0	4.5	22.7	18.2	11.4	6.8	11.4	6.8	18.2	40.9	25.0	34.1	72.7	25.0	54.5	43.2	52.3	43.2	50.0	40.9
Governmental regulations	39	-	3	7	4	3	7	4	11	25	2	12	28	10	19	20	20	19	22	14
	8.2	-	3.4	7.4	5.6	10.7	8.6	19.0	13.9	12.6	1.4	8.6	7.5	10.1	6.6	11.0	8.6	8.7	7.3	8.6
	100.0	-	7.7	17.9	10.3	7.7	17.9	10.3	28.2B	64.1J	5.1	30.8J	71.8	25.6	48.7	51.3	51.3	48.7	56.4	35.9

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 28
Q.18a Which Of The Following, If Any, Do You Feel Are Disadvantages To
Reusing Graywater?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE				
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	OWN	RENT/ LEASE /OTHR	AT	LESS	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WATER	VATE WELL WATER
		ENG- LAND	ATL- ANTIC													LEAST	THAN				
		(A)	(B)													(C)	(D)				

Base: Total Answering	477	14**	88*	95*	71*	28**	81*	21**	79*	198	139	140	371	99*	286	181	233	219	300	162
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.4*	19.9*	14.9*	5.9**	17.0*	4.4**	16.6*	41.5	29.1	29.4	77.8	20.8*	60.0	37.9	48.8	45.9	62.9	34.0
Health concerns	64	2	13	11	9	3	11	4	11	32	16	16	43	21	31	30	33	28	39	22
	13.4	14.3	14.8	11.6	12.7	10.7	13.6	19.0	13.9	16.2	11.5	11.4	11.6	21.2	10.8	16.6	14.2	12.8	13.0	13.6
	100.0	3.1	20.3	17.2	14.1	4.7	17.2	6.3	17.2	50.0	25.0	25.0	67.2	32.8L	48.4	46.9	51.6	43.8	60.9	34.4
Maintenance/labor	100	5	21	11	18	7	15	7	16	43	32	25	84	16	57	42	48	48	68	30
	21.0	35.7	23.9	11.6	25.4	25.0	18.5	33.3	20.3	21.7	23.0	17.9	22.6	16.2	19.9	23.2	20.6	21.9	22.7	18.5
	100.0	5.0	21.0C	11.0	18.0C	7.0	15.0	7.0	16.0	43.0	32.0	25.0	84.0	16.0	57.0	42.0	48.0	48.0	68.0	30.0
Odors	55	-	10	9	10	2	13	4	7	24	18	13	39	16	32	23	31	21	37	16
	11.5	-	11.4	9.5	14.1	7.1	16.0	19.0	8.9	12.1	12.9	9.3	10.5	16.2	11.2	12.7	13.3	9.6	12.3	9.9
	100.0	-	18.2	16.4	18.2	3.6	23.6	7.3	12.7	43.6	32.7	23.6	70.9	29.1	58.2	41.8	56.4	38.2	67.3	29.1
Other	23	1	7	3	5	1	2	1	3	8	10	5	18	5	14	8	8	13	15	8
	4.8	7.1	8.0	3.2	7.0	3.6	2.5	4.8	3.8	4.0	7.2	3.6	4.9	5.1	4.9	4.4	3.4	5.9	5.0	4.9
	100.0	4.3	30.4	13.0	21.7	4.3	8.7	4.3	13.0	34.8	43.5	21.7	78.3	21.7	60.9	34.8	34.8	56.5	65.2	34.8
None	229	6	41	59	27	13	45	5	33	83	70	76	182	42	157	68	123	95	136	85
	48.0	42.9	46.6	62.1	38.0	46.4	55.6	23.8	41.8	41.9	50.4	54.3	49.1	42.4	54.9	37.6	52.8	43.4	45.3	52.5
	100.0	2.6	17.9	25.8B	11.8	5.7	19.7D	2.2	14.4	36.2	30.6	33.2I	79.5	18.3	68.6O	29.7	53.7Q	41.5	59.4	37.1
				DH																
Sigma	628	17	115	124	92	37	106	35	102	266	177	185	486	135	372	245	308	289	399	204
	131.7	121.4	130.7	130.5	129.6	132.1	130.9	166.7	129.1	134.3	127.3	132.1	131.0	136.4	130.1	135.4	132.2	132.0	133.0	125.9
	100.0	2.7	18.3	19.7	14.6	5.9	16.9	5.6	16.2	42.4	28.2	29.5	77.4	21.5	59.2	39.0	49.0	46.0	63.5	32.5

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 29
Q.18b How Safe Is The Graywater That Is Reused?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	9	1	1	1	2	-	-	1	3	3	1	5	8	1	4	5	5	3	5	3
	1.8	7.1	1.1	1.0	2.6	-	-	4.8	3.8	1.5	0.7	3.4	2.1	1.0	1.4	2.6	2.1	1.3	1.6	1.8
	100.0	11.1	11.1	11.1	22.2	-	-	11.1	33.3	33.3	11.1	55.6	88.9	11.1	44.4	55.6	55.6	33.3	55.6	33.3
Base: Total Answering	482	13**	88*	97*	75*	30*	82*	20**	77*	200	140	142	376	99*	287	185	235	221	305	162
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.7**	18.3*	20.1*	15.6*	6.2*	17.0*	4.1**	16.0*	41.5	29.0	29.5	78.0	20.5*	59.5	38.4	48.8	45.9	63.3	33.6
<u>Very/Somewhat Safe (Net)</u>	426	13	79	86	65	27	72	17	67	177	122	127	333	86	266	151	209	196	268	146
	88.4	100.0	89.8	88.7	86.7	90.0	87.8	85.0	87.0	88.5	87.1	89.4	88.6	86.9	92.7	81.6	88.9	88.7	87.9	90.1
	100.0	3.1	18.5	20.2	15.3	6.3	16.9	4.0	15.7	41.5	28.6	29.8	78.2	20.2	62.40	35.4	49.1	46.0	62.9	34.3
Very safe (5)	324	10	58	68	51	20	52	13	52	126	97	101	261	60	215	101	167	139	199	114
	67.2	76.9	65.9	70.1	68.0	66.7	63.4	65.0	67.5	63.0	69.3	71.1	69.4	60.6	74.9	54.6	71.1	62.9	65.2	70.4
	100.0	3.1	17.9	21.0	15.7	6.2	16.0	4.0	16.0	38.9	29.9	31.2	80.6	18.5	66.40	31.2	51.5	42.9	61.4	35.2
Somewhat safe (4)	102	3	21	18	14	7	20	4	15	51	25	26	72	26	51	50	42	57	69	32
	21.2	23.1	23.9	18.6	18.7	23.3	24.4	20.0	19.5	25.5	17.9	18.3	19.1	26.3	17.8	27.0	17.9	25.8	22.6	19.8
	100.0	2.9	20.6	17.6	13.7	6.9	19.6	3.9	14.7	50.0	24.5	25.5	70.6	25.5	50.0	49.0N	41.2	55.9P	67.6	31.4
Might or might not be safe (3)	49	-	9	9	9	1	9	2	10	20	16	13	38	11	21	28	23	22	33	15
	10.2	-	10.2	9.3	12.0	3.3	11.0	10.0	13.0	10.0	11.4	9.2	10.1	11.1	7.3	15.1	9.8	10.0	10.8	9.3
	100.0	-	18.4	18.4	18.4	2.0	18.4	4.1	20.4	40.8	32.7	26.5	77.6	22.4	42.9	57.1N	46.9	44.9	67.3	30.6
<u>Somewhat/Very Unsafe (Net)</u>	7	-	-	2	1	2	1	1	-	3	2	2	5	2	-	6	3	3	4	1
	1.5	-	-	2.1	1.3	6.7	1.2	5.0	-	1.5	1.4	1.4	1.3	2.0	-	3.2	1.3	1.4	1.3	0.6
	100.0	-	-	28.6	14.3	28.68	14.3	14.3	-	42.9	28.6	28.6	71.4	28.6	-	85.7N	42.9	42.9	57.1	14.3

H

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 29
Q.18b How Safe Is The Graywater That Is Reused?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER	WATER SOURCE					
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB- URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	OWN		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK SEWER	PRI- MUNI- CIPAL WATER	VATE WELL WATER
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)			
Base: Total Answering	482	13**	88*	97*	75*	30*	82*	20**	77*	200	140	142	376	99*	287	185	235	221	305	162	
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0	
	100.0	2.7**	18.3*	20.1*	15.6*	6.2*	17.0*	4.1**	16.0*	41.5	29.0	29.5	78.0	20.5*	59.5	38.4	48.8	45.9	63.3	33.6	
Somewhat unsafe (2)	4	-	-	1	-	2	1	-	-	2	-	2	3	1	-	4	2	2	3	-	
	0.8	-	-	1.0	-	6.7	1.2	-	-	1.0	-	1.4	0.8	1.0	-	2.2	0.9	0.9	1.0	-	
	100.0	-	-	25.0	-	50.0	25.0	-	-	50.0	-	50.0	75.0	25.0	-	100.0N	50.0	50.0	75.0	-	
						DH															
Very unsafe (1)	3	-	-	1	1	-	-	1	-	1	2	-	2	1	-	2	1	1	1	1	
	0.6	-	-	1.0	1.3	-	-	5.0	-	0.5	1.4	-	0.5	1.0	-	1.1	0.4	0.5	0.3	0.6	
	100.0	-	-	33.3	33.3	-	-	33.3	-	33.3	66.7	-	66.7	33.3	-	66.7	33.3	33.3	33.3	33.3	
Sigma	482	13	88	97	75	30	82	20	77	200	140	142	376	99	287	185	235	221	305	162	
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
	100.0	2.7	18.3	20.1	15.6	6.2	17.0	4.1	16.0	41.5	29.0	29.5	78.0	20.5	59.5	38.4	48.8	45.9	63.3	33.6	
Mean Base	482	13	88	97	75	30	82	20	77	200	140	142	376	99	287	185	235	221	305	162	
Mean	4.54	4.77	4.56	4.56	4.52	4.50	4.50	4.40	4.55	4.49	4.54	4.59	4.56	4.44	4.68	4.32	4.58	4.50	4.51	4.59	
Std. Deviation	0.76	0.44	0.68	0.79	0.81	0.86	0.74	1.05	0.72	0.76	0.81	0.72	0.75	0.81	0.61	0.89	0.74	0.75	0.75	0.71	
Std. Error	0.03	0.12	0.07	0.08	0.09	0.16	0.08	0.23	0.08	0.05	0.07	0.06	0.04	0.08	0.04	0.07	0.05	0.05	0.04	0.06	

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 30
Q.19 What System Does Your Household Use For Graywater Storage And/Or Removal?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB-				RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
									URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL									
TOTAL	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	65	2	9	19	9	5	8	1	12	26	17	22	45	20	33	31	28	28	43	14
	13.2	14.3	10.1	19.4	11.7	16.7	9.8	4.8	15.0	12.8	12.1	15.0	11.7	20.0	11.3	16.3	11.7	12.5	13.9	8.5
	100.0	3.1	13.8	29.2	13.8	7.7	12.3	1.5	18.5	40.0	26.2	33.8	69.2	30.8L	50.8	47.7	43.1	43.1	66.2	21.5
Base: Total Answering	426	12**	80*	79*	68*	25**	74*	20**	68*	177	124	125	339	80*	258	159	212	196	267	151
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.8**	18.8*	18.5*	16.0*	5.9**	17.4*	4.7**	16.0*	41.5	29.1	29.3	79.6	18.8*	60.6	37.3	49.8	46.0	62.7	35.4
Storage (Net)	259	11	61	46	46	17	23	11	44	110	73	76	208	48	150	104	113	133	167	85
	60.8	91.7	76.3	58.2	67.6	68.0	31.1	55.0	64.7	62.1	58.9	60.8	61.4	60.0	58.1	65.4	53.3	67.9	62.5	56.3
	100.0	4.2	23.6C	17.8F	17.8F	6.6	8.9	4.2	17.0F	42.5	28.2	29.3	80.3	18.5	57.9	40.2	43.6	51.4P	64.5	32.8
			F																	
Laundry tub	8	-	4	-	2	-	-	-	2	7	1	-	8	-	5	3	3	5	5	3
	1.9	-	5.0	-	2.9	-	-	-	2.9	4.0	0.8	-	2.4	-	1.9	1.9	1.4	2.6	1.9	2.0
	100.0	-	50.0C	-	25.0	-	-	-	25.0	87.5K	12.5	-	100.0	-	62.5	37.5	37.5	62.5	62.5	37.5
Tub	14	1	6	3	-	1	1	-	2	6	1	7	12	2	11	2	8	5	7	5
	3.3	8.3	7.5	3.8	-	4.0	1.4	-	2.9	3.4	0.8	5.6	3.5	2.5	4.3	1.3	3.8	2.6	2.6	3.3
	100.0	7.1	42.9D	21.4	-	7.1	7.1	-	14.3	42.9	7.1	50.0J	85.7	14.3	78.6	14.3	57.1	35.7	50.0	35.7
Sink	8	-	1	-	2	1	-	-	4	6	1	1	4	4	3	4	3	4	5	2
	1.9	-	1.3	-	2.9	4.0	-	-	5.9	3.4	0.8	0.8	1.2	5.0	1.2	2.5	1.4	2.0	1.9	1.3
	100.0	-	12.5	-	25.0	12.5	-	-	50.0C	75.0	12.5	12.5	50.0	50.0L	37.5	50.0	37.5	50.0	62.5	25.0
									F											
Tank	12	-	4	3	3	1	-	1	-	6	2	4	9	3	8	3	7	5	6	5
	2.8	-	5.0	3.8	4.4	4.0	-	5.0	-	3.4	1.6	3.2	2.7	3.8	3.1	1.9	3.3	2.6	2.2	3.3
	100.0	-	33.3	25.0	25.0	8.3	-	8.3	-	50.0	16.7	33.3	75.0	25.0	66.7	25.0	58.3	41.7	50.0	41.7

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 30
Q.19 What System Does Your Household Use For Graywater Storage And/Or Removal?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
		ENG- LAND	ATL- ANTIC																	
		(A)	(B)																	(C)
Base: Total Answering	426	12**	80*	79*	68*	25**	74*	20**	68*	177	124	125	339	80*	258	159	212	196	267	151
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.8**	18.8*	18.5*	16.0*	5.9**	17.4*	4.7**	16.0*	41.5	29.1	29.3	79.6	18.8*	60.6	37.3	49.8	46.0	62.7	35.4
Pitcher	4	1	-	1	1	1	-	-	-	1	3	-	3	1	3	1	-	4	4	-
	0.9	8.3	-	1.3	1.5	4.0	-	-	-	0.6	2.4	-	0.9	1.3	1.2	0.6	-	2.0	1.5	-
	100.0	25.0	-	25.0	25.0	25.0	-	-	-	25.0	75.0	-	75.0	25.0	75.0	25.0	-	100.0	100.0	-
																	P			
Bottles/plastic bottles	4	-	1	-	1	-	-	-	2	2	2	-	3	1	3	-	1	2	3	1
	0.9	-	1.3	-	1.5	-	-	-	2.9	1.1	1.6	-	0.9	1.3	1.2	-	0.5	1.0	1.1	0.7
	100.0	-	25.0	-	25.0	-	-	-	50.0	50.0	50.0	-	75.0	25.0	75.0	-	25.0	50.0	75.0	25.0
Milk containers	6	-	1	2	3	-	-	-	-	3	1	2	4	2	3	3	-	5	6	-
	1.4	-	1.3	2.5	4.4	-	-	-	-	1.7	0.8	1.6	1.2	2.5	1.2	1.9	-	2.6	2.2	-
	100.0	-	16.7	33.3	50.0	-	-	-	-	50.0	16.7	33.3	66.7	33.3	50.0	50.0	-	83.3	100.0	-
																	P			
Dishpan	20	1	6	3	3	1	3	-	3	11	4	5	18	2	14	6	6	12	15	4
	4.7	8.3	7.5	3.8	4.4	4.0	4.1	-	4.4	6.2	3.2	4.0	5.3	2.5	5.4	3.8	2.8	6.1	5.6	2.6
	100.0	5.0	30.0	15.0	15.0	5.0	15.0	-	15.0	55.0	20.0	25.0	90.0	10.0	70.0	30.0	30.0	60.0	75.0	20.0
55 gallon drum	10	-	3	4	2	-	-	-	1	-	4	6	8	2	6	4	7	3	5	5
	2.3	-	3.8	5.1	2.9	-	-	-	1.5	-	3.2	4.8	2.4	2.5	2.3	2.5	3.3	1.5	1.9	3.3
	100.0	-	30.0	40.0	20.0	-	-	-	10.0	-	40.0	60.0	80.0	20.0	60.0	40.0	70.0	30.0	50.0	50.0
5 gallon bucket/pail	21	-	4	6	6	1	1	1	2	8	8	5	16	4	11	10	11	9	13	8
	4.9	-	5.0	7.6	8.8	4.0	1.4	5.0	2.9	4.5	6.5	4.0	4.7	5.0	4.3	6.3	5.2	4.6	4.9	5.3
	100.0	-	19.0	28.6	28.6	4.8	4.8	4.8	9.5	38.1	38.1	23.8	76.2	19.0	52.4	47.6	52.4	42.9	61.9	38.1

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 30
Q.19 What System Does Your Household Use For Graywater Storage And/Or Removal?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER		
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)		(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)
Base: Total Answering	426	12**	80*	79*	68*	25**	74*	20**	68*	177	124	125	339	80*	258	159	212	196	267	151
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.8**	18.8*	18.5*	16.0*	5.9**	17.4*	4.7**	16.0*	41.5	29.1	29.3	79.6	18.8*	60.6	37.3	49.8	46.0	62.7	35.4
Buckets/collect in buckets	107	4	29	15	17	7	7	5	23	47	31	29	84	23	60	45	44	61	69	36
	25.1	33.3	36.3	19.0	25.0	28.0	9.5	25.0	33.8	26.6	25.0	23.2	24.8	28.8	23.3	28.3	20.8	31.1	25.8	23.8
	100.0	3.7	27.1C	14.0	15.9F	6.5	6.5	4.7	21.5C	43.9	29.0	27.1	78.5	21.5	56.1	42.1	41.1	57.0P	64.5	33.6
			F					F												
Gallon jugs/plastic gallon jugs	20	2	4	5	4	1	-	1	3	7	6	7	16	4	11	9	7	11	14	5
	4.7	16.7	5.0	6.3	5.9	4.0	-	5.0	4.4	4.0	4.8	5.6	4.7	5.0	4.3	5.7	3.3	5.6	5.2	3.3
	100.0	10.0	20.0	25.0F	20.0F	5.0	-	5.0	15.0	35.0	30.0	35.0	80.0	20.0	55.0	45.0	35.0	55.0	70.0	25.0
Barrels	14	1	3	3	2	-	1	1	3	6	4	4	11	3	10	4	9	4	9	5
	3.3	8.3	3.8	3.8	2.9	-	1.4	5.0	4.4	3.4	3.2	3.2	3.2	3.8	3.9	2.5	4.2	2.0	3.4	3.3
	100.0	7.1	21.4	21.4	14.3	-	7.1	7.1	21.4	42.9	28.6	28.6	78.6	21.4	71.4	28.6	64.3	28.6	64.3	35.7
Container	8	1	5	1	-	-	1	-	2	3	3	7	1	4	4	3	4	4	4	3
	1.9	8.3	6.3	1.3	-	-	1.4	-	-	1.1	2.4	2.4	2.1	1.3	1.6	2.5	1.4	2.0	1.5	2.0
	100.0	12.5	62.5D	12.5	-	-	12.5	-	-	25.0	37.5	37.5	87.5	12.5	50.0	50.0	37.5	50.0	50.0	37.5
			H																	
Watering can	13	1	3	2	2	-	1	2	2	8	2	3	12	-	8	5	6	7	9	4
	3.1	8.3	3.8	2.5	2.9	-	1.4	10.0	2.9	4.5	1.6	2.4	3.5	-	3.1	3.1	2.8	3.6	3.4	2.6
	100.0	7.7	23.1	15.4	15.4	-	7.7	15.4	15.4	61.5	15.4	23.1	92.3	-	61.5	38.5	46.2	53.8	69.2	30.8
Garbage/trash cans	12	-	4	4	2	-	-	-	2	3	6	3	11	1	7	5	5	7	7	5
	2.8	-	5.0	5.1	2.9	-	-	-	2.9	1.7	4.8	2.4	3.2	1.3	2.7	3.1	2.4	3.6	2.6	3.3
	100.0	-	33.3	33.3	16.7	-	-	-	16.7	25.0	50.0	25.0	91.7	8.3	58.3	41.7	41.7	58.3	58.3	41.7
Septic tank	5	-	1	1	1	1	1	-	2	2	1	5	-	4	1	4	1	2	3	3
	1.2	-	1.3	1.3	1.5	4.0	1.4	-	-	1.1	1.6	0.8	1.5	-	1.6	0.6	1.9	0.5	0.7	2.0
	100.0	-	20.0	20.0	20.0	20.0	20.0	-	-	40.0	40.0	20.0	100.0	-	80.0	20.0	80.0	20.0	40.0	60.0

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 30
Q.19 What System Does Your Household Use For Graywater Storage And/Or Removal?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL		
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)								
Base: Total Answering	426	12**	80*	79*	68*	25**	74*	20**	68*	177	124	125	339	80*	258	159	212	196	267	151
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.8**	18.8*	18.5*	16.0*	5.9**	17.4*	4.7**	16.0*	41.5	29.1	29.3	79.6	18.8*	60.6	37.3	49.8	46.0	62.7	35.4
Pails	15	1	1	2	5	2	2	-	2	6	3	6	14	1	10	4	8	5	6	8
	3.5	8.3	1.3	2.5	7.4	8.0	2.7	-	2.9	3.4	2.4	4.8	4.1	1.3	3.9	2.5	3.8	2.6	2.2	5.3
	100.0	6.7	6.7	13.3	33.3	13.3	13.3	-	13.3	40.0	20.0	40.0	93.3	6.7	66.7	26.7	53.3	33.3	40.0	53.3
All other storage mentions	24	1	3	1	4	3	8	1	3	13	3	8	17	6	14	10	14	9	15	9
	5.6	8.3	3.8	1.3	5.9	12.0	10.8	5.0	4.4	7.3	2.4	6.4	5.0	7.5	5.4	6.3	6.6	4.6	5.6	6.0
	100.0	4.2	12.5	4.2	16.7	12.5	33.3C	4.2	12.5	54.2	12.5	33.3	70.8	25.0	58.3	41.7	58.3	37.5	62.5	37.5
Removal (Net)	126	2	12	21	9	5	45	8	24	53	35	38	102	22	84	40	82	41	74	50
	29.6	16.7	15.0	26.6	13.2	20.0	60.8	40.0	35.3	29.9	28.2	30.4	30.1	27.5	32.6	25.2	38.7	20.9	27.7	33.1
	100.0	1.6	9.5	16.7D	7.1	4.0	35.7BC	6.3	19.0B	42.1	27.8	30.2	81.0	17.5	66.7	31.7	65.1Q	32.5	58.7	39.7
							DH		D											
Siphoning	7	-	3	1	2	-	-	-	1	4	2	1	5	2	2	5	1	5	6	1
	1.6	-	3.8	1.3	2.9	-	-	-	1.5	2.3	1.6	0.8	1.5	2.5	0.8	3.1	0.5	2.6	2.2	0.7
	100.0	-	42.9	14.3	28.6	-	-	-	14.3	57.1	28.6	14.3	71.4	28.6	28.6	71.4	14.3	71.4	85.7	14.3
PVC pipes	34	-	-	13	-	1	9	2	9	12	10	12	26	7	25	9	27	7	19	13
	8.0	-	-	16.5	-	4.0	12.2	10.0	13.2	6.8	8.1	9.6	7.7	8.8	9.7	5.7	12.7	3.6	7.1	8.6
	100.0	-	-	38.2BD	-	2.9	26.5BD	5.9	26.5B	35.3	29.4	35.3	76.5	20.6	73.5	26.5	79.4Q	20.6	55.9	38.2
							D													
Run/pump directly out to lawn/yard	29	1	-	3	3	1	15	3	3	9	8	12	22	6	21	7	24	4	17	12
	6.8	8.3	-	3.8	4.4	4.0	20.3	15.0	4.4	5.1	6.5	9.6	6.5	7.5	8.1	4.4	11.3	2.0	6.4	7.9
	100.0	3.4	-	10.3	10.3	3.4	51.7B	10.3	10.3	31.0	27.6	41.4	75.9	20.7	72.4	24.1	82.8Q	13.8	58.6	41.4
							CDH													

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 30
Q.19 What System Does Your Household Use For Graywater Storage And/Or Removal?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Answering	426	12**	80*	79*	68*	25**	74*	20**	68*	177	124	125	339	80*	258	159	212	196	267	151
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.8**	18.8*	18.5*	16.0*	5.9**	17.4*	4.7**	16.0*	41.5	29.1	29.3	79.6	18.8*	60.6	37.3	49.8	46.0	62.7	35.4
Hose connected to washing machine	25	-	2	-	-	-	16	3	4	12	6	7	21	4	20	5	18	7	14	11
	5.9	-	2.5	-	-	-	21.6	15.0	5.9	6.8	4.8	5.6	6.2	5.0	7.8	3.1	8.5	3.6	5.2	7.3
	100.0	-	8.0	-	-	-	64.0B	12.0	16.0C	48.0	24.0	28.0	84.0	16.0	80.0	20.0	72.0Q	28.0	56.0	44.0
							CDH	D												
Manually/by hand	14	-	2	3	1	-	3	-	5	10	3	1	12	2	6	8	3	11	12	2
	3.3	-	2.5	3.8	1.5	-	4.1	-	7.4	5.6	2.4	0.8	3.5	2.5	2.3	5.0	1.4	5.6	4.5	1.3
	100.0	-	14.3	21.4	7.1	-	21.4	-	35.7	71.4K	21.4	7.1	85.7	14.3	42.9	57.1	21.4	78.6P	85.7	14.3
Sump pump	6	1	1	-	3	1	-	-	-	1	3	2	6	-	3	2	3	3	1	5
	1.4	8.3	1.3	-	4.4	4.0	-	-	-	0.6	2.4	1.6	1.8	-	1.2	1.3	1.4	1.5	0.4	3.3
	100.0	16.7	16.7	-	50.0	16.7	-	-	-	16.7	50.0	33.3	100.0	-	50.0	33.3	50.0	50.0	16.7	83.3R
All other removal mentions	17	-	4	2	-	2	5	-	4	8	3	6	13	4	11	6	11	5	8	9
	4.0	-	5.0	2.5	-	8.0	6.8	-	5.9	4.5	2.4	4.8	3.8	5.0	4.3	3.8	5.2	2.6	3.0	6.0
	100.0	-	23.5	11.8	-	11.8	29.4D	-	23.5D	47.1	17.6	35.3	76.5	23.5	64.7	35.3	64.7	29.4	47.1	52.9
No System (Net)	72	1	14	18	14	4	13	1	7	29	25	18	56	14	44	25	36	32	45	27
	16.9	8.3	17.5	22.8	20.6	16.0	17.6	5.0	10.3	16.4	20.2	14.4	16.5	17.5	17.1	15.7	17.0	16.3	16.9	17.9
	100.0	1.4	19.4	25.0H	19.4	5.6	18.1	1.4	9.7	40.3	34.7	25.0	77.8	19.4	61.1	34.7	50.0	44.4	62.5	37.5
Do not store/use immediately/ dump from current use	48	-	9	12	7	4	9	1	6	18	15	15	38	9	28	18	22	24	32	16
	11.3	-	11.3	15.2	10.3	16.0	12.2	5.0	8.8	10.2	12.1	12.0	11.2	11.3	10.9	11.3	10.4	12.2	12.0	10.6
	100.0	-	18.8	25.0	14.6	8.3	18.8	2.1	12.5	37.5	31.3	31.3	79.2	18.8	58.3	37.5	45.8	50.0	66.7	33.3
None	23	-	5	6	7	-	4	-	1	11	9	3	17	5	16	6	14	7	13	10
	5.4	-	6.3	7.6	10.3	-	5.4	-	1.5	6.2	7.3	2.4	5.0	6.3	6.2	3.8	6.6	3.6	4.9	6.6
	100.0	-	21.7	26.1	30.4H	-	17.4	-	4.3	47.8	39.1	13.0	73.9	21.7	69.6	26.1	60.9	30.4	56.5	43.5

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 30
Q.19 What System Does Your Household Use For Graywater Storage And/Or Removal?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB- URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	426	12**	80*	79*	68*	25**	74*	20**	68*	177	124	125	339	80*	258	159	212	196	267	151
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.8**	18.8*	18.5*	16.0*	5.9**	17.4*	4.7**	16.0*	41.5	29.1	29.3	79.6	18.8*	60.6	37.3	49.8	46.0	62.7	35.4
All other no system mentions	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	1
	0.2	8.3	-	-	-	-	-	-	-	-	0.8	-	0.3	-	-	0.6	-	0.5	-	0.7
	100.0	100.0	-	-	-	-	-	-	-	-	100.0	-	100.0	-	-	100.0	-	100.0	-	100.0
Don't know	2	-	-	-	-	-	1	-	1	1	1	-	-	2	1	1	-	2	1	1
	0.5	-	-	-	-	-	1.4	-	1.5	0.6	0.8	-	-	2.5	0.4	0.6	-	1.0	0.4	0.7
	100.0	-	-	-	-	-	50.0	-	50.0	50.0	50.0	-	-	100.0L	50.0	50.0	-	100.0	50.0	50.0
Sigma	531	17	109	96	83	29	88	21	88	230	148	153	423	101	328	191	269	239	327	192
	124.6	141.7	136.3	121.5	122.1	116.0	118.9	105.0	129.4	129.9	119.4	122.4	124.8	126.3	127.1	120.1	126.9	121.9	122.5	127.2
	100.0	3.2	20.5	18.1	15.6	5.5	16.6	4.0	16.6	43.3	27.9	28.8	79.7	19.0	61.8	36.0	50.7	45.0	61.6	36.2

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 31
Q.20 Does The Plumbing In Your Household Have Separate Wastewater Streams
For Graywater Versus Toilets, Or Not?

	REGION												MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE	
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK		SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER			
	TOTAL	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)		(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165		
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0		
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6		
No answer	19	1	5	3	3	1	1	-	5	7	8	4	11	8	11	8	3	9	11	3		
	3.9	7.1	5.6	3.1	3.9	3.3	1.2	-	6.3	3.4	5.7	2.7	2.9	8.0	3.8	4.2	1.3	4.0	3.5	1.8		
	100.0	5.3	26.3	15.8	15.8	5.3	5.3	-	26.3	36.8	42.1	21.1	57.9	42.1L	57.9	42.1	15.8	47.4	57.9	15.8		
Base: Total Answering	472	13**	84*	95*	74*	29**	81*	21**	75*	196	133	143	373	92*	280	182	237	215	299	162		
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0		
	100.0	2.8**	17.8*	20.1*	15.7*	6.1**	17.2*	4.4**	15.9*	41.5	28.2	30.3	79.0	19.5*	59.3	38.6	50.2	45.6	63.3	34.3		
Yes	141	2	13	32	15	10	41	9	19	50	35	56	117	21	100	40	108	29	77	61		
	29.9	15.4	15.5	33.7	20.3	34.5	50.6	42.9	25.3	25.5	26.3	39.2	31.4	22.8	35.7	22.0	45.6	13.5	25.8	37.7		
	100.0	1.4	9.2	22.7B	10.6	7.1	29.1BC	6.4	13.5	35.5	24.8	39.7I	83.0	14.9	70.9O	28.4	76.6Q	20.6	54.6	43.3R		
							DH					J										
No	331	11	71	63	59	19	40	12	56	146	98	87	256	71	180	142	129	186	222	101		
	70.1	84.6	84.5	66.3	79.7	65.5	49.4	57.1	74.7	74.5	73.7	60.8	68.6	77.2	64.3	78.0	54.4	86.5	74.2	62.3		
	100.0	3.3	21.5C	19.0F	17.8F	5.7	12.1	3.6	16.9F	44.1K	29.6K	26.3	77.3	21.5	54.4	42.9N	39.0	56.2P	67.1S	30.5		
			F																			
Sigma	472	13	84	95	74	29	81	21	75	196	133	143	373	92	280	182	237	215	299	162		
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0		
	100.0	2.8	17.8	20.1	15.7	6.1	17.2	4.4	15.9	41.5	28.2	30.3	79.0	19.5	59.3	38.6	50.2	45.6	63.3	34.3		

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 32
Q.21 For Outside Use Of Graywater, Is The Graywater Distribution System Above Ground, Under Ground Or Both?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER	
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	112	7	34	16	22	4	9	3	17	54	34	24	89	23	46	63	35	65	80	23
	22.8	50.0	38.2	16.3	28.6	13.3	11.0	14.3	21.3	26.6	24.1	16.3	23.2	23.0	15.8	33.2	14.6	29.0	25.8	13.9
	100.0	6.3	30.4C	14.3	19.6F	3.6	8.0	2.7	15.2	48.2K	30.4	21.4	79.5	20.5	41.1	56.3N	31.3	58.0P	71.4S	20.5
			EFH																	
Base: Total Answering	379	7**	55*	82*	55*	26**	73*	18**	63*	149	107	123	295	77*	245	127	205	159	230	142
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	1.8**	14.5*	21.6*	14.5*	6.9**	19.3*	4.7**	16.6*	39.3	28.2	32.5	77.8	20.3*	64.6	33.5	54.1	42.0	60.7	37.5
Above ground	291	7	46	53	44	16	57	16	52	115	86	90	225	60	179	107	141	139	190	97
	76.8	100.0	83.6	64.6	80.0	61.5	78.1	88.9	82.5	77.2	80.4	73.2	76.3	77.9	73.1	84.3	68.8	87.4	82.6	68.3
	100.0	2.4	15.8C	18.2	15.1	5.5	19.6	5.5	17.9C	39.5	29.6	30.9	77.3	20.6	61.5	36.8N	48.5	47.8P	65.3S	33.3
Under ground	32	-	5	10	5	5	6	-	1	10	8	14	26	6	26	6	23	8	19	13
	8.4	-	9.1	12.2	9.1	19.2	8.2	-	1.6	6.7	7.5	11.4	8.8	7.8	10.6	4.7	11.2	5.0	8.3	9.2
	100.0	-	15.6	31.3H	15.6	15.6	18.8	-	3.1	31.3	25.0	43.8	81.3	18.8	81.3	18.8	71.9Q	25.0	59.4	40.6
Both	56	-	4	19	6	5	10	2	10	24	13	19	44	11	40	14	41	12	21	32
	14.8	-	7.3	23.2	10.9	19.2	13.7	11.1	15.9	16.1	12.1	15.4	14.9	14.3	16.3	11.0	20.0	7.5	9.1	22.5
	100.0	-	7.1	33.9B	10.7	8.9	17.9	3.6	17.9	42.9	23.2	33.9	78.6	19.6	71.4	25.0	73.2Q	21.4	37.5	57.1R
Sigma	379	7	55	82	55	26	73	18	63	149	107	123	295	77	245	127	205	159	230	142
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	1.8	14.5	21.6	14.5	6.9	19.3	4.7	16.6	39.3	28.2	32.5	77.8	20.3	64.6	33.5	54.1	42.0	60.7	37.5

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 33
Q.22 Which Of The Following Features, If Any, Does Your Household's
Graywater Handling/Treatment System Have?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	RENT/ LEASE /OTHR	AT	LESS	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER
		ENG- LAND	ATL- ANTIC												LEAST	THAN				
		(A)	(B)												(C)	(D)				

Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	48	1	9	10	9	3	6	1	9	16	18	14	39	9	28	19	17	20	30	10
	9.8	7.1	10.1	10.2	11.7	10.0	7.3	4.8	11.3	7.9	12.8	9.5	10.2	9.0	9.6	10.0	7.1	8.9	9.7	6.1
	100.0	2.1	18.8	20.8	18.8	6.3	12.5	2.1	18.8	33.3	37.5	29.2	81.3	18.8	58.3	39.6	35.4	41.7	62.5	20.8
Base: Total Answering	443	13**	80*	88*	68*	27**	76*	20**	71*	187	123	133	345	91*	263	171	223	204	280	155
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	19.9*	15.3*	6.1**	17.2*	4.5**	16.0*	42.2	27.8	30.0	77.9	20.5*	59.4	38.6	50.3	46.0	63.2	35.0
Any Features (Net)	234	1	42	50	24	14	56	10	37	93	68	73	188	42	165	64	142	87	134	96
	52.8	7.7	52.5	56.8	35.3	51.9	73.7	50.0	52.1	49.7	55.3	54.9	54.5	46.2	62.7	37.4	63.7	42.6	47.9	61.9
	100.0	0.4	17.9D	21.4D	10.3	6.0	23.9BC	4.3	15.8D	39.7	29.1	31.2	80.3	17.9	70.5D	27.4	60.7Q	37.2	57.3	41.0R
DH																				
Aeration	11	-	3	1	-	1	2	1	3	6	2	3	11	-	10	1	8	3	6	5
	2.5	-	3.8	1.1	-	3.7	2.6	5.0	4.2	3.2	1.6	2.3	3.2	-	3.8	0.6	3.6	1.5	2.1	3.2
	100.0	-	27.3	9.1	-	9.1	18.2	9.1	27.3	54.5	18.2	27.3	100.0	-	90.9D	9.1	72.7	27.3	54.5	45.5
Cistern (underground tank for storing water)	8	-	1	3	-	2	1	-	1	4	2	2	6	2	7	1	6	2	3	4
	1.8	-	1.3	3.4	-	7.4	1.3	-	1.4	2.1	1.6	1.5	1.7	2.2	2.7	0.6	2.7	1.0	1.1	2.6
	100.0	-	12.5	37.5	-	25.0	12.5	-	12.5	50.0	25.0	25.0	75.0	25.0	87.5	12.5	75.0	25.0	37.5	50.0
Coagulation (helps clump together particles in the graywater)	1	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	1	-	-	1
	0.2	-	-	-	-	-	-	-	1.4	-	0.8	-	0.3	-	0.4	-	0.4	-	-	0.6
	100.0	-	-	-	-	-	-	-	100.0	-	100.0	-	100.0	-	100.0	-	100.0	-	-	100.0
Collection tank	39	-	10	10	5	1	4	3	6	20	11	8	29	9	24	14	19	18	24	14
	8.8	-	12.5	11.4	7.4	3.7	5.3	15.0	8.5	10.7	8.9	6.0	8.4	9.9	9.1	8.2	8.5	8.8	8.6	9.0
	100.0	-	25.6	25.6	12.8	2.6	10.3	7.7	15.4	51.3	28.2	20.5	74.4	23.1	61.5	35.9	48.7	46.2	61.5	35.9

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 33
Q.22 Which Of The Following Features, If Any, Does Your Household's
Graywater Handling/Treatment System Have?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
									SUB-				RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WATER	VATE WELL WATER	
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL									
	TOTAL	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Answering	443	13**	80*	88*	68*	27**	76*	20**	71*	187	123	133	345	91*	263	171	223	204	280	155
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	19.9*	15.3*	6.1**	17.2*	4.5**	16.0*	42.2	27.8	30.0	77.9	20.5*	59.4	38.6	50.3	46.0	63.2	35.0
Disinfection	7	-	1	2	-	1	2	-	1	3	3	1	5	2	6	1	4	3	6	1
	1.6	-	1.3	2.3	-	3.7	2.6	-	1.4	1.6	2.4	0.8	1.4	2.2	2.3	0.6	1.8	1.5	2.1	0.6
	100.0	-	14.3	28.6	-	14.3	28.6	-	14.3	42.9	42.9	14.3	71.4	28.6	85.7	14.3	57.1	42.9	85.7	14.3
Filtration	21	-	5	3	2	-	3	1	7	13	4	4	17	3	14	6	12	7	11	9
	4.7	-	6.3	3.4	2.9	-	3.9	5.0	9.9	7.0	3.3	3.0	4.9	3.3	5.3	3.5	5.4	3.4	3.9	5.8
	100.0	-	23.8	14.3	9.5	-	14.3	4.8	33.3	61.9	19.0	19.0	81.0	14.3	66.7	28.6	57.1	33.3	52.4	42.9
Hose connected to source of graywater (i.e. washing machine)	153	1	24	35	15	3	40	7	28	62	45	46	125	25	108	41	98	52	92	59
	34.5	7.7	30.0	39.8	22.1	11.1	52.6	35.0	39.4	33.2	36.6	34.6	36.2	27.5	41.1	24.0	43.9	25.5	32.9	38.1
	100.0	0.7	15.7	22.90	9.8	2.0	26.18D	4.6	18.3D	40.5	29.4	30.1	81.7	16.3	70.60	26.8	64.1Q	34.0	60.1	38.6
Recirculating pump	8	-	1	2	1	-	1	-	3	3	4	1	5	3	4	3	4	4	4	3
	1.8	-	1.3	2.3	1.5	-	1.3	-	4.2	1.6	3.3	0.8	1.4	3.3	1.5	1.8	1.8	2.0	1.4	1.9
	100.0	-	12.5	25.0	12.5	-	12.5	-	37.5	37.5	50.0	12.5	62.5	37.5	50.0	37.5	50.0	50.0	50.0	37.5
Separate plumbing	43	-	4	9	1	4	15	5	5	14	12	17	35	6	35	6	32	9	19	22
	9.7	-	5.0	10.2	1.5	14.8	19.7	25.0	7.0	7.5	9.8	12.8	10.1	6.6	13.3	3.5	14.3	4.4	6.8	14.2
	100.0	-	9.3	20.90	2.3	9.3	34.9B	11.6	11.6	32.6	27.9	39.5	81.4	14.0	81.40	14.0	74.4Q	20.9	44.2	51.2R
							DH													
Storage/holding tank	41	-	10	8	8	3	4	1	7	19	11	11	27	14	29	11	23	17	21	19
	9.3	-	12.5	9.1	11.8	11.1	5.3	5.0	9.9	10.2	8.9	8.3	7.8	15.4	11.0	6.4	10.3	8.3	7.5	12.3
	100.0	-	24.4	19.5	19.5	7.3	9.8	2.4	17.1	46.3	26.8	26.8	65.9	34.1L	70.7	26.8	56.1	41.5	51.2	46.3
Buckets	8	-	3	2	2	-	-	-	1	3	2	3	7	1	5	3	5	3	3	4
	1.8	-	3.8	2.3	2.9	-	-	-	1.4	1.6	1.6	2.3	2.0	1.1	1.9	1.8	2.2	1.5	1.1	2.6
	100.0	-	37.5	25.0	25.0	-	-	-	12.5	37.5	25.0	37.5	87.5	12.5	62.5	37.5	62.5	37.5	37.5	50.0

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 33
Q.22 Which Of The Following Features, If Any, Does Your Household's
Graywater Handling/Treatment System Have?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- -WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT	LESS	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL
		ENG- LAND	ATL- ANTIC											LEAST	THAN				
		(A)	(B)											(C)	(D)				

Base: Total Answering	443	13**	80*	88*	68*	27**	76*	20**	71*	187	123	133	345	91*	263	171	223	204	280	155
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	19.9*	15.3*	6.1**	17.2*	4.5**	16.0*	42.2	27.8	30.0	77.9	20.5*	59.4	38.6	50.3	46.0	63.2	35.0
Pipe/PVC pipe	2	-	-	1	-	1	-	-	-	-	1	1	2	-	1	1	2	-	-	2
	0.5	-	-	1.1	-	3.7	-	-	-	-	0.8	0.8	0.6	-	0.4	0.6	0.9	-	-	1.3
	100.0	-	-	50.0	-	50.0	-	-	-	-	50.0	50.0	100.0	-	50.0	50.0	100.0	-	-	100.0
Other	13	-	3	-	2	4	3	-	1	4	2	7	11	2	8	4	4	8	10	3
	2.9	-	3.8	-	2.9	14.8	3.9	-	1.4	2.1	1.6	5.3	3.2	2.2	3.0	2.3	1.8	3.9	3.6	1.9
	100.0	-	23.1	-	15.4	30.8	23.1	-	7.7	30.8	15.4	53.8	84.6	15.4	61.5	30.8	30.8	61.5	76.9	23.1
<u>Hose Only</u>	101	1	16	23	11	1	31	4	14	39	32	30	81	18	71	28	64	35	60	41
	22.8	7.7	20.0	26.1	16.2	3.7	40.8	20.0	19.7	20.9	26.0	22.6	23.5	19.8	27.0	16.4	28.7	17.2	21.4	26.5
	100.0	1.0	15.8	22.8	10.9	1.0	30.7BC	4.0	13.9	38.6	31.7	29.7	80.2	17.8	70.30	27.7	63.4Q	34.7	59.4	40.6
							DH													
<u>Complex (Net)</u>	133	-	26	27	13	13	25	6	23	54	36	43	107	24	94	36	78	52	74	55
	30.0	-	32.5	30.7	19.1	48.1	32.9	30.0	32.4	28.9	29.3	32.3	31.0	26.4	35.7	21.1	35.0	25.5	26.4	35.5
	100.0	-	19.5	20.3	9.8	9.8	18.8	4.5	17.3	40.6	27.1	32.3	80.5	18.0	70.70	27.1	58.6Q	39.1	55.6	41.4R
None	209	12	38	38	44	13	20	10	34	94	55	60	157	49	98	107	81	117	146	59
	47.2	92.3	47.5	43.2	64.7	48.1	26.3	50.0	47.9	50.3	44.7	45.1	45.5	53.8	37.3	62.6	36.3	57.4	52.1	38.1
	100.0	5.7	18.2F	18.2F	21.1BC	6.2	9.6	4.8	16.3F	45.0	26.3	28.7	75.1	23.4	46.9	51.2N	38.8	56.0P	69.9S	28.2
							FH													
Sigma	564	13	103	114	80	33	95	28	98	245	155	164	438	116	350	199	299	243	345	205
	127.3	100.0	128.8	129.5	117.6	122.2	125.0	140.0	138.0	131.0	126.0	123.3	127.0	127.5	133.1	116.4	134.1	119.1	123.2	132.3
	100.0	2.3	18.3	20.2	14.2	5.9	16.8	5.0	17.4	43.4	27.5	29.1	77.7	20.6	62.1	35.3	53.0	43.1	61.2	36.3

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 34
Q.23 How Many Gallons Does The Graywater Treatment System In Your Household Store?

	TOTAL	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
		NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Specified Features Of Graywater Handling/Treatment System	234 100.0 100.0	1** 100.0** 0.4**	42* 100*100.0* 17.9*	50* 100.0*100.0* 21.4*	24** 100.0** 10.3**	14** 100** 6.0**	56* 100*100.0** 23.9*	10** 100** 4.3**	37* 100.0*100.0* 15.8*	93* 100.0*100.0* 39.7*	68* 100.0*100.0* 29.1*	73* 100.0*100.0* 31.2*	188 100.0 80.3	42* 100.0 17.9*	165 100.0 70.5	64* 100.0*100.0 27.4*	142 100.0 60.7	87* 100.0*100.0 37.2*	134 100.0 57.3	96* 100.0 41.0*
No answer	102 43.6 100.0	- 38.1 -	16 42.0 15.7	21 16.7 20.6	4 57.1 3.9	8 57.1 7.8	32 40.0 31.4	4 45.9 3.9	17 38.7 16.7	36 44.1 35.3	30 49.3 29.4	36 44.1 35.3	83 44.1 81.4	16 38.1 15.7	75 45.5 73.5	25 39.1 24.5	68 47.9 66.7	32 36.8 31.4	62 46.3 60.8	39 40.6 38.2
Base: Total Answering	132 100.0 100.0	1** 100.0** 0.8**	26** 100** 19.7**	29** 100** 22.0**	20** 100** 15.2**	6** 100** 4.5**	24** 100** 18.2**	6** 100** 4.5**	20** 100** 15.2**	57* 100.0*100.0* 43.2*	38* 100.0*100.0* 28.8*	37* 100.0*100.0* 28.0*	105 100.0 79.5	26** 100.0** 19.7**	90* 100*100.0* 68.2*	39* 100.0*100.0* 29.5*	74* 100.0*100.0* 56.1*	55* 100.0*100.0* 41.7*	72* 100.0*100.0* 54.5*	57* 100.0*100.0* 43.2*
0	40 30.3 100.0	1 100.0 2.5	3 11.5 7.5	9 31.0 22.5	2 10.0 5.0	1 16.7 2.5	15 62.5 37.5	3 50.0 7.5	6 30.0 15.0	14 24.6 35.0	11 28.9 27.5	15 40.5 37.5	33 31.4 82.5	6 23.1 15.0	32 35.6 80.0	8 20.5 20.0	29 39.2 72.5	10 18.2 25.0	20 27.8 50.0	19 33.3 47.5
1 - 9	17 12.9 100.0	- 7.7 -	2 3.4 11.8	1 20.0 5.9	4 50.0 23.5	3 8.3 17.6	2 8.3 11.8	- 25.0 -	5 10.5 29.4	6 18.4 35.3	7 10.8 41.2	4 10.5 23.5	11 23.1 64.7	6 23.1 35.3	9 10.0 52.9	7 17.9 41.2	7 9.5 58.8	10 18.2 58.8	10 13.9 58.8	7 12.3 41.2
10 - 29	22 16.7 100.0	- 19.2 -	5 27.6 36.4	8 25.0 22.7	5 - -	1 4.2 4.5	- - -	3 15.0 13.6	11 19.3 50.0	6 15.8 27.3	5 13.5 22.7	20 19.0 90.9	2 7.7 9.1	15 16.7 68.2	7 17.9 31.8	10 13.5 45.5	12 21.8 54.5	15 20.8 68.2	6 10.5 27.3	
30 - 49	18 13.6 100.0	- 38.5 -	10 10.3 55.6	3 10.0 16.7	2 - -	1 4.2 5.6	2 33.3 11.1	- 19.3 61.1	11 13.2 27.8	5 5.4 11.1	2 15.2 27.8	16 15.2 88.9	2 7.7 11.1	7 7.8 38.9	10 25.6 55.6	6 8.1 33.3	11 20.0 61.1	10 13.9 55.6	8 14.0 44.4	
50 or more	35 26.5 100.0	- 23.1 -	6 27.6 17.1	8 35.0 22.9	7 33.3 20.0	2 20.8 5.7	5 16.7 14.3	1 30.0 2.9	6 26.3 17.1	15 23.7 42.9	9 29.7 25.7	11 23.8 31.4	25 38.5 71.4	10 30.0 28.6	27 17.9 77.1	7 29.7 20.0	22 21.8 62.9	12 23.6 34.3	17 29.8 48.6	17 48.6 48.6

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 34
Q.23 How Many Gallons Does The Graywater Treatment System In Your Household Store?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW	MID-	SOUTH	GREAT	MID-	SOUTH	ROCKY	URBAN	URBAN	RURAL		RENT/ LEASE /OTHR	AT	LESS	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
		ENG- LAND	ATL- ANTIC		-EAST	LAKES		WEST		-WEST				TAIN	WEST					LARGE MSAS
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	132	1**	26**	29**	20**	6**	24**	6**	20**	57*	38*	37*	105	26**	90*	39*	74*	55*	72*	57*
	100.0	100.0**	100**	100**	100**	100**	100**	100**	100**	100*	100.0*	100.0*	100.0	100.0**	100*100.0*	100.0*	100.0*	100.0*	100.0*	100.0*
	100.0	0.8**	19.7**	22.0**	15.2**	4.5**	18.2**	4.5**	15.2**	43.2*	28.8*	28.0*	79.5	19.7**	68.2*	29.5*	56.1*	41.7*	54.5*	43.2*
Sigma	132	1	26	29	20	6	24	6	20	57	38	37	105	26	90	39	74	55	72	57
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	0.8	19.7	22.0	15.2	4.5	18.2	4.5	15.2	43.2	28.8	28.0	79.5	19.7	68.2	29.5	56.1	41.7	54.5	43.2
Mean Base (Including Zero)	132	1	26	29	20	6	24	6	20	57	38	37	105	26	90	39	74	55	72	57
Mean (Including Zero)	160.6	0.0	224.2	33.4	128.9	55.5	320.8	513.3	35.5	273.6	110.6	37.8	190.4	46.3	190.4	100.6	201.5	112.5	194.9	124.4
Std. Deviation	801.5	-	974.9	47.3	441.4	89.4	1425.1	11218.4	72.0	1148.7	484.3	75.3	896.2	82.8	919.4	477.5	989.7	478.4	915.7	660.2
Std. Error	69.8	-	191.2	8.8	98.7	36.5	290.9	497.4	16.1	152.2	78.6	12.4	87.5	16.2	96.9	76.5	115.0	64.5	107.9	87.4
Mean Base (Excluding Zero)	92	-	23	20	18	5	9	3	14	43	27	22	72	20	58	31	45	45P	52	38
Mean (Excluding Zero)	230.4	-	253.4	48.4	143.2	66.6	855.6	1026.7	50.7	362.7	155.6	63.6	277.7	60.3	295.5	126.5	331.3	137.5	269.9	186.7
Std. Deviation	953.2	-	1035.5	50.3	464.3	95.2	2307.5	1709.0	82.1	11313.9	571.4	89.4	1073.3	90.2	1135.0	534.2	1257.4	526.6	1070.9	804.8
Std. Error	99.4	-	215.9	11.2	109.4	42.6	769.2	986.7	21.9	200.4	110.0	19.1	126.5	20.2	149.0	95.9	187.4	78.5	148.5	130.6

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 35
Q.24 How Long Is Graywater Stored In Your Household's Graywater Treatment
System Before It Is Reused?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL		
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)		(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)
Base: Specified Features Of Graywater Handling/Treatment System	234 100.0 100.0	1** 100.0** 0.4**	42* 100*100.0* 17.9*	50* 100.0** 21.4*	24** 100.0** 10.3**	14** 100** 6.0**	56* 100*100.0** 23.9*	10** 100.0** 4.3**	37* 100*100.0* 15.8*	93* 100.0*100.0* 39.7*	68* 100.0*100.0* 29.1*	73* 100.0*100.0* 31.2*	188 100.0 80.3	42* 100.0*100.0 17.9*	165 100.0*100.0 70.5	64* 100.0*100.0 27.4*	142 100.0*100.0 60.7	87* 100.0*100.0 37.2*	134 100.0*100.0 57.3	96* 100.0* 41.0*
No answer	24 10.3 100.0	- 7.1 -	3 10.0 12.5	5 12.5 20.8	3 12.5 12.5	3 14.3 33.3	8 14.3 33.3	- 5.4 8.3	2 8.6 33.3	8 4.4 12.5	3 17.8 54.2	13 11.2 J	21 87.5	3 7.1 12.5	17 10.3 70.8	7 10.9 29.2	16 11.3 66.7	7 8.0 29.2	12 9.0 50.0	11 11.5 45.8
Base: Total Answering	210 100.0 100.0	1** 100.0** 0.5**	39* 100*100.0* 18.6*	45* 100.0** 21.4*	21** 100.0** 10.0**	11** 100** 5.2**	48* 100*100.0** 22.9*	10** 100.0** 4.8**	35* 100*100.0* 16.7*	85* 100.0*100.0* 40.5*	65* 100.0*100.0* 31.0*	60* 100.0*100.0* 28.6*	167 100.0 79.5	39* 100.0*100.0 18.6*	148 100.0*100.0 70.5	57* 100.0*100.0 27.1*	126 100.0*100.0 60.0	80* 100.0*100.0 38.1*	122 100.0*100.0 58.1	85* 100.0* 40.5*
One Week Or Less (Net)	59 28.1 100.0	- 43.6 -	17 31.1 28.8	14 33.3 F	7 36.4 F	4 8.3 6.8	4 20.0 6.8	2 31.4 3.4	11 31.8 18.6	27 27.7 F	18 23.3 45.8	14 23.7 30.5	47 28.1 79.7	12 30.8 20.3	32 21.6 54.2	26 45.6 44.1	35 27.8 N	23 28.8 59.3	30 24.6 39.0	29 34.1 49.2
Less than one week	50 23.8 100.0	- 33.3 -	13 26.7 26.0	12 23.8 F	5 36.4 F	4 6.3 10.0	3 20.0 8.0	2 31.4 6.0	11 25.9 4.0	22 23.1 22.0	15 21.7 F	13 24.6 44.0	41 23.1 30.0	9 16.9 26.0	25 42.1 82.0	24 23.0 18.0	29 25.0 50.0	20 22.1 48.0	27 27.1 ON	23 46.0 58.0
One week	9 4.3 100.0	- 10.3 -	4 4.4 44.4	2 9.5 22.2	2 - 22.2	- 2.1 -	1 - 11.1	- - -	5 5.9 55.6	3 4.6 33.3	1 1.7 11.1	6 3.6 66.7	3 7.7 33.3	7 4.7 77.8	3 3.5 22.2	2 4.8 66.7	6 3.8 33.3	3 2.5 33.3	3 7.1 66.7	6 -
Two Weeks Or Longer (Net)	11 5.2 100.0	- 5.1 -	2 4.4 18.2	2 23.8 18.2	5 - 45.5	- 2.1 -	1 10.0 9.1	1 - 9.1	3 3.5 27.3	6 9.2 54.5	2 3.3 18.2	7 4.2 63.6	4 10.3 36.4	8 5.4 72.7	2 3.5 18.2	5 4.0 45.5	6 7.5 54.5	6 4.9 54.5	5 5.9 45.5	5 -
Two weeks	4 1.9 100.0	- 2.6 -	1 - 25.0	1 4.8 25.0	- 2.1 -	1 10.0 25.0	1 - 25.0	- 1.2 -	1 4.6 25.0	3 - 75.0	- 1.8 -	3 2.6 75.0	1 2.0 25.0	3 1.8 75.0	1 0.8 25.0	1 3.8 75.0	3 2.5 75.0	3 1.2 25.0	1 -	1 -

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 35
Q.24 How Long Is Graywater Stored In Your Household's Graywater Treatment
System Before It Is Reused?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
													AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL		
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	RENT/ LEASE /OTHR	OWN	RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL
	TOTAL	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Answering	210	1**	39*	45*	21**	11**	48*	10**	35*	85*	65*	60*	167	39*	148	57*	126	80*	122	85*
	100.0	100.0**	100*	100.0*	100.0**	100**	100*	100.0**	100*	100.0*	100.0*	100.0*	100.0	100.0*	100.0	100.0*	100.0*	100.0*	100.0*	100.0*
	100.0	0.5**	18.6*	21.4*	10.0**	5.2**	22.9*	4.8**	16.7*	40.5*	31.0*	28.6*	79.5	18.6*	70.5	27.1*	60.0	38.1*	58.1	40.5*
Three weeks	2	-	-	1	1	-	-	-	-	-	1	1	1	1	1	1	2	-	1	1
	1.0	-	-	2.2	4.8	-	-	-	-	-	1.5	1.7	0.6	2.6	0.7	1.8	1.6	-	0.8	1.2
	100.0	-	-	50.0	50.0	-	-	-	-	-	50.0	50.0	50.0	50.0	50.0	50.0	100.0	-	50.0	50.0
A month or longer	5	-	1	1	3	-	-	-	-	2	2	1	3	2	4	-	2	3	2	3
	2.4	-	2.6	2.2	14.3	-	-	-	-	2.4	3.1	1.7	1.8	5.1	2.7	-	1.6	3.8	1.6	3.5
	100.0	-	20.0	20.0	60.0	-	-	-	-	40.0	40.0	20.0	60.0	40.0	80.0	-	40.0	60.0	40.0	60.0
Don't know how long it's stored	5	-	2	1	-	-	2	-	-	1	2	2	2	3	4	1	3	2	3	2
	2.4	-	5.1	2.2	-	-	4.2	-	-	1.2	3.1	3.3	1.2	7.7	2.7	1.8	2.4	2.5	2.5	2.4
	100.0	-	40.0	20.0	-	-	40.0	-	-	20.0	40.0	40.0	40.0	60.0L	80.0	20.0	60.0	40.0	60.0	40.0
Do not store graywater, it is used as soon as it is produced	135	1	18	28	9	7	41	7	24	54	39	42	111	20	104	28	83	49	83	49
	64.3	100.0	46.2	62.2	42.9	63.6	85.4	70.0	68.6	63.5	60.0	70.0	66.5	51.3	70.3	49.1	65.9	61.3	68.0	57.6
	100.0	0.7	13.3	20.7	6.7	5.2	30.48C	5.2	17.8	40.0	28.9	31.1	82.2	14.8	77.00	20.7	61.5	36.3	61.5	36.3
Sigma	210	1	39	45	21	11	48	10	35	85	65	60	167	39	148	57	126	80	122	85
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	0.5	18.6	21.4	10.0	5.2	22.9	4.8	16.7	40.5	31.0	28.6	79.5	18.6	70.5	27.1	60.0	38.1	58.1	40.5

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 36
Q.25 Rating Of Complexity Of Graywater Reuse System

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE				
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB- URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	RENT/ LEASE /OTHR	OWN	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WATER	VATE WELL WATER
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)			
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165	
	100.0	100.0**	100*100.0	100.0*100.0	100.0*100.0	100.0*100.0	100.0**	100*100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6	
No answer	46	1	14	12	5	3	5	-	6	17	12	17	36	10	22	24	13	23	33	7	
	9.4	7.1	15.7	12.2	6.5	10.0	6.1	-	7.5	8.4	8.5	11.6	9.4	10.0	7.6	12.6	5.4	10.3	10.6	4.2	
	100.0	2.2	30.4F	26.1	10.9	6.5	10.9	-	13.0	37.0	26.1	37.0	78.3	21.7	47.8	52.2	28.3	50.0	71.7S	15.2	
Base: Total Answering	445	13**	75*	86*	72*	27**	77*	21**	74*	186	129	130	348	90*	269	166	227	201	277	158	
	100.0	100.0**	100*100.0	100.0*100.0	100.0**	100*100.0	100.0**	100*100.0	100.0	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0	
	100.0	2.9**	16.9*	19.3*	16.2*	6.1**	17.3*	4.7**	16.6*	41.8	29.0	29.2	78.2	20.2*	60.4	37.3	51.0	45.2	62.2	35.5	
Complex (Net)	27	-	5	6	-	3	7	2	4	12	6	9	22	5	20	6	20	7	15	12	
	6.1	-	6.7	7.0	-	11.1	9.1	9.5	5.4	6.5	4.7	6.9	6.3	5.6	7.4	3.6	8.8	3.5	5.4	7.6	
	100.0	-	18.5D	22.2D	-	11.1	25.9D	7.4	14.8D	44.4	22.2	33.3	81.5	18.5	74.1	22.2	74.1Q	25.9	55.6	44.4	
5	15	-	1	5	-	2	4	-	3	6	3	6	14	1	10	4	12	3	10	5	
	3.4	-	1.3	5.8	-	7.4	5.2	-	4.1	3.2	2.3	4.6	4.0	1.1	3.7	2.4	5.3	1.5	3.6	3.2	
	100.0	-	6.7	33.3D	-	13.3	26.7	-	20.0	40.0	20.0	40.0	93.3	6.7	66.7	26.7	80.0Q	20.0	66.7	33.3	
4	12	-	4	1	-	1	3	2	1	6	3	3	8	4	10	2	8	4	5	7	
	2.7	-	5.3	1.2	-	3.7	3.9	9.5	1.4	3.2	2.3	2.3	2.3	4.4	3.7	1.2	3.5	2.0	1.8	4.4	
	100.0	-	33.3D	8.3	-	8.3	25.0	16.7	8.3	50.0	25.0	25.0	66.7	33.3	83.3	16.7	66.7	33.3	41.7	58.3	
3	29	-	3	5	5	1	9	1	5	8	14	7	24	5	22	7	24	3	18	11	
	6.5	-	4.0	5.8	6.9	3.7	11.7	4.8	6.8	4.3	10.9	5.4	6.9	5.6	8.2	4.2	10.6	1.5	6.5	7.0	
	100.0	-	10.3	17.2	17.2	3.4	31.0	3.4	17.2	27.6	48.31	24.1	82.8	17.2	75.9	24.1	82.8Q	10.3	62.1	37.9	
Basic (Net)	389	13	67	75	67	23	61	18	65	166	109	114	302	80	227	153	183	191	244	135	
	87.4	100.0	89.3	87.2	93.1	85.2	79.2	85.7	87.8	89.2	84.5	87.7	86.8	88.9	84.4	92.2	80.6	95.0	88.1	85.4	
	100.0	3.3	17.2	19.3	17.2F	5.9	15.7	4.6	16.7	42.7	28.0	29.3	77.6	20.6	58.4	39.3N	47.0	49.1P	62.7	34.7	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 36
Q.25 Rating Of Complexity Of Graywater Reuse System

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB- URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	RENT/ LEASE /OTHR	AT	LESS	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER
															LEAST	THAN				
															ONCE A WK.	ONCE A WK.				
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	445	13**	75*	86*	72*	27**	77*	21**	74*	186	129	130	348	90*	269	166	227	201	277	158
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	16.9*	19.3*	16.2*	6.1**	17.3*	4.7**	16.6*	41.8	29.0	29.2	78.2	20.2*	60.4	37.3	51.0	45.2	62.2	35.5
2	53	-	5	17	3	3	13	2	10	19	17	17	41	11	42	11	36	16	29	23
	11.9	-	6.7	19.8	4.2	11.1	16.9	9.5	13.5	10.2	13.2	13.1	11.8	12.2	15.6	6.6	15.9	8.0	10.5	14.6
	100.0	-	9.4	32.1BD	5.7	5.7	24.5D	3.8	18.9	35.8	32.1	32.1	77.4	20.8	79.20	20.8	67.9Q	30.2	54.7	43.4
1	336	13	62	58	64	20	48	16	55	147	92	97	261	69	185	142	147	175	215	112
	75.5	100.0	82.7	67.4	88.9	74.1	62.3	76.2	74.3	79.0	71.3	74.6	75.0	76.7	68.8	85.5	64.8	87.1	77.6	70.9
	100.0	3.9	18.5C	17.3	19.0CF	6.0	14.3	4.8	16.4	43.8	27.4	28.9	77.7	20.5	55.1	42.3N	43.8	52.1P	64.0	33.3
		F			H															
Sigma	445	13	75	86	72	27	77	21	74	186	129	130	348	90	269	166	227	201	277	158
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9	16.9	19.3	16.2	6.1	17.3	4.7	16.6	41.8	29.0	29.2	78.2	20.2	60.4	37.3	51.0	45.2	62.2	35.5
Mean Base	445	13	75	86	72	27	77	21	74	186	129	130	348	90	269	166	227	201	277	158
Mean	1.47	1.00	1.36	1.58D	1.18	1.59	1.73B	1.48	1.47D	1.41	1.51	1.49	1.49	1.41	1.580	1.28	1.69Q	1.23	1.43	1.54
							D													
Std. Deviation	0.97	0.00	0.90	1.07	0.54	1.22	1.14	0.98	0.98	0.96	0.94	1.03	1.01	0.87	1.04	0.81	1.13	0.71	0.96	1.02
Std. Error	0.05	0.00	0.10	0.12	0.06	0.23	0.13	0.21	0.11	0.07	0.08	0.09	0.05	0.09	0.06	0.06	0.08	0.05	0.06	0.08

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 37
Q.26 Does Your Household Have A Septic Tank Or Sewer?

	REGION											MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE	
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	SUB- URBAN SMALL MSAS	RURAL	OWN	RENT/ LEASE		AT	LESS	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER
		LAND	ATL- ANTIC											THAN ONCE		THAN ONCE					
		(A)	(B)											(C)		(D)	(E)				
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165	
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6	
No answer	27	-	6	4	6	4	1	2	4	9	12	6	18	9	15	10	-	-	14	4	
	5.5	-	6.7	4.1	7.8	13.3	1.2	9.5	5.0	4.4	8.5	4.1	4.7	9.0	5.2	5.3	-	-	4.5	2.4	
	100.0	-	22.2	14.8	22.2F	14.8F	3.7	7.4	14.8	33.3	44.4	22.2	66.7	33.3	55.6	37.0	-	-	51.9	14.8	
Base: Total Answering	464	14**	83*	94*	71*	26**	81*	19**	76*	194	129	141	366	91*	276	180	240	224	296	161	
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0	
	100.0	3.0**	17.9*	20.3*	15.3*	5.6**	17.5*	4.1**	16.4*	41.8	27.8	30.4	78.9	19.6*	59.5	38.8	51.7	48.3	63.8	34.7	
Septic tank	240	7	37	64	30	17	52	11	22	73	60	107	200	36	158	78	240	-	87	149	
	51.7	50.0	44.6	68.1	42.3	65.4	64.2	57.9	28.9	37.6	46.5	75.9	54.6	39.6	57.2	43.3	100.0	-	29.4	92.5	
	100.0	2.9	15.4H	26.7B	12.5	7.1	21.7BD	4.6	9.2	30.4	25.0	44.6I	83.3M	15.0	65.8O	32.5	100.0Q	-	36.3	62.1R	
				DH			H					J									
Sewer	224	7	46	30	41	9	29	8	54	121	69	34	166	55	118	102	-	224	209	12	
	48.3	50.0	55.4	31.9	57.7	34.6	35.8	42.1	71.1	62.4	53.5	24.1	45.4	60.4	42.8	56.7	-	100.0	70.6	7.5	
	100.0	3.1	20.5C	13.4	18.3CF	4.0	12.9	3.6	24.1B	54.0K	30.8K	15.2	74.1	24.6L	52.7	45.5N	-	100.0P	93.3S	5.4	
		F						CF													
Sigma	464	14	83	94	71	26	81	19	76	194	129	141	366	91	276	180	240	224	296	161	
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
	100.0	3.0	17.9	20.3	15.3	5.6	17.5	4.1	16.4	41.8	27.8	30.4	78.9	19.6	59.5	38.8	51.7	48.3	63.8	34.7	

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 39
Q.28 Does Your Household Have A Mechanical Water Softening System?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	SUB-				RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
									URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL									
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	10	-	2	1	2	2	-	-	3	5	4	1	6	4	5	4	1	2	1	-
	2.0	-	2.2	1.0	2.6	6.7	-	-	3.8	2.5	2.8	0.7	1.6	4.0	1.7	2.1	0.4	0.9	0.3	-
	100.0	-	20.0	10.0	20.0	20.0	-	-	30.0	50.0	40.0	10.0	60.0	40.0	50.0	40.0	10.0	20.0	10.0	-
Base: Total Answering	481	14**	87*	97*	75*	28**	82*	21**	77*	198	137	146	378	96*	286	186	239	222	309	165
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.2*	15.6*	5.8**	17.0*	4.4**	16.0*	41.2	28.5	30.4	78.6	20.0*	59.5	38.7	49.7	46.2	64.2	34.3
Yes	54	-	7	10	14	7	8	2	6	25	14	15	48	5	32	21	33	20	25	28
	11.2	-	8.0	10.3	18.7	25.0	9.8	9.5	7.8	12.6	10.2	10.3	12.7	5.2	11.2	11.3	13.8	9.0	8.1	17.0
	100.0	-	13.0	18.5	25.9	13.0	14.8	3.7	11.1	46.3	25.9	27.8	88.9	9.3	59.3	38.9	61.1	37.0	46.3	51.9
No	427	14	80	87	61	21	74	19	71	173	123	131	330	91	254	165	206	202	284	137
	88.8	100.0	92.0	89.7	81.3	75.0	90.2	90.5	92.2	87.4	89.8	89.7	87.3	94.8	88.8	88.7	86.2	91.0	91.9	83.0
	100.0	3.3	18.7	20.4	14.3	4.9	17.3	4.4	16.6	40.5	28.8	30.7	77.3	21.3	59.5	38.6	48.2	47.3	66.5	32.1
Sigma	481	14	87	97	75	28	82	21	77	198	137	146	378	96	286	186	239	222	309	165
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9	18.1	20.2	15.6	5.8	17.0	4.4	16.0	41.2	28.5	30.4	78.6	20.0	59.5	38.7	49.7	46.2	64.2	34.3

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 40
Q.29 Frequency Household Uses Bath/Shower

	REGION										MARKET SIZE			OWN/RENT RESIDENCE		FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE	
											SUB-					AT		LESS		PRI-	
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	OWN	RENT/ LEASE /OTHR	OWN	RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEPTIC TANK	SEWER	MUNI- CIPAL WATER	VATE CIPAL WELL WATER
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165	
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6	
No answer	8	-	2	2	3	-	-	-	1	3	4	1	5	3	5	2	2	3	3	2	
	1.6	-	2.2	2.0	3.9	-	-	-	1.3	1.5	2.8	0.7	1.3	3.0	1.7	1.1	0.8	1.3	1.0	1.2	
	100.0	-	25.0	25.0	37.5	-	-	-	12.5	37.5	50.0	12.5	62.5	37.5	62.5	25.0	25.0	37.5	37.5	25.0	
Base: Total Answering	483	14**	87*	96*	74*	30*	82*	21**	79*	200	137	146	379	97*	286	188	238	221	307	163	
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.0*	19.9*	15.3*	6.2*	17.0*	4.3**	16.4*	41.4	28.4	30.2	78.5	20.1*	59.2	38.9	49.3	45.8	63.6	33.7	
Once A Week Or More (Net)	478	14	86	96	73	29	81	21	78	197	136	145	374	97	282	187	237	218	304	162	
	99.0	100.0	98.9	100.0	98.6	96.7	98.8	100.0	98.7	98.5	99.3	99.3	98.7	100.0	98.6	99.5	99.6	98.6	99.0	99.4	
	100.0	2.9	18.0	20.1	15.3	6.1	16.9	4.4	16.3	41.2	28.5	30.3	78.2	20.3	59.0	39.1	49.6	45.6	63.6	33.9	
More than once a day (10)	226	5	49	52	28	13	38	9	32	98	64	64	176	45	141	81	112	107	149	70	
	46.8	35.7	56.3	54.2	37.8	43.3	46.3	42.9	40.5	49.0	46.7	43.8	46.4	46.4	49.3	43.1	47.1	48.4	48.5	42.9	
	100.0	2.2	21.7D	23.0D	12.4	5.8	16.8	4.0	14.2	43.4	28.3	28.3	77.9	19.9	62.4	35.8	49.6	47.3	65.9	31.0	
		H																			
Once a day (7)	178	5	21	33	31	14	32	10	32	70	49	59	136	40	99	76	93	72	108	67	
	36.9	35.7	24.1	34.4	41.9	46.7	39.0	47.6	40.5	35.0	35.8	40.4	35.9	41.2	34.6	40.4	39.1	32.6	35.2	41.1	
	100.0	2.8	11.8	18.5	17.4B	7.9B	18.0B	5.6	18.0B	39.3	27.5	33.1	76.4	22.5	55.6	42.7	52.2	40.4	60.7	37.6	
A few times a week (3.5)	68	3	16	11	13	2	9	2	12	27	20	21	56	12	40	27	30	35	43	23	
	14.1	21.4	18.4	11.5	17.6	6.7	11.0	9.5	15.2	13.5	14.6	14.4	14.8	12.4	14.0	14.4	12.6	15.8	14.0	14.1	
	100.0	4.4	23.5	16.2	19.1	2.9	13.2	2.9	17.6	39.7	29.4	30.9	82.4	17.6	58.8	39.7	44.1	51.5	63.2	33.8	
Once a week (1)	6	1	-	-	1	-	2	-	2	2	3	1	6	-	2	3	2	4	4	2	
	1.2	7.1	-	-	1.4	-	2.4	-	2.5	1.0	2.2	0.7	1.6	-	0.7	1.6	0.8	1.8	1.3	1.2	
	100.0	16.7	-	-	16.7	-	33.3	-	33.3	33.3	50.0	16.7	100.0	-	33.3	50.0	33.3	66.7	66.7	33.3	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 40
Q.29 Frequency Household Uses Bath/Shower

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Answering	483	14**	87*	96*	74*	30*	82*	21**	79*	200	137	146	379	97*	286	188	238	221	307	163
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.0*	19.9*	15.3*	6.2*	17.0*	4.3**	16.4*	41.4	28.4	30.2	78.5	20.1*	59.2	38.9	49.3	45.8	63.6	33.7
A few times a month (0.65)	1	-	-	-	-	1	-	-	-	1	-	-	1	-	1	-	-	1	1	-
	0.2	-	-	-	-	3.3	-	-	-	0.5	-	-	0.3	-	0.3	-	-	0.5	0.3	-
	100.0	-	-	-	-	100.0	-	-	-	100.0	-	-	100.0	-	100.0	-	-	100.0	100.0	-
Once a month (0.25)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Less often than once a month (0.1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Never (0)	4	-	1	-	1	-	1	-	1	2	1	1	4	-	3	1	1	2	2	1
	0.8	-	1.1	-	1.4	-	1.2	-	1.3	1.0	0.7	0.7	1.1	-	1.0	0.5	0.4	0.9	0.7	0.6
	100.0	-	25.0	-	25.0	-	25.0	-	25.0	50.0	25.0	25.0	100.0	-	75.0	25.0	25.0	50.0	50.0	25.0
Sigma	483	14	87	96	74	30	82	21	79	200	137	146	379	97	286	188	238	221	307	163
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9	18.0	19.9	15.3	6.2	17.0	4.3	16.4	41.4	28.4	30.2	78.5	20.1	59.2	38.9	49.3	45.8	63.6	33.7
Mean Base (Including Never)	483	14	87	96	74	30	82	21	79	200	137	146	379	97	286	188	238	221	307	163
Mean (Including Never)	7.77	6.89	7.97	8.22D	7.34	7.86	7.77	7.95	7.44	7.84	7.71	7.72	7.69	7.96	7.85	7.66	7.89	7.70	7.82	7.68
				H																
Std. Deviation	2.51	3.01	2.65	2.20	2.58	2.35	2.54	2.08	2.63	2.54	2.59	2.41	2.59	2.20	2.52	2.46	2.35	2.67	2.52	2.43
Std. Error	0.11	0.80	0.28	0.22	0.30	0.43	0.28	0.45	0.30	0.18	0.22	0.20	0.13	0.22	0.15	0.18	0.15	0.18	0.14	0.19

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 40
Q.29 Frequency Household Uses Bath/Shower

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	RENT/ LEASE /OTHR	AT	LESS	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WATER	VATE WELL WATER
		ENG-	ATL-									LEAST			THAN					
		LAND	ANTIC									ONCE			ONCE					
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	483	14**	87*	96*	74*	30*	82*	21**	79*	200	137	146	379	97*	286	188	238	221	307	163
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.0*	19.9*	15.3*	6.2*	17.0*	4.3**	16.4*	41.4	28.4	30.2	78.5	20.1*	59.2	38.9	49.3	45.8	63.6	33.7
Mean Base (Excluding Never)	479	14	86	96	73	30	81	21	78	198	136	145	375	97	283	187	237	219	305	162
Mean (Excluding Never)	7.83	6.89	8.06	8.22	7.45	7.86	7.87	7.95	7.54	7.91	7.76	7.78	7.77	7.96	7.94	7.70	7.92	7.77	7.87	7.73
Std. Deviation	2.42	3.01	2.52	2.20	2.45	2.35	2.41	2.08	2.51	2.43	2.51	2.33	2.48	2.20	2.40	2.41	2.30	2.58	2.45	2.36
Std. Error	0.11	0.80	0.27	0.22	0.29	0.43	0.27	0.45	0.28	0.17	0.22	0.19	0.13	0.22	0.14	0.18	0.15	0.17	0.14	0.19

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 41
Q.29 Frequency Household Uses An In Sink Garbage Disposal

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB- URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	69	2	14	13	9	2	16	3	10	23	22	24	55	13	49	18	37	27	45	20
	14.1	14.3	15.7	13.3	11.7	6.7	19.5	14.3	12.5	11.3	15.6	16.3	14.3	13.0	16.8	9.5	15.4	12.1	14.5	12.1
	100.0	2.9	20.3	18.8	13.0	2.9	23.2	4.3	14.5	33.3	31.9	34.8	79.7	18.8	71.00	26.1	53.6	39.1	65.2	29.0
Base: Total Answering	422	12**	75*	85*	68*	28**	66*	18**	70*	180	119	123	329	87*	242	172	203	197	265	145
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.8**	17.8*	20.1*	16.1*	6.6**	15.6*	4.3**	16.6*	42.7	28.2	29.1	78.0	20.6*	57.3	40.8	48.1	46.7	62.8	34.4
Once A Week Or More (Net)	124	5	14	13	24	5	18	9	36	75	29	20	101	22	66	55	35	80	95	22
	29.4	41.7	18.7	15.3	35.3	17.9	27.3	50.0	51.4	41.7	24.4	16.3	30.7	25.3	27.3	32.0	17.2	40.6	35.8	15.2
	100.0	4.0	11.3	10.5	19.4BC	4.0	14.5	7.3	29.0B	60.5J	23.4	16.1	81.5	17.7	53.2	44.4	28.2	64.5P	76.6S	17.7
								CF		K										
More than once a day (10)	44	1	7	5	6	1	6	5	13	29	9	6	36	7	23	21	11	31	35	6
	10.4	8.3	9.3	5.9	8.8	3.6	9.1	27.8	18.6	16.1	7.6	4.9	10.9	8.0	9.5	12.2	5.4	15.7	13.2	4.1
	100.0	2.3	15.9	11.4	13.6	2.3	13.6	11.4	29.5C	65.9J	20.5	13.6	81.8	15.9	52.3	47.7	25.0	70.5P	79.5S	13.6
									K											
Once a day (7)	40	3	3	4	9	2	5	3	11	22	9	9	34	6	20	18	13	23	30	8
	9.5	25.0	4.0	4.7	13.2	7.1	7.6	16.7	15.7	12.2	7.6	7.3	10.3	6.9	8.3	10.5	6.4	11.7	11.3	5.5
	100.0	7.5	7.5	10.0	22.5B	5.0	12.5	7.5	27.5B	55.0	22.5	22.5	85.0	15.0	50.0	45.0	32.5	57.5	75.0	20.0
								C												
A few times a week (3.5)	35	1	4	4	8	2	5	1	10	21	10	4	27	8	20	14	9	23	26	7
	8.3	8.3	5.3	4.7	11.8	7.1	7.6	5.6	14.3	11.7	8.4	3.3	8.2	9.2	8.3	8.1	4.4	11.7	9.8	4.8
	100.0	2.9	11.4	11.4	22.9	5.7	14.3	2.9	28.6C	60.0K	28.6	11.4	77.1	22.9	57.1	40.0	25.7	65.7P	74.3	20.0

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 41
Q.29 Frequency Household Uses An In Sink Garbage Disposal

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
									SUB-				RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL									
	TOTAL	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Answering	422	12**	75*	85*	68*	28**	66*	18**	70*	180	119	123	329	87*	242	172	203	197	265	145
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.8**	17.8*	20.1*	16.1*	6.6**	15.6*	4.3**	16.6*	42.7	28.2	29.1	78.0	20.6*	57.3	40.8	48.1	46.7	62.8	34.4
Once a week (1)	5	-	-	-	1	-	2	-	2	3	1	1	4	1	3	2	2	3	4	1
	1.2	-	-	-	1.5	-	3.0	-	2.9	1.7	0.8	0.8	1.2	1.1	1.2	1.2	1.0	1.5	1.5	0.7
	100.0	-	-	-	20.0	-	40.0	-	40.0	60.0	20.0	20.0	80.0	20.0	60.0	40.0	40.0	60.0	80.0	20.0
A few times a month (0.65)	2	-	-	1	-	-	1	-	-	1	1	-	-	2	2	-	-	2	2	-
	0.5	-	-	1.2	-	-	1.5	-	-	0.6	0.8	-	-	2.3	0.8	-	-	1.0	0.8	-
	100.0	-	-	50.0	-	-	50.0	-	-	50.0	50.0	-	-	100.0	100.0	-	-	100.0	100.0	-
														L						
Once a month (0.25)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Less often than once a month (0.1)	3	-	1	-	-	-	1	-	1	2	1	-	3	-	2	1	-	3	3	-
	0.7	-	1.3	-	-	-	1.5	-	1.4	1.1	0.8	-	0.9	-	0.8	0.6	-	1.5	1.1	-
	100.0	-	33.3	-	-	-	33.3	-	33.3	66.7	33.3	-	100.0	-	66.7	33.3	-	100.0	100.0	-
Never (0)	293	7	60	71	44	23	46	9	33	102	88	103	225	63	172	116	168	112	165	123
	69.4	58.3	80.0	83.5	64.7	82.1	69.7	50.0	47.1	56.7	73.9	83.7	68.4	72.4	71.1	67.4	82.8	56.9	62.3	84.8
	100.0	2.4	20.5D	24.2D	15.0H	7.8	15.7H	3.1	11.3	34.8	30.0I	35.2I	76.8	21.5	58.7	39.6	57.3Q	38.2	56.3	42.0R
		H		FH																
Sigma	422	12	75	85	68	28	66	18	70	180	119	123	329	87	242	172	203	197	265	145
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.8	17.8	20.1	16.1	6.6	15.6	4.3	16.6	42.7	28.2	29.1	78.0	20.6	57.3	40.8	48.1	46.7	62.8	34.4
Mean Base (Including Never)	422	12	75	85	68	28	66	18	70	180	119	123	329	87	242	172	203	197	265	145

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 41
Q.29 Frequency Household Uses An In Sink Garbage Disposal

	REGION											OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER	WATER SOURCE						
	TOTAL								SUB-				OWN	RENT/ LEASE /OTHR		AT LEAST ONCE A WK.	LESS THAN ONCE ONCE	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WATER	VATE WELL WATER	
		NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS											RURAL
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)				
Base: Total Answering	422	12**	75*	85*	68*	28**	66*	18**	70*	180	119	123	329	87*	242	172	203	197	265	145		
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0		
	100.0	2.8**	17.8*	20.1*	16.1*	6.6**	15.6*	4.3**	16.6*	42.7	28.2	29.1	78.0	20.6*	57.3	40.8	48.1	46.7	62.8	34.4		
Mean (Including Never)	2.01	2.88	1.40	1.09	2.24C	1.11	1.75	4.14	3.49B	2.90J	1.59	1.12	2.12	1.64	1.84	2.25	1.16	2.82P	2.48S	0.98		
								CF		K												
Std. Deviation	3.48	3.81	3.18	2.77	3.46	2.64	3.30	4.54	4.02	3.90	3.14	2.77	3.55	3.16	3.35	3.65	2.80	3.87	3.73	2.56		
Std. Error	0.17	1.10	0.37	0.30	0.42	0.50	0.41	1.07	0.48	0.29	0.29	0.25	0.20	0.34	0.22	0.28	0.20	0.28	0.23	0.21		
Mean Base (Excluding Never)	129	5	15	14	248C	5	20C	9	378CD	78JK	31	20	104	24	70	56	35	85P	100S	22		
								F														
Mean (Excluding Never)	6.58	6.90	7.01	6.62	6.33	6.20	5.76	8.28	6.60	6.68	6.12	6.90	6.70	5.93	6.35	6.91	6.70	6.54	6.57	6.43		
Std. Deviation	3.07	2.30	3.38	3.19	2.78	2.75	3.59	2.31	3.13	3.13	3.18	2.70	3.01	3.30	3.20	2.95	2.86	3.23	3.15	2.83		
Std. Error	0.27	1.03	0.87	0.85	0.57	1.23	0.80	0.77	0.51	0.35	0.57	0.60	0.30	0.67	0.38	0.39	0.48	0.35	0.31	0.60		

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 42
Q.29 Frequency Household Does Hand Dishwashing In Sink

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	22	-	6	4	3	-	3	-	6	9	7	6	17	5	12	8	8	11	15	3
	4.5	-	6.7	4.1	3.9	-	3.7	-	7.5	4.4	5.0	4.1	4.4	5.0	4.1	4.2	3.3	4.9	4.8	1.8
	100.0	-	27.3	18.2	13.6	-	13.6	-	27.3	40.9	31.8	27.3	77.3	22.7	54.5	36.4	36.4	50.0	68.2	13.6
Base: Total Answering	469	14**	83*	94*	74*	30*	79*	21**	74*	194	134	141	367	95*	279	182	232	213	295	162
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	3.0**	17.7*	20.0*	15.8*	6.4*	16.8*	4.5**	15.8*	41.4	28.6	30.1	78.3	20.3*	59.5	38.8	49.5	45.4	62.9	34.5
Once A Week Or More (Net)	445	14	80	88	70	28	74	18	73	185	125	135	345	93	265	172	221	203	281	154
	94.9	100.0	96.4	93.6	94.6	93.3	93.7	85.7	98.6	95.4	93.3	95.7	94.0	97.9	95.0	94.5	95.3	95.3	95.3	95.1
	100.0	3.1	18.0	19.8	15.7	6.3	16.6	4.0	16.4	41.6	28.1	30.3	77.5	20.9	59.6	38.7	49.7	45.6	63.1	34.6
More than once a day (10)	255	9	49	59	38	16	39	10	35	99	71	85	199	52	158	94	130	116	163	86
	54.4	64.3	59.0	62.8	51.4	53.3	49.4	47.6	47.3	51.0	53.0	60.3	54.2	54.7	56.6	51.6	56.0	54.5	55.3	53.1
	100.0	3.5	19.2	23.1H	14.9	6.3	15.3	3.9	13.7	38.8	27.8	33.3	78.0	20.4	62.0	36.9	51.0	45.5	63.9	33.7
Once a day (7)	105	2	18	19	18	5	18	3	22	49	27	29	81	23	57	44	51	48	67	36
	22.4	14.3	21.7	20.2	24.3	16.7	22.8	14.3	29.7	25.3	20.1	20.6	22.1	24.2	20.4	24.2	22.0	22.5	22.7	22.2
	100.0	1.9	17.1	18.1	17.1	4.8	17.1	2.9	21.0	46.7	25.7	27.6	77.1	21.9	54.3	41.9	48.6	45.7	63.8	34.3
A few times a week (3.5)	70	3	9	8	13	4	13	5	15	32	24	14	55	14	45	24	31	35	43	26
	14.9	21.4	10.8	8.5	17.6	13.3	16.5	23.8	20.3	16.5	17.9	9.9	15.0	14.7	16.1	13.2	13.4	16.4	14.6	16.0
	100.0	4.3	12.9	11.4	18.6	5.7	18.6	7.1	21.4C	45.7	34.3	20.0	78.6	20.0	64.3	34.3	44.3	50.0	61.4	37.1
Once a week (1)	15	-	4	2	1	3	4	-	1	5	3	7	10	4	5	10	9	4	8	6
	3.2	-	4.8	2.1	1.4	10.0	5.1	-	1.4	2.6	2.2	5.0	2.7	4.2	1.8	5.5	3.9	1.9	2.7	3.7
	100.0	-	26.7	13.3	6.7	20.0D	26.7	-	6.7	33.3	20.0	46.7	66.7	26.7	33.3	66.7N	60.0	26.7	53.3	40.0

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 42
Q.29 Frequency Household Does Hand Dishwashing In Sink

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE				
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	OWN	RENT/ LEASE /OTHR	AT	LESS	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL
		ENG- LAND	ATL- ANTIC													LEAST	THAN				
		(A)	(B)													(C)	(D)				
Base: Total Answering	469	14**	83*	94*	74*	30*	79*	21**	74*	194	134	141	367	95*	279	182	232	213	295	162	
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0	
	100.0	3.0**	17.7*	20.0*	15.8*	6.4*	16.8*	4.5**	15.8*	41.4	28.6	30.1	78.3	20.3*	59.5	38.8	49.5	45.4	62.9	34.5	
A few times a month (0.65)	8	-	2	2	2	-	1	1	-	5	2	1	8	-	6	2	4	3	4	3	
	1.7	-	2.4	2.1	2.7	-	1.3	4.8	-	2.6	1.5	0.7	2.2	-	2.2	1.1	1.7	1.4	1.4	1.9	
	100.0	-	25.0	25.0	25.0	-	12.5	12.5	-	62.5	25.0	12.5	100.0	-	75.0	25.0	50.0	37.5	50.0	37.5	
Once a month (0.25)	3	-	-	1	-	-	1	-	1	1	2	-	2	1	1	2	2	-	2	1	
	0.6	-	-	1.1	-	-	1.3	-	1.4	0.5	1.5	-	0.5	1.1	0.4	1.1	0.9	-	0.7	0.6	
	100.0	-	-	33.3	-	-	33.3	-	33.3	33.3	66.7	-	66.7	33.3	33.3	66.7	66.7	-	66.7	33.3	
Less often than once a month (0.1)	7	-	1	2	1	2	1	-	-	3	2	2	6	1	3	4	1	5	4	2	
	1.5	-	1.2	2.1	1.4	6.7	1.3	-	-	1.5	1.5	1.4	1.6	1.1	1.1	2.2	0.4	2.3	1.4	1.2	
	100.0	-	14.3	28.6	14.3	28.6H	14.3	-	-	42.9	28.6	28.6	85.7	14.3	42.9	57.1	14.3	71.4	57.1	28.6	
Never (0)	6	-	-	1	1	-	2	2	-	-	3	3	6	-	4	2	4	2	4	2	
	1.3	-	-	1.1	1.4	-	2.5	9.5	-	-	2.2	2.1	1.6	-	1.4	1.1	1.7	0.9	1.4	1.2	
	100.0	-	-	16.7	16.7	-	33.3	33.3	-	-	50.0I	50.0	100.0	-	66.7	33.3	66.7	33.3	66.7	33.3	
Sigma	469	14	83	94	74	30	79	21	74	194	134	141	367	95	279	182	232	213	295	162	
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
	100.0	3.0	17.7	20.0	15.8	6.4	16.8	4.5	15.8	41.4	28.6	30.1	78.3	20.3	59.5	38.8	49.5	45.4	62.9	34.5	
Mean Base (Including Never)	469	14	83	94	74	30	79	21	74	194	134	141	367	95	279	182	232	213	295	162	
Mean (Including Never)	7.57	8.18	7.87	8.03	7.49	7.07	7.17	6.63	7.54	7.49	7.37	7.87	7.54	7.73	7.69	7.39	7.66	7.63	7.66	7.48	
Std. Deviation	3.14	2.75	3.05	3.06	3.09	3.70	3.37	3.79	2.77	3.06	3.29	3.12	3.18	2.96	3.09	3.27	3.13	3.06	3.08	3.18	
Std. Error	0.15	0.73	0.33	0.32	0.36	0.67	0.38	0.83	0.32	0.22	0.28	0.26	0.17	0.30	0.18	0.24	0.21	0.21	0.18	0.25	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 42
Q.29 Frequency Household Does Hand Dishwashing In Sink

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	ROCKY		URBAN LARGE	URBAN SMALL	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER	
		ENG-	ATL-				SOUTH	WEST												
		LAND	ANTIC				WEST	TAIN												
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	469	14**	83*	94*	74*	30*	79*	21**	74*	194	134	141	367	95*	279	182	232	213	295	162
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	3.0**	17.7*	20.0*	15.8*	6.4*	16.8*	4.5**	15.8*	41.4	28.6	30.1	78.3	20.3*	59.5	38.8	49.5	45.4	62.9	34.5
Mean Base (Excluding Never)	463	14	83	93	73	30	77	19	74	194JK	131	138	361	95	275	180	228	211	291	160
Mean (Excluding Never)	7.67	8.18	7.87	8.12	7.59	7.07	7.36	7.32	7.54	7.49	7.54	8.04	7.66	7.73	7.80	7.47	7.80	7.70	7.77	7.57
Std. Deviation	3.04	2.75	3.05	2.96	2.98	3.70	3.20	3.25	2.77	3.06	3.12	2.93	3.06	2.96	2.96	3.19	2.99	2.99	2.97	3.09
Std. Error	0.14	0.73	0.33	0.31	0.35	0.67	0.36	0.74	0.32	0.22	0.27	0.25	0.16	0.30	0.18	0.24	0.20	0.21	0.17	0.24

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 43
Q.29 Frequency Household Uses An Automatic Dishwasher

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
									SUB-				RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WATER	VATE WELL WATER	
									URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL									
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*100.0*	100.0*100.0*	100.0*100.0*	100.0*100.0*	100.0**	100*100.0*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	71	3	12	14	12	4	13	3	10	24	21	26	52	18	47	21	31	29	46	19
	14.5	21.4	13.5	14.3	15.6	13.3	15.9	14.3	12.5	11.8	14.9	17.7	13.5	18.0	16.2	11.1	12.9	12.9	14.8	11.5
	100.0	4.2	16.9	19.7	16.9	5.6	18.3	4.2	14.1	33.8	29.6	36.6	73.2	25.4	66.2	29.6	43.7	40.8	64.8	26.8
Base: Total Answering	420	11**	77*	84*	65*	26**	69*	18**	70*	179	120	121	332	82*	244	169	209	195	264	146
	100.0	100.0**	100*100.0*	100.0*100.0*	100.0**	100*100.0*	100.0**	100*100.0*	100*100.0	100.0	100.0	100.0	100.0	100.0*100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.6**	18.3*	20.0*	15.5*	6.2**	16.4*	4.3**	16.7*	42.6	28.6	28.8	79.0	19.5*	58.1	40.2	49.8	46.4	62.9	34.8
Once A Week Or More (Net)	187	6	31	30	28	12	36	11	33	90	55	42	164	20	105	81	82	100	129	52
	44.5	54.5	40.3	35.7	43.1	46.2	52.2	61.1	47.1	50.3	45.8	34.7	49.4	24.4	43.0	47.9	39.2	51.3	48.9	35.6
	100.0	3.2	16.6	16.0	15.0	6.4	19.3C	5.9	17.6	48.1K	29.4	22.5	87.7M	10.7	56.1	43.3	43.9	53.5P	69.0S	27.8
More than once a day (10)	15	-	3	3	1	1	4	2	1	8	5	2	12	3	6	9	4	10	12	2
	3.6	-	3.9	3.6	1.5	3.8	5.8	11.1	1.4	4.5	4.2	1.7	3.6	3.7	2.5	5.3	1.9	5.1	4.5	1.4
	100.0	-	20.0	20.0	6.7	6.7	26.7	13.3	6.7	53.3	33.3	13.3	80.0	20.0	40.0	60.0	26.7	66.7	80.0	13.3
Once a day (7)	50	2	6	8	6	7	9	5	7	21	16	13	41	9	31	19	23	25	33	16
	11.9	18.2	7.8	9.5	9.2	26.9	13.0	27.8	10.0	11.7	13.3	10.7	12.3	11.0	12.7	11.2	11.0	12.8	12.5	11.0
	100.0	4.0	12.0	16.0	12.0	14.0	18.0	10.0	14.0	42.0	32.0	26.0	82.0	18.0	62.0	38.0	46.0	50.0	66.0	32.0
A few times a week (3.5)	96	2	20	16	14	4	20	4	16	46	28	22	87	6	56	39	50	44	64	29
	22.9	18.2	26.0	19.0	21.5	15.4	29.0	22.2	22.9	25.7	23.3	18.2	26.2	7.3	23.0	23.1	23.9	22.6	24.2	19.9
	100.0	2.1	20.8	16.7	14.6	4.2	20.8	4.2	16.7	47.9	29.2	22.9	90.6M	6.3	58.3	40.6	52.1	45.8	66.7	30.2
Once a week (1)	26	2	2	3	7	-	3	-	9	15	6	5	24	2	12	14	5	21	20	5
	6.2	18.2	2.6	3.6	10.8	-	4.3	-	12.9	8.4	5.0	4.1	7.2	2.4	4.9	8.3	2.4	10.8	7.6	3.4
	100.0	7.7	7.7	11.5	26.9B	-	11.5	-	34.6B	57.7	23.1	19.2	92.3	7.7	46.2	53.8	19.2	80.8P	76.9	19.2

C

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 43
Q.29 Frequency Household Uses An Automatic Dishwasher

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB- URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WATER	VATE WELL WATER
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	420	11**	77*	84*	65*	26**	69*	18**	70*	179	120	121	332	82*	244	169	209	195	264	146
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.6**	18.3*	20.0*	15.5*	6.2**	16.4*	4.3**	16.7*	42.6	28.6	28.8	79.0	19.5*	58.1	40.2	49.8	46.4	62.9	34.8
A few times a month (0.65)	8	-	2	3	2	-	-	-	1	3	3	2	5	3	3	5	3	4	7	1
	1.9	-	2.6	3.6	3.1	-	-	-	1.4	1.7	2.5	1.7	1.5	3.7	1.2	3.0	1.4	2.1	2.7	0.7
	100.0	-	25.0	37.5	25.0	-	-	-	12.5	37.5	37.5	25.0	62.5	37.5	37.5	62.5	37.5	50.0	87.5	12.5
Once a month (0.25)	5	-	1	2	-	-	-	-	2	3	1	1	5	-	4	1	1	3	5	-
	1.2	-	1.3	2.4	-	-	-	-	2.9	1.7	0.8	0.8	1.5	-	1.6	0.6	0.5	1.5	1.9	-
	100.0	-	20.0	40.0	-	-	-	-	40.0	60.0	20.0	20.0	100.0	-	80.0	20.0	20.0	60.0	100.0	-
Less often than once a month (0.1)	13	1	5	1	3	-	2	-	1	9	4	-	12	1	5	8	5	8	8	5
	3.1	9.1	6.5	1.2	4.6	-	2.9	-	1.4	5.0	3.3	-	3.6	1.2	2.0	4.7	2.4	4.1	3.0	3.4
	100.0	7.7	38.5	7.7	23.1	-	15.4	-	7.7	69.2K	30.8K	-	92.3	7.7	38.5	61.5	38.5	61.5	61.5	38.5
Never (0)	207	4	38	48	32	14	31	7	33	74	57	76	146	58	127	74	118	80	115	88
	49.3	36.4	49.4	57.1	49.2	53.8	44.9	38.9	47.1	41.3	47.5	62.8	44.0	70.7	52.0	43.8	56.5	41.0	43.6	60.3
	100.0	1.9	18.4	23.2	15.5	6.8	15.0	3.4	15.9	35.7	27.5	36.7I	70.5	28.0L	61.4	35.7	57.0Q	38.6	55.6	42.5R
J																				
Sigma	420	11	77	84	65	26	69	18	70	179	120	121	332	82	244	169	209	195	264	146
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.6	18.3	20.0	15.5	6.2	16.4	4.3	16.7	42.6	28.6	28.8	79.0	19.5	58.1	40.2	49.8	46.4	62.9	34.8
Mean Base (Including Never)	420	11	77	84	65	26	69	18	70	179	120	121	332	82	244	169	209	195	264	146
Mean (Including Never)	2.07	2.10	1.90	1.76	1.69	2.81	2.55	3.83	1.79	2.27K	2.24	1.61	2.23M	1.44	2.00	2.24	1.84	2.33	2.28S	1.64
Std. Deviation	2.83	2.76	2.73	2.76	2.46	3.39	3.07	3.67	2.48	2.89	2.95	2.58	2.83	2.83	2.75	2.97	2.63	2.99	2.93	2.56
Std. Error	0.14	0.83	0.31	0.30	0.31	0.66	0.37	0.87	0.30	0.22	0.27	0.23	0.16	0.31	0.18	0.23	0.18	0.21	0.18	0.21

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 43
Q.29 Frequency Household Uses An Automatic Dishwasher

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	ROCKY MOUN- TAIN		URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER	
							SOUTH -WEST	WEST												
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	420	11**	77*	84*	65*	26**	69*	18**	70*	179	120	121	332	82*	244	169	209	195	264	146
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.6**	18.3*	20.0*	15.5*	6.2**	16.4*	4.3**	16.7*	42.6	28.6	28.8	79.0	19.5*	58.1	40.2	49.8	46.4	62.9	34.8
Mean Base (Excluding Never)	213	7	39	36	33	12	38	11	37	105K	63K	45	186M	24	117	95	91	115P	149S	58
Mean (Excluding Never)	4.08	3.30	3.74	4.10	3.32	6.08	4.64D	6.27	3.39	3.87	4.26	4.32	3.98	4.92	4.17	3.98	4.22	3.95	4.04	4.13
							H													
Std. Deviation	2.75	2.84	2.79	2.87	2.56	2.09	2.71	2.47	2.50	2.83	2.81	2.48	2.70	3.21	2.59	2.96	2.42	2.95	2.84	2.49
Std. Error	0.19	1.07	0.45	0.48	0.45	0.60	0.44	0.75	0.41	0.28	0.35	0.37	0.20	0.66	0.24	0.30	0.25	0.28	0.23	0.33

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 44
Q.29 Frequency Household Uses A Laundry/Washing Machine

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER		
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	24	-	7	3	5	1	2	1	5	10	8	6	18	6	14	6	7	13	14	5
	4.9	-	7.9	3.1	6.5	3.3	2.4	4.8	6.3	4.9	5.7	4.1	4.7	6.0	4.8	3.2	2.9	5.8	4.5	3.0
	100.0	-	29.2	12.5	20.8	4.2	8.3	4.2	20.8	41.7	33.3	25.0	75.0	25.0	58.3	25.0	29.2	54.2	58.3	20.8
Base: Total Answering	467	14**	82*	95*	72*	29**	80*	20**	75*	193	133	141	366	94*	277	184	233	211	296	160
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	3.0**	17.6*	20.3*	15.4*	6.2**	17.1*	4.3**	16.1*	41.3	28.5	30.2	78.4	20.1*	59.3	39.4	49.9	45.2	63.4	34.3
Once A Week Or More (Net)	410	10	74	87	59	27	72	14	67	172	114	124	321	83	255	149	208	181	262	138
	87.8	71.4	90.2	91.6	81.9	93.1	90.0	70.0	89.3	89.1	85.7	87.9	87.7	88.3	92.1	81.0	89.3	85.8	88.5	86.3
	100.0	2.4	18.0	21.2	14.4	6.6	17.6	3.4	16.3	42.0	27.8	30.2	78.3	20.2	62.20	36.3	50.7	44.1	63.9	33.7
More than once a day (10)	49	3	9	10	8	4	8	-	7	22	12	15	38	11	34	14	27	22	30	19
	10.5	21.4	11.0	10.5	11.1	13.8	10.0	-	9.3	11.4	9.0	10.6	10.4	11.7	12.3	7.6	11.6	10.4	10.1	11.9
	100.0	6.1	18.4	20.4	16.3	8.2	16.3	-	14.3	44.9	24.5	30.6	77.6	22.4	69.4	28.6	55.1	44.9	61.2	38.8
Once a day (7)	43	-	6	10	7	-	12	3	5	14	14	15	37	6	31	12	26	14	26	14
	9.2	-	7.3	10.5	9.7	-	15.0	15.0	6.7	7.3	10.5	10.6	10.1	6.4	11.2	6.5	11.2	6.6	8.8	8.8
	100.0	-	14.0	23.3	16.3	-	27.9	7.0	11.6	32.6	32.6	34.9	86.0	14.0	72.1	27.9	60.5	32.6	60.5	32.6
A few times a week (3.5)	224	4	42	47	28	16	36	7	44	98	60	66	169	51	141	79	109	102	143	74
	48.0	28.6	51.2	49.5	38.9	55.2	45.0	35.0	58.7	50.8	45.1	46.8	46.2	54.3	50.9	42.9	46.8	48.3	48.3	46.3
	100.0	1.8	18.8	21.0	12.5	7.1	16.1	3.1	19.60	43.8	26.8	29.5	75.4	22.8	62.9	35.3	48.7	45.5	63.8	33.0
Once a week (1)	94	3	17	20	16	7	16	4	11	38	28	28	77	15	49	44	46	43	63	31
	20.1	21.4	20.7	21.1	22.2	24.1	20.0	20.0	14.7	19.7	21.1	19.9	21.0	16.0	17.7	23.9	19.7	20.4	21.3	19.4
	100.0	3.2	18.1	21.3	17.0	7.4	17.0	4.3	11.7	40.4	29.8	29.8	81.9	16.0	52.1	46.8	48.9	45.7	67.0	33.0

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 44
Q.29 Frequency Household Uses A Laundry/Washing Machine

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB- URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	467	14**	82*	95*	72*	29**	80*	20**	75*	193	133	141	366	94*	277	184	233	211	296	160
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	3.0**	17.6*	20.3*	15.4*	6.2**	17.1*	4.3**	16.1*	41.3	28.5	30.2	78.4	20.1*	59.3	39.4	49.9	45.2	63.4	34.3
A few times a month (0.65)	23	1	4	2	4	1	4	3	4	7	9	7	22	1	10	13	11	12	12	11
	4.9	7.1	4.9	2.1	5.6	3.4	5.0	15.0	5.3	3.6	6.8	5.0	6.0	1.1	3.6	7.1	4.7	5.7	4.1	6.9
	100.0	4.3	17.4	8.7	17.4	4.3	17.4	13.0	17.4	30.4	39.1	30.4	95.7	4.3	43.5	56.5	47.8	52.2	52.2	47.8
Once a month (0.25)	7	1	-	2	2	-	-	1	1	3	2	2	6	1	3	4	6	1	2	4
	1.5	7.1	-	2.1	2.8	-	-	5.0	1.3	1.6	1.5	1.4	1.6	1.1	1.1	2.2	2.6	0.5	0.7	2.5
	100.0	14.3	-	28.6	28.6	-	-	14.3	14.3	42.9	28.6	28.6	85.7	14.3	42.9	57.1	85.7	14.3	28.6	57.1
Less often than once a month (0.1)	6	1	1	1	3	-	-	-	-	2	3	1	5	1	-	6	2	4	4	2
	1.3	7.1	1.2	1.1	4.2	-	-	-	-	1.0	2.3	0.7	1.4	1.1	-	3.3	0.9	1.9	1.4	1.3
	100.0	16.7	16.7	16.7	50.0	-	-	-	-	33.3	50.0	16.7	83.3	16.7	-	100.0N	33.3	66.7	66.7	33.3
Never (0)	21	1	3	3	4	1	4	2	3	9	5	7	12	8	9	12	6	13	16	5
	4.5	7.1	3.7	3.2	5.6	3.4	5.0	10.0	4.0	4.7	3.8	5.0	3.3	8.5	3.2	6.5	2.6	6.2	5.4	3.1
	100.0	4.8	14.3	14.3	19.0	4.8	19.0	9.5	14.3	42.9	23.8	33.3	57.1	38.1L	42.9	57.1	28.6	61.9	76.2	23.8
Sigma	467	14	82	95	72	29	80	20	75	193	133	141	366	94	277	184	233	211	296	160
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	3.0	17.6	20.3	15.4	6.2	17.1	4.3	16.1	41.3	28.5	30.2	78.4	20.1	59.3	39.4	49.9	45.2	63.4	34.3
Mean Base (Including Never)	467	14	82	95	72	29	80	20	75	193	133	141	366	94	277	184	233	211	296	160
Mean (Including Never)	3.61	3.43	3.64	3.75	3.42	3.57	3.86	2.59	3.64	3.65	3.48	3.68	3.62	3.69	4.000	3.01	3.81	3.44	3.56	3.66
Std. Deviation	2.84	3.80	2.81	2.82	3.05	2.88	2.88	2.34	2.61	2.85	2.81	2.88	2.86	2.85	2.87	2.70	2.92	2.83	2.82	2.95
Std. Error	0.13	1.02	0.31	0.29	0.36	0.54	0.32	0.52	0.30	0.20	0.24	0.24	0.15	0.29	0.17	0.20	0.19	0.19	0.16	0.23

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 44
Q.29 Frequency Household Uses A Laundry/Washing Machine

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER	
		ENG-	ATL-																	
		LAND	ANTIC																	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	467	14**	82*	95*	72*	29**	80*	20**	75*	193	133	141	366	94*	277	184	233	211	296	160
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	3.0**	17.6*	20.3*	15.4*	6.2**	17.1*	4.3**	16.1*	41.3	28.5	30.2	78.4	20.1*	59.3	39.4	49.9	45.2	63.4	34.3
Mean Base (Excluding Never)	446	13	79	92	68	28	76	18	72	184	128	134	354M	86	268	172	227	198	280	155
Mean (Excluding Never)	3.78	3.69	3.78	3.87	3.62	3.70	4.06	2.87	3.79	3.83	3.61	3.87	3.74	4.03	4.130	3.22	3.91	3.67	3.77	3.78
Std. Deviation	2.80	3.82	2.77	2.79	3.02	2.85	2.81	2.30	2.55	2.80	2.78	2.83	2.83	2.74	2.82	2.67	2.89	2.78	2.76	2.92
Std. Error	0.13	1.06	0.31	0.29	0.37	0.54	0.32	0.54	0.30	0.21	0.25	0.24	0.15	0.30	0.17	0.20	0.19	0.20	0.16	0.23

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 45
Q.29 Frequency Household Does Car Washing (At Your Home)

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB- URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491 100.0 100.0	14** 100.0** 2.9**	89* 100* 18.1*	98* 100.0* 20.0*	77* 100.0* 15.7*	30* 100.0* 6.1*	82* 100.0* 16.7*	21** 100.0** 4.3**	80* 100.0* 16.3*	203 100.0 41.3	141 100.0 28.7	147 100.0 29.9	384 100.0 78.2	100 100.0 20.4	291 100.0 59.3	190 100.0 38.7	240 100.0 48.9	224 100.0 45.6	310 100.0 63.1	165 100.0 33.6
No answer	78 15.9 100.0	6 42.9 7.7	15 16.9 19.2	15 15.3 19.2	11 14.3 14.1	3 10.0 3.8	13 15.9 16.7	3 14.3 3.8	12 15.0 15.4	30 14.8 38.5	27 19.1 34.6	21 14.3 26.9	59 15.4 75.6	18 18.0 23.1	42 14.4 53.8	33 17.4 42.3	34 14.2 43.6	38 17.0 48.7	46 14.8 59.0	25 15.2 32.1
Base: Total Answering	413 100.0 100.0	8** 100.0** 1.9**	74* 100* 17.9*	83* 100.0* 20.1*	66* 100.0* 16.0*	27** 100.0** 6.5**	69* 100.0* 16.7*	18** 100.0** 4.4**	68* 100.0* 16.5*	173 100.0 41.9	114 100.0 27.6	126 100.0 30.5	325 100.0 78.7	82* 100.0* 19.9*	249 100.0 60.3	157 100.0 38.0	206 100.0 49.9	186 100.0 45.0	264 100.0 63.9	140 100.0 33.9
Once A Week Or More (Net)	78 18.9 100.0	1 12.5 1.3	13 17.6 16.7	22 26.5 28.2	12 18.2 15.4	2 7.4 2.6	15 21.7 19.2	2 11.1 2.6	11 16.2 14.1	28 16.2 35.9	31 27.2 39.7	19 15.1 24.4	65 20.0 83.3	13 15.9 16.7	46 18.5 59.0	29 18.5 37.2	37 18.0 47.4	38 20.4 48.7	54 20.5 69.2	23 16.4 29.5
More than once a day (10)	7 1.7 100.0	- - -	2 2.7 28.6	2 2.4 28.6	1 1.5 14.3	- - -	2 2.9 28.6	- - -	- - -	3 1.7 42.9	2 1.8 28.6	2 1.6 28.6	5 1.5 71.4	2 2.4 28.6	5 2.0 71.4	2 1.3 28.6	3 1.5 42.9	4 2.2 57.1	5 1.9 71.4	2 1.4 28.6
Once a day (7)	5 1.2 100.0	- - -	2 2.7 40.0	1 1.2 20.0	1 1.5 20.0	1 3.7 20.0	- - -	- - -	- - -	2 1.2 40.0	2 1.8 40.0	1 0.8 20.0	5 1.5 100.0	- - -	2 0.8 40.0	3 1.9 60.0	3 1.5 60.0	2 1.1 40.0	2 0.8 40.0	3 2.1 60.0
A few times a week (3.5)	19 4.6 100.0	1 12.5 5.3	5 6.8 26.3	4 4.8 21.1	2 3.0 10.5	- - -	1 1.4 5.3	1 5.6 5.3	5 7.4 26.3	7 4.0 36.8	8 7.0 42.1	4 3.2 21.1	16 4.9 84.2	3 3.7 15.8	10 4.0 52.6	7 4.5 36.8	9 4.4 47.4	9 4.8 47.4	12 4.5 63.2	7 5.0 36.8
Once a week (1)	47 11.4 100.0	- - -	4 5.4 8.5	15 18.1 31.98	8 12.1 17.0	1 3.7 2.1	12 17.4 25.58	1 5.6 2.1	6 8.8 12.8	16 9.2 34.0	19 16.7 40.4	12 9.5 25.5	39 12.0 83.0	8 9.8 17.0	29 11.6 61.7	17 10.8 36.2	22 10.7 46.8	23 12.4 48.9	35 13.3 74.5	11 7.9 23.4

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 45
Q.29 Frequency Household Does Car Washing (At Your Home)

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER		
	TOTAL											OWN	RENT/ LEASE /OTHR							
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	413	8**	74*	83*	66*	27**	69*	18**	68*	173	114	126	325	82*	249	157	206	186	264	140
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	1.9**	17.9*	20.1*	16.0*	6.5**	16.7*	4.4**	16.5*	41.9	27.6	30.5	78.7	19.9*	60.3	38.0	49.9	45.0	63.9	33.9
A few times a month (0.65)	71	-	9	22	17	3	4	3	13	36	14	21	55	13	43	27	32	35	48	21
	17.2	-	12.2	26.5	25.8	11.1	5.8	16.7	19.1	20.8	12.3	16.7	16.9	15.9	17.3	17.2	15.5	18.8	18.2	15.0
	100.0	-	12.7	31.0B	23.9B	4.2	5.6	4.2	18.3F	50.7	19.7	29.6	77.5	18.3	60.6	38.0	45.1	49.3	67.6	29.6
				F																
Once a month (0.25)	65	-	16	9	10	3	12	3	12	31	16	18	48	16	42	23	30	32	42	21
	15.7	-	21.6	10.8	15.2	11.1	17.4	16.7	17.6	17.9	14.0	14.3	14.8	19.5	16.9	14.6	14.6	17.2	15.9	15.0
	100.0	-	24.6	13.8	15.4	4.6	18.5	4.6	18.5	47.7	24.6	27.7	73.8	24.6	64.6	35.4	46.2	49.2	64.6	32.3
Less often than once a month (0.1)	125	4	23	23	14	10	26	2	23	52	30	43	104	19	72	51	73	48	76	47
	30.3	50.0	31.1	27.7	21.2	37.0	37.7	11.1	33.8	30.1	26.3	34.1	32.0	23.2	28.9	32.5	35.4	25.8	28.8	33.6
	100.0	3.2	18.4	18.4	11.2	8.0	20.8D	1.6	18.4	41.6	24.0	34.4	83.2	15.2	57.6	40.8	58.4Q	38.4	60.8	37.6
Never (0)	74	3	13	7	13	9	12	8	9	26	23	25	53	21	46	27	34	33	44	28
	17.9	37.5	17.6	8.4	19.7	33.3	17.4	44.4	13.2	15.0	20.2	19.8	16.3	25.6	18.5	17.2	16.5	17.7	16.7	20.0
	100.0	4.1	17.6	9.5	17.6C	12.2	16.2	10.8	12.2	35.1	31.1	33.8	71.6	28.4	62.2	36.5	45.9	44.6	59.5	37.8
Sigma	413	8	74	83	66	27	69	18	68	173	114	126	325	82	249	157	206	186	264	140
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	1.9	17.9	20.1	16.0	6.5	16.7	4.4	16.5	41.9	27.6	30.5	78.7	19.9	60.3	38.0	49.9	45.0	63.9	33.9
Mean Base (Including Never)	413	8	74	83	66	27	69	18	68	173	114	126	325	82	249	157	206	186	264	140
Mean (Including Never)	0.71	0.49	0.91	0.90	0.71	0.43	0.63	0.41	0.55	0.70	0.85	0.60	0.73	0.64	0.70	0.71	0.68	0.77	0.72	0.71
Std. Deviation	1.60	1.22	2.05	1.77	1.55	1.34	1.71	0.83	0.89	1.59	1.73	1.48	1.60	1.64	1.62	1.57	1.56	1.70	1.59	1.66
Std. Error	0.08	0.43	0.24	0.19	0.19	0.26	0.21	0.20	0.11	0.12	0.16	0.13	0.09	0.18	0.10	0.13	0.11	0.12	0.10	0.14

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 45
Q.29 Frequency Household Does Car Washing (At Your Home)

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	ROCKY		URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
							SOUTH -WEST	MOUN- TAIN WEST												
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	413	8**	74*	83*	66*	27**	69*	18**	68*	173	114	126	325	82*	249	157	206	186	264	140
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	1.9**	17.9*	20.1*	16.0*	6.5**	16.7*	4.4**	16.5*	41.9	27.6	30.5	78.7	19.9*	60.3	38.0	49.9	45.0	63.9	33.9
Mean Base (Excluding Never)	339	5	61	76D	53	18	57	10	59	147	91	101	272	61	203	130	172	153	220	112
Mean (Excluding Never)	0.87	0.78	1.11	0.98	0.89	0.65	0.77	0.74	0.63	0.82	1.07	0.75	0.88	0.87	0.86	0.85	0.81	0.94	0.87	0.89
Std. Deviation	1.73	1.52	2.21	1.82	1.69	1.61	1.86	1.01	0.93	1.69	1.88	1.63	1.72	1.85	1.76	1.69	1.68	1.84	1.71	1.81
Std. Error	0.09	0.68	0.28	0.21	0.23	0.38	0.25	0.32	0.12	0.14	0.20	0.16	0.10	0.24	0.12	0.15	0.13	0.15	0.12	0.17

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 46
Q.29 Frequency Household Does House Cleaning - Using Water Combined With Cleaning Products

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	SUB- URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT	LESS	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER	
		ENG- LAND	ATL- ANTIC											LEAST	THAN					
		(A)	(B)											(C)	(D)					(E)
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	17	3	4	3	3	-	1	-	3	5	4	8	12	5	8	8	8	7	10	5
	3.5	21.4	4.5	3.1	3.9	-	1.2	-	3.8	2.5	2.8	5.4	3.1	5.0	2.7	4.2	3.3	3.1	3.2	3.0
	100.0	17.6	23.5	17.6	17.6	-	5.9	-	17.6	29.4	23.5	47.1	70.6	29.4	47.1	47.1	47.1	41.2	58.8	29.4
Base: Total Answering	474	11**	85*	95*	74*	30*	81*	21**	77*	198	137	139	372	95*	283	182	232	217	300	160
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.3**	17.9*	20.0*	15.6*	6.3*	17.1*	4.4**	16.2*	41.8	28.9	29.3	78.5	20.0*	59.7	38.4	48.9	45.8	63.3	33.8
Once A Week Or More (Net)	311	8	56	61	48	20	51	15	52	131	90	90	246	61	186	119	140	154	201	102
	65.6	72.7	65.9	64.2	64.9	66.7	63.0	71.4	67.5	66.2	65.7	64.7	66.1	64.2	65.7	65.4	60.3	71.0	67.0	63.8
	100.0	2.6	18.0	19.6	15.4	6.4	16.4	4.8	16.7	42.1	28.9	28.9	79.1	19.6	59.8	38.3	45.0	49.5P	64.6	32.8
More than once a day (10)	41	1	8	12	4	4	9	-	3	15	15	11	33	8	29	11	17	24	30	11
	8.6	9.1	9.4	12.6	5.4	13.3	11.1	-	3.9	7.6	10.9	7.9	8.9	8.4	10.2	6.0	7.3	11.1	10.0	6.9
	100.0	2.4	19.5	29.3H	9.8	9.8	22.0	-	7.3	36.6	36.6	26.8	80.5	19.5	70.7	26.8	41.5	58.5	73.2	26.8
Once a day (7)	38	-	3	10	7	6	2	2	8	21	6	11	31	6	21	17	22	16	24	12
	8.0	-	3.5	10.5	9.5	20.0	2.5	9.5	10.4	10.6	4.4	7.9	8.3	6.3	7.4	9.3	9.5	7.4	8.0	7.5
	100.0	-	7.9	26.3F	18.4	15.8B	5.3	5.3	21.1F	55.3J	15.8	28.9	81.6	15.8	55.3	44.7	57.9	42.1	63.2	31.6
A few times a week (3.5)	117	4	22	23	22	3	15	8	20	54	29	34	92	25	66	49	47	61	75	38
	24.7	36.4	25.9	24.2	29.7	10.0	18.5	38.1	26.0	27.3	21.2	24.5	24.7	26.3	23.3	26.9	20.3	28.1	25.0	23.8
	100.0	3.4	18.8	19.7	18.8E	2.6	12.8	6.8	17.1	46.2	24.8	29.1	78.6	21.4	56.4	41.9	40.2	52.1	64.1	32.5
Once a week (1)	115	3	23	16	15	7	25	5	21	41	40	34	90	22	70	42	54	53	72	41
	24.3	27.3	27.1	16.8	20.3	23.3	30.9	23.8	27.3	20.7	29.2	24.5	24.2	23.2	24.7	23.1	23.3	24.4	24.0	25.6
	100.0	2.6	20.0	13.9	13.0	6.1	21.7C	4.3	18.3	35.7	34.8	29.6	78.3	19.1	60.9	36.5	47.0	46.1	62.6	35.7

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 46
Q.29 Frequency Household Does House Cleaning - Using Water Combined With Cleaning Products

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	474	11**	85*	95*	74*	30*	81*	21**	77*	198	137	139	372	95*	283	182	232	217	300	160
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.3**	17.9*	20.0*	15.6*	6.3*	17.1*	4.4**	16.2*	41.8	28.9	29.3	78.5	20.0*	59.7	38.4	48.9	45.8	63.3	33.8
A few times a month (0.65)	80	-	17	19	9	6	18	2	9	41	20	19	62	18	46	33	43	32	49	27
	16.9	-	20.0	20.0	12.2	20.0	22.2	9.5	11.7	20.7	14.6	13.7	16.7	18.9	16.3	18.1	18.5	14.7	16.3	16.9
	100.0	-	21.3	23.8	11.3	7.5	22.5	2.5	11.3	51.3	25.0	23.8	77.5	22.5	57.5	41.3	53.8	40.0	61.3	33.8
Once a month (0.25)	21	-	3	3	6	3	3	1	2	6	9	6	17	3	14	7	12	7	15	5
	4.4	-	3.5	3.2	8.1	10.0	3.7	4.8	2.6	3.0	6.6	4.3	4.6	3.2	4.9	3.8	5.2	3.2	5.0	3.1
	100.0	-	14.3	14.3	28.6	14.3	14.3	4.8	9.5	28.6	42.9	28.6	81.0	14.3	66.7	33.3	57.1	33.3	71.4	23.8
Less often than once a month (0.1)	27	-	3	4	6	1	5	-	8	10	8	9	23	4	15	11	15	12	18	9
	5.7	-	3.5	4.2	8.1	3.3	6.2	-	10.4	5.1	5.8	6.5	6.2	4.2	5.3	6.0	6.5	5.5	6.0	5.6
	100.0	-	11.1	14.8	22.2	3.7	18.5	-	29.6	37.0	29.6	33.3	85.2	14.8	55.6	40.7	55.6	44.4	66.7	33.3
Never (0)	35	3	6	8	5	-	4	3	6	10	10	15	24	9	22	12	22	12	17	17
	7.4	27.3	7.1	8.4	6.8	-	4.9	14.3	7.8	5.1	7.3	10.8	6.5	9.5	7.8	6.6	9.5	5.5	5.7	10.6
	100.0	8.6	17.1	22.9	14.3	-	11.4	8.6	17.1	28.6	28.6	42.9	68.6	25.7	62.9	34.3	62.9	34.3	48.6	48.6
Sigma	474	11	85	95	74	30	81	21	77	198	137	139	372	95	283	182	232	217	300	160
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.3	17.9	20.0	15.6	6.3	17.1	4.4	16.2	41.8	28.9	29.3	78.5	20.0	59.7	38.4	48.9	45.8	63.3	33.8
Mean Base (Including Never)	474	11	85	95	74	30	81	21	77	198	137	139	372	95	283	182	232	217	300	160
Mean (Including Never)	2.66	2.45	2.51	3.16	2.55	3.47	2.40	2.31	2.39	2.81	2.55	2.55	2.70	2.57	2.73	2.56	2.48	2.96	2.80	2.42
Std. Deviation	2.98	2.93	2.91	3.34	2.74	3.61	3.06	2.12	2.62	2.93	3.10	2.94	3.00	2.92	3.10	2.77	2.94	3.12	3.08	2.82
Std. Error	0.14	0.88	0.32	0.34	0.32	0.66	0.34	0.46	0.30	0.21	0.26	0.25	0.16	0.30	0.18	0.21	0.19	0.21	0.18	0.22

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 46
Q.29 Frequency Household Does House Cleaning - Using Water Combined With Cleaning Products

TOTAL	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	ROCKY MOUN- TAIN		URBAN LARGE MSAS	SUB- URBAN SMALL MSAS		RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL
						SOUTH -WEST	WEST		URBAN SMALL MSAS	RURAL									
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
474	11**	85*	95*	74*	30*	81*	21**	77*	198	137	139	372	95*	283	182	232	217	300	160
100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
100.0	2.3**	17.9*	20.0*	15.6*	6.3*	17.1*	4.4**	16.2*	41.8	28.9	29.3	78.5	20.0*	59.7	38.4	48.9	45.8	63.3	33.8
439	8	79	87	69	30	77	18	71	188K	127	124	348	86	261	170	210	205	283	143
2.87	3.38	2.70	3.45	2.74	3.47	2.53	2.70	2.59	2.96	2.75	2.86	2.89	2.84	2.96	2.75	2.74	3.13	2.97	2.71
2.99	2.95	2.94	3.34	2.75	3.61	3.09	2.04	2.63	2.93	3.13	2.97	3.02	2.94	3.13	2.78	2.98	3.12	3.09	2.85
0.14	1.04	0.33	0.36	0.33	0.66	0.35	0.48	0.31	0.21	0.28	0.27	0.16	0.32	0.19	0.21	0.21	0.22	0.18	0.24

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 47
Q.30 Which Of The Following Products, If Any, Are Discharged Into The
Graywater That Is Reused?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB- URBAN LARGE MSAS	SUB- URBAN SMALL MSAS		RURAL	RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*100.0*	100.0*100.0*	100.0*100.0*	100.0*100.0*	100.0**	100*100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	28	1	8	7	5	2	3	1	1	13	7	8	21	6	6	21	9	14	19	5
	5.7	7.1	9.0	7.1	6.5	6.7	3.7	4.8	1.3	6.4	5.0	5.4	5.5	6.0	2.1	11.1	3.8	6.3	6.1	3.0
	100.0	3.6	28.6H	25.0	17.9	7.1	10.7	3.6	3.6	46.4	25.0	28.6	75.0	21.4	21.4	75.0N	32.1	50.0	67.9	17.9
Base: Total Answering	463	13**	81*	91*	72*	28**	79*	20**	79*	190	134	139	363	94*	285	169	231	210	291	160
	100.0	100.0**	100*100.0*	100.0*100.0*	100.0*100.0*	100.0**	100*100.0*	100.0**	100*100.0	100.0	100.0	100.0	100.0	100.0*100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.8**	17.5*	19.7*	15.6*	6.0**	17.1*	4.3**	17.1*	41.0	28.9	30.0	78.4	20.3*	61.6	36.5	49.9	45.4	62.9	34.6
<u>Laundry Products (Net)</u>	319	4	53	63	50	20	68	14	47	126	86	107	253	62	213	99	183	125	193	120
	68.9	30.8	65.4	69.2	69.4	71.4	86.1	70.0	59.5	66.3	64.2	77.0	69.7	66.0	74.7	58.6	79.2	59.5	66.3	75.0
	100.0	1.3	16.6	19.7	15.7	6.3	21.3BC	4.4	14.7	39.5	27.0	33.5I	79.3	19.4	66.80	31.0	57.4Q	39.2	60.5	37.6
							DH					J								
Bleach	184	3	28	43	26	12	47	7	18	67	51	66	142	40	126	54	116	63	107	74
	39.7	23.1	34.6	47.3	36.1	42.9	59.5	35.0	22.8	35.3	38.1	47.5	39.1	42.6	44.2	32.0	50.2	30.0	36.8	46.3
	100.0	1.6	15.2	23.4H	14.1	6.5	25.5BD	3.8	9.8	36.4	27.7	35.9I	77.2	21.7	68.50	29.3	63.0Q	34.2	58.2	40.2
							H													
Fabric softener	121	-	23	28	22	6	24	8	10	50	28	43	99	22	84	35	82	37	71	47
	26.1	-	28.4	30.8	30.6	21.4	30.4	40.0	12.7	26.3	20.9	30.9	27.3	23.4	29.5	20.7	35.5	17.6	24.4	29.4
	100.0	-	19.0H	23.1H	18.2H	5.0	19.8H	6.6	8.3	41.3	23.1	35.5	81.8	18.2	69.40	28.9	67.8Q	30.6	58.7	38.8
Laundry boosters	27	-	5	2	7	3	4	3	3	14	4	9	22	4	17	10	14	12	17	10
	5.8	-	6.2	2.2	9.7	10.7	5.1	15.0	3.8	7.4	3.0	6.5	6.1	4.3	6.0	5.9	6.1	5.7	5.8	6.3
	100.0	-	18.5	7.4	25.9C	11.1	14.8	11.1	11.1	51.9	14.8	33.3	81.5	14.8	63.0	37.0	51.9	44.4	63.0	37.0

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 47
Q.30 Which Of The Following Products, If Any, Are Discharged Into The
Graywater That Is Reused?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	463	13**	81*	91*	72*	28**	79*	20**	79*	190	134	139	363	94*	285	169	231	210	291	160
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.8**	17.5*	19.7*	15.6*	6.0**	17.1*	4.3**	17.1*	41.0	28.9	30.0	78.4	20.3*	61.6	36.5	49.9	45.4	62.9	34.6
Laundry detergent	289	2	48	54	43	16	68	14	44	117	76	96	234	51	198	86	175	104	172	112
	62.4	15.4	59.3	59.3	59.7	57.1	86.1	70.0	55.7	61.6	56.7	69.1	64.5	54.3	69.5	50.9	75.8	49.5	59.1	70.0
	100.0	0.7	16.6	18.7	14.9	5.5	23.5BC	4.8	15.2	40.5	26.3	33.2J	81.0	17.6	68.5O	29.8	60.6Q	36.0	59.5	38.8R
							DH													
Laundry presoaks	40	-	3	7	9	3	11	4	3	14	9	17	32	8	29	11	23	16	27	13
	8.6	-	3.7	7.7	12.5	10.7	13.9	20.0	3.8	7.4	6.7	12.2	8.8	8.5	10.2	6.5	10.0	7.6	9.3	8.1
	100.0	-	7.5	17.5	22.5B	7.5	27.5B	10.0	7.5	35.0	22.5	42.5	80.0	20.0	72.5	27.5	57.5	40.0	67.5	32.5
							H													
Laundry prewashes/stain remover	87	1	9	18	15	4	23	9	8	31	23	33	73	14	65	21	55	27	54	31
	18.8	7.7	11.1	19.8	20.8	14.3	29.1	45.0	10.1	16.3	17.2	23.7	20.1	14.9	22.8	12.4	23.8	12.9	18.6	19.4
	100.0	1.1	10.3	20.7	17.2	4.6	26.4B	10.3	9.2	35.6	26.4	37.9	83.9	16.1	74.7O	24.1	63.2Q	31.0	62.1	35.6
							H													
Household Cleaners (Net)	235	5	38	47	40	15	38	11	41	97	69	69	177	56	143	85	117	106	146	83
	50.8	38.5	46.9	51.6	55.6	53.6	48.1	55.0	51.9	51.1	51.5	49.6	48.8	59.6	50.2	50.3	50.6	50.5	50.2	51.9
	100.0	2.1	16.2	20.0	17.0	6.4	16.2	4.7	17.4	41.3	29.4	29.4	75.3	23.8	60.9	36.2	49.8	45.1	62.1	35.3
All purpose household cleaners	106	1	18	21	19	8	19	3	17	45	33	28	79	25	65	40	48	53	71	33
	22.9	7.7	22.2	23.1	26.4	28.6	24.1	15.0	21.5	23.7	24.6	20.1	21.8	26.6	22.8	23.7	20.8	25.2	24.4	20.6
	100.0	0.9	17.0	19.8	17.9	7.5	17.9	2.8	16.0	42.5	31.1	26.4	74.5	23.6	61.3	37.7	45.3	50.0	67.0	31.1
Ammonia	38	-	6	6	8	3	5	4	6	18	12	8	31	7	23	13	23	13	21	16
	8.2	-	7.4	6.6	11.1	10.7	6.3	20.0	7.6	9.5	9.0	5.8	8.5	7.4	8.1	7.7	10.0	6.2	7.2	10.0
	100.0	-	15.8	15.8	21.1	7.9	13.2	10.5	15.8	47.4	31.6	21.1	81.6	18.4	60.5	34.2	60.5	34.2	55.3	42.1

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 47
Q.30 Which Of The Following Products, If Any, Are Discharged Into The
Graywater That Is Reused?

	TOTAL	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
		NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	ROCKY MOUN- TAIN		URBAN LARGE MSAS	SUB- URBAN SMALL MSAS	RURAL	RENT/ LEASE /OTHR		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER	
							SOUTH -WEST	WEST												
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	463	13**	81*	91*	72*	28**	79*	20**	79*	190	134	139	363	94*	285	169	231	210	291	160
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.8**	17.5*	19.7*	15.6*	6.0**	17.1*	4.3**	17.1*	41.0	28.9	30.0	78.4	20.3*	61.6	36.5	49.9	45.4	62.9	34.6
Baking soda	101	2	13	22	19	5	15	5	20	39	30	32	67	33	61	36	50	46	63	34
	21.8	15.4	16.0	24.2	26.4	17.9	19.0	25.0	25.3	20.5	22.4	23.0	18.5	35.1	21.4	21.3	21.6	21.9	21.6	21.3
	100.0	2.0	12.9	21.8	18.8	5.0	14.9	5.0	19.8	38.6	29.7	31.7	66.3	32.7L	60.4	35.6	49.5	45.5	62.4	33.7
Borax	30	-	5	2	8	1	6	3	5	17	4	9	24	6	22	8	16	13	16	12
	6.5	-	6.2	2.2	11.1	3.6	7.6	15.0	6.3	8.9	3.0	6.5	6.6	6.4	7.7	4.7	6.9	6.2	5.5	7.5
	100.0	-	16.7	6.7	26.7C	3.3	20.0	10.0	16.7	56.7J	13.3	30.0	80.0	20.0	73.3	26.7	53.3	43.3	53.3	40.0
Carpet cleaners	14	-	4	2	2	2	3	1	-	5	6	3	12	2	8	6	8	5	8	5
	3.0	-	4.9	2.2	2.8	7.1	3.8	5.0	-	2.6	4.5	2.2	3.3	2.1	2.8	3.6	3.5	2.4	2.7	3.1
	100.0	-	28.6H	14.3	14.3	14.3	21.4	7.1	-	35.7	42.9	21.4	85.7	14.3	57.1	42.9	57.1	35.7	57.1	35.7
Disinfectant cleaners	61	1	9	13	14	4	7	5	8	28	16	17	44	17	34	27	32	27	38	22
	13.2	7.7	11.1	14.3	19.4	14.3	8.9	25.0	10.1	14.7	11.9	12.2	12.1	18.1	11.9	16.0	13.9	12.9	13.1	13.8
	100.0	1.6	14.8	21.3	23.0	6.6	11.5	8.2	13.1	45.9	26.2	27.9	72.1	27.9	55.7	44.3	52.5	44.3	62.3	36.1
Floor/furniture cleaners	38	-	7	11	8	3	6	-	3	12	11	15	28	10	20	17	23	14	24	13
	8.2	-	8.6	12.1	11.1	10.7	7.6	-	3.8	6.3	8.2	10.8	7.7	10.6	7.0	10.1	10.0	6.7	8.2	8.1
	100.0	-	18.4	28.9	21.1	7.9	15.8	-	7.9	31.6	28.9	39.5	73.7	26.3	52.6	44.7	60.5	36.8	63.2	34.2
Multi-surface cleaners	49	-	7	12	8	2	10	2	8	22	13	14	36	13	27	20	25	22	31	16
	10.6	-	8.6	13.2	11.1	7.1	12.7	10.0	10.1	11.6	9.7	10.1	9.9	13.8	9.5	11.8	10.8	10.5	10.7	10.0
	100.0	-	14.3	24.5	16.3	4.1	20.4	4.1	16.3	44.9	26.5	28.6	73.5	26.5	55.1	40.8	51.0	44.9	63.3	32.7
Tub/tile/sink cleaners	66	1	8	14	8	7	18	3	7	26	17	23	52	14	37	27	42	23	41	25
	14.3	7.7	9.9	15.4	11.1	25.0	22.8	15.0	8.9	13.7	12.7	16.5	14.3	14.9	13.0	16.0	18.2	11.0	14.1	15.6
	100.0	1.5	12.1	21.2	12.1	10.6	27.3BH	4.5	10.6	39.4	25.8	34.8	78.8	21.2	56.1	40.9	63.6Q	34.8	62.1	37.9

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 47
Q.30 Which Of The Following Products, If Any, Are Discharged Into The
Graywater That Is Reused?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW	MID-	SOUTH	GREAT	MID-	SOUTH	ROCKY	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT	LESS	SEP- TIC TANK	MUNI- CIPAL WATER	PRI- VATE WELL WATER		
		ENG-	ATL-	-EAST	LAKES	WEST	-WEST	TAIN						WEST	LEAST				THAN	
		LAND	ANTIC												ONCE				ONCE	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	463	13**	81*	91*	72*	28**	79*	20**	79*	190	134	139	363	94*	285	169	231	210	291	160
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.8**	17.5*	19.7*	15.6*	6.0**	17.1*	4.3**	17.1*	41.0	28.9	30.0	78.4	20.3*	61.6	36.5	49.9	45.4	62.9	34.6
Dish Washing (Net)	287	6	51	60	47	19	44	11	49	109	86	92	215	68	174	106	139	131	176	100
	62.0	46.2	63.0	65.9	65.3	67.9	55.7	55.0	62.0	57.4	64.2	66.2	59.2	72.3	61.1	62.7	60.2	62.4	60.5	62.5
	100.0	2.1	17.8	20.9	16.4	6.6	15.3	3.8	17.1	38.0	30.0	32.1	74.9	23.7L	60.6	36.9	48.4	45.6	61.3	34.8
Hand dish washing liquid	277	6	50	57	47	19	43	9	46	105	84	88	206	68	166	104	135	125	168	99
	59.8	46.2	61.7	62.6	65.3	67.9	54.4	45.0	58.2	55.3	62.7	63.3	56.7	72.3	58.2	61.5	58.4	59.5	57.7	61.9
	100.0	2.2	18.1	20.6	17.0	6.9	15.5	3.2	16.6	37.9	30.3	31.8	74.4	24.5L	59.9	37.5	48.7	45.1	60.6	35.7
Automatic dishwasher detergent	38	-	9	4	2	3	13	2	5	12	11	15	33	4	26	11	24	14	23	15
	8.2	-	11.1	4.4	2.8	10.7	16.5	10.0	6.3	6.3	8.2	10.8	9.1	4.3	9.1	6.5	10.4	6.7	7.9	9.4
	100.0	-	23.7D	10.5	5.3	7.9	34.2CD	5.3	13.2	31.6	28.9	39.5	86.8	10.5	68.4	28.9	63.2	36.8	60.5	39.5
							H													
Rinse agents for dishwashers	17	-	2	2	2	3	5	2	1	5	5	7	17	-	12	5	11	6	9	8
	3.7	-	2.5	2.2	2.8	10.7	6.3	10.0	1.3	2.6	3.7	5.0	4.7	-	4.2	3.0	4.8	2.9	3.1	5.0
	100.0	-	11.8	11.8	11.8	17.6	29.4	11.8	5.9	29.4	29.4	41.2	100.0M	-	70.6	29.4	64.7	35.3	52.9	47.1
Film and spot remover	7	-	1	1	1	-	2	1	1	2	1	4	7	-	5	2	5	2	4	2
	1.5	-	1.2	1.1	1.4	-	2.5	5.0	1.3	1.1	0.7	2.9	1.9	-	1.8	1.2	2.2	1.0	1.4	1.3
	100.0	-	14.3	14.3	14.3	-	28.6	14.3	14.3	28.6	14.3	57.1	100.0	-	71.4	28.6	71.4	28.6	57.1	28.6
Hand/Body soap	235	9	40	44	32	18	39	11	42	93	70	72	180	52	147	83	112	116	151	77
	50.8	69.2	49.4	48.4	44.4	64.3	49.4	55.0	53.2	48.9	52.2	51.8	49.6	55.3	51.6	49.1	48.5	55.2	51.9	48.1
	100.0	3.8	17.0	18.7	13.6	7.7	16.6	4.7	17.9	39.6	29.8	30.6	76.6	22.1	62.6	35.3	47.7	49.4	64.3	32.8

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 47
Q.30 Which Of The Following Products, If Any, Are Discharged Into The
Graywater That Is Reused?

	REGION											OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER	WATER SOURCE				
									MARKET SIZE				OWN/ LEASE	RENT/ OTHER		AT LEAST ONCE	LESS THAN ONCE	SEP- TIC TANK	MUNI- CIPAL WATER	PRI- VATE WELL
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE	URBAN SMALL	RURAL									
	TOTAL	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Answering	463	13**	81*	91*	72*	28**	79*	20**	79*	190	134	139	363	94*	285	169	231	210	291	160
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.8**	17.5*	19.7*	15.6*	6.0**	17.1*	4.3**	17.1*	41.0	28.9	30.0	78.4	20.3*	61.6	36.5	49.9	45.4	62.9	34.6
Car washing liquid	89	1	12	19	13	5	23	2	14	39	25	25	70	18	46	42	49	39	57	30
	19.2	7.7	14.8	20.9	18.1	17.9	29.1	10.0	17.7	20.5	18.7	18.0	19.3	19.1	16.1	24.9	21.2	18.6	19.6	18.8
	100.0	1.1	13.5	21.3	14.6	5.6	25.88	2.2	15.7	43.8	28.1	28.1	78.7	20.2	51.7	47.2N	55.1	43.8	64.0	33.7
Drain opening liquid	18	-	3	4	3	2	3	-	3	7	6	5	13	5	13	5	10	6	15	2
	3.9	-	3.7	4.4	4.2	7.1	3.8	-	3.8	3.7	4.5	3.6	3.6	5.3	4.6	3.0	4.3	2.9	5.2	1.3
	100.0	-	16.7	22.2	16.7	11.1	16.7	-	16.7	38.9	33.3	27.8	72.2	27.8	72.2	27.8	55.6	33.3	83.3S	11.1
Packaged water softeners	7	-	3	-	1	1	2	-	-	4	2	1	7	-	5	2	4	3	4	3
	1.5	-	3.7	-	1.4	3.6	2.5	-	-	2.1	1.5	0.7	1.9	-	1.8	1.2	1.7	1.4	1.4	1.9
	100.0	-	42.9	-	14.3	14.3	28.6	-	-	57.1	28.6	14.3	100.0	-	71.4	28.6	57.1	42.9	57.1	42.9
Sigma	1939	27	313	386	317	130	396	98	272	772	537	630	1508	413	1236	665	1082	786	1192	699
	418.8	207.7	386.4	424.2	440.3	464.3	501.3	490.0	344.3	406.3	400.7	453.2	415.4	439.4	433.7	393.5	468.4	374.3	409.6	436.9
	100.0	1.4	16.1	19.9	16.3	6.7	20.4	5.1	14.0	39.8	27.7	32.5	77.8	21.3	63.7	34.3	55.8	40.5	61.5	36.0

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 48
Q.31 Approximately How Much Bleach Is Used Per Usage Occasion?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Bleach Is Discharged Into The Graywater That Is Reused	184 100.0 100.0	3** 100.0** 1.6**	28** 100** 15.2**	43* 100* 23.4*	26** 100.0** 14.1**	12** 100** 6.5**	47* 100* 25.5*	7** 100.0** 3.8**	18** 100** 9.8**	67* 100* 36.4*	51* 100.0** 27.7*	66* 100.0** 35.9*	142 100.0 77.2	40* 100.0 21.7*	126 100.0 68.5	54* 100.0 29.3*	116 100.0 63.0	63* 100.0 34.2*	107 100.0 58.2	74* 100.0 40.2*
No answer	5 2.7 100.0	- - -	4 14.3 80.0	1 2.3 20.0	- - -	- - -	- - -	- - -	- 4.5 60.0	3 2.0 20.0	1 1.5 20.0	1 2.8 80.0	4 2.5 20.0	3 2.4 60.0	2 3.7 40.0	1 0.9 20.0	3 4.8 60.0	4 3.7 80.0	1 1.4 20.0	
Base: Total Answering	179 100.0 100.0	3** 100.0** 1.7**	24** 100** 13.4**	42* 100* 23.5*	26** 100.0** 14.5**	12** 100** 6.7**	47* 100* 26.3*	7** 100.0** 3.9**	18** 100** 10.1**	64* 100* 35.8*	50* 100.0** 27.9*	65* 100.0** 36.3*	138 100.0 77.1	39* 100.0 21.8*	123 100.0 68.7	52* 100.0 29.1*	115 100.0 64.2	60* 100.0 33.5*	103 100.0 57.5	73* 100.0 40.8*
1 teaspoon (0.02)	9 5.0 100.0	- - -	2 8.3 22.2	- - -	1 3.8 11.1	3 25.0 33.3	3 6.4 33.3	- - -	- 4.7 33.3	3 6.0 33.3	3 4.6 33.3	5 3.6 55.6	4 10.3 44.4	6 4.9 66.7	3 5.8 33.3	4 3.5 44.4	4 6.7 44.4	6 5.8 66.7	2 2.7 22.2	
1 tablespoon (0.06)	20 11.2 100.0	2 66.7 10.0	5 20.8 25.0	6 14.3 30.0	3 11.5 15.0	1 8.3 5.0	1 2.1 5.0	- - -	2 11.1 10.0	7 10.9 35.0	4 8.0 20.0	9 13.8 45.0	15 10.9 75.0	5 12.8 25.0	13 10.6 65.0	6 11.5 30.0	9 7.8 45.0	10 16.7 50.0	11 10.7 55.0	9 12.3 45.0
1/4 cup (0.25)	70 39.1 100.0	- - -	9 37.5 12.9	18 42.9 25.7	16 61.5 22.9	4 33.3 5.7	13 27.7 18.6	3 42.9 4.3	7 38.9 10.0	30 46.9 42.9	21 42.0 30.0	19 29.2 27.1	54 39.1 77.1	15 38.5 21.4	46 37.4 65.7	23 44.2 32.9	47 40.9 67.1	22 36.7 31.4	41 39.8 58.6	29 39.7 41.4
1/2 cup (0.5)	43 24.0 100.0	- - -	5 20.8 11.6	8 19.0 18.6	2 7.7 4.7	2 16.7 4.7	17 36.2 39.5	3 42.9 7.0	6 33.3 14.0	14 21.9 32.6	9 18.0 20.9	20 30.8 46.5	37 26.8 86.0	5 12.8 11.6	30 24.4 69.8	11 21.2 25.6	29 25.2 67.4	13 21.7 30.2	22 21.4 51.2	19 26.0 44.2
1 cup or more (1)	37 20.7 100.0	1 33.3 2.7	3 12.5 8.1	10 23.8 27.0	4 15.4 10.8	2 16.7 5.4	13 27.7 35.1	1 14.3 2.7	3 16.7 8.1	10 15.6 27.0	13 26.0 35.1	14 21.5 37.8	27 19.6 73.0	10 25.6 27.0	28 22.8 75.7	9 17.3 24.3	26 22.6 70.3	11 18.3 29.7	23 22.3 62.2	14 19.2 37.8

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 48
Q.31 Approximately How Much Bleach Is Used Per Usage Occasion?

	REGION									MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
	TOTAL													RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER
		NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL								
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	179	3**	24**	42*	26**	12**	47*	7**	18**	64*	50*	65*	138	39*	123	52*	115	60*	103	73*
	100.0	100.0**	100**	100*100.0**	100**	100**	100*100.0**	100**	100**	100*100.0**	100.0**	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0*
	100.0	1.7**	13.4**	23.5*	14.5**	6.7**	26.3*	3.9**	10.1**	35.8*	27.9*	36.3*	77.1	21.8*	68.7	29.1*	64.2	33.5*	57.5	40.8*
Sigma	179	3	24	42	26	12	47	7	18	64	50	65	138	39	123	52	115	60	103	73
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	1.7	13.4	23.5	14.5	6.7	26.3	3.9	10.1	35.8	27.9	36.3	77.1	21.8	68.7	29.1	64.2	33.5	57.5	40.8
Mean Base	179	3	24	42	26	12	47	7	18	64	50	65	138	39	123	52	115	60	103	73
Mean Number Of Cups	0.43	0.37	0.34	0.45	0.35	0.34	0.53	0.46	0.44	0.39	0.46	0.45	0.43	0.43	0.45	0.40	0.46	0.39	0.44	0.43
Std. Deviation	0.32	0.54	0.30	0.34	0.30	0.35	0.33	0.27	0.30	0.30	0.35	0.33	0.32	0.37	0.33	0.31	0.32	0.33	0.33	0.32
Std. Error	0.02	0.31	0.06	0.05	0.06	0.10	0.05	0.10	0.07	0.04	0.05	0.04	0.03	0.06	0.03	0.04	0.03	0.04	0.03	0.04

Proportions/Mean: Columns tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 49
Q.31 Approximately How Much Fabric Softener Is Used Per Usage Occasion?

TOTAL	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	SUB- URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
121	-**	23**	28**	22**	6**	24**	8**	10**	50*	28**	43*	99*	22**	84*	35*	82*	37*	71*	47*
100.0	-**	100**	100**	100**	100**	100**	100**	100**	100*	100.0**	100*	100.0**	100*	100.0**	100*	100.0**	100.0**	100.0**	100.0**
100.0	-**	19.0**	23.1**	18.2**	5.0**	19.8**	6.6**	8.3**	41.3*	23.1**	35.5*	81.8*	18.2**	69.4*	28.9*	67.8*	30.6*	58.7*	38.8*
9	-	3	1	2	1	1	1	-	1	4	4	9	-	6	3	5	4	5	4
7.4	-	13.0	3.6	9.1	16.7	4.2	12.5	-	2.0	14.3	9.3	9.1	-	7.1	8.6	6.1	10.8	7.0	8.5
100.0	-	33.3	11.1	22.2	11.1	11.1	11.1	-	11.1	44.4	44.4	100.0	-	66.7	33.3	55.6	44.4	55.6	44.4
112	-**	20**	27**	20**	5**	23**	7**	10**	49*	24**	39*	90*	22**	78*	32*	77*	33*	66*	43*
100.0	-**	100**	100**	100**	100**	100**	100**	100**	100*	100.0**	100*	100.0**	100*	100.0**	100*	100.0**	100.0**	100.0**	100.0**
100.0	-**	17.9**	24.1**	17.9**	4.5**	20.5**	6.3**	8.9**	43.8*	21.4**	34.8*	80.4*	19.6**	69.6*	28.6*	68.8*	29.5*	58.9*	38.4*
9	-	3	-	2	-	1	2	1	5	2	2	9	-	3	5	5	4	5	4
8.0	-	15.0	-	10.0	-	4.3	28.6	10.0	10.2	8.3	5.1	10.0	-	3.8	15.6	6.5	12.1	7.6	9.3
100.0	-	33.3	-	22.2	-	11.1	22.2	11.1	55.6	22.2	22.2	100.0	-	33.3	55.6	55.6	44.4	55.6	44.4
25	-	2	8	1	4	3	3	4	10	3	12	20	5	19	6	19	6	14	9
22.3	-	10.0	29.6	5.0	80.0	13.0	42.9	40.0	20.4	12.5	30.8	22.2	22.7	24.4	18.8	24.7	18.2	21.2	20.9
100.0	-	8.0	32.0	4.0	16.0	12.0	12.0	16.0	40.0	12.0	48.0	80.0	20.0	76.0	24.0	76.0	24.0	56.0	36.0
61	-	12	15	15	1	12	2	4	27	14	20	49	12	42	18	42	17	36	24
54.5	-	60.0	55.6	75.0	20.0	52.2	28.6	40.0	55.1	58.3	51.3	54.4	54.5	53.8	56.3	54.5	51.5	54.5	55.8
100.0	-	19.7	24.6	24.6	1.6	19.7	3.3	6.6	44.3	23.0	32.8	80.3	19.7	68.9	29.5	68.9	27.9	59.0	39.3
12	-	2	2	2	-	5	-	1	7	4	1	10	2	9	3	8	4	9	3
10.7	-	10.0	7.4	10.0	-	21.7	-	10.0	14.3	16.7	2.6	11.1	9.1	11.5	9.4	10.4	12.1	13.6	7.0
100.0	-	16.7	16.7	16.7	-	41.7	-	8.3	58.3	33.3	8.3	83.3	16.7	75.0	25.0	66.7	33.3	75.0	25.0
5	-	1	2	-	-	2	-	-	-	1	4	2	3	5	-	3	2	2	3
4.5	-	5.0	7.4	-	-	8.7	-	-	-	4.2	10.3	2.2	13.6	6.4	-	3.9	6.1	3.0	7.0
100.0	-	20.0	40.0	-	-	40.0	-	-	-	20.0	80.01	40.0	60.0	100.0	-	60.0	40.0	40.0	60.0

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 49
Q.31 Approximately How Much Fabric Softener Is Used Per Usage Occasion?

	TOTAL	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
		NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB- URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		AT LEASE ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WATER	VATE WELL	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	112	-**	20**	27**	20**	5**	23**	7**	10**	49*	24**	39*	90*	22**	78*	32*	77*	33*	66*	43*
	100.0	-**	100**	100**	100**	100**	100**	100**	100**	100*	100.0**	100*	100.0*	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0*
	100.0	-**	17.9**	24.1**	17.9**	4.5**	20.5**	6.3**	8.9**	43.8*	21.4**	34.8*	80.4*	19.6**	69.6*	28.6*	68.8*	29.5*	58.9*	38.4*
Sigma	112	-	20	27	20	5	23	7	10	49	24	39	90	22	78	32	77	33	66	43
	100.0	-	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	-	17.9	24.1	17.9	4.5	20.5	6.3	8.9	43.8	21.4	34.8	80.4	19.6	69.6	28.6	68.8	29.5	58.9	38.4
Mean Base	112	-	20	27	20	5	23	7	10	49	24	39	90	22	78	32	77	33	66	43
Mean Number Of Cups	0.25	-	0.26	0.27	0.24	0.10	0.33	0.10	0.18	0.22	0.28	0.26	0.23	0.33	0.27	0.20	0.24	0.26	0.25	0.26
Std. Deviation	0.21	-	0.22	0.24	0.12	0.08	0.26	0.10	0.15	0.15	0.21	0.27	0.18	0.30	0.23	0.14	0.20	0.24	0.19	0.24
Std. Error	0.02	-	0.05	0.05	0.03	0.04	0.05	0.04	0.05	0.02	0.04	0.04	0.02	0.06	0.03	0.02	0.02	0.04	0.02	0.04

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
 * small base; ** very small base (under 30) ineligible for sig testing

Table 50
Q.31 Approximately How Many Laundry Boosters Are Used Per Usage Occasion?

	TOTAL	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
		NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Laundry Boosters Are Discharged Into The Graywater That Is Reused	27 100.0 100.0	-** 100** 18.5**	5** 100** 7.4**	2** 100** 7.4**	7** 100** 25.9**	3** 100** 11.1**	4** 100** 14.8**	3** 100** 11.1**	3** 100** 11.1**	14** 100** 51.9**	4** 100** 14.8**	9** 100** 33.3**	22** 100** 81.5**	4** 100** 14.8**	17** 100** 63.0**	10** 100** 37.0**	14** 100** 51.9**	12** 100** 44.4**	17** 100** 63.0**	10** 100** 37.0**
No answer	1 3.7 100.0	- - -	- - -	- - -	- - -	- - -	- - -	- - -	1 33.3 100.0	1 7.1 100.0	- - -	- - -	1 4.5 100.0	- - -	- - -	1 10.0 100.0	- - -	1 8.3 100.0	1 5.9 100.0	- - -
Base: Total Answering	26 100.0 100.0	-** 100** 19.2**	5** 100** 7.7**	2** 100** 7.7**	7** 100** 26.9**	3** 100** 11.5**	4** 100** 15.4**	3** 100** 11.5**	2** 100** 7.7**	13** 100** 50.0**	4** 100** 15.4**	9** 100** 34.6**	21** 100** 80.8**	4** 100** 15.4**	17** 100** 65.4**	9** 100** 34.6**	14** 100** 53.8**	11** 100** 42.3**	16** 100** 61.5**	10** 100** 38.5**
1 teaspoon (0.02)	4 15.4 100.0	- - -	2 40.0 50.0	- - -	- 33.3 25.0	1 33.3 25.0	- 33.3 25.0	1 33.3 25.0	- 15.4 50.0	2 15.4 50.0	- 22.2 50.0	2 14.3 75.0	3 25.0 25.0	1 11.8 50.0	2 22.2 50.0	2 7.1 25.0	1 18.2 50.0	2 18.8 75.0	3 10.0 25.0	1 - -
1 tablespoon (0.06)	7 26.9 100.0	- - -	1 20.0 14.3	1 50.0 14.3	2 28.6 28.6	1 33.3 14.3	1 25.0 14.3	- 50.0 -	1 30.8 14.3	4 50.0 28.6	2 11.1 28.6	1 28.6 14.3	6 25.0 85.7	1 35.3 85.7	6 11.1 14.3	1 35.7 71.4	5 18.2 28.6	2 18.8 42.9	3 40.0 57.1	4 - -
1/4 cup (0.25)	7 26.9 100.0	- - -	1 20.0 14.3	1 50.0 14.3	3 42.9 42.9	- 25.0 -	1 33.3 14.3	1 33.3 14.3	- 23.1 42.9	3 50.0 28.6	2 22.2 28.6	2 19.0 28.6	4 50.0 57.1	2 23.5 57.1	4 33.3 42.9	3 28.6 57.1	4 27.3 42.9	3 31.3 71.4	5 20.0 28.6	2 - -
1/2 cup (0.5)	8 30.8 100.0	- - -	1 20.0 12.5	- 28.6 -	2 33.3 25.0	1 50.0 12.5	2 33.3 25.0	1 50.0 12.5	1 30.8 50.0	4 - -	- 44.4 50.0	4 38.1 100.0	8 - -	- 29.4 62.5	5 33.3 37.5	3 28.6 50.0	4 36.4 50.0	4 31.3 62.5	5 30.0 37.5	3 - -
1 cup or more (1)	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

** very small base (under 30) ineligible for sig testing

Table 50
Q.31 Approximately How Many Laundry Boosters Are Used Per Usage Occasion?

	TOTAL	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
		NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	OWN	RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	VATE WELL WATER
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Answering	26	-**	5**	2**	7**	3**	4**	3**	2**	13**	4**	9**	21**	4**	17**	9**	14**	11**	16**	10**
	100.0	-**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**
	100.0	-**	19.2**	7.7**	26.9**	11.5**	15.4**	11.5**	7.7**	50.0**	15.4**	34.6**	80.8**	15.4**	65.4**	34.6**	53.8**	42.3**	61.5**	38.5**
Sigma	26	-	5	2	7	3	4	3	2	13	4	9	21	4	17	9	14	11	16	10
	100.0	-	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	-	19.2	7.7	26.9	11.5	15.4	11.5	7.7	50.0	15.4	34.6	80.8	15.4	65.4	34.6	53.8	42.3	61.5	38.5
Mean Base	26	-	5	2	7	3	4	3	2	13	4	9	21	4	17	9	14	11	16	10
Mean Number Of Cups	0.24	-	0.17	0.16	0.27	0.19	0.33	0.26	0.28	0.23	0.16	0.29	0.26	0.14	0.23	0.26	0.24	0.26	0.25	0.23
Std. Deviation	0.20	-	0.21	0.13	0.18	0.27	0.21	0.24	0.31	0.20	0.11	0.22	0.21	0.12	0.20	0.20	0.19	0.21	0.20	0.21
Std. Error	0.04	-	0.09	0.09	0.07	0.15	0.11	0.14	0.22	0.06	0.05	0.07	0.05	0.06	0.05	0.07	0.05	0.06	0.05	0.06

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
 ** very small base (under 30) ineligible for sig testing

Table 51
Q.31 Approximately How Much Laundry Detergent Is Used Per Usage Occasion?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
									SUB-				RENT/ LEASE ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WATER	VATE WELL WATER		
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL									
	TOTAL	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Laundry Detergent Is Discharged Into The Graywater. That Is Reused	289 100.0 100.0	2** 100.0 0.7**	48* 100.0 16.6*	54* 100.0 18.7*	43* 100.0 14.9*	16** 100.0 5.5**	68* 100.0 23.5*	14** 100.0 4.8**	44* 100.0 15.2*	117 100.0 40.5	76* 100.0 26.3*	96* 100.0 33.2*	234 100.0 81.0	51* 100.0 17.6*	198 100.0 68.5	86* 100.0 29.8*	175 100.0 60.6	104 100.0 36.0	172 100.0 59.5	112 100.0 38.8
No answer	28 9.7 100.0	- - -	6 12.5 21.4	7 13.0 25.0	4 9.3 14.3	- - -	5 7.4 17.9	2 14.3 7.1	4 9.1 14.3	10 8.5 35.7	8 10.5 28.6	10 10.4 35.7	24 10.3 85.7	4 7.8 14.3	20 10.1 71.4	8 9.3 28.6	12 6.9 42.9	16 15.4 57.1P	18 10.5 64.3	9 8.0 32.1
Base: Total Answering	261 100.0 100.0	2** 100.0 0.8**	42* 100.0 16.1*	47* 100.0 18.0*	39* 100.0 14.9*	16** 100.0 6.1**	63* 100.0 24.1*	12** 100.0 4.6**	40* 100.0 15.3*	107 100.0 41.0	68* 100.0 26.1*	86* 100.0 33.0*	210 100.0 80.5	47* 100.0 18.0*	178 100.0 68.2	78* 100.0 29.9*	163 100.0 62.5	88* 100.0 33.7*	154 100.0 59.0	103 100.0 39.5
1 teaspoon (0.02)	3 1.1 100.0	- - -	1 2.4 33.3	1 2.1 33.3	- - -	- - -	- - -	- - -	1 2.5 33.3	2 1.9 66.7	1 1.5 33.3	- - -	3 1.4 100.0	- - -	2 1.1 66.7	1 1.3 33.3	2 1.2 66.7	1 1.1 33.3	2 1.3 66.7	1 1.0 33.3
1 tablespoon (0.06)	15 5.7 100.0	1 50.0 6.7	3 7.1 20.0	1 2.1 6.7	1 2.6 6.7	1 6.3 6.7	4 6.3 26.7	2 16.7 13.3	2 5.0 13.3	5 4.7 33.3	6 8.8 40.0	4 4.7 26.7	13 6.2 86.7	2 4.3 13.3	9 5.1 60.0	6 7.7 40.0	3 1.8 20.0	11 12.5 73.3P	12 7.8 80.0	3 2.9 20.0
1/4 cup (0.25)	95 36.4 100.0	- - -	14 33.3 14.7	13 27.7 13.7	17 43.6 17.9F	10 62.5 10.5	14 22.2 14.7	4 33.3 4.2	23 57.5 24.2B	41 38.3 43.2	20 29.4 21.1	34 39.5 35.8	76 36.2 80.0	18 38.3 18.9	67 37.6 70.5	27 34.6 28.4	56 34.4 58.9	34 38.6 35.8	52 33.8 54.7	40 38.8 42.1
									CF											
1/2 cup (0.5)	97 37.2 100.0	1 50.0 1.0	16 38.1 16.5	18 38.3 18.6	15 38.5 15.5	4 25.0 4.1	28 44.4 28.9	4 33.3 4.1	11 27.5 11.3	37 34.6 38.1	28 41.2 28.9	32 37.2 33.0	84 40.0 86.6M	11 23.4 11.3	62 34.8 63.9	32 41.0 33.0	70 42.9 72.2Q	23 26.1 23.7	60 39.0 61.9	36 35.0 37.1
1 cup or more (1)	51 19.5 100.0	- - -	8 19.0 15.7	14 29.8 27.5H	6 15.4 11.8	1 6.3 2.0	17 27.0 33.3H	2 16.7 3.9	3 7.5 5.9	22 20.6 43.1	13 19.1 25.5	16 18.6 31.4	34 16.2 66.7	16 34.0 31.4L	38 21.3 74.5	12 15.4 23.5	32 19.6 62.7	19 21.6 37.3	28 18.2 54.9	23 22.3 45.1

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 51
Q.31 Approximately How Much Laundry Detergent Is Used Per Usage Occasion?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	SUB- URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	261	2**	42*	47*	39*	16**	63*	12**	40*	107	68*	86*	210	47*	178	78*	163	88*	154	103
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0*	100.0*	100.0	100.0*	100.0	100.0*	100.0	100.0*	100.0	100.0
	100.0	0.8**	16.1*	18.0*	14.9*	6.1**	24.1*	4.6**	15.3*	41.0	26.1*	33.0*	80.5	18.0*	68.2	29.9*	62.5	33.7*	59.0	39.5
Sigma	261	2	42	47	39	16	63	12	40	107	68	86	210	47	178	78	163	88	154	103
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	0.8	16.1	18.0	14.9	6.1	24.1	4.6	15.3	41.0	26.1	33.0	80.5	18.0	68.2	29.9	62.5	33.7	59.0	39.5
Mean Base	261	2	42	47	39	16	63	12	40	107	68	86	210	47	178	78	163	88	154	103
Mean Number Of Cups	0.48	0.28	0.47	0.56H	0.46	0.35	0.55H	0.43	0.36	0.48	0.48	0.47	0.46	0.56L	0.49	0.45	0.50	0.45	0.47	0.50
Std. Deviation	0.29	0.31	0.30	0.32	0.27	0.22	0.30	0.31	0.23	0.30	0.30	0.28	0.28	0.34	0.30	0.28	0.28	0.32	0.29	0.30
Std. Error	0.02	0.22	0.05	0.05	0.04	0.05	0.04	0.09	0.04	0.03	0.04	0.03	0.02	0.05	0.02	0.03	0.02	0.03	0.02	0.03

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 52
Q.31 Approximately How Many Laundry Presoaks Are Used Per Usage Occasion?

	TOTAL	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
		NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER	
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Laundry Presoaks Are Discharged Into The Graywater That Is Reused	40 100.0 100.0	-** 100.0 100.0	3** 100** 7.5**	7** 100** 17.5**	9** 100** 22.5**	3** 100** 7.5**	11** 100** 27.5**	4** 100** 10.0**	3** 100** 7.5**	14** 100** 35.0**	9** 100** 22.5**	17** 100** 42.5**	32* 100.0** 80.0*	8** 100** 20.0**	29** 100** 72.5**	11** 100** 27.5**	23** 100** 57.5**	16** 100** 40.0**	27** 100** 67.5**	13** 100** 32.5**
No answer	6 15.0 100.0	- 33.3 16.7	1 28.6 33.3	2 22.2 33.3	2 33.3 33.3	1 33.3 16.7	- - -	- - -	- 14.3 33.3	2 11.1 16.7	1 17.6 50.0	3 18.8 100.0	6 20.0	- 13.8 66.7	4 18.2 33.3	2 21.7 83.3	5 6.3 16.7	1 14.8 66.7	4 15.4 33.3	
Base: Total Answering	34 100.0 100.0	-** 100.0 100.0	2** 100** 5.9**	5** 100** 14.7**	7** 100** 20.6**	2** 100** 5.9**	11** 100** 32.4**	4** 100** 11.8**	3** 100** 8.8**	12** 100** 35.3**	8** 100** 23.5**	14** 100** 41.2**	26** 100** 76.5**	8** 100** 23.5**	25** 100** 73.5**	9** 100** 26.5**	18** 100** 52.9**	15** 100** 44.1**	23** 100** 67.6**	11** 100** 32.4**
1 teaspoon (0.02)	9 26.5 100.0	- 50.0 11.1	1 60.0 33.3	3 - -	1 50.0 11.1	2 18.2 22.2	1 25.0 11.1	1 33.3 11.1	1 33.3 44.4	4 12.5 11.1	1 28.6 44.4	4 19.2 55.6	5 50.0 44.4	4 32.0 88.9	8 11.1 11.1	1 27.8 55.6	5 20.0 33.3	3 21.7 55.6	4 36.4 44.4	
1 tablespoon (0.06)	10 29.4 100.0	- 50.0 10.0	1 20.0 10.0	1 57.1 40.0	4 - -	3 27.3 30.0	- - -	1 33.3 10.0	5 41.7 50.0	2 25.0 20.0	3 21.4 30.0	9 34.6 90.0	1 12.5 10.0	5 20.0 50.0	5 55.6 50.0	6 33.3 60.0	4 26.7 40.0	8 34.8 80.0	2 18.2 20.0	
1/4 cup (0.25)	10 29.4 100.0	- - -	- - -	2 28.6 20.0	1 50.0 10.0	4 36.4 40.0	2 50.0 20.0	1 33.3 10.0	2 16.7 20.0	3 37.5 30.0	5 35.7 50.0	8 30.8 80.0	2 25.0 20.0	8 32.0 80.0	2 22.2 20.0	5 27.8 50.0	5 33.3 50.0	6 26.1 60.0	4 36.4 40.0	
1/2 cup (0.5)	3 8.8 100.0	- - -	- - -	1 14.3 33.3	- 9.1 -	1 25.0 33.3	1 - 33.3	- - -	- 12.5 33.3	1 14.3 66.7	2 11.5 -	3 100.0	- -	2 66.7	1 33.3	2 66.7	1 33.3	3 100.0	- -	
1 cup or more (1)	2 5.9 100.0	- - -	1 20.0 50.0	- - -	- 9.1 -	1 50.0	- -	- 8.3 50.0	1 12.5 50.0	1 -	- 3.8 50.0	1 12.5 50.0	2 8.0 100.0	- -	- 13.3	- 100.0	2 50.0	1 4.3 50.0	1 9.1	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 52
Q.31 Approximately How Many Laundry Presoaks Are Used Per Usage Occasion?

	TOTAL	REGION								MARKET SIZE			OWN/RENT LEASE/ /OTHR	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER	WATER SOURCE			
		NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB- URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.		SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WATER	VATE WELL WATER
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	34	-**	2**	5**	7**	2**	11**	4**	3**	12**	8**	14**	26**	8**	25**	9**	18**	15**	23**	11**
	100.0	-**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**
	100.0	-**	5.9**	14.7**	20.6**	5.9**	32.4**	11.8**	8.8**	35.3**	23.5**	41.2**	76.5**	23.5**	73.5**	26.5**	52.9**	44.1**	67.6**	32.4**
Sigma	34	-	2	5	7	2	11	4	3	12	8	14	26	8	25	9	18	15	23	11
	100.0	-	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	-	5.9	14.7	20.6	5.9	32.4	11.8	8.8	35.3	23.5	41.2	76.5	23.5	73.5	26.5	52.9	44.1	67.6	32.4
Mean Base	34	-	2	5	7	2	11	4	3	12	8	14	26	8	25	9	18	15	23	11
Mean Number Of Cups	0.20	-	0.04	0.22	0.18	0.14	0.25	0.25	0.11	0.16	0.30	0.18	0.20	0.20	0.22	0.15	0.15	0.27	0.20	0.20
Std. Deviation	0.25	-	0.03	0.43	0.17	0.16	0.29	0.20	0.12	0.28	0.32	0.17	0.23	0.34	0.28	0.16	0.16	0.33	0.24	0.29
Std. Error	0.04	-	0.02	0.19	0.06	0.12	0.09	0.10	0.07	0.08	0.11	0.05	0.04	0.12	0.06	0.05	0.04	0.08	0.05	0.09

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
 * small base; ** very small base (under 30) ineligible for sig testing

Table 53
Q.31 Approximately How Many Laundry Prewashes/Stain Removers Are Used Per Usage Occasion?

	TOTAL	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
		NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE ONCE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Laundry Prewashes/Stain Removers Are Discharged Into The Graywater That Is Reused	87 100.0 100.0	1** 100.0** 1.1**	9** 100** 10.3**	18** 100** 20.7**	15** 100** 17.2**	4** 100** 4.6**	23** 100** 26.4**	9** 100** 10.3**	8** 100** 9.2**	31* 100*100.0** 35.6*	23** 100** 26.4**	33* 100*100.0** 37.9*	73* 100.0** 83.9*	14** 100.0** 16.1**	65* 100.0** 74.7*	21** 100** 24.1**	55* 100*100.0** 63.2*	27** 100** 31.0**	54* 100*100.0** 62.1*	31* 100.0** 35.6*
No answer	10 11.5 100.0	- - -	1 11.1 10.0	2 11.1 20.0	1 6.7 10.0	1 25.0 10.0	3 13.0 30.0	1 11.1 10.0	1 12.5 10.0	6 19.4 60.0	- - -	4 12.1 40.0	7 9.6 70.0	3 21.4 30.0	8 12.3 80.0	2 9.5 20.0	6 10.9 60.0	3 11.1 30.0	8 14.8 80.0	2 6.5 20.0
Base: Total Answering	77 100.0 100.0	1** 100.0** 1.3**	8** 100** 10.4**	16** 100** 20.8**	14** 100** 18.2**	3** 100** 3.9**	20** 100** 26.0**	8** 100** 10.4**	7** 100** 9.1**	25** 100** 32.5**	23** 100** 29.9**	29** 100** 37.7**	66* 100*100.0** 85.7*	11** 100.0** 14.3**	57* 100.0** 74.0*	19** 100** 24.7**	49* 100*100.0** 63.6*	24** 100** 31.2**	46* 100*100.0** 59.7*	29** 100.0** 37.7**
1 teaspoon (0.02)	35 45.5 100.0	1 100.0 2.9	6 75.0 17.1	5 31.3 14.3	7 50.0 20.0	2 66.7 5.7	7 35.0 20.0	5 62.5 14.3	2 28.6 5.7	14 56.0 40.0	10 43.5 28.6	11 37.9 31.4	28 42.4 80.0	7 63.6 20.0	24 42.1 68.6	10 52.6 28.6	19 38.8 54.3	13 54.2 37.1	21 45.7 60.0	13 44.8 37.1
1 tablespoon (0.06)	31 40.3 100.0	- - -	1 12.5 3.2	9 56.3 29.0	5 35.7 16.1	1 33.3 3.2	8 40.0 25.8	3 37.5 9.7	4 57.1 12.9	9 36.0 29.0	7 30.4 22.6	15 51.7 48.4	29 43.9 93.5	2 18.2 6.5	24 42.1 77.4	7 36.8 22.6	23 46.9 74.2	7 29.2 22.6	17 37.0 54.8	13 44.8 41.9
1/4 cup (0.25)	10 13.0 100.0	- - -	1 12.5 10.0	2 12.5 20.0	2 14.3 20.0	- - -	4 20.0 40.0	- - -	1 14.3 10.0	2 8.0 20.0	5 21.7 50.0	3 10.3 30.0	8 12.1 80.0	2 18.2 20.0	8 14.0 80.0	2 10.5 20.0	6 12.2 60.0	4 16.7 40.0	7 15.2 70.0	3 10.3 30.0
1/2 cup (0.5)	1 1.3 100.0	- - -	- - -	- - -	- - -	- - -	1 5.0 100.0	- - -	- - -	1 4.3 100.0	- - -	1 1.5 100.0	- - -	1 1.8 100.0	- - -	1 2.0 100.0	- - -	1 2.2 100.0	- - -	- - -
1 cup or more (1)	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 53
Q.31 Approximately How Many Laundry Prewashes/Stain Removers Are Used Per Usage Occasion?

TOTAL	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER	WATER SOURCE			
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB-				AT LEAST RENT/ LEASE ONCE A WK.	LESS THAN ONCE A WK.		SEP- TIC TANK	MUNI- CIPAL	PRI- VATE WELL WATER	
									URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL								
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
77	1**	8**	16**	14**	3**	20**	8**	7**	25**	23**	29**	66*	11**	57*	19**	49*	24**	46*	29**
100.0	100.0**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100*100.0**	100*100.0**	100*100.0**	100*100.0**	100*100.0**	100*100.0**	100*100.0**	100*100.0**
100.0	1.3**	10.4**	20.8**	18.2**	3.9**	26.0**	10.4**	9.1**	32.5**	29.9**	37.7**	85.7*	14.3**	74.0*	24.7**	63.6*	31.2**	59.7*	37.7**
77	1	8	16	14	3	20	8	7	25	23	29	66	11	57	19	49	24	46	29
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
100.0	1.3	10.4	20.8	18.2	3.9	26.0	10.4	9.1	32.5	29.9	37.7	85.7	14.3	74.0	24.7	63.6	31.2	59.7	37.7
77	1	8	16	14	3	20	8	7	25	23	29	66	11	57	19	49	24	46	29
0.07	0.02	0.05	0.07	0.07	0.03	0.11	0.04	0.08	0.05	0.10	0.06	0.07	0.07	0.08	0.06	0.08	0.07	0.08	0.06
0.09	-	0.08	0.07	0.08	0.02	0.13	0.02	0.08	0.06	0.13	0.07	0.09	0.09	0.09	0.07	0.09	0.08	0.10	0.07
0.01	-	0.03	0.02	0.02	0.01	0.03	0.01	0.03	0.01	0.03	0.01	0.01	0.03	0.01	0.02	0.01	0.02	0.01	0.01

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 54
Q.31 Approximately How Many All Purpose Household Cleaners Are Used Per Usage Occasion?

	REGION										MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE	
											SUB-				RENT/ LEASE ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WATER	VATE WELL WATER
											URBAN									
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL									
TOTAL	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: All Purpose Household Cleaners Are Discharged Into The Graywater That Is Reused	106 100.0 100.0	1** 100.0** 0.9**	18** 100** 17.0**	21** 100** 19.8**	19** 100** 17.9**	8** 100** 7.5**	19** 100** 17.9**	3** 100** 2.8**	17** 100** 16.0**	45* 100* 42.5*	33* 100.0* 31.1*	28** 100.0** 26.4**	79* 100.0** 74.5*	25** 100.0** 23.6**	65* 100.0* 61.3*	40* 100.0* 37.7*	48* 100.0* 45.3*	53* 100.0* 50.0*	71* 100.0* 67.0*	33* 100.0* 31.1*
No answer	12 11.3 100.0	- - -	4 22.2 33.3	2 9.5 16.7	2 10.5 16.7	3 37.5 25.0	- - -	- - -	1 5.9 8.3	4 8.9 33.3	5 15.2 41.7	3 10.7 25.0	8 10.1 66.7	4 16.0 33.3	8 12.3 66.7	4 10.0 33.3	6 12.5 50.0	4 7.5 33.3	9 12.7 75.0	3 9.1 25.0
Base: Total Answering	94 100.0 100.0	1** 100.0** 1.1**	14** 100** 14.9**	19** 100** 20.2**	17** 100** 18.1**	5** 100** 5.3**	19** 100** 20.2**	3** 100** 3.2**	16** 100** 17.0**	41* 100* 43.6*	28** 100.0** 29.8**	25** 100.0** 26.6**	71* 100.0** 75.5*	21** 100.0** 22.3**	57* 100.0* 60.6*	36* 100.0* 38.3*	42* 100.0* 44.7*	49* 100.0* 52.1*	62* 100.0* 66.0*	30* 100.0* 31.9*
1 teaspoon (0.02)	5 5.3 100.0	- - -	2 14.3 40.0	- - -	1 5.9 20.0	- - -	- - -	- - -	2 12.5 40.0	3 7.3 60.0	2 7.1 40.0	- - -	5 7.0 100.0	- - -	3 5.3 60.0	2 5.6 40.0	3 7.1 60.0	2 4.1 40.0	3 4.8 60.0	2 6.7 40.0
1 tablespoon (0.06)	29 30.9 100.0	1 100.0 3.4	6 42.9 20.7	4 21.1 13.8	5 29.4 17.2	- - -	5 26.3 17.2	3 100.0 10.3	5 31.3 17.2	12 29.3 41.4	7 25.0 24.1	10 40.0 34.5	22 31.0 75.9	6 28.6 20.7	14 24.6 48.3	15 41.7 51.7	9 21.4 31.0	19 38.8 65.5	19 30.6 65.5	9 30.0 31.0
1/4 cup (0.25)	44 46.8 100.0	- - -	4 28.6 9.1	9 47.4 20.5	9 52.9 20.5	4 80.0 9.1	9 47.4 20.5	- - -	9 56.3 20.5	21 51.2 47.7	13 46.4 29.5	10 40.0 22.7	33 46.5 75.0	10 47.6 22.7	28 49.1 63.6	15 41.7 34.1	21 50.0 47.7	21 42.9 47.7	31 50.0 70.5	12 40.0 27.3
1/2 cup (0.5)	13 13.8 100.0	- - -	2 14.3 15.4	4 21.1 30.8	2 11.8 15.4	1 20.0 7.7	4 21.1 30.8	- - -	- 12.2 38.5	5 14.3 30.8	4 16.0 30.8	4 14.1 76.9	10 14.3 23.1	3 15.8 69.2	9 11.1 30.8	4 19.0 61.5	8 10.2 38.5	5 12.9 61.5	8 16.7 38.5	5
1 cup or more (1)	3 3.2 100.0	- - -	- - -	2 10.5 66.7	- - -	- - -	1 5.3 33.3	- - -	- - -	2 7.1 66.7	1 4.0 33.3	1 1.4 33.3	2 9.5 66.7	3 5.3 100.0	- - -	1 2.4 33.3	2 4.1 66.7	1 1.6 33.3	2 6.7 66.7	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 54
Q.31 Approximately How Many All Purpose Household Cleaners Are Used Per Usage Occasion?

TOTAL	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB- URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE OWN /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WATER	VATE WELL WATER
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
94	1**	14**	19**	17**	5**	19**	3**	16**	41*	28**	25**	71*	21**	57*	36*	42*	49*	62*	30*
100.0	100.0**	100**	100**	100**	100**	100**	100**	100**	100*	100.0**	100**	100*	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0*
100.0	1.1**	14.9**	20.2**	18.1**	5.3**	20.2**	3.2**	17.0**	43.6*	29.8**	26.6**	75.5*	22.3**	60.6*	38.3*	44.7*	52.1*	66.0*	31.9*
94	1	14	19	17	5	19	3	16	41	28	25	71	21	57	36	42	49	62	30
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
100.0	1.1	14.9	20.2	18.1	5.3	20.2	3.2	17.0	43.6	29.8	26.6	75.5	22.3	60.6	38.3	44.7	52.1	66.0	31.9
94	1	14	19	17	5	19	3	16	41	28	25	71	21	57	36	42	49	62	30
0.24	0.06	0.17	0.34	0.21	0.30	0.29	0.06	0.16	0.21	0.28	0.24	0.22	0.30	0.27	0.19	0.26	0.22	0.22	0.27
0.20	-	0.17	0.27	0.14	0.11	0.23	0.00	0.10	0.14	0.25	0.22	0.18	0.27	0.23	0.15	0.19	0.21	0.18	0.25
0.02	-	0.04	0.06	0.03	0.05	0.05	0.00	0.03	0.02	0.05	0.04	0.02	0.06	0.03	0.02	0.03	0.03	0.02	0.05

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 55
Q.31 Approximately How Much Ammonia Is Used Per Usage Occasion?

	TOTAL	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
		NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Ammonia Is Discharged Into The Graywater That Is Reused	38 100.0 100.0	-** 100.0 100.0	6** 100** 15.8**	6** 100** 15.8**	8** 100** 21.1**	3** 100** 7.9**	5** 100** 13.2**	4** 100** 10.5**	6** 100** 15.8**	18** 100** 47.4**	12** 100** 31.6**	8** 100** 21.1**	31* 100.0** 81.6*	7** 100.0** 18.4**	23** 100** 60.5**	13** 100** 34.2**	23** 100** 60.5**	13** 100** 34.2**	21** 100** 55.3**	16** 100** 42.1**
No answer	5 13.2 100.0	- 100.0 100.0	2 33.3 40.0	1 16.7 20.0	1 12.5 20.0	- 20.0 20.0	1 20.0 20.0	- 20.0 20.0	- 20.0 20.0	3 16.7 60.0	2 16.7 40.0	- 12.9 80.0	4 14.3 20.0	1 13.0 60.0	3 15.4 40.0	2 13.0 60.0	3 15.4 40.0	2 19.0 80.0	4 6.3 20.0	
Base: Total Answering	33 100.0 100.0	-** 100.0 100.0	4** 100** 12.1**	5** 100** 15.2**	7** 100** 21.2**	3** 100** 9.1**	4** 100** 12.1**	4** 100** 12.1**	6** 100** 18.2**	15** 100** 45.5**	10** 100** 30.3**	8** 100** 24.2**	27** 100** 81.8**	6** 100** 18.2**	20** 100** 60.6**	11** 100** 33.3**	20** 100** 60.6**	11** 100** 33.3**	17** 100** 51.5**	15** 100** 45.5**
1 teaspoon (0.02)	7 21.2 100.0	- 100.0 100.0	1 25.0 14.3	1 20.0 14.3	2 28.6 28.6	1 33.3 14.3	1 25.0 14.3	1 25.0 14.3	- 26.7 57.1	4 10.0 14.3	1 25.0 28.6	2 18.5 71.4	5 33.3 28.6	2 10.0 28.6	2 27.3 42.9	3 15.0 42.9	3 27.3 42.9	3 23.5 57.1	4 20.0 42.9	
1 tablespoon (0.06)	5 15.2 100.0	- 100.0 100.0	- 100.0 100.0	- 100.0 100.0	2 28.6 40.0	- 100.0 100.0	- 100.0 100.0	- 100.0 100.0	3 50.0 60.0	3 20.0 60.0	2 20.0 40.0	- 18.5 100.0	5 100.0 100.0	- 20.0 80.0	4 9.1 20.0	1 10.0 40.0	2 27.3 60.0	3 29.4 100.0	5 - - -	
1/4 cup (0.25)	18 54.5 100.0	- 100.0 100.0	3 75.0 16.7	4 80.0 22.2	2 28.6 11.1	1 33.3 5.6	2 50.0 11.1	3 75.0 16.7	3 50.0 16.7	8 53.3 44.4	5 50.0 27.8	5 62.5 27.8	15 55.6 83.3	3 50.0 16.7	12 60.0 66.7	6 54.5 33.3	14 70.0 77.8	3 27.3 16.7	6 35.3 33.3	11 73.3 61.1
1/2 cup (0.5)	1 3.0 100.0	- 100.0 100.0	- 100.0 100.0	- 100.0 100.0	1 14.3 100.0	- 100.0 100.0	- 100.0 100.0	- 100.0 100.0	- 10.0 100.0	- 10.0 100.0	1 10.0 100.0	- 3.7 100.0	1 100.0 100.0	- 100.0 100.0	- 9.1 100.0	1 9.1 100.0	- 9.1 100.0	1 5.9 100.0	1 - -	
1 cup or more (1)	2 6.1 100.0	- 100.0 100.0	- 100.0 100.0	- 100.0 100.0	- 100.0 100.0	1 33.3 50.0	1 25.0 50.0	- 100.0 100.0	- 10.0 50.0	- 12.5 50.0	1 100.0 100.0	1 100.0 100.0	1 100.0 100.0	2 100.0 100.0	- 100.0 100.0	- 100.0 100.0	1 50.0 50.0	1 9.1 50.0	1 5.9 50.0	1 6.7 50.0

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 55
Q.31 Approximately How Much Ammonia Is Used Per Usage Occasion?

	TOTAL	REGION								MARKET SIZE			OWN/RENT RESIDENCE		FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE	
		NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	OWN	RENT/ LEASE /OTHR	AT LEAST A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL	VATE WELL WATER
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Answering	33	-**	4**	5**	7**	3**	4**	4**	6**	15**	10**	8**	27**	6**	20**	11**	20**	11**	17**	15**
	100.0	-**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**
	100.0	-**	12.1**	15.2**	21.2**	9.1**	12.1**	12.1**	18.2**	45.5**	30.3**	24.2**	81.8**	18.2**	60.6**	33.3**	60.6**	33.3**	51.5**	45.5**
Sigma	33	-	4	5	7	3	4	4	6	15	10	8	27	6	20	11	20	11	17	15
	100.0	-	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	-	12.1	15.2	21.2	9.1	12.1	12.1	18.2	45.5	30.3	24.2	81.8	18.2	60.6	33.3	60.6	33.3	51.5	45.5
Mean Base	33	-	4	5	7	3	4	4	6	15	10	8	27	6	20	11	20	11	17	15
Mean Number Of Cups	0.23	-	0.19	0.20	0.17	0.42	0.38	0.19	0.16	0.15	0.29	0.29	0.21	0.30	0.26	0.19	0.23	0.23	0.20	0.25
Std. Deviation	0.23	-	0.12	0.10	0.18	0.51	0.43	0.12	0.10	0.11	0.29	0.31	0.20	0.36	0.27	0.15	0.20	0.30	0.25	0.23
Std. Error	0.04	-	0.06	0.05	0.07	0.30	0.21	0.06	0.04	0.03	0.09	0.11	0.04	0.15	0.06	0.04	0.05	0.09	0.06	0.06

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 56
Q.31 Approximately How Much Baking Soda Is Used Per Usage Occasion?

	REGION										MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE	
											SUB-				RENT/ LEASE ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL										
	TOTAL	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Baking Soda Is Discharged Into The Graywater That Is Reused	101 100.0 100.0	2** 100.0** 2.0**	13** 100** 12.9**	22** 100** 21.8**	19** 100** 18.8**	5** 100** 5.0**	15** 100** 14.9**	5** 100** 5.0**	20** 100** 19.8**	39* 100.0 38.6*	30* 100.0 29.7*	32* 100.0 31.7*	67* 100.0 66.3*	33* 100.0 32.7*	61* 100.0 60.4*	36* 100.0 35.6*	50* 100.0 49.5*	46* 100.0 45.5*	63* 100.0 62.4*	34* 100.0 33.7*
No answer	12 11.9 100.0	- - -	2 15.4 16.7	3 13.6 25.0	1 5.3 8.3	2 40.0 16.7	- - -	2 40.0 16.7	2 10.0 16.7	6 15.4 50.0	2 6.7 16.7	4 12.5 33.3	8 11.9 66.7	4 12.1 33.3	10 16.4 83.3	2 5.6 16.7	3 6.0 25.0	8 17.4 66.7	9 14.3 75.0	3 8.8 25.0
Base: Total Answering	89 100.0 100.0	2** 100.0** 2.2**	11** 100** 12.4**	19** 100** 21.3**	18** 100** 20.2**	3** 100** 3.4**	15** 100** 16.9**	3** 100** 3.4**	18** 100** 20.2**	33* 100.0 37.1*	28** 100.0 31.5**	28** 100.0 31.5**	59* 100.0 66.3*	29** 100.0 32.6**	51* 100.0 57.3*	34* 100.0 38.2*	47* 100.0 52.8*	38* 100.0 42.7*	54* 100.0 60.7*	31* 100.0 34.8*
1 teaspoon (0.02)	8 9.0 100.0	1 50.0 12.5	2 18.2 25.0	- - -	3 16.7 37.5	1 33.3 12.5	- - -	- - -	1 5.6 12.5	5 15.2 62.5	1 3.6 12.5	2 7.1 25.0	6 10.2 75.0	2 6.9 25.0	5 9.8 62.5	2 5.9 25.0	3 6.4 37.5	4 10.5 50.0	3 5.6 37.5	4 12.9 50.0
1 tablespoon (0.06)	35 39.3 100.0	- - -	4 36.4 11.4	5 26.3 14.3	7 38.9 20.0	1 33.3 2.9	9 60.0 25.7	2 66.7 5.7	7 38.9 20.0	11 33.3 31.4	11 39.3 31.4	13 46.4 37.1	21 35.6 60.0	14 48.3 40.0	22 43.1 62.9	11 32.4 31.4	19 40.4 54.3	15 39.5 42.9	24 44.4 68.6	10 32.3 28.6
1/4 cup (0.25)	33 37.1 100.0	1 50.0 3.0	3 27.3 9.1	10 52.6 30.3	7 38.9 21.2	1 33.3 3.0	3 20.0 9.1	- - -	8 44.4 24.2	16 48.5 48.5	8 28.6 24.2	9 32.1 27.3	22 37.3 66.7	10 34.5 30.3	14 27.5 42.4	18 52.9 54.5N	16 34.0 48.5	15 39.5 45.5	20 37.0 60.6	11 35.5 33.3
1/2 cup (0.5)	9 10.1 100.0	- - -	2 18.2 22.2	2 10.5 22.2	1 5.6 11.1	- - -	2 13.3 22.2	1 33.3 11.1	1 5.6 11.1	1 3.0 11.1	6 21.4 66.7	2 7.1 22.2	8 13.6 88.9	1 3.4 11.1	6 11.8 66.7	3 8.8 33.3	8 17.0 88.9Q	1 2.6 11.1	4 7.4 44.4	5 16.1 55.6
1 cup or more (1)	4 4.5 100.0	- - -	- - -	2 10.5 50.0	- - -	- - -	1 6.7 25.0	- - -	1 5.6 25.0	- - -	2 7.1 50.0	2 7.1 50.0	2 3.4 50.0	2 6.9 50.0	4 7.8 100.0	- - -	1 2.1 25.0	3 7.9 75.0	3 5.6 75.0	1 3.2 25.0

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 56
Q.31 Approximately How Much Baking Soda Is Used Per Usage Occasion?

TOTAL	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB-				AT RENT/ LEASE /OTHR	LESS ONCE A WK.	THAN ONCE A WK.	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL	VATE WELL WATER
									URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL								
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
89	2**	11**	19**	18**	3**	15**	3**	18**	33*	28**	28**	59*	29**	51*	34*	47*	38*	54*	31*
100.0	100.0**	100**	100**	100**	100**	100**	100**	100**	100*	100.0**	100**	100*	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0*
100.0	2.2**	12.4**	21.3**	20.2**	3.4**	16.9**	3.4**	20.2**	37.1*	31.5**	31.5**	66.3*	32.6**	57.3*	38.2*	52.8*	42.7*	60.7*	34.8*
89	2	11	19	18	3	15	3	18	33	28	28	59	29	51	34	47	38	54	31
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
100.0	2.2	12.4	21.3	20.2	3.4	16.9	3.4	20.2	37.1	31.5	31.5	66.3	32.6	57.3	38.2	52.8	42.7	60.7	34.8
89	2	11	19	18	3	15	3	18	33	28	28	59	29	51	34	47	38	54	31
0.21	0.14	0.18	0.31	0.15	0.11	0.22	0.21	0.22	0.16	0.27	0.22	0.22	0.20	0.23	0.20	0.22	0.22	0.21	0.22
0.22	0.16	0.18	0.28	0.13	0.12	0.27	0.25	0.23	0.12	0.27	0.26	0.21	0.25	0.27	0.13	0.20	0.26	0.23	0.22
0.02	0.12	0.05	0.06	0.03	0.07	0.07	0.15	0.05	0.02	0.05	0.05	0.03	0.05	0.04	0.02	0.03	0.04	0.03	0.04

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
 * small base; ** very small base (under 30) ineligible for sig testing

Table 57
Q.31 Approximately How Much Borax Is Used Per Usage Occasion?

	TOTAL	REGION							MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
		NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER		
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Borax Is Discharged Into The Graywater That Is Reused	30 100.0 100.0	-** 100** 16.7**	5** 100** 6.7**	2** 100** 26.7**	8** 100** 26.7**	1** 100** 3.3**	6** 100** 20.0**	3** 100** 10.0**	5** 100** 16.7**	17** 100** 56.7**	4** 100** 13.3**	9** 100** 30.0**	24** 100** 80.0**	6** 100** 20.0**	22** 100** 73.3**	8** 100** 26.7**	16** 100** 53.3**	13** 100** 43.3**	16** 100** 53.3**	12** 100** 40.0**
No answer	3 10.0 100.0	- 40.0 66.7	2 40.0 66.7	- - -	- - -	- - -	- - -	1 33.3 33.3	- 5.9 33.3	1 50.0 66.7	2 50.0 66.7	- 12.5 100.0	3 12.5 100.0	- 13.6 100.0	3 13.6 100.0	- 6.3 33.3	1 15.4 66.7	2 12.5 66.7	2 8.3 33.3	1 8.3 33.3
Base: Total Answering	27 100.0 100.0	-** 100** 11.1**	3** 100** 7.4**	2** 100** 7.4**	8** 100** 29.6**	1** 100** 3.7**	6** 100** 22.2**	2** 100** 7.4**	5** 100** 18.5**	16** 100** 59.3**	2** 100** 7.4**	9** 100** 33.3**	21** 100** 77.8**	6** 100** 22.2**	19** 100** 70.4**	8** 100** 29.6**	15** 100** 55.6**	11** 100** 40.7**	14** 100** 51.9**	11** 100** 40.7**
1 teaspoon (0.02)	4 14.8 100.0	- 33.3 25.0	1 33.3 25.0	- 25.0 50.0	2 25.0 50.0	- - -	- 50.0 25.0	1 50.0 25.0	- 18.8 75.0	3 11.1 25.0	- 19.0 100.0	1 19.0 100.0	4 19.0 100.0	- 10.5 50.0	2 25.0 50.0	2 13.3 50.0	2 18.2 50.0	2 14.3 50.0	2 18.2 50.0	2 18.2 50.0
1 tablespoon (0.06)	6 22.2 100.0	- 33.3 16.7	1 33.3 16.7	- 37.5 50.0	3 37.5 50.0	- 16.7 16.7	1 16.7 16.7	- 20.0 16.7	1 25.0 66.7	4 25.0 66.7	- 22.2 33.3	2 19.0 66.7	4 33.3 66.7	2 33.3 66.7	4 21.1 66.7	2 25.0 33.3	3 20.0 50.0	3 27.3 50.0	3 21.4 50.0	3 27.3 50.0
1/4 cup (0.25)	12 44.4 100.0	- - -	- - 8.3	1 50.0 8.3	3 37.5 25.0	1 100.0 8.3	3 50.0 25.0	- 80.0 33.3	4 37.5 50.0	6 100.0 16.7	2 44.4 33.3	4 38.1 66.7	8 66.7 33.3	4 52.6 83.3	10 25.0 16.7	2 46.7 58.3	7 36.4 33.3	4 42.9 50.0	6 36.4 50.0	4 36.4 33.3
1/2 cup (0.5)	5 18.5 100.0	- 33.3 20.0	1 33.3 20.0	1 50.0 20.0	- - -	- 33.3 40.0	2 50.0 20.0	1 50.0 20.0	- 18.8 60.0	3 22.2 40.0	- 23.8 100.0	2 23.8 100.0	5 23.8 100.0	- 15.8 60.0	3 25.0 40.0	2 20.0 60.0	3 18.2 40.0	2 21.4 60.0	3 18.2 40.0	2 18.2 40.0
1 cup or more (1)	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
** very small base (under 30) ineligible for sig testing

Table 57
Q.31 Approximately How Much Borax Is Used Per Usage Occasion?

TOTAL	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER	WATER SOURCE			
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	OWN	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	MUNI- CIPAL SEWER	PRI- VATE WELL	WATER	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
27	-**	3**	2**	8**	1**	6**	2**	5**	16**	2**	9**	21**	6**	19**	8**	15**	11**	14**	11**
100.0	-**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**
100.0	-**	11.1**	7.4**	29.6**	3.7**	22.2**	7.4**	18.5**	59.3**	7.4**	33.3**	77.8**	22.2**	70.4**	29.6**	55.6**	40.7**	51.9**	40.7**
27	-	3	2	8	1	6	2	5	16	2	9	21	6	19	8	15	11	14	11
100.0	-	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
100.0	-	11.1	7.4	29.6	3.7	22.2	7.4	18.5	59.3	7.4	33.3	77.8	22.2	70.4	29.6	55.6	40.7	51.9	40.7
27	-	3	2	8	1	6	2	5	16	2	9	21	6	19	8	15	11	14	11
0.22	-	0.19	0.38	0.12	0.25	0.30	0.26	0.21	0.21	0.25	0.24	0.23	0.19	0.23	0.21	0.23	0.20	0.23	0.20
0.17	-	0.27	0.18	0.11	-	0.17	0.34	0.08	0.18	0.00	0.18	0.18	0.10	0.15	0.20	0.17	0.18	0.17	0.18
0.03	-	0.15	0.13	0.04	-	0.07	0.24	0.04	0.04	0.00	0.06	0.04	0.04	0.04	0.07	0.04	0.05	0.05	0.05

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
 ** very small base (under 30) ineligible for sig testing

Table 58
Q.31 Approximately How Much Carpet Cleaner Is Used Per Usage Occasion?

	TOTAL	REGION							MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
		NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	ROCKY MOUN- -WEST TAIN	WEST	URBAN LARGE MSAS	SUB- URBAN SMALL MSAS	RURAL		RENT/ LEASE ONCE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER SEWER	MUNI- CIPAL WATER	PRI- VATE WATER
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Carpet Cleaner Is Discharged Into The Graywater That Is Reused	14 100.0 100.0	** 4** ** 100** ** 28.6**	2** 100** 14.3**	2** 100** 14.3**	2** 100** 14.3**	3** 100** 21.4**	1** 100** 7.1**	-	** 5** ** 100** ** 35.7**	6** 100** 42.9**	3** 100** 21.4**	12** 100** 85.7**	2** 100** 14.3**	8** 100** 57.1**	6** 100** 42.9**	8** 100** 57.1**	5** 100** 35.7**	8** 100** 57.1**	5** 100** 35.7**
No answer	1 7.1 100.0	- 1 - 25.0 - 100.0	- - -	- - -	- - -	- - -	- - -	-	- 1 - 20.0 - 100.0	- - -	- - -	1 8.3 100.0	- - -	- - 16.7 - 100.0	1 12.5 100.0	1 12.5 100.0	- - -	- - 20.0 - 100.0	1 20.0 100.0
Base: Total Answering	13 100.0 100.0	** 3** ** 100** ** 23.1**	2** 100** 15.4**	2** 100** 15.4**	2** 100** 15.4**	3** 100** 23.1**	1** 100** 7.7**	-	** 4** ** 100** ** 30.8**	6** 100** 46.2**	3** 100** 23.1**	11** 100** 84.6**	2** 100** 15.4**	8** 100** 61.5**	5** 100** 38.5**	7** 100** 53.8**	5** 100** 38.5**	8** 100** 61.5**	4** 100** 30.8**
1 teaspoon (0.02)	2 15.4 100.0	- 1 - 33.3 - 50.0	- 1 - 50.0 - 50.0	- - -	- - -	- - -	- - -	-	- 1 - 25.0 - 50.0	1 16.7 50.0	- - -	2 18.2 100.0	- - -	1 12.5 50.0	1 20.0 50.0	1 14.3 50.0	1 20.0 50.0	1 12.5 50.0	1 25.0 50.0
1 tablespoon (0.06)	3 23.1 100.0	- - -	1 50.0 33.3	- - -	- - -	1 33.3 33.3	1 100.0 33.3	-	- - -	1 16.7 33.3	2 66.7 66.7	2 18.2 66.7	1 50.0 33.3	2 25.0 66.7	1 20.0 33.3	2 28.6 66.7	1 20.0 33.3	2 25.0 66.7	1 25.0 33.3
1/4 cup (0.25)	4 30.8 100.0	- 2 - 66.7 - 50.0	1 50.0 25.0	- - -	- - -	1 33.3 25.0	- - -	-	- - -	4 66.7 100.0	- - -	3 27.3 75.0	1 50.0 25.0	3 37.5 75.0	1 20.0 25.0	1 14.3 25.0	2 40.0 50.0	3 37.5 75.0	1 25.0 25.0
1/2 cup (0.5)	1 7.7 100.0	- - -	- - -	- - -	- - -	1 33.3 100.0	- - -	-	- 1 - 25.0 - 100.0	- - -	- - -	1 9.1 100.0	- - 12.5 - 100.0	- - -	1 14.3 100.0	- - -	- - 12.5 - 100.0	1 12.5 100.0	- - -
1 cup or more (1)	3 23.1 100.0	- - -	- - -	1 50.0 33.3	2 100.0 66.7	- - -	- - -	-	- 2 - 50.0 - 66.7	- - -	1 33.3 33.3	3 27.3 100.0	- - 12.5 - 33.3	1 40.0 66.7	2 28.6 66.7	2 20.0 33.3	1 12.5 33.3	1 25.0 33.3	1 25.0 33.3

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
** very small base (under 30) ineligible for sig testing

Table 58
Q.31 Approximately How Much Carpet Cleaner Is Used Per Usage Occasion?

	TOTAL	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER	WATER SOURCE			
		NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	SUB-			AT LEAST ONCE A WK.		LESS THAN ONCE A WK.	PRI- MUNI- CIPAL WELL WATER		VATE WATER			
									URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL									
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	13	-**	3**	2**	2**	2**	3**	1**	-**	4**	6**	3**	11**	2**	8**	5**	7**	5**	8**	4**
100.0		-**	100**	100**	100**	100**	100**	100**	-**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**
100.0		-**	23.1**	15.4**	15.4**	15.4**	23.1**	7.7**	-**	30.8**	46.2**	23.1**	84.6**	15.4**	61.5**	38.5**	53.8**	38.5**	61.5**	30.8**
Sigma	13	-	3	2	2	2	3	1	-	4	6	3	11	2	8	5	7	5	8	4
100.0		-	100.0	100.0	100.0	100.0	100.0	100.0	-	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
100.0		-	23.1	15.4	15.4	15.4	23.1	7.7	-	30.8	46.2	23.1	84.6	15.4	61.5	38.5	53.8	38.5	61.5	30.8
Mean Base	13	-	3	2	2	2	3	1	-	4	6	3	11	2	8	5	7	5	8	4
Mean Number Of Cups	0.36	-	0.17	0.16	0.51	1.00	0.27	0.06	-	0.63	0.18	0.37	0.40	0.16	0.30	0.47	0.41	0.32	0.30	0.33
Std. Deviation	0.39	-	0.13	0.13	0.69	0.00	0.22	-	-	0.47	0.11	0.54	0.41	0.13	0.32	0.50	0.43	0.40	0.32	0.46
Std. Error	0.11	-	0.08	0.09	0.49	0.00	0.13	-	-	0.24	0.04	0.31	0.12	0.09	0.11	0.22	0.16	0.18	0.11	0.23

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
 ** very small base (under 30) ineligible for sig testing

Table 59
Q.31 Approximately How Much Disinfectant Cleaner Is Used Per Usage Occasion?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT	LESS	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WATER	
		ENG- LAND	ATL- ANTIC											LEAST	THAN					
		(A)	(B)											(C)	(D)					(E)
Base: Disinfectant Cleaner Is Discharged Into The Graywater That Is Reused	61 100.0 100.0	1** 100.0** 1.6**	9** 100** 14.8**	13** 100** 21.3**	14** 100** 23.0**	4** 100** 6.6**	7** 100** 11.5**	5** 100** 8.2**	8** 100** 13.1**	28** 100** 45.9**	16** 100** 26.2**	17** 100** 27.9**	44* 100*100.0** 72.1*	17** 100** 27.9**	34* 100*100.0** 55.7*	27** 100** 52.5*	32* 100*100.0** 44.3**	27** 100** 62.3*	38* 100*100.0** 36.1**	22**
No answer	16 26.2 100.0	- - 12.5	2 22.2 25.0	4 30.8 31.3	5 35.7 12.5	2 50.0 -	- 20.0 6.3	1 25.0 12.5	2 32.1 56.3	9 18.8 18.8	3 23.5 25.0	4 25.0 68.8	11 29.4 31.3	5 29.4 62.5	10 22.2 37.5	6 28.1 56.3	9 22.2 37.5	6 28.9 68.8	11 22.7 31.3	5
Base: Total Answering	45 100.0 100.0	1** 100.0** 2.2**	7** 100** 15.6**	9** 100** 20.0**	9** 100** 20.0**	2** 100** 4.4**	7** 100** 15.6**	4** 100** 8.9**	6** 100** 13.3**	19** 100** 42.2**	13** 100** 28.9**	13** 100** 28.9**	33* 100*100.0** 73.3*	12** 100** 26.7**	24** 100** 53.3**	21** 100** 46.7**	23** 100** 51.1**	21** 100** 46.7**	27** 100** 60.0**	17** 100** 37.8**
1 teaspoon (0.02)	4 8.9 100.0	- - 50.0	2 28.6 -	- - 25.0	1 11.1 -	- - -	- 16.7 25.0	- 10.5 50.0	1 15.4 50.0	2 - -	2 - -	- 9.1 75.0	3 8.3 25.0	1 8.3 50.0	2 9.5 50.0	2 4.3 25.0	1 14.3 75.0	3 11.1 75.0	3 5.9 25.0	1
1 tablespoon (0.06)	15 33.3 100.0	1 100.0 6.7	2 28.6 13.3	2 22.2 13.3	2 22.2 13.3	- - -	2 28.6 13.3	3 75.0 20.0	3 50.0 20.0	5 26.3 33.3	4 30.8 26.7	6 46.2 40.0	11 33.3 73.3	4 33.3 26.7	6 25.0 40.0	9 42.9 60.0	7 30.4 46.7	8 38.1 53.3	10 37.0 66.7	5 29.4 33.3
1/4 cup (0.25)	17 37.8 100.0	- - 17.6	3 42.9 35.3	6 66.7 29.4	5 55.6 5.9	1 50.0 5.9	1 14.3 5.9	1 25.0 5.9	- 36.8 41.2	7 38.5 29.4	5 38.5 29.4	5 36.4 70.6	12 41.7 29.4	5 37.5 52.9	9 38.1 47.1	8 39.1 52.9	9 33.3 41.2	7 33.3 52.9	9 47.1 47.1	8
1/2 cup (0.5)	8 17.8 100.0	- - -	- - 12.5	1 11.1 12.5	1 11.1 12.5	- - -	4 57.1 50.0	- 33.3 25.0	2 26.3 62.5	5 15.4 25.0	2 7.7 12.5	1 18.2 75.0	6 16.7 25.0	2 29.2 87.5	7 4.8 12.5	1 21.7 62.5	5 14.3 37.5	3 18.5 62.5	5 17.6 37.5	3
1 cup or more (1)	1 2.2 100.0	- - -	- - -	- - -	1 50.0 100.0	- - -	- - -	- - -	- - -	- - -	- - -	1 7.7 100.0	1 3.0 100.0	- - -	- - -	1 4.8 100.0	1 4.3 100.0	- - -	- - -	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 59
Q.31 Approximately How Much Disinfectant Cleaner Is Used Per Usage Occasion?

TOTAL	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB-				AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WATER	VATE WELL	
									URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL								
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
45	1**	7**	9**	9**	2**	7**	4**	6**	19**	13**	13**	33*	12**	24**	21**	23**	21**	27**	17**
100.0	100.0**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100.0**	100**	100**	100**	100**	100**	100**
100.0	2.2**	15.6**	20.0**	20.0**	4.4**	15.6**	8.9**	13.3**	42.2**	28.9**	28.9**	73.3*	26.7**	53.3**	46.7**	51.1**	46.7**	60.0**	37.8**
45	1	7	9	9	2	7	4	6	19	13	13	33	12	24	21	23	21	27	17
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
100.0	2.2	15.6	20.0	20.0	4.4	15.6	8.9	13.3	42.2	28.9	28.9	73.3	26.7	53.3	46.7	51.1	46.7	60.0	37.8
45	1	7	9	9	2	7	4	6	19	13	13	33	12	24	21	23	21	27	17
0.23	0.06	0.13	0.24	0.21	0.63	0.34	0.11	0.20	0.24	0.19	0.24	0.23	0.21	0.26	0.19	0.27	0.18	0.20	0.22
0.20	-	0.11	0.13	0.15	0.53	0.21	0.09	0.23	0.18	0.17	0.26	0.22	0.17	0.18	0.22	0.23	0.16	0.17	0.16
0.03	-	0.04	0.04	0.05	0.38	0.08	0.05	0.10	0.04	0.05	0.07	0.04	0.05	0.04	0.05	0.05	0.04	0.03	0.04

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 60
Q.31 Approximately How Much Floor/Furniture Cleaner Is Used Per Usage Occasion?

TOTAL	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	RENT/ LEASE /OTHR		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
38	-**	7**	11**	8**	3**	6**	-**	3**	12**	11**	15**	28**	10**	20**	17**	23**	14**	24**	13**
100.0	-**	100**	100**	100**	100**	100**	-**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**
100.0	-**	18.4**	28.9**	21.1**	7.9**	15.8**	-**	7.9**	31.6**	28.9**	39.5**	73.7**	26.3**	52.6**	44.7**	60.5**	36.8**	63.2**	34.2**
6	-	2	1	3	-	-	-	-	3	2	1	3	3	3	3	4	2	4	2
15.8	-	28.6	9.1	37.5	-	-	-	-	25.0	18.2	6.7	10.7	30.0	15.0	17.6	17.4	14.3	16.7	15.4
100.0	-	33.3	16.7	50.0	-	-	-	-	50.0	33.3	16.7	50.0	50.0	50.0	50.0	66.7	33.3	66.7	33.3
32	-**	5**	10**	5**	3**	6**	-**	3**	9**	9**	14**	25**	7**	17**	14**	19**	12**	20**	11**
100.0	-**	100**	100**	100**	100**	100**	-**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**
100.0	-**	15.6**	31.3**	15.6**	9.4**	18.8**	-**	9.4**	28.1**	28.1**	43.8**	78.1**	21.9**	53.1**	43.8**	59.4**	37.5**	62.5**	34.4**
6	-	1	1	1	1	1	-	1	1	2	3	4	2	2	3	1	4	5	1
18.8	-	20.0	10.0	20.0	33.3	16.7	-	33.3	11.1	22.2	21.4	16.0	28.6	11.8	21.4	5.3	33.3	25.0	9.1
100.0	-	16.7	16.7	16.7	16.7	16.7	-	16.7	16.7	33.3	50.0	66.7	33.3	33.3	50.0	16.7	66.7	83.3	16.7
2	-	-	-	1	1	-	-	-	-	1	1	2	-	2	-	1	1	1	1
6.3	-	-	-	20.0	33.3	-	-	-	-	11.1	7.1	8.0	-	11.8	-	5.3	8.3	5.0	9.1
100.0	-	-	-	50.0	50.0	-	-	-	-	50.0	50.0	100.0	-	100.0	-	50.0	50.0	50.0	50.0
12	-	3	6	2	-	1	-	-	4	3	5	11	1	6	6	9	3	7	5
37.5	-	60.0	60.0	40.0	-	16.7	-	-	44.4	33.3	35.7	44.0	14.3	35.3	42.9	47.4	25.0	35.0	45.5
100.0	-	25.0	50.0	16.7	-	8.3	-	-	33.3	25.0	41.7	91.7	8.3	50.0	50.0	75.0	25.0	58.3	41.7
11	-	-	3	1	1	4	-	2	4	3	4	7	4	6	5	7	4	7	3
34.4	-	-	30.0	20.0	33.3	66.7	-	66.7	44.4	33.3	28.6	28.0	57.1	35.3	35.7	36.8	33.3	35.0	27.3
100.0	-	-	27.3	9.1	9.1	36.4	-	18.2	36.4	27.3	36.4	63.6	36.4	54.5	45.5	63.6	36.4	63.6	27.3
1	-	1	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	1
3.1	-	20.0	-	-	-	-	-	-	-	-	7.1	4.0	-	5.9	-	5.3	-	-	9.1
100.0	-	100.0	-	-	-	-	-	-	-	-	100.0	100.0	-	100.0	-	100.0	-	-	100.0

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
 ** very small base (under 30) ineligible for sig testing

Table 60
Q.31 Approximately How Much Floor/Furniture Cleaner Is Used Per Usage Occasion?

	TOTAL	REGION							MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
		NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	SUB- URBAN LARGE	URBAN SMALL	RURAL		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WATER	VATE WELL		
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	32	-**	5**	10**	5**	3**	6**	-**	3**	9**	9**	14**	25**	7**	17**	14**	19**	12**	20**	11**
	100.0	-**	100**	100**	100**	100**	100**	-**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**
	100.0	-**	15.6**	31.3**	15.6**	9.4**	18.8**	-**	9.4**	28.1**	28.1**	43.8**	78.1**	21.9**	53.1**	43.8**	59.4**	37.5**	62.5**	34.4**
Sigma	32	-	5	10	5	3	6	-	3	9	9	14	25	7	17	14	19	12	20	11
	100.0	-	100.0	100.0	100.0	100.0	100.0	-	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	-	15.6	31.3	15.6	9.4	18.8	-	9.4	28.1	28.1	43.8	78.1	21.9	53.1	43.8	59.4	37.5	62.5	34.4
Mean Base	32	-	5	10	5	3	6	-	3	9	9	14	25	7	17	14	19	12	20	11
Mean Number Of Cups	0.30	-	0.35	0.30	0.22	0.19	0.38	-	0.34	0.34	0.26	0.31	0.30	0.33	0.33	0.29	0.36	0.24	0.27	0.35
Std. Deviation	0.22	-	0.37	0.15	0.19	0.27	0.20	-	0.28	0.17	0.20	0.27	0.23	0.23	0.25	0.19	0.22	0.21	0.20	0.27
Std. Error	0.04	-	0.17	0.05	0.09	0.15	0.08	-	0.16	0.06	0.07	0.07	0.05	0.09	0.06	0.05	0.05	0.06	0.04	0.08

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
 ** very small base (under 30) ineligible for sig testing

Table 61
Q.31 Approximately How Much Multi-Surface Cleaner Is Used Per Usage Occasion?

	TOTAL	REGION							MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
		NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Multi-Surface Cleaner Is Discharged Into The Graywater That Is Reused	49 100.0 100.0	-** 100** -**14.3**	7** 100** 24.5**	12** 100** 16.3**	8** 100** 4.1**	2** 100** 20.4**	10** 100** 4.1**	2** 100** 16.3**	8** 100** 44.9**	22** 100** 26.5**	13** 100** 28.6**	14** 100** 73.5*	36* 100.0** 26.5**	13** 100** 55.1**	27** 100** 40.8**	20** 100** 51.0**	25** 100** 44.9**	22** 100** 63.3*	31* 100.0** 63.3*	16** 100.0** 32.7**
No answer	15 30.6 100.0	- 28.6 - 13.3	2 41.7 33.3	5 37.5 20.0	3 - -	- 20.0 13.3	2 - -	- 37.5 20.0	3 40.9 60.0	9 38.5 33.3	5 7.1 6.7	1 25.0 60.0	9 46.2 40.0	6 37.0 66.7	10 20.0 26.7	4 28.0 46.7	7 31.8 46.7	7 25.8 53.3	8 37.5 40.0	6
Base: Total Answering	34 100.0 100.0	-** 100** -**14.7**	5** 100** 20.6**	7** 100** 14.7**	5** 100** 5.9**	2** 100** 23.5**	8** 100** 5.9**	2** 100** 14.7**	5** 100** 38.2**	13** 100** 23.5**	8** 100** 38.2**	13** 100** 79.4**	27** 100** 20.6**	7** 100** 50.0**	17** 100** 47.1**	16** 100** 52.9**	18** 100** 44.1**	15** 100** 67.6**	23** 100** 29.4**	10**
1 teaspoon (0.02)	5 14.7 100.0	- 20.0 - 20.0	1 14.3 20.0	1 - -	- 50.0 20.0	1 12.5 20.0	1 50.0 20.0	1 - -	- 7.7 20.0	1 12.5 20.0	3 23.1 60.0	2 7.4 40.0	3 42.9 60.0	2 11.8 40.0	2 12.5 40.0	2 11.1 40.0	2 13.3 40.0	4 17.4 80.0	1 10.0 20.0	
1 tablespoon (0.06)	14 41.2 100.0	- 40.0 - 14.3	2 57.1 28.6	4 40.0 14.3	2 - -	- 25.0 14.3	2 50.0 7.1	1 60.0 21.4	3 38.5 35.7	5 62.5 35.7	5 30.8 28.6	4 40.7 78.6	11 42.9 21.4	3 35.3 42.9	6 50.0 57.1	8 27.8 35.7	5 60.0 64.3	9 47.8 78.6	11 30.0 21.4	3
1/4 cup (0.25)	11 32.4 100.0	- 20.0 - 9.1	1 28.6 18.2	2 40.0 18.2	2 - -	- 50.0 36.4	4 - -	- 40.0 18.2	5 38.5 45.5	1 12.5 9.1	5 38.5 45.5	10 37.0 90.9	1 14.3 9.1	7 41.2 63.6	4 25.0 36.4	8 44.4 72.7	3 20.0 27.3	6 26.1 54.5	5 50.0 45.5	
1/2 cup (0.5)	4 11.8 100.0	- 20.0 - 25.0	1 - -	1 20.0 25.0	1 50.0 25.0	1 12.5 25.0	- - -	- 15.4 50.0	2 12.5 25.0	1 7.7 25.0	1 14.8 100.0	4 - -	- 11.8 50.0	2 12.5 50.0	2 16.7 75.0	3 6.7 25.0	1 8.7 50.0	2 10.0 25.0	1	
1 cup or more (1)	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 61
Q.31 Approximately How Much Multi-Surface Cleaner Is Used Per Usage Occasion?

	TOTAL	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
		NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB-				AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	MUNI- CIPAL WATER	PRI- VATE WELL		
										URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL								
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	34	-**	5**	7**	5**	2**	8**	2**	5**	13**	8**	13**	27**	7**	17**	16**	18**	15**	23**	10**
	100.0	-**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**
	100.0	-**	14.7**	20.6**	14.7**	5.9**	23.5**	5.9**	14.7**	38.2**	23.5**	38.2**	79.4**	20.6**	50.0**	47.1**	52.9**	44.1**	67.6**	29.4**
Sigma	34	-	5	7	5	2	8	2	5	13	8	13	27	7	17	16	18	15	23	10
	100.0	-	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	-	14.7	20.6	14.7	5.9	23.5	5.9	14.7	38.2	23.5	38.2	79.4	20.6	50.0	47.1	52.9	44.1	67.6	29.4
Mean Base	34	-	5	7	5	2	8	2	5	13	8	13	27	7	17	16	18	15	23	10
Mean Number Of Cups	0.17	-	0.18	0.11	0.22	0.26	0.20	0.04	0.14	0.20	0.13	0.16	0.19	0.07	0.19	0.16	0.21	0.12	0.14	0.19
Std. Deviation	0.15	-	0.20	0.10	0.18	0.34	0.16	0.03	0.10	0.16	0.16	0.15	0.16	0.08	0.15	0.16	0.16	0.13	0.14	0.15
Std. Error	0.03	-	0.09	0.04	0.08	0.24	0.06	0.02	0.05	0.05	0.06	0.04	0.03	0.03	0.04	0.04	0.04	0.03	0.03	0.05

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
 * small base; ** very small base (under 30) ineligible for sig testing

Table 62
Q.31 Approximately How Much Tub/Tile/Sink Cleaner Is Used Per Usage Occasion?

	TOTAL	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
		NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Tub/Tile/Sink Cleaner Is Discharged Into The Graywater That Is Reused	66 100.0 100.0	1** 100.0** 1.5**	8** 100** 12.1**	14** 100** 21.2**	8** 100** 12.1**	7** 100** 10.6**	18** 100** 27.3**	3** 100** 4.5**	7** 100** 10.6**	26** 100** 39.4**	17** 100** 25.8**	23** 100** 34.8**	52* 100* 78.8*	14** 100.0** 21.2**	37* 100.0** 56.1*	27** 100.0** 40.9**	42* 100.0** 63.6*	23** 100.0** 34.8**	41* 100.0** 62.1*	25** 100.0** 37.9**
No answer	6 9.1 100.0	- 12.5 16.7	1 14.3 33.3	2 - -	- - -	- 11.1 33.3	2 33.3 16.7	1 - -	- 7.7 33.3	2 11.8 33.3	2 8.7 33.3	2 3.8 33.3	4 28.6 66.7	4 10.8 66.7	2 7.4 33.3	2 4.8 33.3	4 17.4 66.7	5 12.2 83.3	1 4.0 16.7	
Base: Total Answering	60 100.0 100.0	1** 100.0** 1.7**	7** 100** 11.7**	12** 100** 20.0**	8** 100** 13.3**	7** 100** 11.7**	16** 100** 26.7**	2** 100** 3.3**	7** 100** 11.7**	24** 100** 40.0**	15** 100** 25.0**	21** 100** 35.0**	50* 100* 83.3*	10** 100.0** 16.7**	33* 100.0** 55.0*	25** 100.0** 41.7**	40* 100.0** 66.7*	19** 100.0** 31.7**	36* 100.0** 60.0*	24** 100.0** 40.0**
1 teaspoon (0.02)	11 18.3 100.0	1 100.0 9.1	2 28.6 18.2	- - -	1 12.5 9.1	3 42.9 27.3	2 12.5 18.2	1 50.0 9.1	1 14.3 9.1	4 16.7 36.4	1 6.7 9.1	6 28.6 54.5	9 18.0 81.8	2 20.0 18.2	6 18.2 54.5	4 16.0 36.4	7 17.5 63.6	3 15.8 27.3	8 22.2 72.7	3 12.5 27.3
1 tablespoon (0.06)	22 36.7 100.0	- 28.6 9.1	2 41.7 22.7	5 75.0 27.3	6 14.3 4.5	1 25.0 18.2	4 50.0 4.5	1 42.9 13.6	3 29.2 31.8	7 53.3 36.4	8 33.3 31.8	7 38.0 86.4	19 30.0 13.6	3 36.4 54.5	12 36.0 40.9	9 32.5 59.1	13 47.4 40.9	9 41.7 68.2	15 29.2 31.8	7
1/4 cup (0.25)	20 33.3 100.0	- 42.9 15.0	3 50.0 30.0	6 - -	- 28.6 10.0	2 37.5 30.0	6 - -	- 42.9 15.0	3 37.5 45.0	9 33.3 25.0	5 28.6 30.0	6 34.0 85.0	17 30.0 15.0	3 27.3 45.0	9 44.0 55.0	11 37.5 75.0	15 26.3 25.0	5 27.8 50.0	10 41.7 50.0	10
1/2 cup (0.5)	7 11.7 100.0	- - -	- 8.3 14.3	1 12.5 14.3	1 14.3 14.3	4 25.0 57.1	- - -	- - -	- 16.7 57.1	4 6.7 14.3	1 9.5 28.6	2 10.0 71.4	5 20.0 28.6	2 18.2 85.7	6 4.0 14.3	1 12.5 71.4	5 10.5 28.6	2 8.3 42.9	3 16.7 57.1	4
1 cup or more (1)	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 62
Q.31 Approximately How Much Tub/Tile/Sink Cleaner Is Used Per Usage Occasion?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER	WATER SOURCE					
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB- URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	AT RENT/ LEASE /OTHR		A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WELL	VATE WATER
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)			
Base: Total Answering	60	1**	7**	12**	8**	7**	16**	2**	7**	24**	15**	21**	50*	10**	33*	25**	40*	19**	36*	24**	
	100.0	100.0**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100*100.0**	100*100.0**	100*100.0**	100*100.0**	100*100.0**	100*100.0**	100*100.0**	100*100.0**	
	100.0	1.7**	11.7**	20.0**	13.3**	11.7**	26.7**	3.3**	11.7**	40.0**	25.0**	35.0**	83.3*	16.7**	55.0*	41.7**	66.7*	31.7**	60.0*	40.0**	
Sigma	60	1	7	12	8	7	16	2	7	24	15	21	50	10	33	25	40	19	36	24	
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
	100.0	1.7	11.7	20.0	13.3	11.7	26.7	3.3	11.7	40.0	25.0	35.0	83.3	16.7	55.0	41.7	66.7	31.7	60.0	40.0	
Mean Base	60	1	7	12	8	7	16	2	7	24	15	21	50	10	33	25	40	19	36	24	
Mean Number Of Cups	0.17	0.02	0.13	0.19	0.11	0.16	0.24	0.04	0.14	0.20	0.15	0.14	0.16	0.20	0.18	0.15	0.18	0.15	0.14	0.21	
Std. Deviation	0.15	-	0.11	0.14	0.16	0.18	0.18	0.03	0.11	0.17	0.13	0.15	0.15	0.19	0.18	0.12	0.16	0.15	0.14	0.16	
Std. Error	0.02	-	0.04	0.04	0.06	0.07	0.05	0.02	0.04	0.03	0.03	0.03	0.02	0.06	0.03	0.02	0.02	0.03	0.02	0.03	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 63
Q.31 Approximately How Much Hand Dish Washing Liquid Is Used Per Usage Occasion?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Hand Dish Washing Liquid Is Discharged Into The Graywater That Is Reused	277 100.0 100.0	6** 100.0** 2.2**	50* 100*100.0* 18.1*	57* 100.0*100.0* 20.6*	47* 100.0*100.0* 17.0*	19** 100.0** 6.9**	43* 100*100.0** 15.5*	9** 100*100.0** 3.2**	46* 100*100.0 16.6*	105 100.0 37.9	84* 100.0*100.0* 30.3*	88* 100.0*100.0* 31.8*	206 100.0 74.4	68* 100.0*100.0 24.5*	166 100.0 59.9	104 100.0 37.5	135 100.0 48.7	125 100.0 45.1	168 100.0 60.6	99* 100.0* 35.7*
No answer	37 13.4 100.0	- - -	7 14.0 18.9	9 15.8 24.3	5 10.6 13.5	3 15.8 8.1	5 11.6 13.5	2 22.2 5.4	6 13.0 16.2	14 13.3 37.8	10 11.9 27.0	13 14.8 35.1	27 13.1 73.0	9 13.2 24.3	22 13.3 59.5	14 13.5 37.8	16 11.9 43.2	19 15.2 51.4	24 14.3 64.9	10 10.1 27.0
Base: Total Answering	240 100.0 100.0	6** 100.0** 2.5**	43* 100*100.0* 17.9*	48* 100.0*100.0* 20.0*	42* 100.0*100.0* 17.5*	16** 100.0** 6.7**	38* 100*100.0** 15.8*	7** 100*100.0** 2.9**	40* 100*100.0* 16.7*	91* 100.0*100.0* 37.9*	74* 100.0*100.0* 30.8*	75* 100.0*100.0* 31.3*	179 100.0 74.6	59* 100.0*100.0 24.6*	144 100.0 60.0	90* 100.0*100.0 37.5*	119 100.0 49.6	106 100.0 44.2	144 100.0 60.0	89* 100.0* 37.1*
1 teaspoon (0.02)	90 37.5 100.0	2 33.3 2.2	21 48.8 23.3	17 35.4 18.9	13 31.0 14.4	8 50.0 8.9	11 28.9 12.2	3 42.9 3.3	15 37.5 16.7	34 37.4 37.8	28 37.8 31.1	28 37.3 31.1	70 39.1 77.8	19 32.2 21.1	59 41.0 65.6	28 31.1 31.1	38 31.9 42.2	42 39.6 46.7	55 38.2 61.1	31 34.8 34.4
1 tablespoon (0.06)	116 48.3 100.0	2 33.3 1.7	16 37.2 13.8	24 50.0 20.7	21 50.0 18.1	7 43.8 6.0	20 52.6 17.2	4 57.1 3.4	22 55.0 19.0	42 46.2 36.2	36 48.6 31.0	38 50.7 32.8	87 48.6 75.0	29 49.2 25.0	68 47.2 58.6	45 50.0 38.8	66 55.5 56.9	46 43.4 39.7	65 45.1 56.0	48 53.9 41.4
1/4 cup (0.25)	25 10.4 100.0	2 33.3 8.0	5 11.6 20.0	5 10.4 20.0	6 14.3 24.0	1 6.3 4.0	4 10.5 16.0	- - -	2 5.0 8.0	12 13.2 48.0	8 10.8 32.0	5 6.7 20.0	18 10.1 72.0	7 11.9 28.0	12 8.3 48.0	13 14.4 52.0	12 10.1 48.0	12 11.3 48.0	18 12.5 72.0	7 7.9 28.0
1/2 cup (0.5)	5 2.1 100.0	- - -	- - -	1 2.1 20.0	1 2.4 20.0	- - -	3 7.9 60.0	- - -	- - -	2 2.2 40.0	1 1.4 20.0	2 2.7 40.0	2 1.1 40.0	2 3.4 40.0	2 1.4 40.0	3 3.3 60.0	2 1.7 40.0	3 2.8 60.0	3 2.1 60.0	2 2.2 40.0
1 cup or more (1)	4 1.7 100.0	- - -	1 2.3 25.0	1 2.1 25.0	1 2.4 25.0	- - -	- - -	- - -	1 2.5 25.0	1 1.1 25.0	1 1.4 25.0	2 2.7 50.0	2 1.1 50.0	2 3.4 50.0	3 2.1 75.0	1 1.1 25.0	1 0.8 25.0	3 2.8 75.0	3 2.1 75.0	1 1.1 25.0

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 63
Q.31 Approximately How Much Hand Dish Washing Liquid Is Used Per Usage Occasion?

	TOTAL	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
		NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB- URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	240	6**	43*	48*	42*	16**	38*	7**	40*	91*	74*	75*	179	59*	144	90*	119	106	144	89*
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0*	100.0*	100.0*	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0*
	100.0	2.5**	17.9*	20.0*	17.5*	6.7**	15.8*	2.9**	16.7*	37.9*	30.8*	31.3*	74.6	24.6*	60.0	37.5*	49.6	44.2	60.0	37.1*
Sigma	240	6	43	48	42	16	38	7	40	91	74	75	179	59	144	90	119	106	144	89
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.5	17.9	20.0	17.5	6.7	15.8	2.9	16.7	37.9	30.8	31.3	74.6	24.6	60.0	37.5	49.6	44.2	60.0	37.1
Mean Base	240	6	43	48	42	16	38	7	40	91	74	75	179	59	144	90	119	106	144	89
Mean Number Of Cups	0.09	0.11	0.08	0.09	0.11	0.05	0.10	0.04	0.08	0.09	0.08	0.09	0.08	0.12	0.09	0.10	0.08	0.10	0.10	0.08
Std. Deviation	0.15	0.11	0.16	0.16	0.17	0.06	0.13	0.02	0.16	0.14	0.14	0.18	0.13	0.20	0.16	0.14	0.12	0.18	0.16	0.13
Std. Error	0.01	0.04	0.02	0.02	0.03	0.01	0.02	0.01	0.02	0.01	0.02	0.02	0.01	0.03	0.01	0.02	0.01	0.02	0.01	0.01

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 64
Q.31 Approximately How Much Automatic Dish Washer Detergent Is Used Per Usage Occasion?

	TOTAL	REGION							MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
		NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		AT RENT/ LEASE /OTHR	LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WATER	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Automatic Dish Washer Detergent Is Discharged Into The Graywater That Is Reused	38 100.0 100.0	-** 100** -**	9** 100** 23.7**	4** 100** 10.5**	2** 100** 5.3**	3** 100** 7.9**	13** 100** 34.2**	2** 100** 5.3**	5** 100** 13.2**	12** 100** 31.6**	11** 100** 28.9**	15** 100** 39.5**	33* 100.0** 86.8*	4** 100** 10.5**	26** 100** 68.4**	11** 100** 28.9**	24** 100** 63.2**	14** 100** 36.8**	23** 100** 60.5**	15** 100** 39.5**
No answer	4 10.5 100.0	- - -	3 33.3 75.0	- - -	- - -	1 7.7 25.0	- - -	- - -	- - -	2 16.7 50.0	2 18.2 50.0	- - -	4 12.1 100.0	- - -	4 15.4 100.0	- - -	1 4.2 25.0	3 21.4 75.0	4 17.4 100.0	- - -
Base: Total Answering	34 100.0 100.0	-** 100** -**	6** 100** 17.6**	4** 100** 11.8**	2** 100** 5.9**	3** 100** 8.8**	12** 100** 35.3**	2** 100** 5.9**	5** 100** 14.7**	10** 100** 29.4**	9** 100** 26.5**	15** 100** 44.1**	29** 100** 85.3**	4** 100** 11.8**	22** 100** 64.7**	11** 100** 32.4**	23** 100** 67.6**	11** 100** 32.4**	19** 100** 55.9**	15** 100** 44.1**
1 teaspoon (0.02)	4 11.8 100.0	- - -	2 33.3 50.0	- - -	- 33.3 25.0	1 - -	- - -	- 20.0 25.0	1 20.0 50.0	2 11.1 25.0	1 6.7 25.0	1 13.8 100.0	4 - -	- 4.5 25.0	1 27.3 75.0	3 8.7 50.0	2 18.2 50.0	2 10.5 50.0	2 13.3 50.0	2 - -
1 tablespoon (0.06)	12 35.3 100.0	- - -	2 33.3 16.7	2 50.0 16.7	2 100.0 16.7	1 33.3 8.3	1 8.3 8.3	- 80.0 33.3	4 50.0 41.7	5 44.4 33.3	4 20.0 25.0	3 31.0 75.0	9 50.0 16.7	2 36.4 66.7	8 36.4 33.3	4 26.1 50.0	6 54.5 50.0	6 31.6 50.0	6 40.0 50.0	6 - -
1/4 cup (0.25)	15 44.1 100.0	- - -	1 16.7 6.7	2 50.0 13.3	- 33.3 -	1 83.3 6.7	10 50.0 66.7	1 - 6.7	- 30.0 20.0	3 22.2 13.3	2 66.7 66.7	10 44.8 86.7	13 50.0 13.3	2 50.0 73.3	11 27.3 20.0	3 56.5 86.7	13 18.2 13.3	2 47.4 60.0	9 40.0 40.0	6 - -
1/2 cup (0.5)	1 2.9 100.0	- - -	- - -	- - -	- - -	1 8.3 100.0	- - -	- - -	- - -	- 11.1 100.0	1 - 100.0	- 3.4 -	1 - 100.0	- 4.5 100.0	1 - 100.0	- 4.3 100.0	1 - -	- 5.3 100.0	1 - -	- - -
1 cup or more (1)	2 5.9 100.0	- - -	1 16.7 50.0	- - -	- - -	- - -	1 50.0 50.0	- - -	- - -	- 11.1 50.0	1 6.7 50.0	1 6.9 100.0	2 - -	- 4.5 50.0	1 9.1 50.0	1 4.3 50.0	1 9.1 50.0	1 5.3 50.0	1 6.7 50.0	1 - -

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 64
Q.31 Approximately How Much Automatic Dish Washer Detergent Is Used Per Usage Occasion?

	TOTAL	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
		NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB- URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WATER	VATE WELL WATER	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	34	-**	6**	4**	2**	3**	12**	2**	5**	10**	9**	15**	29**	4**	22**	11**	23**	11**	19**	15**
	100.0	-**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**
	100.0	-**	17.6**	11.8**	5.9**	8.8**	35.3**	5.9**	14.7**	29.4**	26.5**	44.1**	85.3**	11.8**	64.7**	32.4**	67.6**	32.4**	55.9**	44.1**
Sigma	34	-	6	4	2	3	12	2	5	10	9	15	29	4	22	11	23	11	19	15
	100.0	-	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	-	17.6	11.8	5.9	8.8	35.3	5.9	14.7	29.4	26.5	44.1	85.3	11.8	64.7	32.4	67.6	32.4	55.9	44.1
Mean Base	34	-	6	4	2	3	12	2	5	10	9	15	29	4	22	11	23	11	19	15
Mean Number Of Cups	0.21	-	0.23	0.16	0.06	0.11	0.25	0.63	0.05	0.11	0.25	0.25	0.22	0.16	0.22	0.19	0.22	0.17	0.22	0.19
Std. Deviation	0.23	-	0.38	0.11	0.00	0.12	0.09	0.53	0.02	0.10	0.32	0.23	0.25	0.11	0.21	0.29	0.21	0.29	0.23	0.24
Std. Error	0.04	-	0.16	0.05	0.00	0.07	0.03	0.38	0.01	0.03	0.11	0.06	0.05	0.05	0.05	0.09	0.04	0.09	0.05	0.06

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 65
Q.31 Approximately How Many Rinse Agents For Dishwashers Are Used Per Usage Occasion?

	TOTAL	REGION							MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
		NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	SUB- URBAN LARGE MSAS	SUB- URBAN SMALL MSAS	RURAL		AT RENT/ LEASE /OTHR	LESS THAN ONCE A WK.	SEPTIC TANK TIC	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Rinse Agents For Dishwashers Are Discharged Into The Graywater That Is Reused	17 100.0 100.0	-** 100** 11.8**	2** 100** 11.8**	2** 100** 11.8**	2** 100** 17.6**	3** 100** 29.4**	5** 100** 11.8**	2** 100** 5.9**	1** 100** 29.4**	5** 100** 29.4**	5** 100** 41.2**	7** 100** 100**	17** 100** 100**	-** 12** 100**	5** 100** 100**	11** 100** 100**	6** 100** 35.3**	9** 100** 52.9**	8** 100** 47.1**
No answer	3 17.6 100.0	- 50.0 33.3	1 - -	- - -	1 33.3 33.3	1 20.0 33.3	1 - -	- - -	1 20.0 33.3	2 40.0 66.7	- - -	3 17.6 100.0	- - -	3 25.0 100.0	- - -	1 9.1 33.3	2 33.3 66.7	3 33.3 100.0	- - -
Base: Total Answering	14 100.0 100.0	-** 100** 7.1**	1** 100** 14.3**	2** 100** 14.3**	2** 100** 14.3**	4** 100** 28.6**	2** 100** 14.3**	1** 100** 7.1**	4** 100** 28.6**	3** 100** 21.4**	7** 100** 50.0**	14** 100** 100**	14** 100** 100**	-** 9** 100**	5** 100** 100**	10** 100** 71.4**	4** 100** 28.6**	6** 100** 42.9**	8** 100** 57.1**
1 teaspoon (0.02)	9 64.3 100.0	- 100.0 11.1	1 100.0 22.2	2 100.0 11.1	1 50.0 11.1	1 50.0 22.2	2 50.0 11.1	1 100.0 11.1	3 75.0 33.3	2 66.7 22.2	4 57.1 44.4	9 64.3 100.0	9 64.3 100.0	- 77.8 77.8	7 40.0 22.2	2 70.0 77.8	2 50.0 22.2	4 66.7 44.4	5 62.5 55.6
1 tablespoon (0.06)	2 14.3 100.0	- - -	- - -	- - -	1 50.0 50.0	- 25.0 50.0	1 - 50.0	- - -	- - -	- - -	- 28.6 100.0	2 14.3 100.0	2 - -	- 11.1 50.0	1 20.0 50.0	1 10.0 50.0	1 25.0 50.0	- - -	2 25.0 100.0
1/4 cup (0.25)	2 14.3 100.0	- - -	- - -	- - -	1 50.0 50.0	1 25.0 50.0	- - -	- - -	1 25.0 50.0	- 14.3 50.0	1 14.3 100.0	2 14.3 100.0	2 - -	- 11.1 50.0	1 20.0 50.0	2 20.0 100.0	- - -	1 16.7 50.0	1 12.5 50.0
1/2 cup (0.5)	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
1 cup or more (1)	1 7.1 100.0	- - -	- - -	- - -	- - -	- - -	1 50.0 100.0	- - -	- - -	1 33.3 100.0	- 7.1 100.0	1 - -	1 - -	- 20.0 100.0	- 25.0 100.0	1 16.7 100.0	1 - -	- - -	- - -

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
** very small base (under 30) ineligible for sig testing

Table 65
Q.31 Approximately How Many Rinse Agents For Dishwashers Are Used Per Usage Occasion?

	TOTAL	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
		NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB- URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WATER	VATE WELL WATER
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	14	-**	1**	2**	2**	2**	4**	2**	1**	4**	3**	7**	14**	-**	9**	5**	10**	4**	6**	8**
	100.0	-**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	-**	100**	100**	100**	100**	100**	100**
	100.0	-**	7.1**	14.3**	14.3**	14.3**	28.6**	14.3**	7.1**	28.6**	21.4**	50.0**	100**	-**	64.3**	35.7**	71.4**	28.6**	42.9**	57.1**
Sigma	14	-	1	2	2	2	4	2	1	4	3	7	14	-	9	5	10	4	6	8
	100.0	-	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	-	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	-	7.1	14.3	14.3	14.3	28.6	14.3	7.1	28.6	21.4	50.0	100.0	-	64.3	35.7	71.4	28.6	42.9	57.1
Mean Base	14	-	1	2	2	2	4	2	1	4	3	7	14	-	9	5	10	4	6	8
Mean Number Of Cups	0.13	-	0.02	0.02	0.04	0.14	0.09	0.51	0.02	0.08	0.35	0.06	0.13	-	0.05	0.27	0.07	0.28	0.22	0.06
Std. Deviation	0.26	-	-	0.00	0.03	0.16	0.11	0.69	-	0.12	0.57	0.08	0.26	-	0.08	0.42	0.10	0.48	0.39	0.08
Std. Error	0.07	-	-	0.00	0.02	0.12	0.05	0.49	-	0.06	0.33	0.03	0.07	-	0.03	0.19	0.03	0.24	0.16	0.03

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
 ** very small base (under 30) ineligible for sig testing

Table 66
Q.31 Approximately How Much Film And Spot Remover Is Used Per Usage Occasion?

	TOTAL	REGION							MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
		NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	SUB- URBAN SMALL MSAS	RURAL		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER		
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Film And Spot Remover Is Discharged Into The Graywater That Is Reused	7 100.0 100.0	-** -** -**	1** 100** 14.3**	1** 100** 14.3**	1** 100** 14.3**	-** -** -**	2** 100** 28.6**	1** 100** 14.3**	1** 100** 14.3**	2** 100** 28.6**	1** 100** 14.3**	4** 100** 57.1**	7** 100** 100**	-** -** -**	5** 100** 71.4**	2** 100** 28.6**	5** 100** 71.4**	2** 100** 28.6**	4** 100** 57.1**	2** 100** 28.6**
No answer	1 14.3 100.0	- - -	- 100.0 100.0	1 - 100.0	- - -	- - -	- - -	- - -	- - -	- - -	- 25.0 100.0	1 14.3 100.0	1 100.0	- - -	1 20.0 100.0	- - -	1 20.0 100.0	- - -	- - -	- - -
Base: Total Answering	6 100.0 100.0	-** -** -**	1** 100** 16.7**	-** -** -**	1** 100** 16.7**	-** -** -**	2** 100** 33.3**	1** 100** 16.7**	1** 100** 16.7**	2** 100** 33.3**	1** 100** 16.7**	3** 100** 50.0**	6** 100** 100**	-** -** -**	4** 100** 66.7**	2** 100** 33.3**	4** 100** 66.7**	2** 100** 33.3**	4** 100** 66.7**	2** 100** 33.3**
1 teaspoon (0.02)	6 100.0 100.0	- - -	1 100.0 16.7	- - -	1 100.0 16.7	- - -	2 100.0 33.3	1 100.0 16.7	1 100.0 16.7	2 100.0 33.3	1 100.0 16.7	3 100.0 50.0	6 100.0 100.0	- - -	4 100.0 66.7	2 100.0 33.3	4 100.0 66.7	2 100.0 33.3	4 100.0 66.7	2 100.0 33.3
1 tablespoon (0.06)	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
1/4 cup (0.25)	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
1/2 cup (0.5)	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
1 cup or more (1)	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
** very small base (under 30) ineligible for sig testing

Table 66
Q.31 Approximately How Much Film And Spot Remover Is Used Per Usage Occasion?

	REGION										MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER	WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB- URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	RENT/ LEASE /OTHR		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.		SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)			
Base: Total Answering	6	**	1**	**	1**	**	2**	1**	1**	2**	1**	3**	6**	**	4**	2**	4**	2**	4**	2**	
	100.0	**	100**	**	100**	**	100**	100**	100**	100**	100**	100**	100**	**	100**	100**	100**	100**	100**	100**	
	100.0	**16.7**	**16.7**	**33.3**	16.7**	16.7**	33.3**	16.7**	50.0**	100**	**66.7**	33.3**	66.7**	33.3**	66.7**	33.3**	66.7**	33.3**			
Sigma	6	-	1	-	1	-	2	1	1	2	1	3	6	-	4	2	4	2	4	2	
	100.0	-	100.0	-	100.0	-	100.0	100.0	100.0	100.0	100.0	100.0	100.0	-	100.0	100.0	100.0	100.0	100.0	100.0	
	100.0	-	16.7	-	16.7	-	33.3	16.7	16.7	33.3	16.7	50.0	100.0	-	66.7	33.3	66.7	33.3	66.7	33.3	
Mean Base	6	-	1	-	1	-	2	1	1	2	1	3	6	-	4	2	4	2	4	2	
Mean Number Of Cups	0.02	-	0.02	-	0.02	-	0.02	0.02	0.02	0.02	0.02	0.02	0.02	-	0.02	0.02	0.02	0.02	0.02	0.02	
Std. Deviation	0.00	-	-	-	-	-	0.00	-	-	0.00	-	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00	
Std. Error	0.00	-	-	-	-	-	0.00	-	-	0.00	-	0.00	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
 ** very small base (under 30) ineligible for sig testing

Table 67
Q.31 Approximately How Much Hand/Body Soap Is Used Per Usage Occasion?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL		
TOTAL	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Hand/Body Soap Is Discharged Into The Graywater That Is Reused	235 100.0 100.0	9** 100.0** 3.8**	40* 100*100.0* 17.0*	44* 100.0*100.0* 18.7*	32* 100.0*100.0* 13.6*	18** 100.0** 7.7**	39* 100.0** 16.6*	11** 100.0** 4.7**	42* 100.0*100.0* 39.6*	93* 100.0*100.0* 29.8*	70* 100.0*100.0* 30.6*	72* 180 76.6	52* 100.0*100.0* 22.1*	147 100.0 62.6	83* 100.0*100.0* 35.3*	112 100.0 47.7	116 100.0 49.4	151 100.0 64.3	77* 100.0* 32.8*	
No answer	23 9.8 100.0	- - -	5 12.5 21.7	6 13.6 26.1	4 12.5 17.4	1 5.6 4.3	1 2.6 4.3	2 18.2 8.7	4 9.5 17.4	10 10.8 43.5	7 10.0 30.4	6 8.3 26.1	17 9.4 73.9	4 7.7 17.4	17 11.6 73.9	5 6.0 21.7	12 10.7 52.2	11 9.5 47.8	15 9.9 65.2	7 9.1 30.4
Base: Total Answering	212 100.0 100.0	9** 100.0** 4.2**	35* 100*100.0* 16.5*	38* 100.0*100.0* 17.9*	28** 100.0** 13.2**	17** 100.0** 8.0**	38* 100.0** 17.9*	9** 100.0** 4.2**	38* 100.0*100.0* 39.2*	83* 100.0*100.0* 29.7*	63* 100.0*100.0* 31.1*	66* 163 76.9	48* 100.0*100.0* 22.6*	130 100.0 61.3	78* 100.0*100.0* 36.8*	100 100.0 47.2	105 100.0 49.5	136 100.0 64.2	70* 100.0* 33.0*	
1 teaspoon (0.02)	81 38.2 100.0	2 22.2 2.5	12 34.3 14.8	11 28.9 13.6	13 46.4 16.0	8 47.1 9.9	15 39.5 18.5	- - -	20 52.6 24.7C	31 37.3 38.3	26 41.3 32.1	24 36.4 29.6	64 39.3 79.0	16 33.3 19.8	54 41.5 66.7	26 33.3 32.1	40 40.0 49.4	38 36.2 46.9	47 34.6 58.0	33 47.1 40.7
1 tablespoon (0.06)	77 36.3 100.0	1 11.1 1.3	13 37.1 16.9	15 39.5 19.5	10 35.7 13.0	5 29.4 6.5	12 31.6 15.6	8 88.9 10.4	13 34.2 16.9	24 28.9 31.2	25 39.7 32.5	28 42.4 36.4	61 37.4 79.2	16 33.3 20.8	46 35.4 59.7	29 37.2 37.7	37 37.0 48.1	37 35.2 48.1	49 36.0 63.6	23 32.9 29.9
1/4 cup (0.25)	35 16.5 100.0	6 66.7 17.1	7 20.0 20.0	5 13.2 14.3	5 17.9 14.3	2 11.8 5.7	8 21.1 22.9H	- - -	2 5.3 5.7	21 25.3 60.0J	6 9.5 17.1	8 12.1 22.9	25 15.3 71.4	10 20.8 28.6	19 14.6 54.3	16 20.5 45.7	16 16.0 45.7	19 18.1 54.3	27 19.9 77.1	8 11.4 22.9
										K										
1/2 cup (0.5)	8 3.8 100.0	- - -	1 2.9 12.5	4 10.5 50.0	- - -	1 5.9 12.5	1 2.6 12.5	- - -	1 2.6 12.5	4 4.8 50.0	2 3.2 25.0	2 3.0 25.0	6 3.7 75.0	2 4.2 25.0	4 3.1 50.0	4 5.1 50.0	4 4.0 50.0	4 3.8 50.0	7 5.1 87.5	1 1.4 12.5
1 cup or more (1)	11 5.2 100.0	- - -	2 5.7 18.2	3 7.9 27.3	- - -	1 5.9 9.1	2 5.3 18.2	1 11.1 9.1	2 5.3 18.2	3 3.6 27.3	4 6.3 36.4	4 6.1 36.4	7 4.3 63.6	4 8.3 36.4	7 5.4 63.6	3 3.8 27.3	3 3.0 27.3	7 6.7 63.6	6 4.4 54.5	5 7.1 45.5

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 67
Q.31 Approximately How Much Hand/Body Soap Is Used Per Usage Occasion?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	SUB- URBAN SMALL MSAS		RURAL	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	212	9**	35*	38*	28**	17**	38*	9**	38*	83*	63*	66*	163	48*	130	78*	100	105	136	70*
	100.0	100.0**	100*100.0*	100.0**	100**	100*100.0**	100*100.0**	100*100.0**	100*100.0*	100.0*	100.0*	100.0*	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0*
	100.0	4.2**	16.5*	17.9*	13.2**	8.0**	17.9*	4.2**	17.9*	39.2*	29.7*	31.1*	76.9	22.6*	61.3	36.8*	47.2	49.5	64.2	33.0*
Sigma	212	9	35	38	28	17	38	9	38	83	63	66	163	48	130	78	100	105	136	70
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	4.2	16.5	17.9	13.2	8.0	17.9	4.2	17.9	39.2	29.7	31.1	76.9	22.6	61.3	36.8	47.2	49.5	64.2	33.0
Mean Base	212	9	35	38	28	17	38	9	38	83	63	66	163	48	130	78	100	105	136	70
Mean Number Of Cups	0.14	0.18	0.15	0.19	0.08	0.14	0.15	0.16	0.11	0.15	0.14	0.14	0.13	0.18	0.14	0.14	0.12	0.16	0.15	0.14
Std. Deviation	0.23	0.11	0.24	0.28	0.08	0.25	0.23	0.31	0.23	0.21	0.25	0.24	0.22	0.28	0.23	0.21	0.19	0.25	0.22	0.26
Std. Error	0.02	0.04	0.04	0.05	0.02	0.06	0.04	0.10	0.04	0.02	0.03	0.03	0.02	0.04	0.02	0.02	0.02	0.02	0.02	0.03

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 68
Q.31 Approximately How Much Car Washing Liquid Is Used Per Usage Occasion?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
													AT	LESS						
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	LEAST ONCE A WK.	THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WATER	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)		(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Car Washing Liquid Is Discharged Into The Graywater That Is Reused	89 100.0 100.0	1** 100.0** 1.1**	12** 100** 13.5**	19** 100** 21.3**	13** 100** 14.6**	5** 100** 5.6**	23** 100** 25.8**	2** 100** 2.2**	14** 100** 15.7**	39* 100*100.0** 43.8*	25** 100** 28.1**	25** 100** 78.7*	70* 100*100.0** 20.2**	18** 100*100.0** 51.7*	46* 100*100.0** 47.2*	42* 100*100.0** 55.1*	49* 100*100.0** 43.8*	39* 100*100.0** 64.0*	57* 100*100.0** 33.7*	
No answer	17 19.1 100.0	1 100.0 5.9	3 25.0 17.6	3 15.8 17.6	3 23.1 17.6	1 20.0 5.9	5 21.7 29.4	1 50.0 5.9	- 17.9 41.2	7 20.0 29.4	5 20.0 29.4	5 18.6 76.5	13 16.7 17.6	3 19.6 52.9	9 19.0 47.1	8 22.4 64.7	11 15.4 35.3	6 19.3 64.7	6 20.0 35.3	
Base: Total Answering	72 100.0 100.0	-** 100** 12.5**	9** 100** 22.2**	16** 100** 22.2**	10** 100** 13.9**	4** 100** 5.6**	18** 100** 25.0**	1** 100** 1.4**	14** 100** 19.4**	32* 100*100.0** 44.4*	20** 100** 27.8**	20** 100** 27.8**	57* 100*100.0** 79.2*	15** 100*100.0** 51.4*	37* 100*100.0** 47.2*	34* 100*100.0** 52.8*	38* 100*100.0** 45.8*	33* 100*100.0** 63.9*	46* 100*100.0** 33.3**	
1 teaspoon (0.02)	7 9.7 100.0	- - -	1 11.1 14.3	2 12.5 28.6	1 10.0 14.3	- - -	2 11.1 28.6	- - -	1 7.1 14.3	5 15.6 71.4	1 5.0 14.3	1 5.0 14.3	6 10.5 85.7	1 6.7 14.3	5 13.5 71.4	2 5.9 28.6	5 13.2 71.4	2 6.1 28.6	4 8.7 57.1	3 12.5 42.9
1 tablespoon (0.06)	21 29.2 100.0	- - -	3 33.3 14.3	2 12.5 9.5	3 30.0 14.3	1 25.0 4.8	7 38.9 33.3	1 100.0 4.8	4 28.6 19.0	9 28.1 42.9	7 35.0 33.3	5 25.0 23.8	17 29.8 81.0	4 26.7 19.0	12 32.4 57.1	8 23.5 38.1	11 28.9 52.4	9 27.3 42.9	12 26.1 57.1	9 37.5 42.9
1/4 cup (0.25)	32 44.4 100.0	- - -	4 44.4 12.5	11 68.8 34.4	4 40.0 12.5	2 50.0 6.3	4 22.2 12.5	- - -	7 50.0 21.9	16 50.0 50.0	8 40.0 25.0	8 40.0 25.0	24 42.1 75.0	8 53.3 25.0	16 43.2 50.0	16 47.1 50.0	16 42.1 50.0	16 48.5 50.0	23 50.0 71.9	8 33.3 25.0
1/2 cup (0.5)	10 13.9 100.0	- - -	- - -	1 6.3 10.0	2 20.0 20.0	1 25.0 10.0	5 27.8 50.0	- - -	1 7.1 10.0	2 6.3 20.0	3 15.0 30.0	5 25.0 50.0	8 14.0 80.0	2 13.3 20.0	3 8.1 30.0	7 20.6 70.0	5 13.2 50.0	5 15.2 50.0	6 13.0 60.0	3 12.5 30.0
1 cup or more (1)	2 2.8 100.0	- - -	1 11.1 50.0	- - -	- - -	- - -	- - -	- - -	1 7.1 50.0	- - -	1 5.0 50.0	1 5.0 50.0	2 3.5 100.0	- - -	1 2.7 50.0	1 2.9 50.0	1 2.6 50.0	1 3.0 50.0	1 2.2 50.0	1 4.2 50.0

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 68
Q.31 Approximately How Much Car Washing Liquid Is Used Per Usage Occasion?

	TOTAL	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
		NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB-				AT RENT/ LEASE ONCE /OTHR A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WATER	VATE WELL	
										URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL								
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	72	-**	9**	16**	10**	4**	18**	1**	14**	32*	20**	20**	57*	15**	37*	34*	38*	33*	46*	24**
	100.0	-**	100**	100**	100**	100**	100**	100**	100**	100*	100.0**	100**	100*	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**
	100.0	-**	12.5**	22.2**	13.9**	5.6**	25.0**	1.4**	19.4**	44.4*	27.8**	27.8**	79.2*	20.8**	51.4*	47.2*	52.8*	45.8*	63.9*	33.3**
Sigma	72	-	9	16	10	4	18	1	14	32	20	20	57	15	37	34	38	33	46	24
	100.0	-	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	-	12.5	22.2	13.9	5.6	25.0	1.4	19.4	44.4	27.8	27.8	79.2	20.8	51.4	47.2	52.8	45.8	63.9	33.3
Mean Base	72	-	9	16	10	4	18	1	14	32	20	20	57	15	37	34	38	33	46	24
Mean Number Of Cups	0.23	-	0.24	0.21	0.22	0.26	0.22	0.06	0.25	0.18	0.25	0.29	0.23	0.22	0.20	0.27	0.22	0.24	0.23	0.21
Std. Deviation	0.20	-	0.30	0.12	0.18	0.18	0.20	-	0.25	0.13	0.24	0.24	0.21	0.15	0.19	0.20	0.20	0.20	0.19	0.23
Std. Error	0.02	-	0.10	0.03	0.06	0.09	0.05	-	0.07	0.02	0.05	0.05	0.03	0.04	0.03	0.04	0.03	0.04	0.03	0.05

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 69
Q.31 Approximately How Much Drain Opening Liquid Is Used Per Usage Occasion?

TOTAL	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WATER
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
18	-**	3**	4**	3**	2**	3**	-**	3**	7**	6**	5**	13**	5**	13**	5**	10**	6**	15**	2**
100.0	-**	100**	100**	100**	100**	100**	-**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**
100.0	-**	16.7**	22.2**	16.7**	11.1**	16.7**	-**	16.7**	38.9**	33.3**	27.8**	72.2**	27.8**	72.2**	27.8**	55.6**	33.3**	83.3**	11.1**
2	-	2	-	-	-	-	-	-	-	2	-	2	-	2	-	1	1	2	-
11.1	-	66.7	-	-	-	-	-	-	-	33.3	-	15.4	-	15.4	-	10.0	16.7	13.3	-
100.0	-	100.0	-	-	-	-	-	-	-	100.0	-	100.0	-	100.0	-	50.0	50.0	100.0	-
16	-**	1**	4**	3**	2**	3**	-**	3**	7**	4**	5**	11**	5**	11**	5**	9**	5**	13**	2**
100.0	-**	100**	100**	100**	100**	100**	-**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**
100.0	-**	6.3**	25.0**	18.8**	12.5**	18.8**	-**	18.8**	43.8**	25.0**	31.3**	68.8**	31.3**	68.8**	31.3**	56.3**	31.3**	81.3**	12.5**
1	-	1	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	1	-
6.3	-	100.0	-	-	-	-	-	-	14.3	-	-	9.1	-	-	20.0	-	20.0	7.7	-
100.0	-	100.0	-	-	-	-	-	-	100.0	-	-	100.0	-	-	100.0	-	100.0	100.0	-
3	-	-	1	1	1	-	-	-	2	-	1	2	1	3	-	1	1	3	-
18.8	-	-	25.0	33.3	50.0	-	-	-	28.6	-	20.0	18.2	20.0	27.3	-	11.1	20.0	23.1	-
100.0	-	-	33.3	33.3	33.3	-	-	-	66.7	-	33.3	66.7	33.3	100.0	-	33.3	33.3	100.0	-
8	-	-	3	1	1	1	-	2	2	4	2	4	4	5	3	4	3	7	-
50.0	-	-	75.0	33.3	50.0	33.3	-	66.7	28.6	100.0	40.0	36.4	80.0	45.5	60.0	44.4	60.0	53.8	-
100.0	-	-	37.5	12.5	12.5	12.5	-	25.0	25.0	50.0	25.0	50.0	50.0	62.5	37.5	50.0	37.5	87.5	-
2	-	-	-	1	-	1	-	-	1	-	1	2	-	2	-	2	-	1	1
12.5	-	-	-	33.3	-	33.3	-	-	14.3	-	20.0	18.2	-	18.2	-	22.2	-	7.7	50.0
100.0	-	-	-	50.0	-	50.0	-	-	50.0	-	50.0	100.0	-	100.0	-	100.0	-	50.0	50.0
2	-	-	-	-	-	1	-	1	1	-	1	2	-	1	1	2	-	1	1
12.5	-	-	-	-	-	33.3	-	33.3	14.3	-	20.0	18.2	-	9.1	20.0	22.2	-	7.7	50.0
100.0	-	-	-	-	-	50.0	-	50.0	50.0	-	50.0	100.0	-	50.0	50.0	100.0	-	50.0	50.0

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
** very small base (under 30) ineligible for sig testing

Table 69
Q.31 Approximately How Much Drain Opening Liquid Is Used Per Usage Occasion?

	TOTAL	REGION							MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER	WATER SOURCE				
		NEW ENG-LAND	MID-ATL-ANTIC	SOUTH-EAST	GREAT LAKES	MID-WEST	SOUTH-WEST	ROCKY MOUN-TAIN WEST	SUB-			RENT/LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP-TIC TANK	MUNI-CIPAL WATER	PRI-VATE WELL			
									URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL									
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	16	-**	1**	4**	3**	2**	3**	-**	3**	7**	4**	5**	11**	5**	11**	5**	9**	5**	13**	2**
	100.0	-**	100**	100**	100**	100**	100**	-**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**
	100.0	-**	6.3**	25.0**	18.8**	12.5**	18.8**	-**	18.8**	43.8**	25.0**	31.3**	68.8**	31.3**	68.8**	31.3**	56.3**	31.3**	81.3**	12.5**
Sigma	16	-	1	4	3	2	3	-	3	7	4	5	11	5	11	5	9	5	13	2
	100.0	-	100.0	100.0	100.0	100.0	100.0	-	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	-	6.3	25.0	18.8	12.5	18.8	-	18.8	43.8	25.0	31.3	68.8	31.3	68.8	31.3	56.3	31.3	81.3	12.5
Mean Base	16	-	1	4	3	2	3	-	3	7	4	5	11	5	11	5	9	5	13	2
Mean Number Of Cups	0.32	-	0.02	0.20	0.27	0.16	0.58	-	0.50	0.31	0.25	0.41	0.38	0.21	0.31	0.35	0.45	0.17	0.27	0.75
Std. Deviation	0.30	-	-	0.09	0.22	0.13	0.38	-	0.43	0.35	0.00	0.36	0.35	0.08	0.27	0.37	0.34	0.12	0.26	0.35
Std. Error	0.07	-	-	0.05	0.13	0.09	0.22	-	0.25	0.13	0.00	0.16	0.10	0.04	0.08	0.17	0.11	0.05	0.07	0.25

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
 ** very small base (under 30) ineligible for sig testing

Table 70
Q.31 Approximately How Many Packaged Water Softeners Are Used Per Usage Occasion?

TOTAL	REGION								MARKET SIZE			OWN/RENT	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	ROCKY MOUN- -WEST	TAIN WEST	SUB- URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	RENT/ LEASE /OTHR	OWN	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
7	-**	3**	-**	1**	1**	2**	-**	-**	4**	2**	1**	7**	-**	5**	2**	4**	3**	4**	3**
100.0	-**	100**	-**	100**	100**	100**	-**	-**	100**	100**	100**	100**	-**	100**	100**	100**	100**	100**	100**
100.0	-**	42.9**	-**	14.3**	14.3**	28.6**	-**	-**	57.1**	28.6**	14.3**	100**	-**	71.4**	28.6**	57.1**	42.9**	57.1**	42.9**
2	-	1	-	-	-	1	-	-	1	1	-	2	-	1	1	1	1	2	-
28.6	-	33.3	-	-	-	50.0	-	-	25.0	50.0	-	28.6	-	20.0	50.0	25.0	33.3	50.0	-
100.0	-	50.0	-	-	-	50.0	-	-	50.0	50.0	-	100.0	-	50.0	50.0	50.0	50.0	100.0	-
5	-**	2**	-**	1**	1**	1**	-**	-**	3**	1**	1**	5**	-**	4**	1**	3**	2**	2**	3**
100.0	-**	100**	-**	100**	100**	100**	-**	-**	100**	100**	100**	100**	-**	100**	100**	100**	100**	100**	100**
100.0	-**	40.0**	-**	20.0**	20.0**	20.0**	-**	-**	60.0**	20.0**	20.0**	100**	-**	80.0**	20.0**	60.0**	40.0**	40.0**	60.0**
2	-	1	-	1	-	-	-	-	1	1	-	2	-	1	1	1	1	1	1
40.0	-	50.0	-	100.0	-	-	-	-	33.3	100.0	-	40.0	-	25.0	100.0	33.3	50.0	50.0	33.3
100.0	-	50.0	-	50.0	-	-	-	-	50.0	50.0	-	100.0	-	50.0	50.0	50.0	50.0	50.0	50.0
1	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	1	1	-
20.0	-	-	-	-	-	100.0	-	-	33.3	-	-	20.0	-	25.0	-	-	50.0	50.0	-
100.0	-	-	-	-	-	100.0	-	-	100.0	-	-	100.0	-	100.0	-	-	100.0	100.0	-
1	-	1	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	1
20.0	-	50.0	-	-	-	-	-	-	33.3	-	-	20.0	-	25.0	-	33.3	-	-	33.3
100.0	-	100.0	-	-	-	-	-	-	100.0	-	-	100.0	-	100.0	-	100.0	-	-	100.0
1	-	-	-	-	1	-	-	-	-	-	1	1	-	1	-	1	-	-	1
20.0	-	-	-	-	100.0	-	-	-	-	-	100.0	20.0	-	25.0	-	33.3	-	-	33.3
100.0	-	-	-	-	100.0	-	-	-	-	-	100.0	100.0	-	100.0	-	100.0	-	-	100.0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
** very small base (under 30) ineligible for sig testing

Table 70
Q.31 Approximately How Many Packaged Water Softeners Are Used Per Usage Occasion?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	SUB-				RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL	VATE WELL WATER	
									URBAN LARGE	URBAN SMALL	RURAL									
									MSAS	MSAS	MSAS									
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	5	**	2**	**	1**	1**	1**	**	**	3**	1**	1**	5**	**	4**	1**	3**	2**	2**	3**
	100.0	**	100**	**	100**	100**	100**	**	**	100**	100**	100**	100**	**	100**	100**	100**	100**	100**	100**
	100.0	**40.0**	**	**20.0**	20.0**	20.0**	20.0**	**	**60.0**	20.0**	20.0**	100**	**	80.0**	20.0**	60.0**	40.0**	40.0**	60.0**	60.0**
Sigma	5	-	2	-	1	1	1	-	-	3	1	1	5	-	4	1	3	2	2	3
	100.0	-	100.0	-	100.0	100.0	100.0	-	-	100.0	100.0	100.0	100.0	-	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	-	40.0	-	20.0	20.0	20.0	-	-	60.0	20.0	20.0	100.0	-	80.0	20.0	60.0	40.0	40.0	60.0
Mean Base	5	-	2	-	1	1	1	-	-	3	1	1	5	-	4	1	3	2	2	3
Mean Number Of Cups	0.17	-	0.14	-	0.02	0.50	0.06	-	-	0.11	0.02	0.50	0.17	-	0.21	0.02	0.26	0.04	0.04	0.26
Std. Deviation	0.21	-	0.16	-	-	-	-	-	-	0.12	-	-	0.21	-	0.22	-	0.24	0.03	0.03	0.24
Std. Error	0.09	-	0.12	-	-	-	-	-	-	0.07	-	-	0.09	-	0.11	-	0.14	0.02	0.02	0.14

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
 ** very small base (under 30) ineligible for sig testing

Table 71
Q.32 How Often Does Your Household Participate In Bicycling/Mountain Biking?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	99	4	27	15	9	5	16	6	17	36	31	32	83	15	60	36	47	40	61	34
	20.2	28.6	30.3	15.3	11.7	16.7	19.5	28.6	21.3	17.7	22.0	21.8	21.6	15.0	20.6	18.9	19.6	17.9	19.7	20.6
	100.0	4.0	27.3c	15.2	9.1	5.1	16.2	6.1	17.2	36.4	31.3	32.3	83.8	15.2	60.6	36.4	47.5	40.4	61.6	34.3
Base: Total Answering	392	10**	62*	83*	68*	25**	66*	15**	63*	167	110	115	301	85*	231	154	193	184	249	131
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.6**	15.8*	21.2*	17.3*	6.4**	16.8*	3.8**	16.1*	42.6	28.1	29.3	76.8	21.7*	58.9	39.3	49.2	46.9	63.5	33.4
Once A Week Or More (Net)	84	2	14	13	22	6	13	3	11	36	28	20	56	26	49	32	30	50	58	24
	21.4	20.0	22.6	15.7	32.4	24.0	19.7	20.0	17.5	21.6	25.5	17.4	18.6	30.6	21.2	20.8	15.5	27.2	23.3	18.3
	100.0	2.4	16.7	15.5	26.2c	7.1	15.5	3.6	13.1	42.9	33.3	23.8	66.7	31.0L	58.3	38.1	35.7	59.5P	69.0	28.6
More than once a day (10)	13	-	1	3	4	2	2	-	1	2	6	5	6	7	11	1	7	4	6	5
	3.3	-	1.6	3.6	5.9	8.0	3.0	-	1.6	1.2	5.5	4.3	2.0	8.2	4.8	0.6	3.6	2.2	2.4	3.8
	100.0	-	7.7	23.1	30.8	15.4	15.4	-	7.7	15.4	46.2I	38.5	46.2	53.8L	84.60	7.7	53.8	30.8	46.2	38.5
Once a day (7)	14	-	3	1	4	3	1	-	2	3	6	5	9	5	6	7	4	10	11	3
	3.6	-	4.8	1.2	5.9	12.0	1.5	-	3.2	1.8	5.5	4.3	3.0	5.9	2.6	4.5	2.1	5.4	4.4	2.3
	100.0	-	21.4	7.1	28.6	21.4	7.1	-	14.3	21.4	42.9	35.7	64.3	35.7	42.9	50.0	28.6	71.4	78.6	21.4
A few times a week (3.5)	38	2	8	7	6	1	6	3	5	19	10	9	27	9	23	14	15	22	28	10
	9.7	20.0	12.9	8.4	8.8	4.0	9.1	20.0	7.9	11.4	9.1	7.8	9.0	10.6	10.0	9.1	7.8	12.0	11.2	7.6
	100.0	5.3	21.1	18.4	15.8	2.6	15.8	7.9	13.2	50.0	26.3	23.7	71.1	23.7	60.5	36.8	39.5	57.9	73.7	26.3
Once a week (1)	19	-	2	2	8	-	4	-	3	12	6	1	14	5	9	10	4	14	13	6
	4.8	-	3.2	2.4	11.8	-	6.1	-	4.8	7.2	5.5	0.9	4.7	5.9	3.9	6.5	2.1	7.6	5.2	4.6
	100.0	-	10.5	10.5	42.1c	-	21.1	-	15.8	63.2K	31.6K	5.3	73.7	26.3	47.4	52.6	21.1	73.7P	68.4	31.6

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 71
Q.32 How Often Does Your Household Participate In Bicycling/Mountain Biking?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
									SUB-				AT		LESS		PRI-			
									URBAN				RENT/ LEASE		ONCE		MUNI-			
									LARGE				/OTHR		A WK.		CIPAL			
TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	MSAS	MSAS	RURAL	OWN	ONCE	ONCE	TANK	SEWER	WATER	WATER		
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	392	10**	62*	83*	68*	25**	66*	15**	63*	167	110	115	301	85*	231	154	193	184	249	131
	100.0	100.0**	100*100.0*	100.0*	100.0**	100*100.0**	100*100.0**	100*100.0	100.0	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.6**	15.8*	21.2*	17.3*	6.4**	16.8*	3.8**	16.1*	42.6	28.1	29.3	76.8	21.7*	58.9	39.3	49.2	46.9	63.5	33.4
Mean Base (Excluding Never)	200	5	35	40	38	9	27	8	38F	99K	59K	42	142	55L	117	79	81	110P	135	60
Mean (Excluding Never)	2.06	1.46	1.89	1.77	2.69H	5.04	2.04	1.53	1.37	1.40	2.53I	2.93I	1.79	2.72L	2.21	1.67	2.07	1.98	2.00	2.01
Std. Deviation	2.87	1.86	2.57	2.84	3.31	4.05	2.88	1.64	2.30	2.04	3.34	3.49	2.58	3.49	3.11	2.30	3.05	2.62	2.69	3.02
Std. Error	0.20	0.83	0.43	0.45	0.54	1.35	0.55	0.58	0.37	0.20	0.43	0.54	0.22	0.47	0.29	0.26	0.34	0.25	0.23	0.39

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 72
Q.32 How Often Does Your Household Participate In Camping?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL		
	TOTAL	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	92	4	24	17	14	2	10	5	16	35	30	27	79	12	61	27	39	43	58	29
	18.7	28.6	27.0	17.3	18.2	6.7	12.2	23.8	20.0	17.2	21.3	18.4	20.6	12.0	21.0	14.2	16.3	19.2	18.7	17.6
	100.0	4.3	26.1E	18.5	15.2	2.2	10.9	5.4	17.4	38.0	32.6	29.3	85.9	13.0	66.3	29.3	42.4	46.7	63.0	31.5
		F																		
Base: Total Answering	399	10**	65*	81*	63*	28**	72*	16**	64*	168	111	120	305	88*	230	163	201	181	252	136
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.5**	16.3*	20.3*	15.8*	7.0**	18.0*	4.0**	16.0*	42.1	27.8	30.1	76.4	22.1*	57.6	40.9	50.4	45.4	63.2	34.1
Once A Week Or More (Net)	4	-	-	-	-	-	3	1	-	1	1	2	3	1	4	-	4	-	2	2
	1.0	-	-	-	-	-	4.2	6.3	-	0.6	0.9	1.7	1.0	1.1	1.7	-	2.0	-	0.8	1.5
	100.0	-	-	-	-	-	75.0	25.0	-	25.0	25.0	50.0	75.0	25.0	100.0	-	100.0	-	50.0	50.0
More than once a day (10)	1	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	1	-	-	1
	0.3	-	-	-	-	-	1.4	-	-	0.6	-	-	0.3	-	0.4	-	0.5	-	-	0.7
	100.0	-	-	-	-	-	100.0	-	-	100.0	-	-	100.0	-	100.0	-	100.0	-	-	100.0
Once a day (7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A few times a week (3.5)	1	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	1	-	-	1
	0.3	-	-	-	-	-	1.4	-	-	-	-	0.8	0.3	-	0.4	-	0.5	-	-	0.7
	100.0	-	-	-	-	-	100.0	-	-	-	-	100.0	100.0	-	100.0	-	100.0	-	-	100.0
Once a week (1)	2	-	-	-	-	-	1	1	-	-	1	1	1	1	2	-	2	-	2	-
	0.5	-	-	-	-	-	1.4	6.3	-	-	0.9	0.8	0.3	1.1	0.9	-	1.0	-	0.8	-
	100.0	-	-	-	-	-	50.0	50.0	-	-	50.0	50.0	50.0	50.0	100.0	-	100.0	-	100.0	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 72
Q.32 How Often Does Your Household Participate In Camping?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	ROCKY MOUN- TAIN		URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
							SOUTH	WEST												
							(A)	(B)												(C)
Base: Total Answering	399	10**	65*	81*	63*	28**	72*	16**	64*	168	111	120	305	88*	230	163	201	181	252	136
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.5**	16.3*	20.3*	15.8*	7.0**	18.0*	4.0**	16.0*	42.1	27.8	30.1	76.4	22.1*	57.6	40.9	50.4	45.4	63.2	34.1
A few times a month (0.65)	32	1	7	7	6	2	3	1	5	13	10	9	22	8	18	13	20	12	22	10
	8.0	10.0	10.8	8.6	9.5	7.1	4.2	6.3	7.8	7.7	9.0	7.5	7.2	9.1	7.8	8.0	10.0	6.6	8.7	7.4
	100.0	3.1	21.9	21.9	18.8	6.3	9.4	3.1	15.6	40.6	31.3	28.1	68.8	25.0	56.3	40.6	62.5	37.5	68.8	31.3
Once a month (0.25)	24	-	7	6	3	-	5	-	3	14	3	7	19	5	9	15	13	11	17	6
	6.0	-	10.8	7.4	4.8	-	6.9	-	4.7	8.3	2.7	5.8	6.2	5.7	3.9	9.2	6.5	6.1	6.7	4.4
	100.0	-	29.2	25.0	12.5	-	20.8	-	12.5	58.3	12.5	29.2	79.2	20.8	37.5	62.5N	54.2	45.8	70.8	25.0
Less often than once a month (0.1)	186	6	25	37	26	11	40	7	34	83	55	48	130	52	107	75	88	87	119	64
	46.6	60.0	38.5	45.7	41.3	39.3	55.6	43.8	53.1	49.4	49.5	40.0	42.6	59.1	46.5	46.0	43.8	48.1	47.2	47.1
	100.0	3.2	13.4	19.9	14.0	5.9	21.58	3.8	18.3	44.6	29.6	25.8	69.9	28.0L	57.5	40.3	47.3	46.8	64.0	34.4
Never (0)	153	3	26	31	28	15	21	7	22	57	42	54	131	22	92	60	76	71	92	54
	38.3	30.0	40.0	38.3	44.4	53.6	29.2	43.8	34.4	33.9	37.8	45.0	43.0	25.0	40.0	36.8	37.8	39.2	36.5	39.7
	100.0	2.0	17.0	20.3	18.3	9.8	13.7	4.6	14.4	37.3	27.5	35.3	85.6M	14.4	60.1	39.2	49.7	46.4	60.1	35.3
Sigma	399	10	65	81	63	28	72	16	64	168	111	120	305	88	230	163	201	181	252	136
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.5	16.3	20.3	15.8	7.0	18.0	4.0	16.0	42.1	27.8	30.1	76.4	22.1	57.6	40.9	50.4	45.4	63.2	34.1
Mean Base (Including Never)	399	10	65	81	63	28	72	16	64	168	111	120	305	88	230	163	201	181	252	136
Mean (Including Never)	0.15	0.13	0.14	0.12	0.12	0.09	0.30	0.15	0.12	0.18	0.12	0.14	0.15	0.14	0.17	0.12	0.20	0.11	0.13	0.21
Std. Deviation	0.55	0.19	0.20	0.18	0.19	0.17	1.24	0.28	0.17	0.78	0.20	0.36	0.62	0.20	0.71	0.17	0.76	0.16	0.19	0.91
Std. Error	0.03	0.06	0.02	0.02	0.02	0.03	0.15	0.07	0.02	0.06	0.02	0.03	0.04	0.02	0.05	0.01	0.05	0.01	0.01	0.08

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 72
Q.32 How Often Does Your Household Participate In Camping?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL		
	TOTAL																			
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	399	10**	65*	81*	63*	28**	72*	16**	64*	168	111	120	305	88*	230	163	201	181	252	136
	100.0	100.0**	100*100.0	100.0*100.0	100.0**	100*100.0	100.0**	100*100.0	100.0	100.0	100.0	100.0	100.0	100.0*100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.5**	16.3*	20.3*	15.8*	7.0**	18.0*	4.0**	16.0*	42.1	27.8	30.1	76.4	22.1*	57.6	40.9	50.4	45.4	63.2	34.1
Mean Base (Excluding Never)	246	7	39	50	35	13	51	9	42	111	69	66	174	66L	138	103	125	110	160	82
Mean (Excluding Never)	0.25	0.18	0.23	0.19	0.21	0.18	0.43	0.26	0.18	0.27	0.20	0.26	0.27	0.19	0.29	0.19	0.32	0.17	0.20	0.34
Std. Deviation	0.69	0.21	0.21	0.19	0.21	0.21	1.46	0.33	0.18	0.95	0.22	0.46	0.81	0.21	0.90	0.18	0.95	0.17	0.21	1.15
Std. Error	0.04	0.08	0.03	0.03	0.04	0.06	0.20	0.11	0.03	0.09	0.03	0.06	0.06	0.03	0.08	0.02	0.08	0.02	0.02	0.13

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 73
Q.32 How Often Does Your Household Participate In Crafts?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	ROCKY MOUN- TAIN		URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WATER	VATE WELL WATER	
							WEST	WEST												
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	71	3	16	15	11	3	11	2	10	26	25	20	58	11	45	24	31	31	45	21
	14.5	21.4	18.0	15.3	14.3	10.0	13.4	9.5	12.5	12.8	17.7	13.6	15.1	11.0	15.5	12.6	12.9	13.8	14.5	12.7
	100.0	4.2	22.5	21.1	15.5	4.2	15.5	2.8	14.1	36.6	35.2	28.2	81.7	15.5	63.4	33.8	43.7	43.7	63.4	29.6
Base: Total Answering	420	11**	73*	83*	66*	27**	71*	19**	70*	177	116	127	326	89*	246	166	209	193	265	144
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.6**	17.4*	19.8*	15.7*	6.4**	16.9*	4.5**	16.7*	42.1	27.6	30.2	77.6	21.2*	58.6	39.5	49.8	46.0	63.1	34.3
Once A Week Or More (Net)	137	7	21	25	24	6	23	9	22	47	47	43	104	30	86	47	77	55	79	55
	32.6	63.6	28.8	30.1	36.4	22.2	32.4	47.4	31.4	26.6	40.5	33.9	31.9	33.7	35.0	28.3	36.8	28.5	29.8	38.2
	100.0	5.1	15.3	18.2	17.5	4.4	16.8	6.6	16.1	34.3	34.3	31.4	75.9	21.9	62.8	34.3	56.2	40.1	57.7	40.1
More than once a day (10)	25	3	5	4	1	-	5	3	4	8	10	7	17	8	18	6	17	5	12	12
	6.0	27.3	6.8	4.8	1.5	-	7.0	15.8	5.7	4.5	8.6	5.5	5.2	9.0	7.3	3.6	8.1	2.6	4.5	8.3
	100.0	12.0	20.0	16.0	4.0	-	20.0	12.0	16.0	32.0	40.0	28.0	68.0	32.0	72.0	24.0	68.0	20.0	48.0	48.0
Once a day (7)	20	-	1	2	5	-	6	-	6	10	7	3	17	3	14	5	11	9	15	5
	4.8	-	1.4	2.4	7.6	-	8.5	-	8.6	5.6	6.0	2.4	5.2	3.4	5.7	3.0	5.3	4.7	5.7	3.5
	100.0	-	5.0	10.0	25.0	-	30.0	-	30.0	50.0	35.0	15.0	85.0	15.0	70.0	25.0	55.0	45.0	75.0	25.0
A few times a week (3.5)	61	4	10	14	10	5	8	5	5	20	15	26	46	13	32	27	33	28	35	25
	14.5	36.4	13.7	16.9	15.2	18.5	11.3	26.3	7.1	11.3	12.9	20.5	14.1	14.6	13.0	16.3	15.8	14.5	13.2	17.4
	100.0	6.6	16.4	23.0	16.4	8.2	13.1	8.2	8.2	32.8	24.6	42.6	75.4	21.3	52.5	44.3	54.1	45.9	57.4	41.0
Once a week (1)	31	-	5	5	8	1	4	1	7	9	15	7	24	6	22	9	16	13	17	13
	7.4	-	6.8	6.0	12.1	3.7	5.6	5.3	10.0	5.1	12.9	5.5	7.4	6.7	8.9	5.4	7.7	6.7	6.4	9.0
	100.0	-	16.1	16.1	25.8	3.2	12.9	3.2	22.6	29.0	48.4	22.6	77.4	19.4	71.0	29.0	51.6	41.9	54.8	41.9

K

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 73
Q.32 How Often Does Your Household Participate In Crafts?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	ROCKY MOUN- TAIN		URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	OWN	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER
							WEST	WEST												
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	420	11**	73*	83*	66*	27**	71*	19**	70*	177	116	127	326	89*	246	166	209	193	265	144
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.6**	17.4*	19.8*	15.7*	6.4**	16.9*	4.5**	16.7*	42.1	27.6	30.2	77.6	21.2*	58.6	39.5	49.8	46.0	63.1	34.3
A few times a month (0.65)	87	3	15	14	13	7	14	4	17	39	21	27	70	17	49	35	45	42	54	33
	20.7	27.3	20.5	16.9	19.7	25.9	19.7	21.1	24.3	22.0	18.1	21.3	21.5	19.1	19.9	21.1	21.5	21.8	20.4	22.9
	100.0	3.4	17.2	16.1	14.9	8.0	16.1	4.6	19.5	44.8	24.1	31.0	80.5	19.5	56.3	40.2	51.7	48.3	62.1	37.9
Once a month (0.25)	52	-	12	14	5	2	9	1	9	30	11	11	36	15	25	27	20	26	35	14
	12.4	-	16.4	16.9	7.6	7.4	12.7	5.3	12.9	16.9	9.5	8.7	11.0	16.9	10.2	16.3	9.6	13.5	13.2	9.7
	100.0	-	23.1	26.9	9.6	3.8	17.3	1.9	17.3	57.7K	21.2	21.2	69.2	28.8	48.1	51.9	38.5	50.0	67.3	26.9
Less often than once a month (0.1)	86	1	17	11	16	7	18	3	13	35	26	25	70	16	52	33	42	40	57	26
	20.5	9.1	23.3	13.3	24.2	25.9	25.4	15.8	18.6	19.8	22.4	19.7	21.5	18.0	21.1	19.9	20.1	20.7	21.5	18.1
	100.0	1.2	19.8	12.8	18.6	8.1	20.9	3.5	15.1	40.7	30.2	29.1	81.4	18.6	60.5	38.4	48.8	46.5	66.3	30.2
Never (0)	58	-	8	19	8	5	7	2	9	26	11	21	46	11	34	24	25	30	40	16
	13.8	-	11.0	22.9	12.1	18.5	9.9	10.5	12.9	14.7	9.5	16.5	14.1	12.4	13.8	14.5	12.0	15.5	15.1	11.1
	100.0	-	13.8	32.8F	13.8	8.6	12.1	3.4	15.5	44.8	19.0	36.2	79.3	19.0	58.6	41.4	43.1	51.7	69.0	27.6
Sigma	420	11	73	83	66	27	71	19	70	177	116	127	326	89	246	166	209	193	265	144
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.6	17.4	19.8	15.7	6.4	16.9	4.5	16.7	42.1	27.6	30.2	77.6	21.2	58.6	39.5	49.8	46.0	63.1	34.3
Mean Base (Including Never)	420	11	73	83	66	27	71	19	70	177	116	127	326	89	246	166	209	193	265	144
Mean (Including Never)	1.70	4.19	1.53	1.47	1.50	0.90	1.93	2.72	1.73	1.50	2.03	1.67	1.64	1.90	1.85	1.39	1.99Q	1.36	1.56	1.97
Std. Deviation	2.72	3.97	2.67	2.48	2.26	1.30	3.02	3.52	2.85	2.57	3.06	2.57	2.64	3.02	2.91	2.31	2.98	2.24	2.58	2.92
Std. Error	0.13	1.20	0.31	0.27	0.28	0.25	0.36	0.81	0.34	0.19	0.28	0.23	0.15	0.32	0.19	0.18	0.21	0.16	0.16	0.24

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 73
Q.32 How Often Does Your Household Participate In Crafts?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	420	11**	73*	83*	66*	27**	71*	19**	70*	177	116	127	326	89*	246	166	209	193	265	144
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.6**	17.4*	19.8*	15.7*	6.4**	16.9*	4.5**	16.7*	42.1	27.6	30.2	77.6	21.2*	58.6	39.5	49.8	46.0	63.1	34.3
Mean Base (Excluding Never)	362	11	65	64	58	22	64C	17	61	151	105	106	280	78	212	142	184	163	225	128
Mean (Excluding Never)	1.97	4.19	1.71	1.90	1.71	1.10	2.14	3.04	1.99	1.76	2.24	2.00	1.91	2.17	2.15	1.63	2.27Q	1.61	1.84	2.21
Std. Deviation	2.83	3.97	2.77	2.67	2.34	1.36	3.11	3.60	2.97	2.70	3.14	2.69	2.76	3.13	3.04	2.42	3.08	2.35	2.71	3.01
Std. Error	0.15	1.20	0.34	0.33	0.31	0.29	0.39	0.87	0.38	0.22	0.31	0.26	0.17	0.35	0.21	0.20	0.23	0.18	0.18	0.27

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 74
Q.32 How Often Does Your Household Participate In Fishing?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	RENT/ LEASE /OTHR	AT	LESS	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL
		ENG- LAND	ATL- ANTIC												LEAST ONCE A WK.	THAN ONCE A WK.				
		(A)	(B)												(C)	(D)				
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	92	4	27	10	13	-	16	6	16	38	31	23	80	10	53	36	37	45	59	28
	18.7	28.6	30.3	10.2	16.9	-	19.5	28.6	20.0	18.7	22.0	15.6	20.8	10.0	18.2	18.9	15.4	20.1	19.0	17.0
	100.0	4.3	29.3C	10.9	14.1E	-	17.4E	6.5	17.4E	41.3	33.7	25.0	87.0M	10.9	57.6	39.1	40.2	48.9	64.1	30.4
	DE																			
Base: Total Answering	399	10**	62*	88*	64*	30*	66*	15**	64*	165	110	124	304	90*	238	154	203	179	251	137
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.5**	15.5*	22.1*	16.0*	7.5*	16.5*	3.8**	16.0*	41.4	27.6	31.1	76.2	22.6*	59.6	38.6	50.9	44.9	62.9	34.3
Once A Week Or More (Net)	46	2	8	16	5	4	5	2	4	8	14	24	29	15	38	7	31	13	26	19
	11.5	20.0	12.9	18.2	7.8	13.3	7.6	13.3	6.3	4.8	12.7	19.4	9.5	16.7	16.0	4.5	15.3	7.3	10.4	13.9
	100.0	4.3	17.4	34.8H	10.9	8.7	10.9	4.3	8.7	17.4	30.4I	52.2I	63.0	32.6	82.60	15.2	67.4Q	28.3	56.5	41.3
More than once a day (10)	2	-	1	-	-	1	-	-	-	1	-	1	2	-	2	-	2	-	2	-
	0.5	-	1.6	-	-	3.3	-	-	-	0.6	-	0.8	0.7	-	0.8	-	1.0	-	0.8	-
	100.0	-	50.0	-	-	50.0	-	-	-	50.0	-	50.0	100.0	-	100.0	-	100.0	-	100.0	-
Once a day (7)	6	-	1	1	-	1	1	1	1	1	4	4	2	5	1	5	1	3	3	3
	1.5	-	1.6	1.1	-	3.3	1.5	6.7	1.6	0.6	0.9	3.2	1.3	2.2	2.1	0.6	2.5	0.6	1.2	2.2
	100.0	-	16.7	16.7	-	16.7	16.7	16.7	16.7	16.7	66.7	66.7	33.3	83.3	16.7	83.3	16.7	50.0	50.0	50.0
A few times a week (3.5)	24	1	5	10	4	1	1	-	2	5	6	13	13	9	19	4	16	7	12	11
	6.0	10.0	8.1	11.4	6.3	3.3	1.5	-	3.1	3.0	5.5	10.5	4.3	10.0	8.0	2.6	7.9	3.9	4.8	8.0
	100.0	4.2	20.8	41.7F	16.7	4.2	4.2	-	8.3	20.8	25.0	54.2I	54.2	37.5L	79.20	16.7	66.7	29.2	50.0	45.8
Once a week (1)	14	1	1	5	1	1	3	1	1	1	7	6	10	4	12	2	8	5	9	5
	3.5	10.0	1.6	5.7	1.6	3.3	4.5	6.7	1.6	0.6	6.4	4.8	3.3	4.4	5.0	1.3	3.9	2.8	3.6	3.6
	100.0	7.1	7.1	35.7	7.1	7.1	21.4	7.1	7.1	7.1	50.0I	42.9I	71.4	28.6	85.7	14.3	57.1	35.7	64.3	35.7

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 74
Q.32 How Often Does Your Household Participate In Fishing?

	REGION											MARKET SIZE			OWN/RENT RESIDENCE		FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE	
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	SUB- URBAN SMALL MSAS	RURAL	OWN	RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL		
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)				
Base: Total Answering	399	10**	62*	88*	64*	30*	66*	15**	64*	165	110	124	304	90*	238	154	203	179	251	137		
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0		
	100.0	2.5**	15.5*	22.1*	16.0*	7.5*	16.5*	3.8**	16.0*	41.4	27.6	31.1	76.2	22.6*	59.6	38.6	50.9	44.9	62.9	34.3		
A few times a month (0.65)	54	2	8	16	12	5	3	3	5	19	18	17	42	11	29	23	34	18	29	23		
	13.5	20.0	12.9	18.2	18.8	16.7	4.5	20.0	7.8	11.5	16.4	13.7	13.8	12.2	12.2	14.9	16.7	10.1	11.6	16.8		
	100.0	3.7	14.8	29.6F	22.2F	9.3	5.6	5.6	9.3	35.2	33.3	31.5	77.8	20.4	53.7	42.6	63.0	33.3	53.7	42.6		
Once a month (0.25)	21	1	4	3	3	1	2	1	6	10	4	7	18	2	11	9	8	12	13	6		
	5.3	10.0	6.5	3.4	4.7	3.3	3.0	6.7	9.4	6.1	3.6	5.6	5.9	2.2	4.6	5.8	3.9	6.7	5.2	4.4		
	100.0	4.8	19.0	14.3	14.3	4.8	9.5	4.8	28.6	47.6	19.0	33.3	85.7	9.5	52.4	42.9	38.1	57.1	61.9	28.6		
Less often than once a month (0.1)	129	2	15	29	17	7	30	8	21	57	36	36	94	34	74	54	67	55	80	46		
	32.3	20.0	24.2	33.0	26.6	23.3	45.5	53.3	32.8	34.5	32.7	29.0	30.9	37.8	31.1	35.1	33.0	30.7	31.9	33.6		
	100.0	1.6	11.6	22.5	13.2	5.4	23.38D	6.2	16.3	44.2	27.9	27.9	72.9	26.4	57.4	41.9	51.9	42.6	62.0	35.7		
							E															
Never (0)	149	3	27	24	27	13	26	1	28	71	38	40	121	28	86	61	63	81	103	43		
	37.3	30.0	43.5	27.3	42.2	43.3	39.4	6.7	43.8	43.0	34.5	32.3	39.8	31.1	36.1	39.6	31.0	45.3	41.0	31.4		
	100.0	2.0	18.1C	16.1	18.1	8.7	17.4	0.7	18.8C	47.7	25.5	26.8	81.2	18.8	57.7	40.9	42.3	54.4P	69.1	28.9		
Sigma	399	10	62	88	64	30	66	15	64	165	110	124	304	90	238	154	203	179	251	137		
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0		
	100.0	2.5	15.5	22.1	16.0	7.5	16.5	3.8	16.0	41.4	27.6	31.1	76.2	22.6	59.6	38.6	50.9	44.9	62.9	34.3		
Mean Base (Including Never)	399	10	62	88	64	30	66	15	64	165	110	124	304	90	238	154	203	179	251	137		
Mean (Including Never)	0.53	0.63	0.70	0.69F	0.39	0.86	0.29	0.73	0.34	0.34	0.47	0.85I J	0.48	0.67	0.680	0.30	0.74Q	0.32	0.49	0.62		
Std. Deviation	1.34	1.07	1.74	1.27	0.85	2.22	0.96	1.76	1.05	1.11	1.02	1.75	1.31	1.41	1.58	0.80	1.66	0.86	1.35	1.34		
Std. Error	0.07	0.34	0.22	0.14	0.11	0.40	0.12	0.45	0.13	0.09	0.10	0.16	0.07	0.15	0.10	0.06	0.12	0.06	0.09	0.11		

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 74
Q.32 How Often Does Your Household Participate In Fishing?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	ROCKY		URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WATER	VATE WELL WATER	
							SOUTH -WEST	MOUN- TAIN WEST												
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	399	10**	62*	88*	64*	30*	66*	15**	64*	165	110	124	304	90*	238	154	203	179	251	137
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.5**	15.5*	22.1*	16.0*	7.5*	16.5*	3.8**	16.0*	41.4	27.6	31.1	76.2	22.6*	59.6	38.6	50.9	44.9	62.9	34.3
Mean Base (Excluding Never)	250	7	35	64BH	37	17	40	14	36	94	72	84	183	62	152	93	140Q	98	148	94
Mean (Excluding Never)	0.85	0.89	1.23	0.95	0.68	1.51	0.47	0.79	0.61	0.60	0.71	1.261 J	0.79	0.98	1.07O	0.49	1.07Q	0.58	0.82	0.91
Std. Deviation	1.61	1.20	2.18	1.41	1.03	2.80	1.21	1.81	1.35	1.42	1.19	2.01	1.61	1.61	1.87	0.98	1.90	1.09	1.68	1.54
Std. Error	0.10	0.45	0.37	0.18	0.17	0.68	0.19	0.48	0.23	0.15	0.14	0.22	0.12	0.20	0.15	0.10	0.16	0.11	0.14	0.16

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 75
Q.32 How Often Does Your Household Participate In Gardening?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE		FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	OWN	RENT/ LEASE /OTHR	AT	LESS	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL
		ENG- LAND	ATL- ANTIC												LEAST ONCE A WK.	THAN ONCE A WK.				
		(A)	(B)												(C)	(D)				

Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	41	1	9	8	6	1	10	-	6	14	15	12	31	10	25	13	19	18	27	12
	8.4	7.1	10.1	8.2	7.8	3.3	12.2	-	7.5	6.9	10.6	8.2	8.1	10.0	8.6	6.8	7.9	8.0	8.7	7.3
	100.0	2.4	22.0	19.5	14.6	2.4	24.4	-	14.6	34.1	36.6	29.3	75.6	24.4	61.0	31.7	46.3	43.9	65.9	29.3
Base: Total Answering	450	13**	80*	90*	71*	29**	72*	21**	74*	189	126	135	353	90*	266	177	221	206	283	153
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	17.8*	20.0*	15.8*	6.4**	16.0*	4.7**	16.4*	42.0	28.0	30.0	78.4	20.0*	59.1	39.3	49.1	45.8	62.9	34.0
Once A Week Or More (Net)	328	9	63	61	57	22	44	17	55	135	89	104	260	63	203	118	165	149	205	112
	72.9	69.2	78.8	67.8	80.3	75.9	61.1	81.0	74.3	71.4	70.6	77.0	73.7	70.0	76.3	66.7	74.7	72.3	72.4	73.2
	100.0	2.7	19.2F	18.6	17.4F	6.7	13.4	5.2	16.8	41.2	27.1	31.7	79.3	19.2	61.90	36.0	50.3	45.4	62.5	34.1
More than once a day (10)	67	4	11	11	7	6	12	4	12	27	17	23	55	12	44	22	40	26	42	24
	14.9	30.8	13.8	12.2	9.9	20.7	16.7	19.0	16.2	14.3	13.5	17.0	15.6	13.3	16.5	12.4	18.1	12.6	14.8	15.7
	100.0	6.0	16.4	16.4	10.4	9.0	17.9	6.0	17.9	40.3	25.4	34.3	82.1	17.9	65.7	32.8	59.7	38.8	62.7	35.8
Once a day (7)	72	1	11	10	13	5	10	5	17	35	19	18	60	10	52	19	32	35	45	23
	16.0	7.7	13.8	11.1	18.3	17.2	13.9	23.8	23.0	18.5	15.1	13.3	17.0	11.1	19.5	10.7	14.5	17.0	15.9	15.0
	100.0	1.4	15.3	13.9	18.1	6.9	13.9	6.9	23.6C	48.6	26.4	25.0	83.3	13.9	72.20	26.4	44.4	48.6	62.5	31.9
A few times a week (3.5)	152	4	33	33	26	10	19	7	20	58	41	53	116	33	87	61	76	69	92	54
	33.8	30.8	41.3	36.7	36.6	34.5	26.4	33.3	27.0	30.7	32.5	39.3	32.9	36.7	32.7	34.5	34.4	33.5	32.5	35.3
	100.0	2.6	21.7	21.7	17.1	6.6	12.5	4.6	13.2	38.2	27.0	34.9	76.3	21.7	57.2	40.1	50.0	45.4	60.5	35.5
Once a week (1)	37	-	8	7	11	1	3	1	6	15	12	10	29	8	20	16	17	19	26	11
	8.2	-	10.0	7.8	15.5	3.4	4.2	4.8	8.1	7.9	9.5	7.4	8.2	8.9	7.5	9.0	7.7	9.2	9.2	7.2
	100.0	-	21.6	18.9	29.7F	2.7	8.1	2.7	16.2	40.5	32.4	27.0	78.4	21.6	54.1	43.2	45.9	51.4	70.3	29.7

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 75
Q.32 How Often Does Your Household Participate In Gardening?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE		FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE	URBAN SMALL	RURAL	OWN	RENT/ LEASE /OTHR	AT	LESS	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL
		ENG- LAND	ATL- ANTIC												LEAST	THAN				
		LAND	ANTIC												ONCE	ONCE				
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	450	13**	80*	90*	71*	29**	72*	21**	74*	189	126	135	353	90*	266	177	221	206	283	153
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	17.8*	20.0*	15.8*	6.4**	16.0*	4.7**	16.4*	42.0	28.0	30.0	78.4	20.0*	59.1	39.3	49.1	45.8	62.9	34.0
A few times a month (0.65)	43	2	6	9	6	2	7	1	10	21	13	9	33	10	19	24	16	24	26	16
	9.6	15.4	7.5	10.0	8.5	6.9	9.7	4.8	13.5	11.1	10.3	6.7	9.3	11.1	7.1	13.6	7.2	11.7	9.2	10.5
	100.0	4.7	14.0	20.9	14.0	4.7	16.3	2.3	23.3	48.8	30.2	20.9	76.7	23.3	44.2	55.8N	37.2	55.8	60.5	37.2
Once a month (0.25)	14	2	3	5	1	-	2	-	1	5	7	2	13	1	6	8	6	7	11	3
	3.1	15.4	3.8	5.6	1.4	-	2.8	-	1.4	2.6	5.6	1.5	3.7	1.1	2.3	4.5	2.7	3.4	3.9	2.0
	100.0	14.3	21.4	35.7	7.1	-	14.3	-	7.1	35.7	50.0	14.3	92.9	7.1	42.9	57.1	42.9	50.0	78.6	21.4
Less often than once a month (0.1)	36	-	7	8	4	2	7	3	5	19	7	10	29	6	21	15	17	15	22	12
	8.0	-	8.8	8.9	5.6	6.9	9.7	14.3	6.8	10.1	5.6	7.4	8.2	6.7	7.9	8.5	7.7	7.3	7.8	7.8
	100.0	-	19.4	22.2	11.1	5.6	19.4	8.3	13.9	52.8	19.4	27.8	80.6	16.7	58.3	41.7	47.2	41.7	61.1	33.3
Never (0)	29	-	1	7	3	3	12	-	3	9	10	10	18	10	17	12	17	11	19	10
	6.4	-	1.3	7.8	4.2	10.3	16.7	-	4.1	4.8	7.9	7.4	5.1	11.1	6.4	6.8	7.7	5.3	6.7	6.5
	100.0	-	3.4	24.1B	10.3	10.3	41.4BDH	-	10.3	31.0	34.5	34.5	62.1	34.5L	58.6	41.4	58.6	37.9	65.5	34.5
Sigma	450	13	80	90	71	29	72	21	74	189	126	135	353	90	266	177	221	206	283	153
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9	17.8	20.0	15.8	6.4	16.0	4.7	16.4	42.0	28.0	30.0	78.4	20.0	59.1	39.3	49.1	45.8	62.9	34.0
Mean Base (Including Never)	450	13	80	90	71	29	72	21	74	189	126	135	353	90	266	177	221	206	283	153
Mean (Including Never)	3.95	4.83	3.95	3.45	3.77	4.57	3.68	4.83	4.35	3.97	3.73	4.14	4.06	3.57	4.300	3.40	4.17	3.81	3.90	4.01
Std. Deviation	3.38	4.04	3.20	3.24	3.07	3.61	3.66	3.48	3.48	3.40	3.35	3.38	3.41	3.29	3.43	3.25	3.50	3.28	3.40	3.39
Std. Error	0.16	1.12	0.36	0.34	0.36	0.67	0.43	0.76	0.40	0.25	0.30	0.29	0.18	0.35	0.21	0.24	0.24	0.23	0.20	0.27

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 75
Q.32 How Often Does Your Household Participate In Gardening?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE		FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE	
														AT LEAST ONCE		LESS THAN ONCE		MUNI- CIPAL WELL	
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	OWN	RENT/ LEASE /OTHR	A WK.	A WK.	TIC	SEWER	WATER	PRI- VATE WELL
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Answering	450	13**	80*	90*	71*	29**	72*	21**	74*	189	126	135	353	90*	266	177	221	206	283
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	17.8*	20.0*	15.8*	6.4**	16.0*	4.7**	16.4*	42.0	28.0	30.0	78.4	20.0*	59.1	39.3	49.1	45.8	62.9
Mean Base (Excluding Never)	421	13	79CF	83	68F	26	60	21	71F	180	116	125	335M	80	249	165	204	195	264
Mean (Excluding Never)	4.22	4.83	4.00	3.74	3.93	5.10	4.42	4.83	4.54	4.17	4.05	4.47	4.28	4.01	4.600	3.65	4.51	4.02	4.19
Std. Deviation	3.32	4.04	3.18	3.21	3.03	3.43	3.58	3.48	3.43	3.36	3.30	3.30	3.36	3.22	3.35	3.23	3.42	3.24	3.35
Std. Error	0.16	1.12	0.36	0.35	0.37	0.67	0.46	0.76	0.41	0.25	0.31	0.29	0.18	0.36	0.21	0.25	0.24	0.23	0.21

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 76
Q.32 How Often Does Your Household Participate In Hiking?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	ROCKY MOUN- -WEST TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER	
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)			(K)	(L)	(M)	(N)	(O)	(P)	(Q)
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	112	4	27	22	15	4	16	6	18	42	34	36	93	18	69	38	47	54	73	34
	22.8	28.6	30.3	22.4	19.5	13.3	19.5	28.6	22.5	20.7	24.1	24.5	24.2	18.0	23.7	20.0	19.6	24.1	23.5	20.6
	100.0	3.6	24.1	19.6	13.4	3.6	14.3	5.4	16.1	37.5	30.4	32.1	83.0	16.1	61.6	33.9	42.0	48.2	65.2	30.4
Base: Total Answering	379	10**	62*	76*	62*	26**	66*	15**	62*	161	107	111	291	82*	222	152	193	170	237	131
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.6**	16.4*	20.1*	16.4*	6.9**	17.4*	4.0**	16.4*	42.5	28.2	29.3	76.8	21.6*	58.6	40.1	50.9	44.9	62.5	34.6
Once A Week Or More (Net)	49	2	7	7	9	3	9	3	9	18	14	17	40	8	33	16	24	22	32	15
	12.9	20.0	11.3	9.2	14.5	11.5	13.6	20.0	14.5	11.2	13.1	15.3	13.7	9.8	14.9	10.5	12.4	12.9	13.5	11.5
	100.0	4.1	14.3	14.3	18.4	6.1	18.4	6.1	18.4	36.7	28.6	34.7	81.6	16.3	67.3	32.7	49.0	44.9	65.3	30.6
More than once a day (10)	3	-	1	-	-	-	1	-	1	2	-	1	1	2	1	2	1	2	2	1
	0.8	-	1.6	-	-	-	1.5	-	1.6	1.2	-	0.9	0.3	2.4	0.5	1.3	0.5	1.2	0.8	0.8
	100.0	-	33.3	-	-	-	33.3	-	33.3	66.7	-	33.3	33.3	66.7	33.3	66.7	33.3	66.7	66.7	33.3
Once a day (7)	13	1	1	2	4	-	3	1	1	5	2	6	12	1	8	5	8	4	7	5
	3.4	10.0	1.6	2.6	6.5	-	4.5	6.7	1.6	3.1	1.9	5.4	4.1	1.2	3.6	3.3	4.1	2.4	3.0	3.8
	100.0	7.7	7.7	15.4	30.8	-	23.1	7.7	7.7	38.5	15.4	46.2	92.3	7.7	61.5	38.5	61.5	30.8	53.8	38.5
A few times a week (3.5)	20	1	4	2	2	3	4	-	4	6	7	7	15	4	13	7	9	9	14	5
	5.3	10.0	6.5	2.6	3.2	11.5	6.1	-	6.5	3.7	6.5	6.3	5.2	4.9	5.9	4.6	4.7	5.3	5.9	3.8
	100.0	5.0	20.0	10.0	10.0	15.0	20.0	-	20.0	30.0	35.0	35.0	75.0	20.0	65.0	35.0	45.0	45.0	70.0	25.0
Once a week (1)	13	-	1	3	3	-	1	2	3	5	5	3	12	1	11	2	6	7	9	4
	3.4	-	1.6	3.9	4.8	-	1.5	13.3	4.8	3.1	4.7	2.7	4.1	1.2	5.0	1.3	3.1	4.1	3.8	3.1
	100.0	-	7.7	23.1	23.1	-	7.7	15.4	23.1	38.5	38.5	23.1	92.3	7.7	84.6	15.4	46.2	53.8	69.2	30.8

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 76
Q.32 How Often Does Your Household Participate In Hiking?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL		
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Answering	379	10**	62*	76*	62*	26**	66*	15**	62*	161	107	111	291	82*	222	152	193	170	237	131
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.6**	16.4*	20.1*	16.4*	6.9**	17.4*	4.0**	16.4*	42.5	28.2	29.3	76.8	21.6*	58.6	40.1	50.9	44.9	62.5	34.6
A few times a month (0.65)	36	-	5	9	5	-	2	2	13	20	8	8	24	9	20	15	21	15	24	12
	9.5	-	8.1	11.8	8.1	-	3.0	13.3	21.0	12.4	7.5	7.2	8.2	11.0	9.0	9.9	10.9	8.8	10.1	9.2
	100.0	-	13.9	25.0	13.9	-	5.6	5.6	36.18	55.6	22.2	22.2	66.7	25.0	55.6	41.7	58.3	41.7	66.7	33.3
								DF												
Once a month (0.25)	24	1	5	2	3	2	6	-	5	13	8	3	19	5	13	11	8	14	16	6
	6.3	10.0	8.1	2.6	4.8	7.7	9.1	-	8.1	8.1	7.5	2.7	6.5	6.1	5.9	7.2	4.1	8.2	6.8	4.6
	100.0	4.2	20.8	8.3	12.5	8.3	25.0	-	20.8	54.2	33.3	12.5	79.2	20.8	54.2	45.8	33.3	58.3	66.7	25.0
Less often than once a month (0.1)	98	5	16	18	17	5	17	4	16	47	28	23	70	28	49	45	48	43	57	40
	25.9	50.0	25.8	23.7	27.4	19.2	25.8	26.7	25.8	29.2	26.2	20.7	24.1	34.1	22.1	29.6	24.9	25.3	24.1	30.5
	100.0	5.1	16.3	18.4	17.3	5.1	17.3	4.1	16.3	48.0	28.6	23.5	71.4	28.6	50.0	45.9	49.0	43.9	58.2	40.8
Never (0)	172	2	29	40	28	16	32	6	19	63	49	60	138	32	107	65	92	76	108	58
	45.4	20.0	46.8	52.6	45.2	61.5	48.5	40.0	30.6	39.1	45.8	54.1	47.4	39.0	48.2	42.8	47.7	44.7	45.6	44.3
	100.0	1.2	16.9	23.3H	16.3	9.3	18.6H	3.5	11.0	36.6	28.5	34.91	80.2	18.6	62.2	37.8	53.5	44.2	62.8	33.7
Sigma	379	10	62	76	62	26	66	15	62	161	107	111	291	82	222	152	193	170	237	131
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.6	16.4	20.1	16.4	6.9	17.4	4.0	16.4	42.5	28.2	29.3	76.8	21.6	58.6	40.1	50.9	44.9	62.5	34.6
Mean Base (Including Never)	379	10	62	76	62	26	66	15	62	161	107	111	291	82	222	152	193	170	237	131
Mean (Including Never)	0.64	1.13	0.61	0.42	0.70	0.44	0.77	0.71	0.73	0.63	0.50	0.79	0.64	0.63	0.65	0.65	0.64	0.61	0.64	0.61
Std. Deviation	1.67	2.33	1.71	1.24	1.79	1.13	2.00	1.78	1.69	1.71	1.25	1.95	1.64	1.83	1.62	1.78	1.67	1.64	1.64	1.68
Std. Error	0.09	0.74	0.22	0.14	0.23	0.22	0.25	0.46	0.21	0.13	0.12	0.18	0.10	0.20	0.11	0.14	0.12	0.13	0.11	0.15

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 76
Q.32 How Often Does Your Household Participate In Hiking?

TOTAL	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB-				RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WATER	VATE WELL WATER
									URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL								
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
379	10**	62*	76*	62*	26**	66*	15**	62*	161	107	111	291	82*	222	152	193	170	237	131
100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
100.0	2.6**	16.4*	20.1*	16.4*	6.9**	17.4*	4.0**	16.4*	42.5	28.2	29.3	76.8	21.6*	58.6	40.1	50.9	44.9	62.5	34.6
207	8	33	36	34	10	34	9	43CF	98K	58	51	153	50	115	87	101	94	129	73
1.17	1.41	1.15	0.89	1.29	1.15	1.49	1.19	1.05	1.04	0.92	1.72	1.21	1.04	1.25	1.13	1.23	1.11	1.18	1.09
2.12	2.55	2.22	1.70	2.27	1.62	2.60	2.21	1.95	2.10	1.59	2.59	2.10	2.26	2.08	2.23	2.16	2.09	2.08	2.14
0.15	0.90	0.39	0.28	0.39	0.51	0.45	0.74	0.30	0.21	0.21	0.36	0.17	0.32	0.19	0.24	0.21	0.22	0.18	0.25

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
 * small base; ** very small base (under 30) ineligible for sig testing

Table 77
Q.32 How Often Does Your Household Participate In Painting/Sculpting?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	AT LEAST ONCE A WK.		LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL			
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
	TOTAL																			
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	125	3	30	24	18	4	19	4	23	46	39	40	105	19	78	42	57	58	81	38
	25.5	21.4	33.7	24.5	23.4	13.3	23.2	19.0	28.8	22.7	27.7	27.2	27.3	19.0	26.8	22.1	23.8	25.9	26.1	23.0
	100.0	2.4	24.0E	19.2	14.4	3.2	15.2	3.2	18.4	36.8	31.2	32.0	84.0	15.2	62.4	33.6	45.6	46.4	64.8	30.4
Base: Total Answering	366	11**	59*	74*	59*	26**	63*	17**	57*	157	102	107	279	81*	213	148	183	166	229	127
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	3.0**	16.1*	20.2*	16.1*	7.1**	17.2*	4.6**	15.6*	42.9	27.9	29.2	76.2	22.1*	58.2	40.4	50.0	45.4	62.6	34.7
Once A Week Or More (Net)	35	3	7	6	2	1	6	4	6	15	14	6	26	7	16	19	14	18	23	11
	9.6	27.3	11.9	8.1	3.4	3.8	9.5	23.5	10.5	9.6	13.7	5.6	9.3	8.6	7.5	12.8	7.7	10.8	10.0	8.7
	100.0	8.6	20.0	17.1	5.7	2.9	17.1	11.4	17.1	42.9	40.0K	17.1	74.3	20.0	45.7	54.3	40.0	51.4	65.7	31.4
More than once a day (10)	4	-	1	1	-	-	1	1	-	1	2	1	2	2	3	1	2	2	3	1
	1.1	-	1.7	1.4	-	-	1.6	5.9	-	0.6	2.0	0.9	0.7	2.5	1.4	0.7	1.1	1.2	1.3	0.8
	100.0	-	25.0	25.0	-	-	25.0	25.0	-	25.0	50.0	25.0	50.0	50.0	75.0	25.0	50.0	50.0	75.0	25.0
Once a day (7)	4	2	-	2	-	-	-	-	-	-	4	-	2	2	-	4	2	2	2	2
	1.1	18.2	-	2.7	-	-	-	-	-	-	3.9	-	0.7	2.5	-	2.7	1.1	1.2	0.9	1.6
	100.0	50.0	-	50.0	-	-	-	-	-	-	100.0K	-	50.0	50.0	-	100.0N	50.0	50.0	50.0	50.0
A few times a week (3.5)	17	1	4	3	1	1	2	2	3	9	5	3	14	1	7	10	6	10	13	3
	4.6	9.1	6.8	4.1	1.7	3.8	3.2	11.8	5.3	5.7	4.9	2.8	5.0	1.2	3.3	6.8	3.3	6.0	5.7	2.4
	100.0	5.9	23.5	17.6	5.9	5.9	11.8	11.8	17.6	52.9	29.4	17.6	82.4	5.9	41.2	58.8	35.3	58.8	76.5	17.6
Once a week (1)	10	-	2	-	1	-	3	1	3	5	3	2	8	2	6	4	4	4	5	5
	2.7	-	3.4	-	1.7	-	4.8	5.9	5.3	3.2	2.9	1.9	2.9	2.5	2.8	2.7	2.2	2.4	2.2	3.9
	100.0	-	20.0	-	10.0	-	30.0	10.0	30.0C	50.0	30.0	20.0	80.0	20.0	60.0	40.0	40.0	40.0	50.0	50.0

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 77
Q.32 How Often Does Your Household Participate In Painting/Sculpting?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB- URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	AT RENT/ LEASE /OTHR	LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	366	11**	59*	74*	59*	26**	63*	17**	57*	157	102	107	279	81*	213	148	183	166	229	127
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	3.0**	16.1*	20.2*	16.1*	7.1**	17.2*	4.6**	15.6*	42.9	27.9	29.2	76.2	22.1*	58.2	40.4	50.0	45.4	62.6	34.7
A few times a month (0.65)	19	1	2	2	1	1	5	1	6	10	6	3	13	6	16	3	8	10	15	4
	5.2	9.1	3.4	2.7	1.7	3.8	7.9	5.9	10.5	6.4	5.9	2.8	4.7	7.4	7.5	2.0	4.4	6.0	6.6	3.1
	100.0	5.3	10.5	10.5	5.3	5.3	26.3	5.3	31.6	52.6	31.6	15.8	68.4	31.6	84.2	15.8	42.1	52.6	78.9	21.1
Once a month (0.25)	13	-	2	2	3	-	3	1	2	4	5	4	11	2	6	7	8	4	10	3
	3.6	-	3.4	2.7	5.1	-	4.8	5.9	3.5	2.5	4.9	3.7	3.9	2.5	2.8	4.7	4.4	2.4	4.4	2.4
	100.0	-	15.4	15.4	23.1	-	23.1	7.7	15.4	30.8	38.5	30.8	84.6	15.4	46.2	53.8	61.5	30.8	76.9	23.1
Less often than once a month (0.1)	57	2	8	12	5	5	10	3	12	26	12	19	38	19	29	26	29	26	37	18
	15.6	18.2	13.6	16.2	8.5	19.2	15.9	17.6	21.1	16.6	11.8	17.8	13.6	23.5	13.6	17.6	15.8	15.7	16.2	14.2
	100.0	3.5	14.0	21.1	8.8	8.8	17.5	5.3	21.1	45.6	21.1	33.3	66.7	33.3	50.9	45.6	50.9	45.6	64.9	31.6
Never (0)	242	5	40	52	48	19	39	8	31	102	65	75	191	47	146	93	124	108	144	91
	66.1	45.5	67.8	70.3	81.4	73.1	61.9	47.1	54.4	65.0	63.7	70.1	68.5	58.0	68.5	62.8	67.8	65.1	62.9	71.7
	100.0	2.1	16.5	21.5	19.8	7.9	16.1	3.3	12.8	42.1	26.9	31.0	78.9	19.4	60.3	38.4	51.2	44.6	59.5	37.6
Sigma	366	11	59	74	59	26	63	17	57	157	102	107	279	81	213	148	183	166	229	127
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	3.0	16.1	20.2	16.1	7.1	17.2	4.6	15.6	42.9	27.9	29.2	76.2	22.1	58.2	40.4	50.0	45.4	62.6	34.7
Mean Base (Including Never)	366	11	59	74	59	26	63	17	57	157	102	107	279	81	213	148	183	166	229	127
Mean (Including Never)	0.43	1.67	0.48	0.51	0.11	0.18	0.40	1.13	0.34	0.36	0.73	0.26	0.38	0.57	0.35	0.56	0.38	0.50	0.48	0.35
Std. Deviation	1.44	2.83	1.54	1.72	0.48	0.69	1.39	2.55	0.80	1.13	2.01	1.12	1.26	1.90	1.33	1.60	1.39	1.53	1.50	1.34
Std. Error	0.08	0.85	0.20	0.20	0.06	0.14	0.18	0.62	0.11	0.09	0.20	0.11	0.08	0.21	0.09	0.13	0.10	0.12	0.10	0.12

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 77
Q.32 How Often Does Your Household Participate In Painting/Sculpting?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER	WATER SOURCE				
	NEW ENG- TOTAL	MID- ATL- LAND	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT ONCE A WK.		LESS THAN ONCE A WK.	SEP- TIC TANK	MUNI- CIPAL WATER	PRI- VATE WELL	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)		(L)	(M)		(N)	(O)	(P)	(Q)	(R)
Base: Total Answering	366	11**	59*	74*	59*	26**	63*	17**	57*	157	102	107	279	81*	213	148	183	166	229	127
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	3.0**	16.1*	20.2*	16.1*	7.1**	17.2*	4.6**	15.6*	42.9	27.9	29.2	76.2	22.1*	58.2	40.4	50.0	45.4	62.6	34.7
Mean Base (Excluding Never)	124	6	19	22	11	7	24D	9	26D	55	37	32	88	34	67	55	59	58	85	36
Mean (Excluding Never)	1.28	3.06	1.51	1.70	0.58	0.66	1.04	2.13	0.73	1.03	2.02I	0.85	1.20	1.35	1.12	1.51	1.17	1.43	1.30	1.24
Std. Deviation	2.25	3.30	2.46	2.86	1.01	1.27	2.12	3.26	1.07	1.73	2.94	1.94	2.02	2.77	2.18	2.35	2.27	2.33	2.25	2.31
Std. Error	0.20	1.35	0.56	0.61	0.30	0.48	0.43	1.09	0.21	0.23	0.48	0.34	0.22	0.48	0.27	0.32	0.30	0.31	0.24	0.38

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 78
Q.32 How Often Does Your Household Participate In Running/Walking?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT	LESS	SEP- TIC TANK	MUNI- CIPAL SEWER	PRI- VATE WELL		
		ENG-	ATL-											AT LEAST	THAN					
		LAND	ANTIC											ONCE	ONCE					
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	69	1	15	15	8	1	16	3	10	23	24	22	53	15	42	24	33	33	43	24
	14.1	7.1	16.9	15.3	10.4	3.3	19.5	14.3	12.5	11.3	17.0	15.0	13.8	15.0	14.4	12.6	13.8	14.7	13.9	14.5
	100.0	1.4	21.7	21.7	11.6	1.4	23.2E	4.3	14.5	33.3	34.8	31.9	76.8	21.7	60.9	34.8	47.8	47.8	62.3	34.8
Base: Total Answering	422	13**	74*	83*	69*	29**	66*	18**	70*	180	117	125	331	85*	249	166	207	191	267	141
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	3.1**	17.5*	19.7*	16.4*	6.9**	15.6*	4.3**	16.6*	42.7	27.7	29.6	78.4	20.1*	59.0	39.3	49.1	45.3	63.3	33.4
Once A Week Or More (Net)	261	11	44	43	45	20	36	13	49	107	80	74	200	57	153	102	114	130	173	79
	61.8	84.6	59.5	51.8	65.2	69.0	54.5	72.2	70.0	59.4	68.4	59.2	60.4	67.1	61.4	61.4	55.1	68.1	64.8	56.0
	100.0	4.2	16.9	16.5	17.2	7.7	13.8	5.0	18.8C	41.0	30.7	28.4	76.6	21.8	58.6	39.1	43.7	49.8P	66.3	30.3
More than once a day (10)	61	1	11	9	12	4	8	2	14	29	16	16	43	15	38	20	29	29	41	18
	14.5	7.7	14.9	10.8	17.4	13.8	12.1	11.1	20.0	16.1	13.7	12.8	13.0	17.6	15.3	12.0	14.0	15.2	15.4	12.8
	100.0	1.6	18.0	14.8	19.7	6.6	13.1	3.3	23.0	47.5	26.2	26.2	70.5	24.6	62.3	32.8	47.5	47.5	67.2	29.5
Once a day (7)	80	7	13	11	10	7	14	4	14	32	22	26	68	12	52	27	34	43	48	27
	19.0	53.8	17.6	13.3	14.5	24.1	21.2	22.2	20.0	17.8	18.8	20.8	20.5	14.1	20.9	16.3	16.4	22.5	18.0	19.1
	100.0	8.8	16.3	13.8	12.5	8.8	17.5	5.0	17.5	40.0	27.5	32.5	85.0	15.0	65.0	33.8	42.5	53.8	60.0	33.8
A few times a week (3.5)	94	2	18	17	17	6	11	7	16	37	31	26	68	25	50	43	41	44	61	31
	22.3	15.4	24.3	20.5	24.6	20.7	16.7	38.9	22.9	20.6	26.5	20.8	20.5	29.4	20.1	25.9	19.8	23.0	22.8	22.0
	100.0	2.1	19.1	18.1	18.1	6.4	11.7	7.4	17.0	39.4	33.0	27.7	72.3	26.6	53.2	45.7	43.6	46.8	64.9	33.0
Once a week (1)	26	1	2	6	6	3	3	-	5	9	11	6	21	5	13	12	10	14	23	3
	6.2	7.7	2.7	7.2	8.7	10.3	4.5	-	7.1	5.0	9.4	4.8	6.3	5.9	5.2	7.2	4.8	7.3	8.6	2.1
	100.0	3.8	7.7	23.1	23.1	11.5	11.5	-	19.2	34.6	42.3	23.1	80.8	19.2	50.0	46.2	38.5	53.8	88.5S	11.5

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 78
Q.32 How Often Does Your Household Participate In Running/Walking?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	ROCKY MOUN- TAIN		URBAN LARGE MSAS	SUB- URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
							SOUTH -WEST	WEST												
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	422	13**	74*	83*	69*	29**	66*	18**	70*	180	117	125	331	85*	249	166	207	191	267	141
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	3.1**	17.5*	19.7*	16.4*	6.9**	15.6*	4.3**	16.6*	42.7	27.7	29.6	78.4	20.1*	59.0	39.3	49.1	45.3	63.3	33.4
A few times a month (0.65)	38	2	7	11	3	-	8	-	7	21	6	11	29	9	22	16	18	17	20	15
	9.0	15.4	9.5	13.3	4.3	-	12.1	-	10.0	11.7	5.1	8.8	8.8	10.6	8.8	9.6	8.7	8.9	7.5	10.6
	100.0	5.3	18.4	28.9	7.9	-	21.1	-	18.4	55.3	15.8	28.9	76.3	23.7	57.9	42.1	47.4	44.7	52.6	39.5
Once a month (0.25)	16	-	5	3	1	1	2	2	2	9	2	5	13	3	6	10	8	7	9	6
	3.8	-	6.8	3.6	1.4	3.4	3.0	11.1	2.9	5.0	1.7	4.0	3.9	3.5	2.4	6.0	3.9	3.7	3.4	4.3
	100.0	-	31.3	18.8	6.3	6.3	12.5	12.5	12.5	56.3	12.5	31.3	81.3	18.8	37.5	62.5	50.0	43.8	56.3	37.5
Less often than once a month (0.1)	41	-	8	14	3	3	9	1	3	15	13	13	29	12	26	14	29	12	22	19
	9.7	-	10.8	16.9	4.3	10.3	13.6	5.6	4.3	8.3	11.1	10.4	8.8	14.1	10.4	8.4	14.0	6.3	8.2	13.5
	100.0	-	19.5	34.1	7.3	7.3	22.0	2.4	7.3	36.6	31.7	31.7	70.7	29.3	63.4	34.1	70.7	29.3	53.7	46.3
Never (0)	66	-	10	12	17	5	11	2	9	28	16	22	60	4	42	24	38	25	43	22
	15.6	-	13.5	14.5	24.6	17.2	16.7	11.1	12.9	15.6	13.7	17.6	18.1	4.7	16.9	14.5	18.4	13.1	16.1	15.6
	100.0	-	15.2	18.2	25.8	7.6	16.7	3.0	13.6	42.4	24.2	33.3	90.9	6.1	63.6	36.4	57.6	37.9	65.2	33.3
Sigma	422	13	74	83	69	29	66	18	70	180	117	125	331	85	249	166	207	191	267	141
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	3.1	17.5	19.7	16.4	6.9	15.6	4.3	16.6	42.7	27.7	29.6	78.4	20.1	59.0	39.3	49.1	45.3	63.3	33.4
Mean Base (Including Never)	422	13	74	83	69	29	66	18	70	180	117	125	331	85	249	166	207	191	267	141
Mean (Including Never)	3.69	5.25	3.68	2.91	3.74	3.92	3.43	4.06	4.35	3.72	3.75	3.59	3.60	3.93	3.82	3.41	3.37	4.05	3.75	3.50
Std. Deviation	3.60	3.03	3.62	3.41	3.72	3.66	3.62	3.30	3.74	3.70	3.50	3.58	3.58	3.60	3.68	3.43	3.64	3.58	3.62	3.57
Std. Error	0.18	0.84	0.42	0.37	0.45	0.68	0.45	0.78	0.45	0.28	0.32	0.32	0.20	0.39	0.23	0.27	0.25	0.26	0.22	0.30

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 78
Q.32 How Often Does Your Household Participate In Running/Walking?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	NEW ENG- TOTAL	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER		
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	422	13**	74*	83*	69*	29**	66*	18**	70*	180	117	125	331	85*	249	166	207	191	267	141
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	3.1**	17.5*	19.7*	16.4*	6.9**	15.6*	4.3**	16.6*	42.7	27.7	29.6	78.4	20.1*	59.0	39.3	49.1	45.3	63.3	33.4
Mean Base (Excluding Never)	356	13	64	71	52	24	55	16	61	152	101	103	271	81L	207	142	169	166	224	119
Mean (Excluding Never)	4.38	5.25	4.26	3.41	4.96C	4.73	4.11	4.57	4.99C	4.41	4.35	4.36	4.39	4.13	4.59	3.98	4.13	4.66	4.46	4.15
Std. Deviation	3.52	3.03	3.57	3.45	3.50	3.50	3.59	3.14	3.59	3.63	3.41	3.50	3.48	3.58	3.57	3.38	3.62	3.45	3.52	3.52
Std. Error	0.19	0.84	0.45	0.41	0.49	0.72	0.48	0.79	0.46	0.29	0.34	0.34	0.21	0.40	0.25	0.28	0.28	0.27	0.24	0.32

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 79
Q.32 How Often Does Your Household Participate In Sports/Athletics/Working Out?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE		FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	OWN	RENT/ LEASE /OTHR	AT	LESS	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER	
		ENG- LAND	ATL- ANTIC											LEAST ONCE A WK.	THAN ONCE A WK.					
		(A)	(B)											(N)	(O)					
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	99	3	24	18	14	3	14	5	18	34	29	36	84	15	60	35	50	42	57	37
	20.2	21.4	27.0	18.4	18.2	10.0	17.1	23.8	22.5	16.7	20.6	24.5	21.9	15.0	20.6	18.4	20.8	18.8	18.4	22.4
	100.0	3.0	24.2	18.2	14.1	3.0	14.1	5.1	18.2	34.3	29.3	36.4	84.8	15.2	60.6	35.4	50.5	42.4	57.6	37.4
Base: Total Answering	392	11**	65*	80*	63*	27**	68*	16**	62*	169	112	111	300	85*	231	155	190	182	253	128
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.8**	16.6*	20.4*	16.1*	6.9**	17.3*	4.1**	15.8*	43.1	28.6	28.3	76.5	21.7*	58.9	39.5	48.5	46.4	64.5	32.7
Once A Week Or More (Net)	165	4	30	31	25	9	27	7	32	84	52	29	120	42	101	60	63	90	116	43
	42.1	36.4	46.2	38.8	39.7	33.3	39.7	43.8	51.6	49.7	46.4	26.1	40.0	49.4	43.7	38.7	33.2	49.5	45.8	33.6
	100.0	2.4	18.2	18.8	15.2	5.5	16.4	4.2	19.4	50.9K	31.5K	17.6	72.7	25.5	61.2	36.4	38.2	54.5P	70.3S	26.1
More than once a day (10)	13	1	3	1	3	-	3	1	1	7	4	2	8	5	8	4	2	11	11	2
	3.3	9.1	4.6	1.3	4.8	-	4.4	6.3	1.6	4.1	3.6	1.8	2.7	5.9	3.5	2.6	1.1	6.0	4.3	1.6
	100.0	7.7	23.1	7.7	23.1	-	23.1	7.7	7.7	53.8	30.8	15.4	61.5	38.5	61.5	30.8	15.4	84.6P	84.6	15.4
Once a day (7)	39	3	7	3	4	4	7	1	10	21	14	4	28	11	27	12	14	21	30	8
	9.9	27.3	10.8	3.8	6.3	14.8	10.3	6.3	16.1	12.4	12.5	3.6	9.3	12.9	11.7	7.7	7.4	11.5	11.9	6.3
	100.0	7.7	17.9	7.7	10.3	10.3	17.9	2.6	25.6C	53.8K	35.9K	10.3	71.8	28.2	69.2	30.8	35.9	53.8	76.9	20.5
A few times a week (3.5)	83	-	17	19	13	5	12	4	13	37	25	21	65	16	48	33	37	39	54	24
	21.2	-	26.2	23.8	20.6	18.5	17.6	25.0	21.0	21.9	22.3	18.9	21.7	18.8	20.8	21.3	19.5	21.4	21.3	18.8
	100.0	-	20.5	22.9	15.7	6.0	14.5	4.8	15.7	44.6	30.1	25.3	78.3	19.3	57.8	39.8	44.6	47.0	65.1	28.9
Once a week (1)	30	-	3	8	5	-	5	1	8	19	9	2	19	10	18	11	10	19	21	9
	7.7	-	4.6	10.0	7.9	-	7.4	6.3	12.9	11.2	8.0	1.8	6.3	11.8	7.8	7.1	5.3	10.4	8.3	7.0
	100.0	-	10.0	26.7	16.7	-	16.7	3.3	26.7	63.3K	30.0K	6.7	63.3	33.3	60.0	36.7	33.3	63.3	70.0	30.0

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 79
Q.32 How Often Does Your Household Participate In Sports/Athletics/Working Out?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER	WATER SOURCE				
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB- URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	AT LEAST ONCE A WK.		LESS THAN ONCE A WK.	SEP- TIC TANK	MUNI- CIPAL WATER	PRI- VATE WELL	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	392	11**	65*	80*	63*	27**	68*	16**	62*	169	112	111	300	85*	231	155	190	182	253	128
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.8**	16.6*	20.4*	16.1*	6.9**	17.3*	4.1**	15.8*	43.1	28.6	28.3	76.5	21.7*	58.9	39.5	48.5	46.4	64.5	32.7
A few times a month (0.65)	28	1	7	6	2	2	2	2	6	11	8	9	19	7	16	12	8	19	20	7
	7.1	9.1	10.8	7.5	3.2	7.4	2.9	12.5	9.7	6.5	7.1	8.1	6.3	8.2	6.9	7.7	4.2	10.4	7.9	5.5
	100.0	3.6	25.0	21.4	7.1	7.1	7.1	7.1	21.4	39.3	28.6	32.1	67.9	25.0	57.1	42.9	28.6	67.9P	71.4	25.0
Once a month (0.25)	11	-	5	1	2	-	-	-	3	9	1	1	11	-	7	4	4	7	7	4
	2.8	-	7.7	1.3	3.2	-	-	-	4.8	5.3	0.9	0.9	3.7	-	3.0	2.6	2.1	3.8	2.8	3.1
	100.0	-	45.5F	9.1	18.2	-	-	-	27.3	81.8	9.1	9.1	100.0	-	63.6	36.4	36.4	63.6	63.6	36.4
Less often than once a month (0.1)	50	1	3	15	7	3	16	1	4	21	10	19	34	16	26	23	29	19	39	10
	12.8	9.1	4.6	18.8	11.1	11.1	23.5	6.3	6.5	12.4	8.9	17.1	11.3	18.8	11.3	14.8	15.3	10.4	15.4	7.8
	100.0	2.0	6.0	30.0B	14.0	6.0	32.0BH	2.0	8.0	42.0	20.0	38.0	68.0	32.0	52.0	46.0	58.0	38.0	78.0S	20.0
				H																
Never (0)	138	5	20	27	27	13	23	6	17	44	41	53	116	20	81	56	86	47	71	64
	35.2	45.5	30.8	33.8	42.9	48.1	33.8	37.5	27.4	26.0	36.6	47.7	38.7	23.5	35.1	36.1	45.3	25.8	28.1	50.0
	100.0	3.6	14.5	19.6	19.6	9.4	16.7	4.3	12.3	31.9	29.7	38.4I	84.1M	14.5	58.7	40.6	62.3Q	34.1	51.4	46.4R
Sigma	392	11	65	80	63	27	68	16	62	169	112	111	300	85	231	155	190	182	253	128
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.8	16.6	20.4	16.1	6.9	17.3	4.1	15.8	43.1	28.6	28.3	76.5	21.7	58.9	39.5	48.5	46.4	64.5	32.7
Mean Base (Including Never)	392	11	65	80	63	27	68	16	62	169	112	111	300	85	231	155	190	182	253	128
Mean (Including Never)	1.91	2.89	2.27C	1.39	1.76	1.74	1.90	2.09	2.23C	2.23K	2.15K	1.18	1.80	2.34	2.03	1.69	1.40	2.35P	2.17S	1.37
Std. Deviation	2.69	3.95	2.86	2.06	2.74	2.60	2.87	2.95	2.72	2.85	2.83	2.14	2.60	3.05	2.78	2.51	2.28	3.00	2.87	2.28
Std. Error	0.14	1.19	0.35	0.23	0.35	0.50	0.35	0.74	0.35	0.22	0.27	0.20	0.15	0.33	0.18	0.20	0.17	0.22	0.18	0.20

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 79
Q.32 How Often Does Your Household Participate In Sports/Athletics/Working Out?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	NEW ENG- TOTAL	MID- ATL- LAND	SOUTH -ANTIC	GREAT -EAST	MID- LAKES	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	392	11**	65*	80*	63*	27**	68*	16**	62*	169	112	111	300	85*	231	155	190	182	253	128
	100.0	100.0**	100*100.0*	100.0*	100.0**	100*100.0**	100*100.0**	100*100.0	100.0	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.8**	16.6*	20.4*	16.1*	6.9**	17.3*	4.1**	15.8*	43.1	28.6	28.3	76.5	21.7*	58.9	39.5	48.5	46.4	64.5	32.7
Mean Base (Excluding Never)	254	6	45	53	36	14	45	10	45	125K	71	58	184	65L	150	99	104	135P	182S	64
Mean (Excluding Never)	2.95	5.29	3.28C	2.10	3.08	3.36	2.86	3.34	3.08	3.02	3.39K	2.27	2.94	3.06	3.13	2.64	2.56	3.17	3.01	2.74
Std. Deviation	2.85	3.99	2.91	2.22	3.02	2.77	3.11	3.13	2.75	2.94	2.90	2.52	2.77	3.16	2.91	2.71	2.55	3.08	2.98	2.57
Std. Error	0.18	1.63	0.43	0.31	0.50	0.74	0.46	0.99	0.41	0.26	0.34	0.33	0.20	0.39	0.24	0.27	0.25	0.27	0.22	0.32

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 80
Q.33 Sex Of Respondent

	REGION								MARKET SIZE			OWN/RENT RESIDENCE		FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	OWN	RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	1	-	-	-	-	1	-	-	-	-	-	1	1	-	1	-	1	-	1	-
	0.2	-	-	-	-	3.3	-	-	-	-	-	0.7	0.3	-	0.3	-	0.4	-	0.3	-
	100.0	-	-	-	-	100.0	-	-	-	-	-	100.0	100.0	-	100.0	-	100.0	-	100.0	-
Base: Total Answering	490	14**	89*	98*	77*	29**	82*	21**	80*	203	141	146	383	100	290	190	239	224	309	165
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.2*	20.0*	15.7*	5.9**	16.7*	4.3**	16.3*	41.4	28.8	29.8	78.2	20.4	59.2	38.8	48.8	45.7	63.1	33.7
Male	102	1	22	21	18	4	17	6	13	46	22	34	81	20	62	38	45	52	66	34
	20.8	7.1	24.7	21.4	23.4	13.8	20.7	28.6	16.3	22.7	15.6	23.3	21.1	20.0	21.4	20.0	18.8	23.2	21.4	20.6
	100.0	1.0	21.6	20.6	17.6	3.9	16.7	5.9	12.7	45.1	21.6	33.3	79.4	19.6	60.8	37.3	44.1	51.0	64.7	33.3
Female	388	13	67	77	59	25	65	15	67	157	119	112	302	80	228	152	194	172	243	131
	79.2	92.9	75.3	78.6	76.6	86.2	79.3	71.4	83.8	77.3	84.4	76.7	78.9	80.0	78.6	80.0	81.2	76.8	78.6	79.4
	100.0	3.4	17.3	19.8	15.2	6.4	16.8	3.9	17.3	40.5	30.7	28.9	77.8	20.6	58.8	39.2	50.0	44.3	62.6	33.8
Sigma	490	14	89	98	77	29	82	21	80	203	141	146	383	100	290	190	239	224	309	165
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9	18.2	20.0	15.7	5.9	16.7	4.3	16.3	41.4	28.8	29.8	78.2	20.4	59.2	38.8	48.8	45.7	63.1	33.7

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 81
Q.34 Age Of Respondent

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	ROCKY MOUN- -WEST	TAIN WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT	LESS	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER	
		ENG-	ATL-											LEAST	THAN					
		LAND	ANTIC											ONCE	ONCE					
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	4	1	1	2	-	-	-	-	-	1	1	2	3	1	1	3	1	3	4	-
	0.8	7.1	1.1	2.0	-	-	-	-	-	0.5	0.7	1.4	0.8	1.0	0.3	1.6	0.4	1.3	1.3	-
	100.0	25.0	25.0	50.0	-	-	-	-	-	25.0	25.0	50.0	75.0	25.0	25.0	75.0	25.0	75.0	100.0	-
Base: Total Answering	487	13**	88*	96*	77*	30*	82*	21**	80*	202	140	145	381	99*	290	187	239	221	306	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.7**	18.1*	19.7*	15.8*	6.2*	16.8*	4.3**	16.4*	41.5	28.7	29.8	78.2	20.3*	59.5	38.4	49.1	45.4	62.8	33.9
18 - 34 (Net)	81	2	7	21	17	7	16	-	11	30	25	26	40	39	44	34	37	38	48	30
	16.6	15.4	8.0	21.9	22.1	23.3	19.5	-	13.8	14.9	17.9	17.9	10.5	39.4	15.2	18.2	15.5	17.2	15.7	18.2
	100.0	2.5	8.6	25.9B	21.0B	8.6B	19.8B	-	13.6	37.0	30.9	32.1	49.4	48.1L	54.3	42.0	45.7	46.9	59.3	37.0
18 - 24	13	-	1	4	1	2	2	-	3	4	4	5	4	8	7	5	5	7	10	2
	2.7	-	1.1	4.2	1.3	6.7	2.4	-	3.8	2.0	2.9	3.4	1.0	8.1	2.4	2.7	2.1	3.2	3.3	1.2
	100.0	-	7.7	30.8	7.7	15.4	15.4	-	23.1	30.8	30.8	38.5	30.8	61.5L	53.8	38.5	38.5	53.8	76.9	15.4
25 - 34	68	2	6	17	16	5	14	-	8	26	21	21	36	31	37	29	32	31	38	28
	14.0	15.4	6.8	17.7	20.8	16.7	17.1	-	10.0	12.9	15.0	14.5	9.4	31.3	12.8	15.5	13.4	14.0	12.4	17.0
	100.0	2.9	8.8	25.0B	23.5B	7.4	20.6B	-	11.8	38.2	30.9	30.9	52.9	45.6L	54.4	42.6	47.1	45.6	55.9	41.2
35 - 49 (Net)	179	5	39	28	26	8	28	9	36	78	52	49	132	46	99	78	82	89	113	62
	36.8	38.5	44.3	29.2	33.8	26.7	34.1	42.9	45.0	38.6	37.1	33.8	34.6	46.5	34.1	41.7	34.3	40.3	36.9	37.6
	100.0	2.8	21.8C	15.6	14.5	4.5	15.6	5.0	20.1C	43.6	29.1	27.4	73.7	25.7L	55.3	43.6	45.8	49.7	63.1	34.6
35 - 39	50	2	15	7	6	1	6	1	12	21	18	11	35	15	28	21	24	25	29	20
	10.3	15.4	17.0	7.3	7.8	3.3	7.3	4.8	15.0	10.4	12.9	7.6	9.2	15.2	9.7	11.2	10.0	11.3	9.5	12.1
	100.0	4.0	30.0C	14.0	12.0	2.0	12.0	2.0	24.0	42.0	36.0	22.0	70.0	30.0	56.0	42.0	48.0	50.0	58.0	40.0

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 81
Q.34 Age Of Respondent

	REGION								MARKET SIZE			OWN/RENT OWN	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB- URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	487	13**	88*	96*	77*	30*	82*	21**	80*	202	140	145	381	99*	290	187	239	221	306	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.7**	18.1*	19.7*	15.8*	6.2*	16.8*	4.3**	16.4*	41.5	28.7	29.8	78.2	20.3*	59.5	38.4	49.1	45.4	62.8	33.9
40 - 44	61	-	14	12	7	3	8	3	14	36	13	12	47	13	31	29	26	34	45	15
	12.5	-	15.9	12.5	9.1	10.0	9.8	14.3	17.5	17.8	9.3	8.3	12.3	13.1	10.7	15.5	10.9	15.4	14.7	9.1
	100.0	-	23.0	19.7	11.5	4.9	13.1	4.9	23.0	59.0J	21.3	19.7	77.0	21.3	50.8	47.5	42.6	55.7	73.8	24.6
										K										
45 - 49	68	3	10	9	13	4	14	5	10	21	21	26	50	18	40	28	32	30	39	27
	14.0	23.1	11.4	9.4	16.9	13.3	17.1	23.8	12.5	10.4	15.0	17.9	13.1	18.2	13.8	15.0	13.4	13.6	12.7	16.4
	100.0	4.4	14.7	13.2	19.1	5.9	20.6	7.4	14.7	30.9	30.9	38.21	73.5	26.5	58.8	41.2	47.1	44.1	57.4	39.7
50 - 64 (Net)	136	3	25	32	22	5	25	8	16	56	38	42	120	12	85	48	77	54	82	49
	27.9	23.1	28.4	33.3	28.6	16.7	30.5	38.1	20.0	27.7	27.1	29.0	31.5	12.1	29.3	25.7	32.2	24.4	26.8	29.7
	100.0	2.2	18.4	23.5	16.2	3.7	18.4	5.9	11.8	41.2	27.9	30.9	88.2M	8.8	62.5	35.3	56.6	39.7	60.3	36.0
50 - 59	97	3	15	23	18	3	19	5	11	42	26	29	85	10	61	34	56	39	59	35
	19.9	23.1	17.0	24.0	23.4	10.0	23.2	23.8	13.8	20.8	18.6	20.0	22.3	10.1	21.0	18.2	23.4	17.6	19.3	21.2
	100.0	3.1	15.5	23.7	18.6	3.1	19.6	5.2	11.3	43.3	26.8	29.9	87.6M	10.3	62.9	35.1	57.7	40.2	60.8	36.1
60 - 64	39	-	10	9	4	2	6	3	5	14	12	13	35	2	24	14	21	15	23	14
	8.0	-	11.4	9.4	5.2	6.7	7.3	14.3	6.3	6.9	8.6	9.0	9.2	2.0	8.3	7.5	8.8	6.8	7.5	8.5
	100.0	-	25.6	23.1	10.3	5.1	15.4	7.7	12.8	35.9	30.8	33.3	89.7M	5.1	61.5	35.9	53.8	38.5	59.0	35.9
65+ (Net)	91	3	17	15	12	10	13	4	17	38	25	28	89	2	62	27	43	40	63	24
	18.7	23.1	19.3	15.6	15.6	33.3	15.9	19.0	21.3	18.8	17.9	19.3	23.4	2.0	21.4	14.4	18.0	18.1	20.6	14.5
	100.0	3.3	18.7	16.5	13.2	11.0C	14.3	4.4	18.7	41.8	27.5	30.8	97.8M	2.2	68.1	29.7	47.3	44.0	69.2	26.4
						DF														

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 81
Q.34 Age Of Respondent

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		AT RENT/ LEASE /OTHR	LESS ONCE A WK.	THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	VATE WELL WATER	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	487	13**	88*	96*	77*	30*	82*	21**	80*	202	140	145	381	99*	290	187	239	221	306	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.7**	18.1*	19.7*	15.8*	6.2*	16.8*	4.3**	16.4*	41.5	28.7	29.8	78.2	20.3*	59.5	38.4	49.1	45.4	62.8	33.9
65 - 74	57	2	9	13	7	7	10	1	8	20	17	20	55	2	39	17	29	22	41	14
	11.7	15.4	10.2	13.5	9.1	23.3	12.2	4.8	10.0	9.9	12.1	13.8	14.4	2.0	13.4	9.1	12.1	10.0	13.4	8.5
	100.0	3.5	15.8	22.8	12.3	12.3	17.5	1.8	14.0	35.1	29.8	35.1	96.5M	3.5	68.4	29.8	50.9	38.6	71.9	24.6
75+	34	1	8	2	5	3	3	3	9	18	8	8	34	-	23	10	14	18	22	10
	7.0	7.7	9.1	2.1	6.5	10.0	3.7	14.3	11.3	8.9	5.7	5.5	8.9	-	7.9	5.3	5.9	8.1	7.2	6.1
	100.0	2.9	23.5C	5.9	14.7	8.8	8.8	8.8	26.5C	52.9	23.5	23.5	100.0M	-	67.6	29.4	41.2	52.9	64.7	29.4
Sigma	487	13	88	96	77	30	82	21	80	202	140	145	381	99	290	187	239	221	306	165
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.7	18.1	19.7	15.8	6.2	16.8	4.3	16.4	41.5	28.7	29.8	78.2	20.3	59.5	38.4	49.1	45.4	62.8	33.9
Mean Base	487	13	88	96	77	30	82	21	80	202	140	145	381	99	290	187	239	221	306	165
Mean	49.83	52.46	50.91	48.36	48.22	52.17	48.82	55.81	50.14	49.99	49.25	50.18	52.73 M	38.84 O	51.15	47.88	50.15	49.19	50.32	48.57
Std. Deviation	15.06	15.75	14.35	14.30	15.47	18.15	14.48	12.99	16.02	15.40	14.91	14.83	14.66	11.08	15.24	14.45	14.37	15.65	15.39	14.20
Std. Error	0.68	4.37	1.53	1.46	1.76	3.31	1.60	2.83	1.79	1.08	1.26	1.23	0.75	1.11	0.89	1.06	0.93	1.05	0.88	1.11
Median	48.00	49.00	49.00	49.00	49.00	49.50	48.00	53.00	45.50	47.50	48.00	49.00	51.00	38.00	50.00	46.00	50.00	46.00	49.00	48.00R
						BCDFH				I	I		L							

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 82
Q.35 Do You Have A Child In Your Household That Currently Wears Diapers?

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	SUB-				RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
									URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL									
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*100.0*	100.0*100.0*	100.0*100.0*	100.0*100.0*	100.0**	100*100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No answer	3	-	1	-	-	1	-	1	-	1	-	2	3	-	2	1	3	-	1	2
	0.6	-	1.1	-	-	3.3	-	4.8	-	0.5	-	1.4	0.8	-	0.7	0.5	1.3	-	0.3	1.2
	100.0	-	33.3	-	-	33.3	-	33.3	-	33.3	-	66.7	100.0	-	66.7	33.3	100.0	-	33.3	66.7
Base: Total Answering	488	14**	88*	98*	77*	29**	82*	20**	80*	202	141	145	381	100	289	189	237	224	309	163
	100.0	100.0**	100*100.0*	100.0*100.0*	100.0*100.0*	100.0**	100*100.0*	100.0**	100*100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.0*	20.1*	15.8*	5.9**	16.8*	4.1**	16.4*	41.4	28.9	29.7	78.1	20.5	59.2	38.7	48.6	45.9	63.3	33.4
Yes	43	2	5	5	10	5	8	1	7	16	13	14	26	16	25	18	20	22	29	14
	8.8	14.3	5.7	5.1	13.0	17.2	9.8	5.0	8.8	7.9	9.2	9.7	6.8	16.0	8.7	9.5	8.4	9.8	9.4	8.6
	100.0	4.7	11.6	11.6	23.3	11.6	18.6	2.3	16.3	37.2	30.2	32.6	60.5	37.2L	58.1	41.9	46.5	51.2	67.4	32.6
No	445	12	83	93	67	24	74	19	73	186	128	131	355	84	264	171	217	202	280	149
	91.2	85.7	94.3	94.9	87.0	82.8	90.2	95.0	91.3	92.1	90.8	90.3	93.2	84.0	91.3	90.5	91.6	90.2	90.6	91.4
	100.0	2.7	18.7	20.9	15.1	5.4	16.6	4.3	16.4	41.8	28.8	29.4	79.8M	18.9	59.3	38.4	48.8	45.4	62.9	33.5
Sigma	488	14	88	98	77	29	82	20	80	202	141	145	381	100	289	189	237	224	309	163
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9	18.0	20.1	15.8	5.9	16.8	4.1	16.4	41.4	28.9	29.7	78.1	20.5	59.2	38.7	48.6	45.9	63.3	33.4

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 83
Q.36 Types Of Diapers Used

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	RENT/ LEASE /OTHR	AT	LESS	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL
		ENG- LAND	ATL- ANTIC												LEAST	THAN				
		ONCE A WK.	ONCE A WK.																	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Have Child In Household That Currently Wears Diapers	43 100.0 100.0	2** 100.0** 4.7**	5** 100** 11.6**	5** 100** 11.6**	10** 100** 23.3**	5** 100** 11.6**	8** 100** 18.6**	1** 100** 2.3**	7** 100** 16.3**	16** 100** 37.2**	13** 100** 30.2**	14** 100** 32.6**	26** 100** 60.5**	16** 100** 37.2**	25** 100** 58.1**	18** 100** 41.9**	20** 100** 46.5**	22** 100** 51.2**	29** 100** 67.4**	14** 100** 32.6**
No answer	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
Base: Total Answering	43 100.0 100.0	2** 100.0** 4.7**	5** 100** 11.6**	5** 100** 11.6**	10** 100** 23.3**	5** 100** 11.6**	8** 100** 18.6**	1** 100** 2.3**	7** 100** 16.3**	16** 100** 37.2**	13** 100** 30.2**	14** 100** 32.6**	26** 100** 60.5**	16** 100** 37.2**	25** 100** 58.1**	18** 100** 41.9**	20** 100** 46.5**	22** 100** 51.2**	29** 100** 67.4**	14** 100** 32.6**
Disposable diapers that are thrown away	40 93.0 100.0	2 100.0 5.0	4 80.0 10.0	5 100.0 12.5	10 100.0 25.0	5 100.0 12.5	8 100.0 20.0	1 100.0 2.5	5 71.4 12.5	15 93.8 37.5	11 84.6 27.5	14 100.0 35.0	24 92.3 60.0	15 93.8 37.5	23 92.0 57.5	17 94.4 42.5	18 90.0 45.0	21 95.5 52.5	28 96.6 70.0	12 85.7 30.0
Cloth diapers that are cleaned by an outside service	1 2.3 100.0	- - -	- - -	- - -	- - -	- - -	- - -	- - -	1 14.3 100.0	1 6.3 100.0	- - -	- - -	- - -	1 4.0 100.0	- - -	- - -	1 4.5 100.0	1 3.4 100.0	- - -	
Cloth diapers that are cleaned in your household	8 18.6 100.0	- - -	1 20.0 12.5	1 20.0 12.5	- - -	- - -	2 25.0 25.0	1 100.0 12.5	3 42.9 37.5	1 6.3 12.5	5 38.5 62.5	2 14.3 25.0	5 19.2 62.5	3 18.8 37.5	6 24.0 75.0	2 11.1 25.0	3 15.0 37.5	5 22.7 62.5	5 17.2 62.5	3 21.4 37.5
Sigma	49 114.0 100.0	2 100.0 4.1	5 100.0 10.2	6 120.0 12.2	10 100.0 20.4	5 100.0 10.2	10 125.0 20.4	2 200.0 4.1	9 128.6 18.4	17 106.3 34.7	16 123.1 32.7	16 114.3 32.7	29 111.5 59.2	18 112.5 36.7	30 120.0 61.2	19 105.6 38.8	21 105.0 42.9	27 122.7 55.1	34 117.2 69.4	15 107.1 30.6

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
** very small base (under 30) ineligible for sig testing

Table 84
Region

TOTAL	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER	WATER SOURCE			
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	AT LEAST ONCE A WK.		LESS THAN ONCE A WK.	SEP- TIC TANK		SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
92	14	78	-	-	-	-	-	-	41	30	21	80	12	42	47	36	50	53	36
18.7	100.0	87.6	-	-	-	-	-	-	20.2	21.3	14.3	20.8	12.0	14.4	24.7	15.0	22.3	17.1	21.8
100.0	15.2	84.8	CDEF	-	-	-	-	-	44.6	32.6	22.8	87.0	M	13.0	45.7	51.1	N	39.1	54.3
			H																
14	14	-	-	-	-	-	-	-	3	5	6	11	3	3	11	7	7	6	8
2.9	100.0	-	-	-	-	-	-	-	1.5	3.5	4.1	2.9	3.0	1.0	5.8	2.9	3.1	1.9	4.8
100.0	100.0	-	-	-	-	-	-	-	21.4	35.7	42.9	78.6	21.4	21.4	78.6	N	50.0	50.0	42.9
78	-	78	-	-	-	-	-	-	38	25	15	69	9	39	36	29	43	47	28
15.9	-	87.6	-	-	-	-	-	-	18.7	17.7	10.2	18.0	9.0	13.4	18.9	12.1	19.2	15.2	17.0
100.0	-	100.0	CDEF	-	-	-	-	-	48.7	K	32.1	19.2	88.5	M	11.5	50.0	46.2	37.2	55.1
			H																
107	-	-	-	77	30	-	-	-	37	27	43	87	19	56	47	47	50	63	40
21.8	-	-	-	100.0	100.0	-	-	-	18.2	19.1	29.3	22.7	19.0	19.2	24.7	19.6	22.3	20.3	24.2
100.0	-	-	-	72.0	B	28.0	B	C	F	H	-	-	-	-	-	-	-	-	-
68	-	-	-	68	-	-	-	-	29	25	14	55	12	33	32	27	36	44	22
13.8	-	-	-	88.3	-	-	-	-	14.3	17.7	9.5	14.3	12.0	11.3	16.8	11.3	16.1	14.2	13.3
100.0	-	-	-	100.0	B	C	E	F	-	-	-	-	-	-	-	-	-	-	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 84
Region

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL		
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
West North Central	39	-	-	-	9	30	-	-	-	8	2	29	32	7	23	15	20	14	19	18
	7.9	-	-	-	11.7	100.0	-	-	-	3.9	1.4	19.7	8.3	7.0	7.9	7.9	8.3	6.3	6.1	10.9
	100.0	-	-	-	23.1B	76.9BCDF	-	-	-	20.5	5.1	74.4I	82.1	17.9	59.0	38.5	51.3	35.9	48.7	46.2
					CFH	H						J								
South	167	-	11	98	-	-	58	-	-	53	51	63	121	41	110	55	109	53	103	59
	34.0	-	12.4	100.0	-	-	70.7	-	-	26.1	36.2	42.9	31.5	41.0	37.8	28.9	45.4	23.7	33.2	35.8
	100.0	-	6.6D	58.7BDEF	-	-	34.7BDEH	-	-	31.7	30.5I	37.7I	72.5	24.6	65.90	32.9	65.3Q	31.7	61.7	35.3
			EH	H																
South Atlantic	70	-	11	59	-	-	-	-	-	31	21	18	50	19	41	29	44	23	36	31
	14.3	-	12.4	60.2	-	-	-	-	-	15.3	14.9	12.2	13.0	19.0	14.1	15.3	18.3	10.3	11.6	18.8
	100.0	-	15.7D	84.3BDEF	-	-	-	-	-	44.3	30.0	25.7	71.4	27.1	58.6	41.4	62.9Q	32.9	51.4	44.3R
			EFH	H																
East South Central	28	-	-	28	-	-	-	-	-	3	6	19	18	8	20	8	20	7	19	8
	5.7	-	-	28.6	-	-	-	-	-	1.5	4.3	12.9	4.7	8.0	6.9	4.2	8.3	3.1	6.1	4.8
	100.0	-	-	100.0BDEF	-	-	-	-	-	10.7	21.4	67.9I	64.3	28.6	71.4	28.6	71.4Q	25.0	67.9	28.6
				H								J								
West South Central	69	-	-	11	-	-	58	-	-	19	24	26	53	14	49	18	45	23	48	20
	14.1	-	-	11.2	-	-	70.7	-	-	9.4	17.0	17.7	13.8	14.0	16.8	9.5	18.8	10.3	15.5	12.1
	100.0	-	-	15.9BDH	-	-	84.1BCDE	-	-	27.5	34.8I	37.7I	76.8	20.3	71.00	26.1	65.2Q	33.3	69.6	29.0
							H													

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 84
Region

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	ROCKY		URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
							SOUTH -WEST	MOUN- TAIN WEST												
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
West	125	-	-	-	-	-	24	21	80	72	33	20	96	28	83	41	48	71	91	30
	25.5	-	-	-	-	-	29.3	100.0	100.0	35.5	23.4	13.6	25.0	28.0	28.5	21.6	20.0	31.7	29.4	18.2
	100.0	-	-	-	-	-	19.2B	16.8	64.0B	57.6J	26.4K	16.0	76.8	22.4	66.4	32.8	38.4	56.8P	72.8S	24.0
							CDE		CDEF	K										
Mountain	45	-	-	-	-	-	24	21	-	14	17	14	38	7	32	13	26	17	28	17
	9.2	-	-	-	-	-	29.3	100.0	-	6.9	12.1	9.5	9.9	7.0	11.0	6.8	10.8	7.6	9.0	10.3
	100.0	-	-	-	-	-	53.3B	46.7	-	31.1	37.8	31.1	84.4	15.6	71.1	28.9	57.8	37.8	62.2	37.8
							CDEH													
Pacific	80	-	-	-	-	-	-	-	80	58	16	6	58	21	51	28	22	54	63	13
	16.3	-	-	-	-	-	-	-	100.0	28.6	11.3	4.1	15.1	21.0	17.5	14.7	9.2	24.1	20.3	7.9
	100.0	-	-	-	-	-	-	-	100.0B	72.5J	20.0K	7.5	72.5	26.3	63.8	35.0	27.5	67.5P	78.8S	16.3
							CDEF		K											
Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sigma	491	14	89	98	77	30	82	21	80	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9	18.1	20.0	15.7	6.1	16.7	4.3	16.3	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
 * small base; ** very small base (under 30) ineligible for sig testing

Table 85
Market Size - MSA

	REGION										MARKET SIZE			OWN/RENT RESIDENCE		FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE	
																AT LEAST ONCE A WK.		LESS THAN ONCE A WK.		PRI-MUNI- VATE CIPAL WELL WATER	
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	OWN	RENT/ /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEPTIC TANK	VS. SEWER				
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165	
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6	
2,500,000 and over	97	3	17	6	19	2	13	-	37	97	-	-	78	17	56	40	34	57	78	15	
	19.8	21.4	19.1	6.1	24.7	6.7	15.9	-	46.3	47.8	-	-	20.3	17.0	19.2	21.1	14.2	25.4	25.2	9.1	
	100.0	3.1	17.5C	6.2	19.6CE	2.1	13.4C	-	38.1	100.0JK	-	-	80.4	17.5	57.7	41.2	35.1	58.8P	80.4S	15.5	
									BCDE												
									F												
1,000,000 - 2,499,999	106	-	31	18	14	2	18	2	21	106	-	-	78	26	59	47	39	64	73	29	
	21.6	-	34.8	18.4	18.2	6.7	22.0	9.5	26.3	52.2	-	-	20.3	26.0	20.3	24.7	16.3	28.6	23.5	17.6	
	100.0	-	29.2C	17.0	13.2	1.9	17.0	1.9	19.8	100.0JK	-	-	73.6	24.5	55.7	44.3	36.8	60.4P	68.9	27.4	
			DE						E												
Other MSA	141	5	25	33	25	2	26	9	16	-	141	-	118	22	82	55	60	69	93	44	
	28.7	35.7	28.1	33.7	32.5	6.7	31.7	42.9	20.0	-	100.0	-	30.7	22.0	28.2	28.9	25.0	30.8	30.0	26.7	
	100.0	3.5	17.7E	23.4E	17.7E	1.4	18.4E	6.4	11.3	-	100.0IK	-	83.7	15.6	58.2	39.0	42.6	48.9	66.0	31.2	
				H																	
500,000 - 999,999	41	-	9	9	9	-	7	-	7	-	41	-	30	10	26	13	18	18	23	15	
	8.4	-	10.1	9.2	11.7	-	8.5	-	8.8	-	29.1	-	7.8	10.0	8.9	6.8	7.5	8.0	7.4	9.1	
	100.0	-	22.0	22.0	22.0	-	17.1	-	17.1	-	100.0IK	-	73.2	24.4	63.4	31.7	43.9	43.9	56.1	36.6	
250,000 - 499,999	51	1	9	15	8	2	10	3	3	-	51	-	45	6	32	18	19	27	36	14	
	10.4	7.1	10.1	15.3	10.4	6.7	12.2	14.3	3.8	-	36.2	-	11.7	6.0	11.0	9.5	7.9	12.1	11.6	8.5	
	100.0	2.0	17.6	29.4H	15.7	3.9	19.6	5.9	5.9	-	100.0IK	-	88.2	11.8	62.7	35.3	37.3	52.9	70.6	27.5	
50,000 - 249,999	49	4	7	9	8	-	9	6	6	-	49	-	43	6	24	24	23	24	34	15	
	10.0	28.6	7.9	9.2	10.4	-	11.0	28.6	7.5	-	34.8	-	11.2	6.0	8.2	12.6	9.6	10.7	11.0	9.1	
	100.0	8.2	14.3	18.4	16.3	-	18.4	12.2	12.2	-	100.0IK	-	87.8	12.2	49.0	49.0	46.9	49.0	69.4	30.6	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 85
Market Size - MSA

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE				
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WATER	VATE WELL WATER			
												TOTAL							(A)	(B)	(C)
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165	
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6	
Non-MSA	147	6	16	41	19	24	25	10	6	-	-	147	110	35	94	48	107	34	66	77	
	29.9	42.9	18.0	41.8	24.7	80.0	30.5	47.6	7.5	-	-	100.0	28.6	35.0	32.3	25.3	44.6	15.2	21.3	46.7	
	100.0	4.1	10.9H	27.9B	12.9H	16.3B	17.0H	6.8	4.1	-	-	100.0I	74.8	23.8	63.9	32.7	72.8Q	23.1	44.9	52.4R	
			DH			CDFH					J										
Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Sigma	491	14	89	98	77	30	82	21	80	203	141	147	384	100	291	190	240	224	310	165	
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
	100.0	2.9	18.1	20.0	15.7	6.1	16.7	4.3	16.3	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 86
Income (Actual)

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
Under \$15,000 (Net)	121	3	17	30	17	10	15	8	21	29	33	59	81	37	82	37	60	50	75	42
	24.6	21.4	19.1	30.6	22.1	33.3	18.3	38.1	26.3	14.3	23.4	40.1	21.1	37.0	28.2	19.5	25.0	22.3	24.2	25.5
	100.0	2.5	14.0	24.8	14.0	8.3	12.4	6.6	17.4	24.0	27.3	48.8	66.9	30.6	67.8	30.6	49.6	41.3	62.0	34.7
												J								
Under \$7,500	29	2	1	8	4	4	5	1	4	6	7	16	19	10	21	6	14	9	16	11
	5.9	14.3	1.1	8.2	5.2	13.3	6.1	4.8	5.0	3.0	5.0	10.9	4.9	10.0	7.2	3.2	5.8	4.0	5.2	6.7
	100.0	6.9	3.4	27.6	13.8	13.8	17.2	3.4	13.8	20.7	24.1	55.2	65.5	34.5	72.4	20.7	48.3	31.0	55.2	37.9
\$7,500 - \$9,999	35	1	6	8	6	2	3	2	7	9	13	13	22	12	23	12	15	17	25	9
	7.1	7.1	6.7	8.2	7.8	6.7	3.7	9.5	8.8	4.4	9.2	8.8	5.7	12.0	7.9	6.3	6.3	7.6	8.1	5.5
	100.0	2.9	17.1	22.9	17.1	5.7	8.6	5.7	20.0	25.7	37.1	37.1	62.9	34.3	65.7	34.3	42.9	48.6	71.4	25.7
\$10,000 - \$12,499	31	-	5	6	4	3	4	2	7	12	8	11	19	10	21	10	15	15	21	9
	6.3	-	5.6	6.1	5.2	10.0	4.9	9.5	8.8	5.9	5.7	7.5	4.9	10.0	7.2	5.3	6.3	6.7	6.8	5.5
	100.0	-	16.1	19.4	12.9	9.7	12.9	6.5	22.6	38.7	25.8	35.5	61.3	32.3	67.7	32.3	48.4	48.4	67.7	29.0
\$12,500 - \$14,999	26	-	5	8	3	1	3	3	3	2	5	19	21	5	17	9	16	9	13	13
	5.3	-	5.6	8.2	3.9	3.3	3.7	14.3	3.8	1.0	3.5	12.9	5.5	5.0	5.8	4.7	6.7	4.0	4.2	7.9
	100.0	-	19.2	30.8	11.5	3.8	11.5	11.5	11.5	7.7	19.2	73.1	80.8	19.2	65.4	34.6	61.5	34.6	50.0	50.0
												J								
\$15,000 - \$34,999 (Net)	164	4	32	36	22	13	33	4	20	63	49	52	122	40	90	70	85	73	105	56
	33.4	28.6	36.0	36.7	28.6	43.3	40.2	19.0	25.0	31.0	34.8	35.4	31.8	40.0	30.9	36.8	35.4	32.6	33.9	33.9
	100.0	2.4	19.5	22.0	13.4	7.9	20.1	2.4	12.2	38.4	29.9	31.7	74.4	24.4	54.9	42.7	51.8	44.5	64.0	34.1

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 86
Income (Actual)

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)								
														(L)	(M)	(N)	(O)	(P)	(Q)	(R)
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*100.0*	100.0*100.0*	100.0*100.0*	100.0*100.0*	100.0**	100*100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
<u>\$15,000 - \$24,999 (Net)</u>	91	1	19	22	12	10	17	3	7	30	27	34	66	24	50	40	48	38	56	32
	18.5	7.1	21.3	22.4	15.6	33.3	20.7	14.3	8.8	14.8	19.1	23.1	17.2	24.0	17.2	21.1	20.0	17.0	18.1	19.4
	100.0	1.1	20.9H	24.2H	13.2	11.0D	18.7H	3.3	7.7	33.0	29.7	37.4I	72.5	26.4	54.9	44.0	52.7	41.8	61.5	35.2
						H														
\$15,000 - \$19,999	38	1	9	7	7	3	7	1	3	13	12	13	26	12	20	18	17	18	26	11
	7.7	7.1	10.1	7.1	9.1	10.0	8.5	4.8	3.8	6.4	8.5	8.8	6.8	12.0	6.9	9.5	7.1	8.0	8.4	6.7
	100.0	2.6	23.7	18.4	18.4	7.9	18.4	2.6	7.9	34.2	31.6	34.2	68.4	31.6	52.6	47.4	44.7	47.4	68.4	28.9
\$20,000 - \$24,999	53	-	10	15	5	7	10	2	4	17	15	21	40	12	30	22	31	20	30	21
	10.8	-	11.2	15.3	6.5	23.3	12.2	9.5	5.0	8.4	10.6	14.3	10.4	12.0	10.3	11.6	12.9	8.9	9.7	12.7
	100.0	-	18.9	28.3H	9.4	13.2D	18.9	3.8	7.5	32.1	28.3	39.6	75.5	22.6	56.6	41.5	58.5	37.7	56.6	39.6
						H														
<u>\$25,000 - \$34,999 (Net)</u>	73	3	13	14	10	3	16	1	13	33	22	18	56	16	40	30	37	35	49	24
	14.9	21.4	14.6	14.3	13.0	10.0	19.5	4.8	16.3	16.3	15.6	12.2	14.6	16.0	13.7	15.8	15.4	15.6	15.8	14.5
	100.0	4.1	17.8	19.2	13.7	4.1	21.9	1.4	17.8	45.2	30.1	24.7	76.7	21.9	54.8	41.1	50.7	47.9	67.1	32.9
\$25,000 - \$29,999	32	1	5	4	5	-	9	1	7	13	13	6	28	4	18	12	13	18	24	8
	6.5	7.1	5.6	4.1	6.5	-	11.0	4.8	8.8	6.4	9.2	4.1	7.3	4.0	6.2	6.3	5.4	8.0	7.7	4.8
	100.0	3.1	15.6	12.5	15.6	-	28.1	3.1	21.9	40.6	40.6	18.8	87.5	12.5	56.3	37.5	40.6	56.3	75.0	25.0
\$30,000 - \$34,999	41	2	8	10	5	3	7	-	6	20	9	12	28	12	22	18	24	17	25	16
	8.4	14.3	9.0	10.2	6.5	10.0	8.5	-	7.5	9.9	6.4	8.2	7.3	12.0	7.6	9.5	10.0	7.6	8.1	9.7
	100.0	4.9	19.5	24.4	12.2	7.3	17.1	-	14.6	48.8	22.0	29.3	68.3	29.3	53.7	43.9	58.5	41.5	61.0	39.0

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 86
Income (Actual)

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE				
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	AT LEAST ONCE A WK.		LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER				
												TOTAL						(A)	(B)	(C)	(D)
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165	
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6	
<u>\$35,000 or more (Net)</u>	206	7	40	32	38	7	34	9	39	111	59	36	181	23	119	83	95	101	130	67	
	42.0	50.0	44.9	32.7	49.4	23.3	41.5	42.9	48.8	54.7	41.8	24.5	47.1	23.0	40.9	43.7	39.6	45.1	41.9	40.6	
	100.0	3.4	19.4E	15.5	18.4CE	3.4	16.5	4.4	18.9C	53.9J	28.6K	17.5	87.9M	11.2	57.8	40.3	46.1	49.0	63.1	32.5	
								E	K												
<u>\$35,000 - \$49,999 (Net)</u>	78	1	10	15	15	3	17	3	14	37	23	18	66	11	51	25	38	38	52	22	
	15.9	7.1	11.2	15.3	19.5	10.0	20.7	14.3	17.5	18.2	16.3	12.2	17.2	11.0	17.5	13.2	15.8	17.0	16.8	13.3	
	100.0	1.3	12.8	19.2	19.2	3.8	21.8	3.8	17.9	47.4	29.5	23.1	84.6	14.1	65.4	32.1	48.7	48.7	66.7	28.2	
<u>\$35,000 - \$39,999</u>	31	-	6	8	2	2	12	-	1	11	10	10	25	5	18	13	17	12	20	10	
	6.3	-	6.7	8.2	2.6	6.7	14.6	-	1.3	5.4	7.1	6.8	6.5	5.0	6.2	6.8	7.1	5.4	6.5	6.1	
	100.0	-	19.4	25.8H	6.5	6.5	38.7DH	-	3.2	35.5	32.3	32.3	80.6	16.1	58.1	41.9	54.8	38.7	64.5	32.3	
<u>\$40,000 - \$44,999</u>	29	1	2	5	7	1	4	1	8	16	7	6	26	3	24	5	12	17	22	5	
	5.9	7.1	2.2	5.1	9.1	3.3	4.9	4.8	10.0	7.9	5.0	4.1	6.8	3.0	8.2	2.6	5.0	7.6	7.1	3.0	
	100.0	3.4	6.9	17.2	24.1	3.4	13.8	3.4	27.6B	55.2	24.1	20.7	89.7	10.3	82.8O	17.2	41.4	58.6	75.9	17.2	
<u>\$45,000 - \$49,999</u>	18	-	2	2	6	-	1	2	5	10	6	2	15	3	9	7	9	9	10	7	
	3.7	-	2.2	2.0	7.8	-	1.2	9.5	6.3	4.9	4.3	1.4	3.9	3.0	3.1	3.7	3.8	4.0	3.2	4.2	
	100.0	-	11.1	11.1	33.3F	-	5.6	11.1	27.8	55.6	33.3	11.1	83.3	16.7	50.0	38.9	50.0	50.0	55.6	38.9	
<u>\$50,000 or over (Net)</u>	128	6	30	17	23	4	17	6	25	74	36	18	115	12	68	58	57	63	78	45	
	26.1	42.9	33.7	17.3	29.9	13.3	20.7	28.6	31.3	36.5	25.5	12.2	29.9	12.0	23.4	30.5	23.8	28.1	25.2	27.3	
	100.0	4.7	23.4C	13.3	18.0	3.1	13.3	4.7	19.5C	57.8J	28.1K	14.1	89.8M	9.4	53.1	45.3	44.5	49.2	60.9	35.2	
			E						K												

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 86
Income (Actual)

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB- URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
\$50,000 - \$59,999	39	2	4	9	6	2	8	2	6	18	13	8	32	7	21	16	20	15	22	15
	7.9	14.3	4.5	9.2	7.8	6.7	9.8	9.5	7.5	8.9	9.2	5.4	8.3	7.0	7.2	8.4	8.3	6.7	7.1	9.1
	100.0	5.1	10.3	23.1	15.4	5.1	20.5	5.1	15.4	46.2	33.3	20.5	82.1	17.9	53.8	41.0	51.3	38.5	56.4	38.5
\$60,000 - \$69,999	28	1	8	3	5	2	1	2	6	20	5	3	25	2	12	16	14	14	13	15
	5.7	7.1	9.0	3.1	6.5	6.7	1.2	9.5	7.5	9.9	3.5	2.0	6.5	2.0	4.1	8.4	5.8	6.3	4.2	9.1
	100.0	3.6	28.6F	10.7	17.9	7.1	3.6	7.1	21.4	71.4J	17.9	10.7	89.3	7.1	42.9	57.1N	50.0	50.0	46.4	53.6R
										K										
\$70,000 - \$74,999	12	1	4	1	2	-	2	1	1	5	4	3	10	2	8	4	4	6	8	2
	2.4	7.1	4.5	1.0	2.6	-	2.4	4.8	1.3	2.5	2.8	2.0	2.6	2.0	2.7	2.1	1.7	2.7	2.6	1.2
	100.0	8.3	33.3	8.3	16.7	-	16.7	8.3	8.3	41.7	33.3	25.0	83.3	16.7	66.7	33.3	33.3	50.0	66.7	16.7
\$75,000 - \$99,999	21	1	7	-	5	-	1	-	7	15	5	1	20	1	12	9	6	13	15	5
	4.3	7.1	7.9	-	6.5	-	1.2	-	8.8	7.4	3.5	0.7	5.2	1.0	4.1	4.7	2.5	5.8	4.8	3.0
	100.0	4.8	33.3CF	-	23.8C	-	4.8	-	33.3C	71.4K	23.8	4.8	95.2	4.8	57.1	42.9	28.6	61.9	71.4	23.8
									F											
\$100,000 or over	28	1	7	4	5	-	5	1	5	16	9	3	28	-	15	13	13	15	20	8
	5.7	7.1	7.9	4.1	6.5	-	6.1	4.8	6.3	7.9	6.4	2.0	7.3	-	5.2	6.8	5.4	6.7	6.5	4.8
	100.0	3.6	25.0	14.3	17.9	-	17.9	3.6	17.9	57.1K	32.1	10.7	100.0M	-	53.6	46.4	46.4	53.6	71.4	28.6
Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sigma	491	14	89	98	77	30	82	21	80	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9	18.1	20.0	15.7	6.1	16.7	4.3	16.3	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 86
Income (Actual)

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	NEW	MID-					ROCKY		URBAN	URBAN			RENT/	LEAST	THAN	SEP-		PRI-		
	ENG-	ATL-	SOUTH	GREAT	MID-	SOUTH	MOUN-	WEST	LARGE	SMALL	RURAL		LEASE	ONCE	ONCE	TIC	MUNI-	VATE		
	TOTAL	LAND	ANTIC	-EAST	LAKES	WEST	-WEST	TAIN	WEST	MSAS	MSAS			OWN	/OTHR	A WK.	A WK.	TANK	SEWER	CIPAL
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
Median (X \$1,000)	30.17	34.99	32.18	23.99	34.49	21.42	29.99	23.74	34.16	39.31	29.03	20.35	33.03	20.41	28.74	31.66	29.61	31.75	29.99	30.15

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 87
Age & Presence Of Children

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE				
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER		
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)		(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165	
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6	
Any Children Under 18	151	5	31	26	24	10	22	4	29	65	47	39	106	43	86	63	72	73	91	53	
	30.8	35.7	34.8	26.5	31.2	33.3	26.8	19.0	36.3	32.0	33.3	26.5	27.6	43.0	29.6	33.2	30.0	32.6	29.4	32.1	
	100.0	3.3	20.5	17.2	15.9	6.6	14.6	2.6	19.2	43.0	31.1	25.8	70.2	28.5L	57.0	41.7	47.7	48.3	60.3	35.1	
Any under 6	62	2	11	9	12	6	9	2	11	23	22	17	42	19	30	31	28	32	40	21	
	12.6	14.3	12.4	9.2	15.6	20.0	11.0	9.5	13.8	11.3	15.6	11.6	10.9	19.0	10.3	16.3	11.7	14.3	12.9	12.7	
	100.0	3.2	17.7	14.5	19.4	9.7	14.5	3.2	17.7	37.1	35.5	27.4	67.7	30.6L	48.4	50.0	45.2	51.6	64.5	33.9	
Any 6 - 12	74	4	18	11	12	6	8	3	12	36	19	19	48	24	41	32	29	42	48	23	
	15.1	28.6	20.2	11.2	15.6	20.0	9.8	14.3	15.0	17.7	13.5	12.9	12.5	24.0	14.1	16.8	12.1	18.8	15.5	13.9	
	100.0	5.4	24.3	14.9	16.2	8.1	10.8	4.1	16.2	48.6	25.7	25.7	64.9	32.4L	55.4	43.2	39.2	56.8P	64.9	31.1	
Any 13 - 17	74	2	16	15	11	4	11	3	12	34	19	21	57	17	47	26	38	32	37	31	
	15.1	14.3	18.0	15.3	14.3	13.3	13.4	14.3	15.0	16.7	13.5	14.3	14.8	17.0	16.2	13.7	15.8	14.3	11.9	18.8	
	100.0	2.7	21.6	20.3	14.9	5.4	14.9	4.1	16.2	45.9	25.7	28.4	77.0	23.0	63.5	35.1	51.4	43.2	50.0	41.9R	
Under 6 only	32	1	4	4	7	2	5	-	9	13	12	7	22	10	17	15	17	14	21	11	
	6.5	7.1	4.5	4.1	9.1	6.7	6.1	-	11.3	6.4	8.5	4.8	5.7	10.0	5.8	7.9	7.1	6.3	6.8	6.7	
	100.0	3.1	12.5	12.5	21.9	6.3	15.6	-	28.1	40.6	37.5	21.9	68.8	31.3	53.1	46.9	53.1	43.8	65.6	34.4	
6 - 12 only	27	2	5	5	3	1	4	1	6	11	9	7	15	11	16	11	11	16	22	5	
	5.5	14.3	5.6	5.1	3.9	3.3	4.9	4.8	7.5	5.4	6.4	4.8	3.9	11.0	5.5	5.8	4.6	7.1	7.1	3.0	
	100.0	7.4	18.5	18.5	11.1	3.7	14.8	3.7	22.2	40.7	33.3	25.9	55.6	40.7L	59.3	40.7	40.7	59.3	81.5	18.5	
13 - 17 only	41	-	9	9	4	2	8	1	8	15	14	12	34	7	26	14	24	15	20	17	
	8.4	-	10.1	9.2	5.2	6.7	9.8	4.8	10.0	7.4	9.9	8.2	8.9	7.0	8.9	7.4	10.0	6.7	6.5	10.3	
	100.0	-	22.0	22.0	9.8	4.9	19.5	2.4	19.5	36.6	34.1	29.3	82.9	17.1	63.4	34.1	58.5	36.6	48.8	41.5	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 87
Age & Presence Of Children

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER	
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
Under 6 and 6 - 12 only	18	-	6	2	3	3	2	-	2	7	7	4	12	5	6	11	6	11	11	6
	3.7	-	6.7	2.0	3.9	10.0	2.4	-	2.5	3.4	5.0	2.7	3.1	5.0	2.1	5.8	2.5	4.9	3.5	3.6
	100.0	-	33.3	11.1	16.7	16.7	11.1	-	11.1	38.9	38.9	22.2	66.7	27.8	33.3	61.1N	33.3	61.1	61.1	33.3
Under 6 and 13 - 17 only	4	-	-	2	1	-	1	-	-	1	2	1	2	2	2	2	2	2	2	2
	0.8	-	-	2.0	1.3	-	1.2	-	-	0.5	1.4	0.7	0.5	2.0	0.7	1.1	0.8	0.9	0.6	1.2
	100.0	-	-	50.0	25.0	-	25.0	-	-	25.0	50.0	25.0	50.0	50.0	50.0	50.0	50.0	50.0	50.0	50.0
6 - 12 and 13 - 17 only	21	1	6	3	5	1	1	-	4	16	2	3	15	6	14	7	9	10	9	10
	4.3	7.1	6.7	3.1	6.5	3.3	1.2	-	5.0	7.9	1.4	2.0	3.9	6.0	4.8	3.7	3.8	4.5	2.9	6.1
	100.0	4.8	28.6	14.3	23.8	4.8	4.8	-	19.0	76.2JK	9.5	14.3	71.4	28.6	66.7	33.3	42.9	47.6	42.9	47.6
All 3 age groups	8	1	1	1	1	1	1	2	-	2	1	5	6	2	5	3	3	5	6	2
	1.6	7.1	1.1	1.0	1.3	3.3	1.2	9.5	-	1.0	0.7	3.4	1.6	2.0	1.7	1.6	1.3	2.2	1.9	1.2
	100.0	12.5	12.5	12.5	12.5	12.5	12.5	25.0	-	25.0	12.5	62.5	75.0	25.0	62.5	37.5	37.5	62.5	75.0	25.0
No children under 18	340	9	58	72	53	20	60	17	51	138	94	108	278	57	205	127	168	151	219	112
	69.2	64.3	65.2	73.5	68.8	66.7	73.2	81.0	63.8	68.0	66.7	73.5	72.4	57.0	70.4	66.8	70.0	67.4	70.6	67.9
	100.0	2.6	17.1	21.2	15.6	5.9	17.6	5.0	15.0	40.6	27.6	31.8	81.8M	16.8	60.3	37.4	49.4	44.4	64.4	32.9
Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sigma	852	27	165	159	136	56	132	33	144	361	248	243	637	203	495	342	407	403	526	293
	173.5	192.9	185.4	162.2	176.6	186.7	161.0	157.1	180.0	177.8	175.9	165.3	165.9	203.0	170.1	180.0	169.6	179.9	169.7	177.6
	100.0	3.2	19.4	18.7	16.0	6.6	15.5	3.9	16.9	42.4	29.1	28.5	74.8	23.8	58.1	40.1	47.8	47.3	61.7	34.4

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 88
Household Size

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE							
													AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER						
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	OWN	RENT/ LEASE /OTHR										
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)					
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165				
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0				
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6				
<u>1-2 Members (Net)</u>	291	8	50	61	49	17	52	13	41	118	79	94	232	55	171	113	144	129	188	94				
	59.3	57.1	56.2	62.2	63.6	56.7	63.4	61.9	51.3	58.1	56.0	63.9	60.4	55.0	58.8	59.5	60.0	57.6	60.6	57.0				
	100.0	2.7	17.2	21.0	16.8	5.8	17.9	4.5	14.1	40.5	27.1	32.3	79.7	18.9	58.8	38.8	49.5	44.3	64.6	32.3				
Single member	113	6	16	25	18	7	19	5	17	44	27	42	86	25	71	41	50	54	75	34				
	23.0	42.9	18.0	25.5	23.4	23.3	23.2	23.8	21.3	21.7	19.1	28.6	22.4	25.0	24.4	21.6	20.8	24.1	24.2	20.6				
	100.0	5.3	14.2	22.1	15.9	6.2	16.8	4.4	15.0	38.9	23.9	37.2	76.1	22.1	62.8	36.3	44.2	47.8	66.4	30.1				
Two members	178	2	34	36	31	10	33	8	24	74	52	52	146	30	100	72	94	75	113	60				
	36.3	14.3	38.2	36.7	40.3	33.3	40.2	38.1	30.0	36.5	36.9	35.4	38.0	30.0	34.4	37.9	39.2	33.5	36.5	36.4				
	100.0	1.1	19.1	20.2	17.4	5.6	18.5	4.5	13.5	41.6	29.2	29.2	82.0	16.9	56.2	40.4	52.8	42.1	63.5	33.7				
<u>3-4 Members (Net)</u>	147	5	29	27	18	7	26	5	30	62	46	39	113	33	85	61	70	70	90	52				
	29.9	35.7	32.6	27.6	23.4	23.3	31.7	23.8	37.5	30.5	32.6	26.5	29.4	33.0	29.2	32.1	29.2	31.3	29.0	31.5				
	100.0	3.4	19.7	18.4	12.2	4.8	17.7	3.4	20.4	42.2	31.3	26.5	76.9	22.4	57.8	41.5	47.6	47.6	61.2	35.4				
Three members	75	1	10	15	9	4	15	1	20	33	25	17	57	17	48	27	38	35	47	27				
	15.3	7.1	11.2	15.3	11.7	13.3	18.3	4.8	25.0	16.3	17.7	11.6	14.8	17.0	16.5	14.2	15.8	15.6	15.2	16.4				
	100.0	1.3	13.3	20.0	12.0	5.3	20.0	1.3	26.78	44.0	33.3	22.7	76.0	22.7	64.0	36.0	50.7	46.7	62.7	36.0				
								D																
Four members	72	4	19	12	9	3	11	4	10	29	21	22	56	16	37	34	32	35	43	25				
	14.7	28.6	21.3	12.2	11.7	10.0	13.4	19.0	12.5	14.3	14.9	15.0	14.6	16.0	12.7	17.9	13.3	15.6	13.9	15.2				
	100.0	5.6	26.4	16.7	12.5	4.2	15.3	5.6	13.9	40.3	29.2	30.6	77.8	22.2	51.4	47.2	44.4	48.6	59.7	34.7				
Five or more members	53	1	10	10	10	6	4	3	9	23	16	14	39	12	35	16	26	25	32	19				
	10.8	7.1	11.2	10.2	13.0	20.0	4.9	14.3	11.3	11.3	11.3	9.5	10.2	12.0	12.0	8.4	10.8	11.2	10.3	11.5				
	100.0	1.9	18.9	18.9	18.9	11.3F	7.5	5.7	17.0	43.4	30.2	26.4	73.6	22.6	66.0	30.2	49.1	47.2	60.4	35.8				

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 88
Household Size

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	-----								-----				-----		-----		-----			
	NEW	MID-					ROCKY		SUB-					AT	LESS			PRI-		
	ENG-	ATL-	SOUTH	GREAT	MID-	SOUTH	MOUN-	URBAN	URBAN			RENT/	LEAST	THAN	SEP-		MUNI-			
	LAND	ANTIC	-EAST	LAKES	WEST	-WEST	TAIN	LARGE	SMALL	MSAS	MSAS	RURAL	LEASE	ONCE	ONCE	TIC	CIPAL	WELL		
TOTAL							WEST					OWN	/OTHR	A WK.	A WK.	TANK	SEWER	WATER	WATER	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sigma	491	14	89	98	77	30	82	21	80	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9	18.1	20.0	15.7	6.1	16.7	4.3	16.3	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
Mean	2.62	2.57	2.80F	2.54	2.57	2.83	2.37	2.81	2.69	2.67	2.68	2.49	2.59	2.72	2.63	2.58	2.61	2.66	2.57	2.70
Standard Deviation	1.47	1.83	1.52	1.52	1.47	1.76	1.13	1.81	1.41	1.50	1.40	1.50	1.43	1.62	1.54	1.37	1.42	1.54	1.47	1.50
Standard Error	0.07	0.49	0.16	0.15	0.17	0.32	0.12	0.39	0.16	0.11	0.12	0.12	0.07	0.16	0.09	0.10	0.09	0.10	0.08	0.12

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 89
Household Composition

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE				
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	OWN	RENT/ LEASE	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL
		ENG- LAND	ATL- ANTIC												OTHR						
		(A)	(B)												(C)						
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165	
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6	
Family Household (Net)	356	8	68	68	51	23	60	16	62	146	108	102	281	70	209	139	183	157	217	127	
	72.5	57.1	76.4	69.4	66.2	76.7	73.2	76.2	77.5	71.9	76.6	69.4	73.2	70.0	71.8	73.2	76.3	70.1	70.0	77.0	
	100.0	2.2	19.1	19.1	14.3	6.5	16.9	4.5	17.4	41.0	30.3	28.7	78.9	19.7	58.7	39.0	51.4	44.1	61.0	35.7	
Male and female married	283	7	56	55	38	21	48	16	42	114	84	85	237	41	164	112	150	120	169	104	
	57.6	50.0	62.9	56.1	49.4	70.0	58.5	76.2	52.5	56.2	59.6	57.8	61.7	41.0	56.4	58.9	62.5	53.6	54.5	63.0	
	100.0	2.5	19.8	19.4	13.4	7.4	17.0	5.7	14.8	40.3	29.7	30.0	83.7M	14.5	58.0	39.6	53.0	42.4	59.7	36.7	
Female head living with others related	61	1	8	10	13	2	10	-	17	26	22	13	37	24	37	23	27	31	42	17	
	12.4	7.1	9.0	10.2	16.9	6.7	12.2	-	21.3	12.8	15.6	8.8	9.6	24.0	12.7	12.1	11.3	13.8	13.5	10.3	
	100.0	1.6	13.1	16.4	21.3	3.3	16.4	-	27.9B	42.6	36.1	21.3	60.7	39.3L	60.7	37.7	44.3	50.8	68.9	27.9	
								C													
Male head living with others related	12	-	4	3	-	-	2	-	3	6	2	4	7	5	8	4	6	6	6	6	
	2.4	-	4.5	3.1	-	-	2.4	-	3.8	3.0	1.4	2.7	1.8	5.0	2.7	2.1	2.5	2.7	1.9	3.6	
	100.0	-	33.3	25.0	-	-	16.7	-	25.0	50.0	16.7	33.3	58.3	41.7	66.7	33.3	50.0	50.0	50.0	50.0	
Non-Family Household (Net)	135	6	21	30	26	7	22	5	18	57	33	45	103	30	82	51	57	67	93	38	
	27.5	42.9	23.6	30.6	33.8	23.3	26.8	23.8	22.5	28.1	23.4	30.6	26.8	30.0	28.2	26.8	23.8	29.9	30.0	23.0	
	100.0	4.4	15.6	22.2	19.3	5.2	16.3	3.7	13.3	42.2	24.4	33.3	76.3	22.2	60.7	37.8	42.2	49.6	68.9	28.1	
Female alone	72	5	12	16	10	5	11	1	12	28	18	26	58	13	44	27	28	37	52	16	
	14.7	35.7	13.5	16.3	13.0	16.7	13.4	4.8	15.0	13.8	12.8	17.7	15.1	13.0	15.1	14.2	11.7	16.5	16.8	9.7	
	100.0	6.9	16.7	22.2	13.9	6.9	15.3	1.4	16.7	38.9	25.0	36.1	80.6	18.1	61.1	37.5	38.9	51.4	72.2S	22.2	
Female living with others not related	14	-	2	4	5	-	3	-	-	6	5	3	10	4	6	7	6	7	11	3	
	2.9	-	2.2	4.1	6.5	-	3.7	-	-	3.0	3.5	2.0	2.6	4.0	2.1	3.7	2.5	3.1	3.5	1.8	
	100.0	-	14.3	28.6	35.7H	-	21.4	-	-	42.9	35.7	21.4	71.4	28.6	42.9	50.0	42.9	50.0	78.6	21.4	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 89
Household Composition

	REGION								MARKET SIZE			OWN/RENT RESIDENCE		FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	OWN	RENT/ LEASE /OTHR	AT	LESS	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
		ENG- LAND	ATL- ANTIC											LEAST	THAN					
		ONCE	ONCE																	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
Male alone	41	1	4	9	8	2	8	4	5	16	9	16	28	12	27	14	22	17	23	18
	8.4	7.1	4.5	9.2	10.4	6.7	9.8	19.0	6.3	7.9	6.4	10.9	7.3	12.0	9.3	7.4	9.2	7.6	7.4	10.9
	100.0	2.4	9.8	22.0	19.5	4.9	19.5	9.8	12.2	39.0	22.0	39.0	68.3	29.3	65.9	34.1	53.7	41.5	56.1	43.9
Male living with others not related	8	-	3	1	3	-	-	-	1	7	1	-	7	1	5	3	1	6	7	1
	1.6	-	3.4	1.0	3.9	-	-	-	1.3	3.4	0.7	-	1.8	1.0	1.7	1.6	0.4	2.7	2.3	0.6
	100.0	-	37.5	12.5	37.5	-	-	-	12.5	87.5K	12.5	-	87.5	12.5	62.5	37.5	12.5	75.0P	87.5	12.5
Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sigma	491	14	89	98	77	30	82	21	80	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9	18.1	20.0	15.7	6.1	16.7	4.3	16.3	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 90
Socio-Economic Status

	REGION											MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE	
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	ROCKY MOUN- TAIN			URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	RENT/ LEASE /OTHR	AT LEAST ONCE A WK.		LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
							SOUTH -WEST	WEST	WEST												
																					(A)
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165	
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6	
Female head employed and male head white collar	63	3	19	9	5	2	13	4	8	31	17	15	52	10	30	32	31	27	35	23	
	12.8	21.4	21.3	9.2	6.5	6.7	15.9	19.0	10.0	15.3	12.1	10.2	13.5	10.0	10.3	16.8	12.9	12.1	11.3	13.9	
	100.0	4.8	30.2C	14.3	7.9	3.2	20.6	6.3	12.7	49.2	27.0	23.8	82.5	15.9	47.6	50.8N	49.2	42.9	55.6	36.5	
			DH																		
Female head employed and male head blue collar	69	2	9	14	15	5	10	5	9	22	22	25	61	8	40	27	41	26	35	32	
	14.1	14.3	10.1	14.3	19.5	16.7	12.2	23.8	11.3	10.8	15.6	17.0	15.9	8.0	13.7	14.2	17.1	11.6	11.3	19.4	
	100.0	2.9	13.0	20.3	21.7	7.2	14.5	7.2	13.0	31.9	31.9	36.2	88.4M	11.6	58.0	39.1	59.4	37.7	50.7	46.4R	
Female head employed and male head other	26	1	5	5	4	3	2	-	6	12	6	8	23	3	18	7	14	10	18	8	
	5.3	7.1	5.6	5.1	5.2	10.0	2.4	-	7.5	5.9	4.3	5.4	6.0	3.0	6.2	3.7	5.8	4.5	5.8	4.8	
	100.0	3.8	19.2	19.2	15.4	11.5	7.7	-	23.1	46.2	23.1	30.8	88.5	11.5	69.2	26.9	53.8	38.5	69.2	30.8	
Female head unemployed and male head white collar	23	1	6	1	2	3	3	3	4	11	7	5	20	3	11	12	9	13	13	9	
	4.7	7.1	6.7	1.0	2.6	10.0	3.7	14.3	5.0	5.4	5.0	3.4	5.2	3.0	3.8	6.3	3.8	5.8	4.2	5.5	
	100.0	4.3	26.1C	4.3	8.7	13.0C	13.0	13.0	17.4	47.8	30.4	21.7	87.0	13.0	47.8	52.2	39.1	56.5	56.5	39.1	
Female head unemployed and male head blue collar	39	-	6	9	7	6	7	1	3	12	15	12	29	9	24	13	21	18	28	10	
	7.9	-	6.7	9.2	9.1	20.0	8.5	4.8	3.8	5.9	10.6	8.2	7.6	9.0	8.2	6.8	8.8	8.0	9.0	6.1	
	100.0	-	15.4	23.1	17.9	15.4B	17.9	2.6	7.7	30.8	38.5	30.8	74.4	23.1	61.5	33.3	53.8	46.2	71.8	25.6	
			H																		
Female head unemployed and male head other	63	-	11	17	5	2	13	3	12	26	17	20	52	8	41	21	34	26	40	22	
	12.8	-	12.4	17.3	6.5	6.7	15.9	14.3	15.0	12.8	12.1	13.6	13.5	8.0	14.1	11.1	14.2	11.6	12.9	13.3	
	100.0	-	17.5	27.0D	7.9	3.2	20.6	4.8	19.0	41.3	27.0	31.7	82.5	12.7	65.1	33.3	54.0	41.3	63.5	34.9	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 90
Socio-Economic Status

	REGION								MARKET SIZE			OWN/RENT RESIDENCE		FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	OWN	RENT/ LEASE /OTHR	AT	LESS	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WATER	VATE WELL WATER	
		ENG- LAND	ATL- ANTIC											LEAST	THAN					
		LAND	ANTIC											ONCE	ONCE					
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No male head	147	6	22	30	28	7	24	1	29	60	45	42	105	41	87	57	61	75	105	36
	29.9	42.9	24.7	30.6	36.4	23.3	29.3	4.8	36.3	29.6	31.9	28.6	27.3	41.0	29.9	30.0	25.4	33.5	33.9	21.8
	100.0	4.1	15.0	20.4	19.0	4.8	16.3	0.7	19.7	40.8	30.6	28.6	71.4	27.9L	59.2	38.8	41.5	51.0	71.4S	24.5
No female head	61	1	11	13	11	2	10	4	9	29	12	20	42	18	40	21	29	29	36	25
	12.4	7.1	12.4	13.3	14.3	6.7	12.2	19.0	11.3	14.3	8.5	13.6	10.9	18.0	13.7	11.1	12.1	12.9	11.6	15.2
	100.0	1.6	18.0	21.3	18.0	3.3	16.4	6.6	14.8	47.5	19.7	32.8	68.9	29.5	65.6	34.4	47.5	47.5	59.0	41.0
No answer	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sigma	491	14	89	98	77	30	82	21	80	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9	18.1	20.0	15.7	6.1	16.7	4.3	16.3	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 91
IBM State

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	URBAN LARGE MSAS	SUB- URBAN SMALL MSAS	RURAL		OWN	RENT/ LEASE /OTHR	AT	LESS	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WATER	VATE WELL WATER
															LEAST	THAN				
															ONCE A WK.	ONCE A WK.				
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
Alabama	4	-	-	4	-	-	-	-	-	-	2	2	3	-	2	2	4	-	3	1
	0.8	-	-	4.1	-	-	-	-	-	-	1.4	1.4	0.8	-	0.7	1.1	1.7	-	1.0	0.6
	100.0	-	-	100.0	-	-	-	-	-	-	50.0	50.0	75.0	-	50.0	50.0	100.0	-	75.0	25.0
Arizona	18	-	-	-	-	-	18	-	-	10	6	2	14	4	13	5	12	6	13	5
	3.7	-	-	-	-	-	22.0	-	-	4.9	4.3	1.4	3.6	4.0	4.5	2.6	5.0	2.7	4.2	3.0
	100.0	-	-	-	-	-	100.0	BCDE	-	55.6	33.3	11.1	77.8	22.2	72.2	27.8	66.7	33.3	72.2	27.8
							H													
Arkansas	5	-	-	5	-	-	-	-	-	-	3	2	5	-	4	1	2	3	5	-
	1.0	-	-	5.1	-	-	-	-	-	-	2.1	1.4	1.3	-	1.4	0.5	0.8	1.3	1.6	-
	100.0	-	-	100.0	BD FH	-	-	-	-	-	60.0	40.0	100.0	-	80.0	20.0	40.0	60.0	100.0	-
California	64	-	-	-	-	-	-	-	64	51	10	3	48	15	41	22	19	41	51	10
	13.0	-	-	-	-	-	-	-	80.0	25.1	7.1	2.0	12.5	15.0	14.1	11.6	7.9	18.3	16.5	6.1
	100.0	-	-	-	-	-	-	-	100.0	8	79.7	15.6	4.7	75.0	23.4	64.1	34.4	29.7	64.1	15.6
									CDEF	K										
Colorado	13	-	-	-	-	-	-	13	-	2	4	7	13	-	10	3	7	6	6	7
	2.6	-	-	-	-	-	-	61.9	-	1.0	2.8	4.8	3.4	-	3.4	1.6	2.9	2.7	1.9	4.2
	100.0	-	-	-	-	-	-	100.0	-	15.4	30.8	53.8	100.0	-	76.9	23.1	53.8	46.2	46.2	53.8
											I									
Connecticut	1	1	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	1
	0.2	7.1	-	-	-	-	-	-	-	0.7	-	0.3	-	-	0.5	0.4	-	-	-	0.6
	100.0	100.0	-	-	-	-	-	-	-	100.0	-	100.0	-	-	100.0	100.0	-	-	-	100.0

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 91
IBM State

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER	WATER SOURCE				
	NEW ENG- TOTAL	MID- ATL- LAND	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.		LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
Delaware	1	-	1	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	1
	0.2	-	1.1	-	-	-	-	-	-	-	-	0.7	0.3	-	-	0.5	0.4	-	-	0.6
	100.0	-	100.0	-	-	-	-	-	-	-	-	100.0	100.0	-	-	100.0	100.0	-	-	100.0
Florida	28	-	-	28	-	-	-	-	-	13	11	4	20	8	23	5	16	11	16	11
	5.7	-	-	28.6	-	-	-	-	-	6.4	7.8	2.7	5.2	8.0	7.9	2.6	6.7	4.9	5.2	6.7
	100.0	-	-	100.0	BDEF	-	-	-	-	46.4	39.3	14.3	71.4	28.6	82.10	17.9	57.1	39.3	57.1	39.3
				H																
Georgia	8	-	-	8	-	-	-	-	-	4	1	3	5	3	6	2	6	2	5	3
	1.6	-	-	8.2	-	-	-	-	-	2.0	0.7	2.0	1.3	3.0	2.1	1.1	2.5	0.9	1.6	1.8
	100.0	-	-	100.0	BDFH	-	-	-	-	50.0	12.5	37.5	62.5	37.5	75.0	25.0	75.0	25.0	62.5	37.5
Idaho	2	-	-	-	-	-	-	2	-	-	-	2	2	-	1	1	2	-	-	2
	0.4	-	-	-	-	-	-	9.5	-	-	-	1.4	0.5	-	0.3	0.5	0.8	-	-	1.2
	100.0	-	-	-	-	-	-	100.0	-	-	-	100.0	100.0	-	50.0	50.0	100.0	-	-	100.0
Illinois	15	-	-	-	15	-	-	-	-	10	3	2	14	1	9	5	6	8	10	5
	3.1	-	-	-	19.5	-	-	-	-	4.9	2.1	1.4	3.6	1.0	3.1	2.6	2.5	3.6	3.2	3.0
	100.0	-	-	-	100.0	BCEF	-	-	-	66.7	20.0	13.3	93.3	6.7	60.0	33.3	40.0	53.3	66.7	33.3
					H															
Indiana	7	-	-	-	7	-	-	-	-	2	2	3	6	1	3	4	4	3	4	3
	1.4	-	-	-	9.1	-	-	-	-	1.0	1.4	2.0	1.6	1.0	1.0	2.1	1.7	1.3	1.3	1.8
	100.0	-	-	-	100.0	BCFH	-	-	-	28.6	28.6	42.9	85.7	14.3	42.9	57.1	57.1	42.9	57.1	42.9

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 91
IBM State

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
Iowa	6	-	-	-	-	6	-	-	-	-	-	6	4	2	4	2	3	1	4	1
	1.2	-	-	-	-	20.0	-	-	-	-	-	4.1	1.0	2.0	1.4	1.1	1.3	0.4	1.3	0.6
	100.0	-	-	-	-	100.0	BCDF	-	-	-	-	100.0	66.7	33.3	66.7	33.3	50.0	16.7	66.7	16.7
						H						J								
Kansas	5	-	-	-	-	5	-	-	-	-	-	5	4	1	3	2	3	2	3	2
	1.0	-	-	-	-	16.7	-	-	-	-	-	3.4	1.0	1.0	1.0	1.1	1.3	0.9	1.0	1.2
	100.0	-	-	-	-	100.0	BCDF	-	-	-	-	100.0	80.0	20.0	60.0	40.0	60.0	40.0	60.0	40.0
						H						J								
Kentucky	13	-	-	13	-	-	-	-	-	2	3	8	7	5	10	3	7	5	9	4
	2.6	-	-	13.3	-	-	-	-	-	1.0	2.1	5.4	1.8	5.0	3.4	1.6	2.9	2.2	2.9	2.4
	100.0	-	-	100.0	BDEF	-	-	-	-	15.4	23.1	61.5	53.8	38.5	76.9	23.1	53.8	38.5	69.2	30.8
				H																
Louisiana	6	-	-	6	-	-	-	-	-	-	3	3	6	-	6	-	6	-	4	1
	1.2	-	-	6.1	-	-	-	-	-	-	2.1	2.0	1.6	-	2.1	-	2.5	-	1.3	0.6
	100.0	-	-	100.0	BDFH	-	-	-	-	-	50.0	50.0	100.0	-	100.0	-	100.0	-	66.7	16.7
											I									
Maine	6	6	-	-	-	-	-	-	-	-	2	4	5	1	1	5	4	2	1	5
	1.2	42.9	-	-	-	-	-	-	-	-	1.4	2.7	1.3	1.0	0.3	2.6	1.7	0.9	0.3	3.0
	100.0	100.0	-	-	-	-	-	-	-	-	33.3	66.7	83.3	16.7	16.7	83.3	66.7	33.3	16.7	83.3
Maryland	10	-	10	-	-	-	-	-	-	10	-	-	7	3	3	7	7	3	3	7
	2.0	-	11.2	-	-	-	-	-	-	4.9	-	-	1.8	3.0	1.0	3.7	2.9	1.3	1.0	4.2
	100.0	-	100.0	CDFH	-	-	-	-	-	100.0	JK	-	70.0	30.0	30.0	70.0	70.0	30.0	30.0	70.0

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 91
IBM State

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	ROCKY MOUN- TAIN		URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER	
							SOUTH -WEST	WEST												
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
Massachusetts	3	3	-	-	-	-	-	-	-	3	-	-	3	-	2	1	-	3	3	-
	0.6	21.4	-	-	-	-	-	-	-	1.5	-	-	0.8	-	0.7	0.5	-	1.3	1.0	-
	100.0	100.0	-	-	-	-	-	-	-	100.0	-	-	100.0	-	66.7	33.3	-	100.0	100.0	-
Michigan	14	-	-	-	14	-	-	-	-	6	5	3	13	1	5	9	6	7	9	5
	2.9	-	-	-	18.2	-	-	-	-	3.0	3.5	2.0	3.4	1.0	1.7	4.7	2.5	3.1	2.9	3.0
	100.0	-	-	-	100.0	BCEFH	-	-	-	42.9	35.7	21.4	92.9	7.1	35.7	64.3	42.9	50.0	64.3	35.7
					H															
Minnesota	9	-	-	-	9	-	-	-	-	4	-	5	8	1	6	3	3	5	4	5
	1.8	-	-	-	11.7	-	-	-	-	2.0	-	3.4	2.1	1.0	2.1	1.6	1.3	2.2	1.3	3.0
	100.0	-	-	-	100.0	BCEFH	-	-	-	44.4	-	55.6	88.9	11.1	66.7	33.3	33.3	55.6	44.4	55.6
Mississippi	5	-	-	5	-	-	-	-	-	1	4	4	4	1	4	1	4	1	3	1
	1.0	-	-	5.1	-	-	-	-	-	0.7	2.7	1.0	1.0	1.4	0.5	1.7	0.4	1.0	0.6	
	100.0	-	-	100.0	BDFH	-	-	-	-	20.0	80.0	80.0	20.0	80.0	20.0	80.0	20.0	60.0	20.0	
Missouri	13	-	-	-	13	-	-	-	-	4	2	7	12	1	7	6	9	3	3	9
	2.6	-	-	-	43.3	-	-	-	-	2.0	1.4	4.8	3.1	1.0	2.4	3.2	3.8	1.3	1.0	5.5
	100.0	-	-	-	100.0	BCDFH	-	-	-	30.8	15.4	53.8	92.3	7.7	53.8	46.2	69.2	23.1	23.1	69.2
					H															
Montana	2	-	-	-	-	-	-	2	-	-	2	-	2	-	-	2	-	1	1	1
	0.4	-	-	-	-	-	-	9.5	-	-	1.4	-	0.5	-	-	1.1	-	0.4	0.3	0.6
	100.0	-	-	-	-	-	-	100.0	-	-	100.0	-	100.0	-	-	100.0	-	50.0	50.0	50.0

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 91
IBM State

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL		
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Respondents	491 100.0 100.0	14** 100.0** 2.9**	89* 100.0* 18.1*	98* 100.0* 20.0*	77* 100.0* 15.7*	30* 100.0* 6.1*	82* 100.0* 16.7*	21** 100.0** 4.3**	80* 100.0* 16.3*	203 100.0 41.3	141 100.0 28.7	147 100.0 29.9	384 100.0 78.2	100 100.0 20.4	291 100.0 59.3	190 100.0 38.7	240 100.0 48.9	224 100.0 45.6	310 100.0 63.1	165 100.0 33.6
Nebraska	2 0.4 100.0	- - -	- - -	- - -	- 6.7 100.0	2 - BCDF H	- - -	- - -	- - -	- - -	- 1.4 100.0	2 0.3 50.0	1 1.0 50.0	- - -	1 0.5 50.0	1 0.4 50.0	- - -	1 0.3 50.0	1 0.6 50.0	
Nevada	3 0.6 100.0	- - -	- - -	- - -	- - 100.0	3 3.7 -	- - -	- - -	2 1.0 66.7	1 0.7 33.3	- - -	2 0.5 66.7	1 1.0 33.3	2 0.7 66.7	1 0.5 33.3	- - -	3 1.3 100.0	3 1.0 100.0	- - -	
New Hampshire	4 0.8 100.0	4 28.6 100.0	- - -	- - -	- - -	- - -	- - -	- - -	- - -	2 1.4 50.0	2 1.4 50.0	2 0.5 50.0	2 2.0 50.0	- - -	4 2.1 100.0	2 0.8 50.0	2 0.9 50.0	2 0.6 50.0	2 1.2 50.0	
New Jersey	12 2.4 100.0	- - -	12 13.5 100.0	- - -	- - -	- - -	- - -	- - -	11 5.4 91.7	1 0.7 8.3	- - -	11 2.9 91.7	1 1.0 8.3	5 1.7 41.7	7 3.7 58.3	4 1.7 33.3	8 3.6 66.7	9 2.9 75.0	3 1.8 25.0	
New Mexico	3 0.6 100.0	- - -	- - -	- - -	- - 100.0	3 3.7 -	- - -	- - -	- - -	1 0.7 33.3	2 1.4 66.7	2 0.5 66.7	1 1.0 33.3	3 1.0 100.0	- - -	3 1.3 100.0	- - -	2 0.6 66.7	1 0.6 33.3	
New York	23 4.7 100.0	- - -	23 25.8 100.0	- - -	- - -	- - -	- - -	- - -	12 5.9 52.2	8 5.7 34.8	3 2.0 13.0	19 4.9 82.6	4 4.0 17.4	14 4.8 60.9	9 4.7 39.1	9 3.8 39.1	13 5.8 56.5	14 4.5 60.9	8 4.8 34.8	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 91
IBM State

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL		
	TOTAL	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
North Carolina	3	-	-	3	-	-	-	-	-	-	2	1	1	2	1	2	1	2	3	-
	0.6	-	-	3.1	-	-	-	-	-	-	1.4	0.7	0.3	2.0	0.3	1.1	0.4	0.9	1.0	-
	100.0	-	-	100.0	-	-	-	-	-	-	66.7	33.3	33.3	66.7	33.3	66.7	33.3	66.7	100.0	-
North Dakota	1	-	-	-	-	1	-	-	-	-	-	1	1	-	1	-	1	-	1	-
	0.2	-	-	-	-	3.3	-	-	-	-	-	0.7	0.3	-	0.3	-	0.4	-	0.3	-
	100.0	-	-	-	-	100.0	-	-	-	-	-	100.0	100.0	-	100.0	-	100.0	-	100.0	-
Ohio	20	-	-	-	20	-	-	-	-	7	11	2	13	6	9	10	5	12	15	3
	4.1	-	-	-	26.0	-	-	-	-	3.4	7.8	1.4	3.4	6.0	3.1	5.3	2.1	5.4	4.8	1.8
	100.0	-	-	-	100.0	BCEFH	-	-	-	35.0	55.0	10.0	65.0	30.0	45.0	50.0	25.0	60.0	75.0	15.0
Oklahoma	3	-	-	-	-	-	3	-	-	1	1	1	3	-	1	2	2	1	3	-
	0.6	-	-	-	-	-	3.7	-	-	0.5	0.7	0.7	0.8	-	0.3	1.1	0.8	0.4	1.0	-
	100.0	-	-	-	-	-	100.0	-	-	33.3	33.3	33.3	100.0	-	33.3	66.7	66.7	33.3	100.0	-
Oregon	6	-	-	-	-	-	-	-	6	3	-	3	3	3	4	2	1	5	5	1
	1.2	-	-	-	-	-	-	-	7.5	1.5	-	2.0	0.8	3.0	1.4	1.1	0.4	2.2	1.6	0.6
	100.0	-	-	-	-	-	-	-	100.0	50.0	-	50.0	50.0	50.0	66.7	33.3	16.7	83.3	83.3	16.7
									CDF											
Pennsylvania	43	-	43	-	-	-	-	-	-	15	16	12	39	4	20	20	16	22	24	17
	8.8	-	48.3	-	-	-	-	-	-	7.4	11.3	8.2	10.2	4.0	6.9	10.5	6.7	9.8	7.7	10.3
	100.0	-	100.0	CDEFH	-	-	-	-	-	34.9	37.2	27.9	90.7	9.3	46.5	46.5	37.2	51.2	55.8	39.5

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 91
IBM State

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	OWN	RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	MUNI- CIPAL SEWER	PRI- VATE WELL	PRI- VATE WATER	
		(A)	(B)	(C)	(D)	(E)	(F)	(G)						(H)	(I)					(J)
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
South Carolina	5	-	-	5	-	-	-	-	-	-	2	3	5	-	4	1	3	2	2	3
	1.0	-	-	5.1	-	-	-	-	-	-	1.4	2.0	1.3	-	1.4	0.5	1.3	0.9	0.6	1.8
	100.0	-	-	100.0	BD	FH	-	-	-	-	40.0	60.0	100.0	-	80.0	20.0	60.0	40.0	40.0	60.0
											I									
South Dakota	3	-	-	-	-	3	-	-	-	-	-	3	2	1	2	1	-	3	3	-
	0.6	-	-	-	-	10.0	-	-	-	-	-	2.0	0.5	1.0	0.7	0.5	-	1.3	1.0	-
	100.0	-	-	-	-	100.0	BC	DF	-	-	-	100.0	66.7	33.3	66.7	33.3	-	100.0	100.0	-
						H														
Tennessee	6	-	-	6	-	-	-	-	-	1	-	5	4	2	4	2	5	1	4	2
	1.2	-	-	6.1	-	-	-	-	-	0.5	-	3.4	1.0	2.0	1.4	1.1	2.1	0.4	1.3	1.2
	100.0	-	-	100.0	BD	FH	-	-	-	16.7	-	83.3	66.7	33.3	66.7	33.3	83.3	16.7	66.7	33.3
											J									
Texas	55	-	-	-	-	-	55	-	-	18	17	20	39	14	38	15	35	19	36	19
	11.2	-	-	-	-	-	67.1	-	-	8.9	12.1	13.6	10.2	14.0	13.1	7.9	14.6	8.5	11.6	11.5
	100.0	-	-	-	-	-	100.0	BC	DE	-	-	32.7	30.9	36.4	70.9	25.5	69.1	27.3	63.6	34.5
							H													
Virginia	9	-	-	9	-	-	-	-	-	4	1	4	6	2	1	8	7	1	3	4
	1.8	-	-	9.2	-	-	-	-	-	2.0	0.7	2.7	1.6	2.0	0.3	4.2	2.9	0.4	1.0	2.4
	100.0	-	-	100.0	BD	FH	-	-	-	44.4	11.1	44.4	66.7	22.2	11.1	88.9	77.8	11.1	33.3	44.4
Washington	10	-	-	-	-	-	-	-	10	4	6	-	7	3	6	4	2	8	7	2
	2.0	-	-	-	-	-	-	-	12.5	2.0	4.3	-	1.8	3.0	2.1	2.1	0.8	3.6	2.3	1.2
	100.0	-	-	-	-	-	-	-	100.0	40.0	60.0	0K	-	70.0	30.0	60.0	40.0	20.0	80.0	70.0
									CDEF											

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 91
IBM State

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
		ENG-	ATL-																	
		LAND	ANTIC																	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
West Virginia	6	-	-	6	-	-	-	-	-	-	4	2	5	1	3	3	3	2	4	2
	1.2	-	-	6.1	-	-	-	-	-	-	2.8	1.4	1.3	1.0	1.0	1.6	1.3	0.9	1.3	1.2
	100.0	-	-	100.0	BDFH	-	-	-	-	-	66.7	33.3	83.3	16.7	50.0	50.0	50.0	33.3	66.7	33.3
Wisconsin	12	-	-	-	12	-	-	-	-	4	4	4	9	3	7	4	6	6	6	6
	2.4	-	-	-	15.6	-	-	-	-	2.0	2.8	2.7	2.3	3.0	2.4	2.1	2.5	2.7	1.9	3.6
	100.0	-	-	-	100.0	BCEF	-	-	-	33.3	33.3	33.3	75.0	25.0	58.3	33.3	50.0	50.0	50.0	50.0
					H															
Wyoming	4	-	-	-	-	-	-	4	-	-	3	1	3	1	3	1	2	1	3	1
	0.8	-	-	-	-	-	-	19.0	-	-	2.1	0.7	0.8	1.0	1.0	0.5	0.8	0.4	1.0	0.6
	100.0	-	-	-	-	-	-	100.0	-	-	75.0	25.0	75.0	25.0	75.0	25.0	50.0	25.0	75.0	25.0
Sigma	491	14	89	98	77	30	82	21	80	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9	18.1	20.0	15.7	6.1	16.7	4.3	16.3	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 92
Education Of Head Of Household

	TOTAL	REGION								MARKET SIZE			OWN/RENT RESIDENCE		FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE	
		NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	SUB- URBAN SMALL MSAS	RURAL	OWN	RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER	
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
No College (Net)	227	5	41	56	31	15	40	8	31	81	71	75	172	53	147	76	130	88	131	89
	46.2	35.7	46.1	57.1	40.3	50.0	48.8	38.1	38.8	39.9	50.4	51.0	44.8	53.0	50.5	40.0	54.2	39.3	42.3	53.9
	100.0	2.2	18.1	24.7D	13.7	6.6	17.6	3.5	13.7	35.7	31.3	33.0I	75.8	23.3	64.8O	33.5	57.3Q	38.8	57.7	39.2R
				H																
Grade school	11	-	1	3	-	1	4	1	1	4	-	7	7	4	8	3	8	2	8	3
	2.2	-	1.1	3.1	-	3.3	4.9	4.8	1.3	2.0	-	4.8	1.8	4.0	2.7	1.6	3.3	0.9	2.6	1.8
	100.0	-	9.1	27.3	-	9.1	36.4	9.1	9.1	36.4	-	63.6J	63.6	36.4	72.7	27.3	72.7	18.2	72.7	27.3
Some high school	63	1	8	14	11	3	11	2	13	28	19	16	50	12	38	24	35	25	39	21
	12.8	7.1	9.0	14.3	14.3	10.0	13.4	9.5	16.3	13.8	13.5	10.9	13.0	12.0	13.1	12.6	14.6	11.2	12.6	12.7
	100.0	1.6	12.7	22.2	17.5	4.8	17.5	3.2	20.6	44.4	30.2	25.4	79.4	19.0	60.3	38.1	55.6	39.7	61.9	33.3
Graduated high school	153	4	32	39	20	11	25	5	17	49	52	52	115	37	101	49	87	61	84	65
	31.2	28.6	36.0	39.8	26.0	36.7	30.5	23.8	21.3	24.1	36.9	35.4	29.9	37.0	34.7	25.8	36.3	27.2	27.1	39.4
	100.0	2.6	20.9H	25.5H	13.1	7.2	16.3	3.3	11.1	32.0	34.0I	34.0I	75.2	24.2	66.0O	32.0	56.9Q	39.9	54.9	42.5R
College (Net)	237	7	43	39	40	14	38	12	44	114	63	60	190	43	130	103	101	120	158	71
	48.3	50.0	48.3	39.8	51.9	46.7	46.3	57.1	55.0	56.2	44.7	40.8	49.5	43.0	44.7	54.2	42.1	53.6	51.0	43.0
	100.0	3.0	18.1	16.5	16.9	5.9	16.0	5.1	18.6C	48.1J	26.6	25.3	80.2	18.1	54.9	43.5N	42.6	50.6P	66.7	30.0
									K											
Some college	121	2	20	23	20	9	16	7	24	50	36	35	91	27	64	54	50	60	78	36
	24.6	14.3	22.5	23.5	26.0	30.0	19.5	33.3	30.0	24.6	25.5	23.8	23.7	27.0	22.0	28.4	20.8	26.8	25.2	21.8
	100.0	1.7	16.5	19.0	16.5	7.4	13.2	5.8	19.8	41.3	29.8	28.9	75.2	22.3	52.9	44.6	41.3	49.6	64.5	29.8
Graduated college	70	2	14	12	11	3	14	5	9	35	20	15	60	9	41	28	34	33	43	26
	14.3	14.3	15.7	12.2	14.3	10.0	17.1	23.8	11.3	17.2	14.2	10.2	15.6	9.0	14.1	14.7	14.2	14.7	13.9	15.8
	100.0	2.9	20.0	17.1	15.7	4.3	20.0	7.1	12.9	50.0	28.6	21.4	85.7	12.9	58.6	40.0	48.6	47.1	61.4	37.1

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 92
Education Of Head Of Household

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
TOTAL	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
Post college graduate	46	3	9	4	9	2	8	-	11	29	7	10	39	7	25	21	17	27	37	9
	9.4	21.4	10.1	4.1	11.7	6.7	9.8	-	13.8	14.3	5.0	6.8	10.2	7.0	8.6	11.1	7.1	12.1	11.9	5.5
	100.0	6.5	19.6	8.7	19.6	4.3	17.4	-	23.9C	63.0J	15.2	21.7	84.8	15.2	54.3	45.7	37.0	58.7	80.4S	19.6
									K											
Unknown	27	2	5	3	6	1	4	1	5	8	7	12	22	4	14	11	9	16	21	5
	5.5	14.3	5.6	3.1	7.8	3.3	4.9	4.8	6.3	3.9	5.0	8.2	5.7	4.0	4.8	5.8	3.8	7.1	6.8	3.0
	100.0	7.4	18.5	11.1	22.2	3.7	14.8	3.7	18.5	29.6	25.9	44.4	81.5	14.8	51.9	40.7	33.3	59.3	77.8	18.5
Sigma	491	14	89	98	77	30	82	21	80	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9	18.1	20.0	15.7	6.1	16.7	4.3	16.3	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 93
Employment Of Head Of Household

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE				
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB- URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	RENT/ LEASE /OTHR	OWN	AT	LESS	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WATER	VATE WELL WATER
																LEAST ONCE A WK.	THAN ONCE A WK.				
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165	
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6	
Employed (Net)	329	9	63	60	57	21	53	15	51	139	96	94	248	78	179	142	156	160	209	111	
	67.0	64.3	70.8	61.2	74.0	70.0	64.6	71.4	63.8	68.5	68.1	63.9	64.6	78.0	61.5	74.7	65.0	71.4	67.4	67.3	
	100.0	2.7	19.1	18.2	17.3	6.4	16.1	4.6	15.5	42.2	29.2	28.6	75.4	23.7L	54.4	43.2N	47.4	48.6	63.5	33.7	
Under 30 hours	41	-	8	4	8	5	8	2	6	16	11	14	31	10	23	17	19	20	29	12	
	8.4	-	9.0	4.1	10.4	16.7	9.8	9.5	7.5	7.9	7.8	9.5	8.1	10.0	7.9	8.9	7.9	8.9	9.4	7.3	
	100.0	-	19.5	9.8	19.5	12.2C	19.5	4.9	14.6	39.0	26.8	34.1	75.6	24.4	56.1	41.5	46.3	48.8	70.7	29.3	
30 - 34 hours	10	-	1	1	3	-	1	1	3	5	2	3	6	4	5	5	5	4	5	5	
	2.0	-	1.1	1.0	3.9	-	1.2	4.8	3.8	2.5	1.4	2.0	1.6	4.0	1.7	2.6	2.1	1.8	1.6	3.0	
	100.0	-	10.0	10.0	30.0	-	10.0	10.0	30.0	50.0	20.0	30.0	60.0	40.0	50.0	50.0	50.0	40.0	50.0	50.0	
35 hours or more	278	9	54	55	46	16	44	12	42	118	83	77	211	64	151	120	132	136	175	94	
	56.6	64.3	60.7	56.1	59.7	53.3	53.7	57.1	52.5	58.1	58.9	52.4	54.9	64.0	51.9	63.2	55.0	60.7	56.5	57.0	
	100.0	3.2	19.4	19.8	16.5	5.8	15.8	4.3	15.1	42.4	29.9	27.7	75.9	23.0	54.3	43.2N	47.5	48.9	62.9	33.8	
Not employed for pay	133	5	22	30	16	9	24	4	23	54	37	42	113	17	89	43	69	52	87	41	
	27.1	35.7	24.7	30.6	20.8	30.0	29.3	19.0	28.8	26.6	26.2	28.6	29.4	17.0	30.6	22.6	28.8	23.2	28.1	24.8	
	100.0	3.8	16.5	22.6	12.0	6.8	18.0	3.0	17.3	40.6	27.8	31.6	85.0M	12.8	66.9	32.3	51.9	39.1	65.4	30.8	
Unknown	29	-	4	8	4	-	5	2	6	10	8	11	23	5	23	5	15	12	14	13	
	5.9	-	4.5	8.2	5.2	-	6.1	9.5	7.5	4.9	5.7	7.5	6.0	5.0	7.9	2.6	6.3	5.4	4.5	7.9	
	100.0	-	13.8	27.6	13.8	-	17.2	6.9	20.7	34.5	27.6	37.9	79.3	17.2	79.30	17.2	51.7	41.4	48.3	44.8	
Sigma	491	14	89	98	77	30	82	21	80	203	141	147	384	100	291	190	240	224	310	165	
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
	100.0	2.9	18.1	20.0	15.7	6.1	16.7	4.3	16.3	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 94
Occupation Of Head Of Household

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG-LAND	MID-ATL-ANTIC	SOUTH-EAST	GREAT LAKES	MID-WEST	SOUTH-WEST	ROCKY MOUN-TAIN	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP-TIC TANK	SEWER	MUNI-CIPAL WATER	PRI-VATE WELL		
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
White Collar (Net)	163	7	38	28	25	6	27	8	24	78	45	40	125	37	83	77	67	87	108	49
	33.2	50.0	42.7	28.6	32.5	20.0	32.9	38.1	30.0	38.4	31.9	27.2	32.6	37.0	28.5	40.5	27.9	38.8	34.8	29.7
	100.0	4.3	23.3C	17.2	15.3	3.7	16.6	4.9	14.7	47.9K	27.6	24.5	76.7	22.7	50.9	47.2N	41.1	53.4P	66.3	30.1
			E																	
Professional	66	3	14	11	13	2	9	3	11	34	17	15	52	13	41	25	27	36	50	15
	13.4	21.4	15.7	11.2	16.9	6.7	11.0	14.3	13.8	16.7	12.1	10.2	13.5	13.0	14.1	13.2	11.3	16.1	16.1	9.1
	100.0	4.5	21.2	16.7	19.7	3.0	13.6	4.5	16.7	51.5	25.8	22.7	78.8	19.7	62.1	37.9	40.9	54.5	75.8S	22.7
Proprietors/Managers/ Officials	65	3	17	10	7	3	12	4	9	30	20	15	52	13	27	36	25	35	39	21
	13.2	21.4	19.1	10.2	9.1	10.0	14.6	19.0	11.3	14.8	14.2	10.2	13.5	13.0	9.3	18.9	10.4	15.6	12.6	12.7
	100.0	4.6	26.2	15.4	10.8	4.6	18.5	6.2	13.8	46.2	30.8	23.1	80.0	20.0	41.5	55.4N	38.5	53.8	60.0	32.3
Clerical	17	-	4	5	4	1	2	-	1	7	5	5	11	6	6	10	9	8	10	7
	3.5	-	4.5	5.1	5.2	3.3	2.4	-	1.3	3.4	3.5	3.4	2.9	6.0	2.1	5.3	3.8	3.6	3.2	4.2
	100.0	-	23.5	29.4	23.5	5.9	11.8	-	5.9	41.2	29.4	29.4	64.7	35.3	35.3	58.8	52.9	47.1	58.8	41.2
Sales	15	1	3	2	1	-	4	1	3	7	3	5	10	5	9	6	6	8	9	6
	3.1	7.1	3.4	2.0	1.3	-	4.9	4.8	3.8	3.4	2.1	3.4	2.6	5.0	3.1	3.2	2.5	3.6	2.9	3.6
	100.0	6.7	20.0	13.3	6.7	-	26.7	6.7	20.0	46.7	20.0	33.3	66.7	33.3	60.0	40.0	40.0	53.3	60.0	40.0
Blue Collar (Net)	146	2	21	30	30	12	24	7	20	50	48	48	110	34	82	60	83	60	84	59
	29.7	14.3	23.6	30.6	39.0	40.0	29.3	33.3	25.0	24.6	34.0	32.7	28.6	34.0	28.2	31.6	34.6	26.8	27.1	35.8
	100.0	1.4	14.4	20.5	20.5B	8.2	16.4	4.8	13.7	34.2	32.9	32.9	75.3	23.3	56.2	41.1	56.8	41.1	57.5	40.4
Craftsman/Foreman (Skilled)	51	1	6	13	9	2	10	4	6	19	21	11	41	8	27	24	28	21	30	21
	10.4	7.1	6.7	13.3	11.7	6.7	12.2	19.0	7.5	9.4	14.9	7.5	10.7	8.0	9.3	12.6	11.7	9.4	9.7	12.7
	100.0	2.0	11.8	25.5	17.6	3.9	19.6	7.8	11.8	37.3	41.2K	21.6	80.4	15.7	52.9	47.1	54.9	41.2	58.8	41.2

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 94
Occupation Of Head Of Household

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	RENT/ LEASE /OTHR	AT	LESS	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL
		ENG- LAND	ATL- ANTIC												LEAST	THAN				
		(A)	(B)												ONCE	ONCE				
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
Operative (Semi-skilled)	43	-	8	9	14	2	5	1	4	13	14	16	31	12	28	12	24	19	26	17
	8.8	-	9.0	9.2	18.2	6.7	6.1	4.8	5.0	6.4	9.9	10.9	8.1	12.0	9.6	6.3	10.0	8.5	8.4	10.3
	100.0	-	18.6	20.9	32.6FH	4.7	11.6	2.3	9.3	30.2	32.6	37.2	72.1	27.9	65.1	27.9	55.8	44.2	60.5	39.5
Service workers/Private HH workers	26	-	4	3	2	3	7	1	6	11	8	7	17	9	13	13	14	12	19	7
	5.3	-	4.5	3.1	2.6	10.0	8.5	4.8	7.5	5.4	5.7	4.8	4.4	9.0	4.5	6.8	5.8	5.4	6.1	4.2
	100.0	-	15.4	11.5	7.7	11.5	26.9	3.8	23.1	42.3	30.8	26.9	65.4	34.6	50.0	50.0	53.8	46.2	73.1	26.9
Farm	17	-	2	4	4	4	2	1	-	3	4	10	14	3	8	9	12	5	6	10
	3.5	-	2.2	4.1	5.2	13.3	2.4	4.8	-	1.5	2.8	6.8	3.6	3.0	2.7	4.7	5.0	2.2	1.9	6.1
	100.0	-	11.8	23.5	23.5H	23.5B	11.8	5.9	-	17.6	23.5	58.8I	82.4	17.6	47.1	52.9	70.6	29.4	35.3	58.8R
						FH														
Laborers	9	1	1	1	1	1	-	-	4	4	1	4	7	2	6	2	5	3	3	4
	1.8	7.1	1.1	1.0	1.3	3.3	-	-	5.0	2.0	0.7	2.7	1.8	2.0	2.1	1.1	2.1	1.3	1.0	2.4
	100.0	11.1	11.1	11.1	11.1	11.1	-	-	44.4F	44.4	11.1	44.4	77.8	22.2	66.7	22.2	55.6	33.3	33.3	44.4
Other (Net)	163	5	25	38	19	11	30	4	31	67	43	53	133	27	112	49	84	66	107	51
	33.2	35.7	28.1	38.8	24.7	36.7	36.6	19.0	38.8	33.0	30.5	36.1	34.6	27.0	38.5	25.8	35.0	29.5	34.5	30.9
	100.0	3.1	15.3	23.3	11.7	6.7	18.4	2.5	19.0	41.1	26.4	32.5	81.6	16.6	68.7O	30.1	51.5	40.5	65.6	31.3
Student	5	-	1	-	1	1	1	-	1	4	-	1	1	2	2	2	1	3	4	1
	1.0	-	1.1	-	1.3	3.3	1.2	-	1.3	2.0	-	0.7	0.3	2.0	0.7	1.1	0.4	1.3	1.3	0.6
	100.0	-	20.0	-	20.0	20.0	20.0	-	20.0	80.0	-	20.0	20.0	40.0L	40.0	40.0	20.0	60.0	80.0	20.0
Military	2	-	-	1	-	-	-	-	1	-	1	1	1	1	1	1	-	2	2	-
	0.4	-	-	1.0	-	-	-	-	1.3	-	0.7	0.7	0.3	1.0	0.3	0.5	-	0.9	0.6	-
	100.0	-	-	50.0	-	-	-	-	50.0	-	50.0	50.0	50.0	50.0	50.0	50.0	-	100.0	100.0	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 94
Occupation Of Head Of Household

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	SUB- URBAN SMALL MSAS	RURAL	AT LEAST ONCE A WK.		LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER			
	TOTAL											RENT/ LEASE /OTHR								
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
Retired/Unemployed	156	5	24	37	18	10	29	4	29	63	42	51	131	24	109	46	83	61	101	50
	31.8	35.7	27.0	37.8	23.4	33.3	35.4	19.0	36.3	31.0	29.8	34.7	34.1	24.0	37.5	24.2	34.6	27.2	32.6	30.3
	100.0	3.2	15.4	23.7	11.5	6.4	18.6	2.6	18.6	40.4	26.9	32.7	84.0	15.4	69.9	29.5	53.2	39.1	64.7	32.1
Unknown	19	-	5	2	3	1	1	2	5	8	5	6	16	2	14	4	6	11	11	6
	3.9	-	5.6	2.0	3.9	3.3	1.2	9.5	6.3	3.9	3.5	4.1	4.2	2.0	4.8	2.1	2.5	4.9	3.5	3.6
	100.0	-	26.3	10.5	15.8	5.3	5.3	10.5	26.3	42.1	26.3	31.6	84.2	10.5	73.7	21.1	31.6	57.9	57.9	31.6
Sigma	491	14	89	98	77	30	82	21	80	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9	18.1	20.0	15.7	6.1	16.7	4.3	16.3	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 95
Race

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL												OWN	RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WATER	WELL WATER
		NEW	MID-	SOUTH	GREAT	MID-	SOUTH	ROCKY												
		ENG- LAND	ATL- ANTIC	-EAST	LAKES	WEST	-WEST	MOUN- TAIN												
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
White	436	13	85	85	73	27	75	20	58	176	127	133	344	86	251	175	224	192	268	154
	88.8	92.9	95.5	86.7	94.8	90.0	91.5	95.2	72.5	86.7	90.1	90.5	89.6	86.0	86.3	92.1	93.3	85.7	86.5	93.3
	100.0	3.0	19.5C	19.5H	16.7H	6.2	17.2H	4.6	13.3	40.4	29.1	30.5	78.9	19.7	57.6	40.1N	51.4Q	44.0	61.5	35.3R
			H																	
Black/African-American	8	-	1	5	1	-	1	-	-	4	2	2	4	4	5	3	1	6	8	-
	1.6	-	1.1	5.1	1.3	-	1.2	-	-	2.0	1.4	1.4	1.0	4.0	1.7	1.6	0.4	2.7	2.6	-
	100.0	-	12.5	62.5H	12.5	-	12.5	-	-	50.0	25.0	25.0	50.0	50.0L	62.5	37.5	12.5	75.0	100.0S	-
																	P			
Asian Or Pacific Islander	5	-	-	1	-	-	-	-	4	4	1	-	4	1	4	1	2	3	3	2
	1.0	-	-	1.0	-	-	-	-	5.0	2.0	0.7	-	1.0	1.0	1.4	0.5	0.8	1.3	1.0	1.2
	100.0	-	-	20.0	-	-	-	-	80.0B	80.0	20.0	-	80.0	20.0	80.0	20.0	40.0	60.0	60.0	40.0
									DF											
Other	29	-	1	4	2	1	5	1	15	12	8	9	21	8	20	9	9	15	20	7
	5.9	-	1.1	4.1	2.6	3.3	6.1	4.8	18.8	5.9	5.7	6.1	5.5	8.0	6.9	4.7	3.8	6.7	6.5	4.2
	100.0	-	3.4	13.8	6.9	3.4	17.2	3.4	51.7B	41.4	27.6	31.0	72.4	27.6	69.0	31.0	31.0	51.7	69.0	24.1
									CDEF											
Unknown	13	1	2	3	1	2	1	-	3	7	3	3	11	1	11	2	4	8	11	2
	2.6	7.1	2.2	3.1	1.3	6.7	1.2	-	3.8	3.4	2.1	2.0	2.9	1.0	3.8	1.1	1.7	3.6	3.5	1.2
	100.0	7.7	15.4	23.1	7.7	15.4	7.7	-	23.1	53.8	23.1	23.1	84.6	7.7	84.6	15.4	30.8	61.5	84.6	15.4
Sigma	491	14	89	98	77	30	82	21	80	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9	18.1	20.0	15.7	6.1	16.7	4.3	16.3	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 96
Hispanic Origin

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	ROCKY		URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WATER	VATE WELL WATER	
							SOUTH -WEST	MOUN- TAIN WEST												
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
Yes	38	-	1	5	3	1	11	2	15	14	17	7	24	14	28	9	8	26	30	5
	7.7	-	1.1	5.1	3.9	3.3	13.4	9.5	18.8	6.9	12.1	4.8	6.3	14.0	9.6	4.7	3.3	11.6	9.7	3.0
	100.0	-	2.6	13.2	7.9	2.6	28.9BD	5.3	39.5B	36.8	44.7K	18.4	63.2	36.8L	73.7	23.7	21.1	68.4P	78.9S	13.2
								CDE												
No	453	14	88	93	74	29	71	19	65	189	124	140	360	86	263	181	232	198	280	160
	92.3	100.0	98.9	94.9	96.1	96.7	86.6	90.5	81.3	93.1	87.9	95.2	93.8	86.0	90.4	95.3	96.7	88.4	90.3	97.0
	100.0	3.1	19.4F	20.5H	16.3FH	6.4H	15.7	4.2	14.3	41.7	27.4	30.9J	79.5M	19.0	58.1	40.0	51.2Q	43.7	61.8	35.3R
			H																	
Sigma	491	14	89	98	77	30	82	21	80	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9	18.1	20.0	15.7	6.1	16.7	4.3	16.3	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 97
Own Or Rent

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	-----								-----				-----		-----		-----			
	NEW	MID-					ROCKY		SUB-					AT	LESS			PRI-		
	ENG-	ATL-	SOUTH	GREAT	MID-	SOUTH	MOUN-	WEST	URBAN	URBAN			RENT/	LEAST	THAN	SEP-		MUNI-		
	LAND	ANTIC	-EAST	LAKES	WEST	-WEST	TAIN	WEST	LARGE	SMALL	RURAL		LEASE	ONCE	ONCE	TIC	SEWER	CIPAL		
TOTAL								MSAS	MSAS			OWN	/OTHR	A WK.	A WK.	TANK	WATER			
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100.0	100.0	100.0	100.0	100.0	100.0**	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
Own	384	11	77	71	63	24	60	20	58	156	118	110	384	-	232	145	200	166	235	136
	78.2	78.6	86.5	72.4	81.8	80.0	73.2	95.2	72.5	76.8	83.7	74.8	100.0	-	79.7	76.3	83.3	74.1	75.8	82.4
	100.0	2.9	20.1C	18.5	16.4	6.3	15.6	5.2	15.1	40.6	30.7	28.6	100.0M	-	60.4	37.8	52.1Q	43.2	61.2	35.4
			FH																	
Rent or lease	85	3	10	19	13	5	14	1	20	38	18	29	-	85	45	37	27	50	62	20
	17.3	21.4	11.2	19.4	16.9	16.7	17.1	4.8	25.0	18.7	12.8	19.7	-	85.0	15.5	19.5	11.3	22.3	20.0	12.1
	100.0	3.5	11.8	22.4	15.3	5.9	16.5	1.2	23.5B	44.7	21.2	34.1	-	100.0L	52.9	43.5	31.8	58.8P	72.9S	23.5
Other	15	-	2	5	-	1	6	-	1	5	4	6	-	15	10	5	9	5	8	7
	3.1	-	2.2	5.1	-	3.3	7.3	-	1.3	2.5	2.8	4.1	-	15.0	3.4	2.6	3.8	2.2	2.6	4.2
	100.0	-	13.3	33.3D	-	6.7	40.0D	-	6.7	33.3	26.7	40.0	-	100.0L	66.7	33.3	60.0	33.3	53.3	46.7
Unknown	7	-	-	3	1	-	2	-	1	4	1	2	-	-	4	3	4	3	5	2
	1.4	-	-	3.1	1.3	-	2.4	-	1.3	2.0	0.7	1.4	-	-	1.4	1.6	1.7	1.3	1.6	1.2
	100.0	-	-	42.9	14.3	-	28.6	-	14.3	57.1	14.3	28.6	-	-	57.1	42.9	57.1	42.9	71.4	28.6
Sigma	491	14	89	98	77	30	82	21	80	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9	18.1	20.0	15.7	6.1	16.7	4.3	16.3	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 98
Kitchen Appliances

	REGION										MARKET SIZE			OWN/RENT RESIDENCE		FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE	
																AT LEAST ONCE A WK.		LESS THAN ONCE A WK.		MUNI- CIPAL WELL	
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	OWN	RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEPTIC TANK	SEWER	MUNI- CIPAL WELL	PRI- VATE WATER		
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165	
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6	
Microwave	457	12	83	94	73	28	77	18	72	189	132	136	361	91	270	179	228	204	287	156	
	93.1	85.7	93.3	95.9	94.8	93.3	93.9	85.7	90.0	93.1	93.6	92.5	94.0	91.0	92.8	94.2	95.0	91.1	92.6	94.5	
	100.0	2.6	18.2	20.6	16.0	6.1	16.8	3.9	15.8	41.4	28.9	29.8	79.0	19.9	59.1	39.2	49.9	44.6	62.8	34.1	
No microwave	34	2	6	4	4	2	5	3	8	14	9	11	23	9	21	11	12	20	23	9	
	6.9	14.3	6.7	4.1	5.2	6.7	6.1	14.3	10.0	6.9	6.4	7.5	6.0	9.0	7.2	5.8	5.0	8.9	7.4	5.5	
	100.0	5.9	17.6	11.8	11.8	5.9	14.7	8.8	23.5	41.2	26.5	32.4	67.6	26.5	61.8	32.4	35.3	58.8	67.6	26.5	
No answer	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Sigma	491	14	89	98	77	30	82	21	80	203	141	147	384	100	291	190	240	224	310	165	
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
	100.0	2.9	18.1	20.0	15.7	6.1	16.7	4.3	16.3	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 99
Marital Status

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER	WATER SOURCE				
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.		LESS THAN ONCE A WK.	SEP- TIC TANK	MUNI- CIPAL WATER	PRI- VATE WELL WATER	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
Married	287	7	56	57	39	21	48	16	43	117	84	86	241	41	167	113	151	123	172	105
	58.5	50.0	62.9	58.2	50.6	70.0	58.5	76.2	53.8	57.6	59.6	58.5	62.8	41.0	57.4	59.5	62.9	54.9	55.5	63.6
	100.0	2.4	19.5	19.9	13.6	7.3	16.7	5.6	15.0	40.8	29.3	30.0	84.0M	14.3	58.2	39.4	52.6	42.9	59.9	36.6
Not Married	195	7	33	40	35	9	30	5	36	81	54	60	135	58	118	74	86	95	130	59
	39.7	50.0	37.1	40.8	45.5	30.0	36.6	23.8	45.0	39.9	38.3	40.8	35.2	58.0	40.5	38.9	35.8	42.4	41.9	35.8
	100.0	3.6	16.9	20.5	17.9	4.6	15.4	2.6	18.5	41.5	27.7	30.8	69.2	29.7L	60.5	37.9	44.1	48.7	66.7	30.3
Widowed	49	3	10	7	10	4	4	1	10	22	11	16	46	3	33	15	22	21	32	13
	10.0	21.4	11.2	7.1	13.0	13.3	4.9	4.8	12.5	10.8	7.8	10.9	12.0	3.0	11.3	7.9	9.2	9.4	10.3	7.9
	100.0	6.1	20.4	14.3	20.4	8.2	8.2	2.0	20.4	44.9	22.4	32.7	93.9M	6.1	67.3	30.6	44.9	42.9	65.3	26.5
Divorced/Separated	75	3	10	15	12	4	19	1	11	27	20	28	51	23	41	32	38	33	49	25
	15.3	21.4	11.2	15.3	15.6	13.3	23.2	4.8	13.8	13.3	14.2	19.0	13.3	23.0	14.1	16.8	15.8	14.7	15.8	15.2
	100.0	4.0	13.3	20.0	16.0	5.3	25.3B	1.3	14.7	36.0	26.7	37.3	68.0	30.7L	54.7	42.7	50.7	44.0	65.3	33.3
Single	71	1	13	18	13	1	7	3	15	32	23	16	38	32	44	27	26	41	49	21
	14.5	7.1	14.6	18.4	16.9	3.3	8.5	14.3	18.8	15.8	16.3	10.9	9.9	32.0	15.1	14.2	10.8	18.3	15.8	12.7
	100.0	1.4	18.3	25.4E	18.3	1.4	9.9	4.2	21.1E	45.1	32.4	22.5	53.5	45.1L	62.0	38.0	36.6	57.7P	69.0	29.6
Unknown	9	-	-	1	3	-	4	-	1	5	3	1	8	1	6	3	3	6	8	1
	1.8	-	-	1.0	3.9	-	4.9	-	1.3	2.5	2.1	0.7	2.1	1.0	2.1	1.6	1.3	2.7	2.6	0.6
	100.0	-	-	11.1	33.3	-	44.4B	-	11.1	55.6	33.3	11.1	88.9	11.1	66.7	33.3	33.3	66.7	88.9	11.1
Sigma	491	14	89	98	77	30	82	21	80	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9	18.1	20.0	15.7	6.1	16.7	4.3	16.3	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 100
Detailed Occupation

	REGION										MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
											SUB-				RENT/ LEASE /OTHR	AT ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WATER	VATE WELL WATER
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL										
	TOTAL	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165	
	100.0	100.0**	100*100.0*	100.0*100.0*	100.0*100.0*	100.0*100.0*	100.0**	100*100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6	
Accountant	4	1	-	1	2	-	-	-	-	2	2	-	4	-	2	2	-	3	4	-	
	0.8	7.1	-	1.0	2.6	-	-	-	-	1.0	1.4	-	1.0	-	0.7	1.1	-	1.3	1.3	-	
	100.0	25.0	-	25.0	50.0	-	-	-	-	50.0	50.0	-	100.0	-	50.0	50.0	-	75.0	100.0	-	
Architect/Engineer	9	-	4	1	2	-	2	-	-	7	1	1	7	2	4	5	2	6	7	1	
	1.8	-	4.5	1.0	2.6	-	2.4	-	-	3.4	0.7	0.7	1.8	2.0	1.4	2.6	0.8	2.7	2.3	0.6	
	100.0	-	44.4	11.1	22.2	-	22.2	-	-	77.8	11.1	11.1	77.8	22.2	44.4	55.6	22.2	66.7	77.8	11.1	
Artist/Entertainer/Writer	11	1	3	1	1	1	1	-	3	4	3	4	7	4	8	3	5	6	7	4	
	2.2	7.1	3.4	1.0	1.3	3.3	1.2	-	3.8	2.0	2.1	2.7	1.8	4.0	2.7	1.6	2.1	2.7	2.3	2.4	
	100.0	9.1	27.3	9.1	9.1	9.1	9.1	-	27.3	36.4	27.3	36.4	63.6	36.4	72.7	27.3	45.5	54.5	63.6	36.4	
Business, Non-Managerial Professional	13	-	4	3	2	-	-	1	3	7	3	3	12	1	6	7	5	8	10	3	
	2.6	-	4.5	3.1	2.6	-	-	4.8	3.8	3.4	2.1	2.0	3.1	1.0	2.1	3.7	2.1	3.6	3.2	1.8	
	100.0	-	30.8	23.1	15.4	-	-	7.7	23.1	53.8	23.1	23.1	92.3	7.7	46.2	53.8	38.5	61.5	76.9	23.1	
Computer Programmer/System Analyst	4	-	-	1	-	-	1	1	1	3	-	1	2	1	3	1	2	2	2	2	
	0.8	-	-	1.0	-	-	1.2	4.8	1.3	1.5	-	0.7	0.5	1.0	1.0	0.5	0.8	0.9	0.6	1.2	
	100.0	-	-	25.0	-	-	25.0	25.0	25.0	75.0	-	25.0	50.0	25.0	75.0	25.0	50.0	50.0	50.0	50.0	
Dentist/Doctor/Optometrlist/Pharmacist	3	-	-	-	1	-	1	-	1	1	-	2	3	-	1	2	2	1	3	-	
	0.6	-	-	-	1.3	-	1.2	-	1.3	0.5	-	1.4	0.8	-	0.3	1.1	0.8	0.4	1.0	-	
	100.0	-	-	-	33.3	-	33.3	-	33.3	33.3	-	66.7	100.0	-	33.3	66.7	66.7	33.3	100.0	-	
Economist/Mathematician/Scientist	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 100
Detailed Occupation

	REGION										MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE	
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	RENT/ LEASE /OTHR		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
Educator/Lecturer/Teacher	13	1	2	2	1	1	2	1	3	7	4	2	10	3	11	2	6	6	11	2
	2.6	7.1	2.2	2.0	1.3	3.3	2.4	4.8	3.8	3.4	2.8	1.4	2.6	3.0	3.8	1.1	2.5	2.7	3.5	1.2
	100.0	7.7	15.4	15.4	7.7	7.7	15.4	7.7	23.1	53.8	30.8	15.4	76.9	23.1	84.6	15.4	46.2	46.2	84.6	15.4
Lawyer/Paralegal	1	-	-	-	1	-	-	-	-	1	-	-	1	-	1	-	-	1	1	-
	0.2	-	-	-	1.3	-	-	-	-	0.5	-	-	0.3	-	0.3	-	-	0.4	0.3	-
	100.0	-	-	-	100.0	-	-	-	-	100.0	-	-	100.0	-	100.0	-	-	100.0	100.0	-
Medical Technician/Paramedic/ R.N./Therapist	7	-	1	1	3	-	2	-	-	2	4	1	6	1	5	2	4	3	4	3
	1.4	-	1.1	1.0	3.9	-	2.4	-	-	1.0	2.8	0.7	1.6	1.0	1.7	1.1	1.7	1.3	1.3	1.8
	100.0	-	14.3	14.3	42.9	-	28.6	-	-	28.6	57.1	14.3	85.7	14.3	71.4	28.6	57.1	42.9	57.1	42.9
Religious/Social Worker	1	-	-	1	-	-	-	-	-	-	-	1	-	1	-	1	1	-	1	-
	0.2	-	-	1.0	-	-	-	-	-	-	-	0.7	-	1.0	-	0.5	0.4	-	0.3	-
	100.0	-	-	100.0	-	-	-	-	-	-	-	100.0	-	100.0	-	100.0	100.0	-	100.0	-
Administrator/Company Officer/ Manager/Supervisor	39	2	11	7	4	2	5	2	6	22	10	7	29	10	15	23	15	20	24	11
	7.9	14.3	12.4	7.1	5.2	6.7	6.1	9.5	7.5	10.8	7.1	4.8	7.6	10.0	5.2	12.1	6.3	8.9	7.7	6.7
	100.0	5.1	28.2	17.9	10.3	5.1	12.8	5.1	15.4	56.4	25.6	17.9	74.4	25.6	38.5	59.0	38.5	51.3	61.5	28.2
Banker/Controller/Financial Analyst	2	-	-	-	-	-	1	-	1	1	-	1	1	1	1	1	1	1	1	1
	0.4	-	-	-	-	-	1.2	-	1.3	0.5	-	0.7	0.3	1.0	0.3	0.5	0.4	0.4	0.3	0.6
	100.0	-	-	-	-	-	50.0	-	50.0	50.0	-	50.0	50.0	50.0	50.0	50.0	50.0	50.0	50.0	50.0
Builder/Contractor	4	-	1	1	1	-	1	-	-	3	1	-	4	-	1	3	2	2	3	1
	0.8	-	1.1	1.0	1.3	-	1.2	-	-	1.5	0.7	-	1.0	-	0.3	1.6	0.8	0.9	1.0	0.6
	100.0	-	25.0	25.0	25.0	-	25.0	-	-	75.0	25.0	-	100.0	-	25.0	75.0	50.0	50.0	75.0	25.0

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 100
Detailed Occupation

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER	WATER SOURCE					
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	RENT/ LEASE /OTHR		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)			
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165	
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6	
Buyer/Purchasing Agent	1	-	-	-	-	1	-	-	-	-	1	-	1	-	1	-	-	1	-	1	
	0.2	-	-	-	-	3.3	-	-	-	-	0.7	-	0.3	-	0.3	-	-	0.4	-	0.6	
	100.0	-	-	-	-	100.0	-	-	-	-	100.0	-	100.0	-	100.0	-	-	100.0	-	100.0	
Owner Of Business, Company, Or Store	16	1	4	2	2	-	3	2	2	2	7	7	14	2	8	7	5	10	9	6	
	3.3	7.1	4.5	2.0	2.6	-	3.7	9.5	2.5	1.0	5.0	4.8	3.6	2.0	2.7	3.7	2.1	4.5	2.9	3.6	
	100.0	6.3	25.0	12.5	12.5	-	18.8	12.5	12.5	12.5	43.8	43.8	87.5	12.5	50.0	43.8	31.3	62.5	56.3	37.5	
Public Official	3	-	1	-	-	-	2	-	-	2	1	-	3	-	1	2	2	1	2	1	
	0.6	-	1.1	-	-	-	2.4	-	-	1.0	0.7	-	0.8	-	0.3	1.1	0.8	0.4	0.6	0.6	
	100.0	-	33.3	-	-	-	66.7	-	-	66.7	33.3	-	100.0	-	33.3	66.7	66.7	33.3	66.7	33.3	
Mailroom/Messenger/Postal Worker	5	-	2	-	1	1	-	-	1	3	1	1	4	1	-	5	3	2	2	3	
	1.0	-	2.2	-	1.3	3.3	-	-	1.3	1.5	0.7	0.7	1.0	1.0	-	2.6	1.3	0.9	0.6	1.8	
	100.0	-	40.0	-	20.0	20.0	-	-	20.0	60.0	20.0	20.0	80.0	20.0	-	100.0	60.0	40.0	40.0	60.0	
Bank Teller/Bookkeeper/Cashier	3	-	-	1	1	-	1	-	-	-	2	1	2	1	2	-	2	1	-	3	
	0.6	-	-	1.0	1.3	-	1.2	-	-	-	1.4	0.7	0.5	1.0	0.7	-	0.8	0.4	-	1.8	
	100.0	-	-	33.3	33.3	-	33.3	-	-	-	66.7	33.3	66.7	33.3	66.7	-	66.7	33.3	-	100.0	
Clerk (all types, except sales)	6	-	1	3	1	-	1	-	-	3	1	2	3	3	3	3	2	4	5	1	
	1.2	-	1.1	3.1	1.3	-	1.2	-	-	1.5	0.7	1.4	0.8	3.0	1.0	1.6	0.8	1.8	1.6	0.6	
	100.0	-	16.7	50.0	16.7	-	16.7	-	-	50.0	16.7	33.3	50.0	50.0	50.0	50.0	33.3	66.7	83.3	16.7	
Computer/CRT/Data Entry/ Keypunch Operator	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Proportions/Mears: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 100
Detailed Occupation

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	MUNI- CIPAL WATER	PRI- VATE WELL	
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Respondents	491 100.0 100.0	14** 100.0** 2.9**	89* 100* 18.1*	98* 100.0* 20.0*	77* 100.0* 15.7*	30* 100.0* 6.1*	82* 100.0* 16.7*	21** 100.0** 4.3**	80* 100.0* 16.3*	203 100.0 41.3	141 100.0 28.7	147 100.0 29.9	384 100.0 78.2	100 100.0 20.4	291 100.0 59.3	190 100.0 38.7	240 100.0 48.9	224 100.0 45.6	310 100.0 63.1	165 100.0 33.6
Insurance Adjuster	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
Receptionist/Secretary/Typist	3 0.6 100.0	- - -	1 1.1 33.3	1 1.0 33.3	1 1.3 33.3	- - -	- - -	- - -	- - -	1 0.5 33.3	1 0.7 33.3	1 0.7 33.3	2 0.5 66.7	1 1.0 33.3	1 0.3 33.3	2 1.1 66.7	2 0.8 66.7	1 0.4 33.3	3 1.0 100.0	- - -
Sales-Insurance/Real Estate/ Services	2 0.4 100.0	- - -	- - -	- - -	1 1.3 50.0	- - -	1 1.2 50.0	- - -	- - -	2 1.0 100.0	- - -	- - -	1 0.3 50.0	1 1.0 50.0	1 0.3 50.0	1 0.5 50.0	- - -	2 0.9 100.0	1 0.3 50.0	1 0.6 50.0
Sales-Industrial/Wholesale	3 0.6 100.0	- - -	1 1.1 33.3	- - -	- - -	- - -	- - -	1 4.8 33.3	1 1.3 33.3	1 0.5 33.3	- - -	2 1.4 66.7	2 0.5 66.7	1 1.0 33.3	2 0.7 66.7	1 0.5 33.3	2 0.8 66.7	- - -	1 0.3 33.3	2 1.2 66.7
Sales-Retail	10 2.0 100.0	1 7.1 10.0	2 2.2 20.0	2 2.0 20.0	- - -	- - -	3 3.7 30.0	- - -	2 2.5 20.0	4 2.0 40.0	3 2.1 30.0	3 2.0 30.0	7 1.8 70.0	3 3.0 30.0	6 2.1 60.0	4 2.1 40.0	4 1.7 40.0	6 2.7 60.0	7 2.3 70.0	3 1.8 30.0
Baker/Butcher/Seamstress/ Tailor	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
Carpenter/Electrician/Painter/ Plumber	14 2.9 100.0	1 7.1 7.1	1 1.1 7.1	4 4.1 28.6	4 5.2 28.6	- - -	1 1.2 7.1	1 4.8 7.1	2 2.5 14.3	6 3.0 42.9	5 3.5 35.7	3 2.0 21.4	10 2.6 71.4	3 3.0 21.4	5 1.7 35.7	9 4.7 64.3	7 2.9 50.0	5 2.2 35.7	9 2.9 64.3	5 3.0 35.7

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 100
Detailed Occupation

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL								URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER		
		NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST												
		(A)	(B)	(C)	(D)	(E)	(F)	(G)											(H)	(I)
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
Construction or Road Machine Operator	10	-	-	4	2	1	3	-	-	2	4	4	7	3	7	3	8	2	2	8
	2.0	-	-	4.1	2.6	3.3	3.7	-	-	1.0	2.8	2.7	1.8	3.0	2.4	1.6	3.3	0.9	0.6	4.8
	100.0	-	-	40.0	20.0	10.0	30.0	-	-	20.0	40.0	40.0	70.0	30.0	70.0	30.0	80.0	20.0	20.0	80.0R
Foreman	3	-	1	-	-	1	1	-	-	-	2	1	2	1	2	1	1	2	3	-
	0.6	-	1.1	-	-	3.3	1.2	-	-	-	1.4	0.7	0.5	1.0	0.7	0.5	0.4	0.9	1.0	-
	100.0	-	33.3	-	-	33.3	33.3	-	-	-	66.7	33.3	66.7	33.3	66.7	33.3	33.3	66.7	100.0	-
Mechanic/Repairman	12	-	2	3	1	-	3	2	1	7	4	1	10	1	6	6	6	6	8	4
	2.4	-	2.2	3.1	1.3	-	3.7	9.5	1.3	3.4	2.8	0.7	2.6	1.0	2.1	3.2	2.5	2.7	2.6	2.4
	100.0	-	16.7	25.0	8.3	-	25.0	16.7	8.3	58.3	33.3	8.3	83.3	8.3	50.0	50.0	50.0	50.0	66.7	33.3
Utility Lineman/Service man	2	-	1	1	-	-	-	-	-	-	1	1	2	-	1	1	2	-	1	1
	0.4	-	1.1	1.0	-	-	-	-	-	-	0.7	0.7	0.5	-	0.3	0.5	0.8	-	0.3	0.6
	100.0	-	50.0	50.0	-	-	-	-	-	-	50.0	50.0	100.0	-	50.0	50.0	100.0	-	50.0	50.0
Technician (except Medical)	10	-	1	1	2	-	2	1	3	4	5	1	10	-	6	4	4	6	7	3
	2.0	-	1.1	1.0	2.6	-	2.4	4.8	3.8	2.0	3.5	0.7	2.6	-	2.1	2.1	1.7	2.7	2.3	1.8
	100.0	-	10.0	10.0	20.0	-	20.0	10.0	30.0	40.0	50.0	10.0	100.0	-	60.0	40.0	40.0	60.0	70.0	30.0
Delivery/Routeman	5	-	-	1	3	1	-	-	-	1	1	3	4	1	3	2	3	2	4	1
	1.0	-	-	1.0	3.9	3.3	-	-	-	0.5	0.7	2.0	1.0	1.0	1.0	1.1	1.3	0.9	1.3	0.6
	100.0	-	-	20.0	60.0	20.0	-	-	-	20.0	20.0	60.0	80.0	20.0	60.0	40.0	60.0	40.0	80.0	20.0
Driver-Bus/Taxi/Truck	12	-	2	-	4	-	3	1	2	5	5	2	9	3	4	7	7	5	8	4
	2.4	-	2.2	-	5.2	-	3.7	4.8	2.5	2.5	3.5	1.4	2.3	3.0	1.4	3.7	2.9	2.2	2.6	2.4
	100.0	-	16.7	-	33.3C	-	25.0	8.3	16.7	41.7	41.7	16.7	75.0	25.0	33.3	58.3	58.3	41.7	66.7	33.3

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 100
Detailed Occupation

	REGION											MARKET SIZE		OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	RENT/ LEASE /OTHR		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)		(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165	
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6	
Factory Machine Operator	22	-	5	7	6	1	1	-	2	6	6	10	15	7	18	2	12	10	12	10	
	4.5	-	5.6	7.1	7.8	3.3	1.2	-	2.5	3.0	4.3	6.8	3.9	7.0	6.2	1.1	5.0	4.5	3.9	6.1	
	100.0	-	22.7	31.8	27.3F	4.5	4.5	-	9.1	27.3	27.3	45.5	68.2	31.8	81.80	9.1	54.5	45.5	54.5	45.5	
Factory/Railroad Worker	4	-	1	1	1	-	1	-	-	1	2	1	3	1	3	1	2	2	2	2	
	0.8	-	1.1	1.0	1.3	-	1.2	-	-	0.5	1.4	0.7	0.8	1.0	1.0	0.5	0.8	0.9	0.6	1.2	
	100.0	-	25.0	25.0	25.0	-	25.0	-	-	25.0	50.0	25.0	75.0	25.0	75.0	25.0	50.0	50.0	50.0	50.0	
Member Of The Armed Forces	2	-	-	1	-	-	-	-	1	-	1	1	1	1	1	1	-	2	2	-	
	0.4	-	-	1.0	-	-	-	-	1.3	-	0.7	0.7	0.3	1.0	0.3	0.5	-	0.9	0.6	-	
	100.0	-	-	50.0	-	-	-	-	50.0	-	50.0	50.0	50.0	50.0	50.0	50.0	-	100.0	100.0	-	
Barber/Beautician	1	-	-	-	1	-	-	-	-	1	-	1	-	-	-	1	-	1	1	-	
	0.2	-	-	-	1.3	-	-	-	-	0.7	-	0.3	-	-	-	0.5	-	0.4	0.3	-	
	100.0	-	-	-	100.0	-	-	-	-	100.0	-	100.0	-	-	-	100.0	-	100.0	100.0	-	
Bartender/Cook/Waiter/Waitress	5	-	-	1	1	1	-	1	1	1	1	3	1	4	2	3	4	1	3	2	
	1.0	-	-	1.0	1.3	3.3	-	4.8	1.3	0.5	0.7	2.0	0.3	4.0	0.7	1.6	1.7	0.4	1.0	1.2	
	100.0	-	-	20.0	20.0	20.0	-	20.0	20.0	20.0	20.0	60.0	20.0	80.0L	40.0	60.0	80.0	20.0	60.0	40.0	
Child Care Worker/Housekeeper/ Maid	8	-	1	1	-	1	2	-	3	3	3	2	4	4	4	4	3	5	6	2	
	1.6	-	1.1	1.0	-	3.3	2.4	-	3.8	1.5	2.1	1.4	1.0	4.0	1.4	2.1	1.3	2.2	1.9	1.2	
	100.0	-	12.5	12.5	-	12.5	25.0	-	37.5	37.5	37.5	25.0	50.0	50.0L	50.0	50.0	37.5	62.5	75.0	25.0	
Dental Assistant/Practical Nurse	2	-	-	-	-	-	2	-	-	-	2	-	2	-	1	1	1	1	2	-	
	0.4	-	-	-	-	-	2.4	-	-	-	1.4	-	0.5	-	0.3	0.5	0.4	0.4	0.6	-	
	100.0	-	-	-	-	-	100.0	-	-	-	100.0	-	100.0	-	50.0	50.0	50.0	50.0	100.0	-	

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 100
Detailed Occupation

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER	
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
Fireman/Guard/Policeman	6	-	1	1	-	1	1	-	2	3	1	2	6	-	4	2	4	2	4	2
	1.2	-	1.1	1.0	-	3.3	1.2	-	2.5	1.5	0.7	1.4	1.6	-	1.4	1.1	1.7	0.9	1.3	1.2
	100.0	-	16.7	16.7	-	16.7	16.7	-	33.3	50.0	16.7	33.3	100.0	-	66.7	33.3	66.7	33.3	66.7	33.3
Janitor/Porter	4	-	2	-	-	-	2	-	-	4	-	-	3	1	2	2	2	2	3	1
	0.8	-	2.2	-	-	-	2.4	-	-	2.0	-	-	0.8	1.0	0.7	1.1	0.8	0.9	1.0	0.6
	100.0	-	50.0	-	-	-	50.0	-	-	100.0	-	-	75.0	25.0	50.0	50.0	50.0	50.0	75.0	25.0
Farmer	17	-	2	4	4	4	2	1	-	3	4	10	14	3	8	9	12	5	6	10
	3.5	-	2.2	4.1	5.2	13.3	2.4	4.8	-	1.5	2.8	6.8	3.6	3.0	2.7	4.7	5.0	2.2	1.9	6.1
	100.0	-	11.8	23.5	23.5H	23.5B	11.8	5.9	-	17.6	23.5	58.81	82.4	17.6	47.1	52.9	70.6	29.4	35.3	58.8R
						FH														
Student	5	-	1	-	1	1	1	-	1	4	-	1	1	2	2	2	1	3	4	1
	1.0	-	1.1	-	1.3	3.3	1.2	-	1.3	2.0	-	0.7	0.3	2.0	0.7	1.1	0.4	1.3	1.3	0.6
	100.0	-	20.0	-	20.0	20.0	20.0	-	20.0	80.0	-	20.0	20.0	40.0L	40.0	40.0	20.0	60.0	80.0	20.0
Construction/Shipping Worker	3	-	1	-	-	1	-	-	1	1	-	2	3	-	1	1	1	2	1	1
	0.6	-	1.1	-	-	3.3	-	-	1.3	0.5	-	1.4	0.8	-	0.3	0.5	0.4	0.9	0.3	0.6
	100.0	-	33.3	-	-	33.3	-	-	33.3	33.3	-	66.7	100.0	-	33.3	33.3	33.3	66.7	33.3	33.3
Fisherman/Gardener/Lumberman	6	1	-	1	1	-	-	-	3	3	1	2	4	2	5	1	4	1	2	3
	1.2	7.1	-	1.0	1.3	-	-	-	3.8	1.5	0.7	1.4	1.0	2.0	1.7	0.5	1.7	0.4	0.6	1.8
	100.0	16.7	-	16.7	16.7	-	-	-	50.0	50.0	16.7	33.3	66.7	33.3	83.3	16.7	66.7	16.7	33.3	50.0
Housewife	16	1	3	4	1	-	5	-	2	8	4	4	8	8	10	6	7	6	11	4
	3.3	7.1	3.4	4.1	1.3	-	6.1	-	2.5	3.9	2.8	2.7	2.1	8.0	3.4	3.2	2.9	2.7	3.5	2.4
	100.0	6.3	18.8	25.0	6.3	-	31.3	-	12.5	50.0	25.0	25.0	50.0	50.0L	62.5	37.5	43.8	37.5	68.8	25.0

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 100
Detailed Occupation

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE				
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB- URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	OWN	RENT/ LEASE /OTHR	AT	LESS	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL
																LEAST	THAN				
												ONCE A WK.				ONCE A WK.					
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)			
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165	
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6	
Retired	101	4	15	20	14	7	15	3	23	44	28	29	97	4	68	32	52	41	67	30	
	20.6	28.6	16.9	20.4	18.2	23.3	18.3	14.3	28.8	21.7	19.9	19.7	25.3	4.0	23.4	16.8	21.7	18.3	21.6	18.2	
	100.0	4.0	14.9	19.8	13.9	6.9	14.9	3.0	22.8	43.6	27.7	28.7	96.0M	4.0	67.3	31.7	51.5	40.6	66.3	29.7	
Unemployed/Temporarily laid off	8	-	-	2	1	1	2	-	2	2	3	3	5	3	7	1	3	5	7	1	
	1.6	-	-	2.0	1.3	3.3	2.4	-	2.5	1.0	2.1	2.0	1.3	3.0	2.4	0.5	1.3	2.2	2.3	0.6	
	100.0	-	-	25.0	12.5	12.5	25.0	-	25.0	25.0	37.5	37.5	62.5	37.5	87.5	12.5	37.5	62.5	87.5	12.5	
Unable to work	31	-	6	11	2	2	7	1	2	9	7	15	21	9	24	7	21	9	16	15	
	6.3	-	6.7	11.2	2.6	6.7	8.5	4.8	2.5	4.4	5.0	10.2	5.5	9.0	8.2	3.7	8.8	4.0	5.2	9.1	
	100.0	-	19.4	35.5bH	6.5	6.5	22.6	3.2	6.5	29.0	22.6	48.4I	67.7	29.0	77.40	22.6	67.7Q	29.0	51.6	48.4	
No member/unknown	19	-	5	2	3	1	1	2	5	8	5	6	16	2	14	4	6	11	11	6	
	3.9	-	5.6	2.0	3.9	3.3	1.2	9.5	6.3	3.9	3.5	4.1	4.2	2.0	4.8	2.1	2.5	4.9	3.5	3.6	
	100.0	-	26.3	10.5	15.8	5.3	5.3	10.5	26.3	42.1	26.3	31.6	84.2	10.5	73.7	21.1	31.6	57.9	57.9	31.6	
Sigma	491	14	89	98	77	30	82	21	80	203	141	147	384	100	291	190	240	224	310	165	
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
	100.0	2.9	18.1	20.0	15.7	6.1	16.7	4.3	16.3	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 101
MSA

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
													AT	LESS			PRI-			
	NEW ENG-	MID- ATL-	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOON- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	RENT/ LEASE /OTHR	LEAST ONCE A WK.	THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	VATE WELL WATER		
	TOTAL	LAND	ANTIC									OWN								
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
0040 ABILENE, TX	2	-	-	-	-	-	2	-	-	-	2	-	2	-	1	1	2	-	1	1
	0.4	-	-	-	-	-	2.4	-	-	-	1.4	-	0.5	-	0.3	0.5	0.8	-	0.3	0.6
	100.0	-	-	-	-	-	100.0	-	-	-	100.0	-	100.0	-	50.0	50.0	100.0	-	50.0	50.0
0080 AKRON, OH	2	-	-	-	2	-	-	-	-	-	2	-	1	1	-	2	-	-	1	-
	0.4	-	-	-	2.6	-	-	-	-	-	1.4	-	0.3	1.0	-	1.1	-	-	0.3	-
	100.0	-	-	-	100.0	-	-	-	-	-	100.0	-	50.0	50.0	-	100.0	-	-	50.0	-
0240 ALLENTOWN-BETHLEHEM- EASTON PA	2	-	2	-	-	-	-	-	-	-	2	-	2	-	1	-	1	1	1	1
	0.4	-	2.2	-	-	-	-	-	-	-	1.4	-	0.5	-	0.3	-	0.4	0.4	0.3	0.6
	100.0	-	100.0	-	-	-	-	-	-	-	100.0	-	100.0	-	50.0	-	50.0	50.0	50.0	50.0
0280 ALTOONA, PA	1	-	1	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	1	-
	0.2	-	1.1	-	-	-	-	-	-	-	0.7	-	0.3	-	0.3	-	-	0.4	0.3	-
	100.0	-	100.0	-	-	-	-	-	-	-	100.0	-	100.0	-	100.0	-	-	100.0	100.0	-
0440 ANN ARBOR, MI	1	-	-	-	1	-	-	-	-	-	1	-	1	-	1	-	-	1	1	-
	0.2	-	-	-	1.3	-	-	-	-	-	0.7	-	0.3	-	0.3	-	-	0.4	0.3	-
	100.0	-	-	-	100.0	-	-	-	-	-	100.0	-	100.0	-	100.0	-	-	100.0	100.0	-
0460 APPLETON-OSHKOSH-NEENAH, WI	2	-	-	-	2	-	-	-	-	-	2	-	2	-	2	-	-	2	2	-
	0.4	-	-	-	2.6	-	-	-	-	-	1.4	-	0.5	-	0.7	-	-	0.9	0.6	-
	100.0	-	-	-	100.0	-	-	-	-	-	100.0	-	100.0	-	100.0	-	-	100.0	100.0	-
0520 ATLANTA, GA	4	-	-	4	-	-	-	-	-	4	-	-	3	1	4	-	4	-	3	1
	0.8	-	-	4.1	-	-	-	-	-	2.0	-	-	0.8	1.0	1.4	-	1.7	-	1.0	0.6
	100.0	-	-	100.0	-	-	-	-	-	100.0	-	-	75.0	25.0	100.0	-	100.0	-	75.0	25.0

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 101
MSA

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER	WATER SOURCE			
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB- URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	AT LEAST ONCE /OTHR A WK.		LESS THAN ONCE A WK.	SEP- TIC TANK	MUNI- CIPAL WATER	PRI- VATE WELL
		ENG- LAND	ATL- ANTIC																
		(A)	(B)																

Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
0640 AUSTIN-SAN MARCOS, TX	5	-	-	-	-	-	5	-	-	5	-	-	1	4	3	2	3	2	3	2
	1.0	-	-	-	-	-	6.1	-	-	2.5	-	-	0.3	4.0	1.0	1.1	1.3	0.9	1.0	1.2
	100.0	-	-	-	-	-	100.0	BCDH	-	100.0	-	-	20.0	80.0L	60.0	40.0	60.0	40.0	60.0	40.0
0680 BAKERSFIELD, CA	2	-	-	-	-	-	-	-	2	-	2	-	1	1	2	-	1	-	-	1
	0.4	-	-	-	-	-	-	-	2.5	-	1.4	-	0.3	1.0	0.7	-	0.4	-	-	0.6
	100.0	-	-	-	-	-	-	-	100.0	-	100.0	-	50.0	50.0	100.0	-	50.0	-	-	50.0
0720 BALTIMORE, MD	6	-	6	-	-	-	-	-	-	6	-	-	5	1	-	6	3	3	3	3
	1.2	-	6.7	-	-	-	-	-	-	3.0	-	-	1.3	1.0	-	3.2	1.3	1.3	1.0	1.8
	100.0	-	100.0	CDFH	-	-	-	-	-	100.0	JK	-	83.3	16.7	-	100.0N	50.0	50.0	50.0	50.0
0730 BANGOR, ME	1	1	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	1
	0.2	7.1	-	-	-	-	-	-	-	0.7	-	-	0.3	-	-	0.5	-	0.4	-	0.6
	100.0	100.0	-	-	-	-	-	-	-	100.0	-	-	100.0	-	-	100.0	-	100.0	-	100.0
0760 BATON ROUGE, LA	1	-	-	1	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	1
	0.2	-	-	1.0	-	-	-	-	-	0.7	-	-	0.3	-	0.3	-	0.4	-	-	0.6
	100.0	-	-	100.0	-	-	-	-	-	100.0	-	-	100.0	-	100.0	-	100.0	-	-	100.0
0870 BENTON HARBOR, MI	1	-	-	-	1	-	-	-	-	1	-	-	1	-	-	1	-	1	1	-
	0.2	-	-	-	1.3	-	-	-	-	0.7	-	-	0.3	-	-	0.5	-	0.4	0.3	-
	100.0	-	-	-	100.0	-	-	-	-	100.0	-	-	100.0	-	-	100.0	-	100.0	100.0	-
0875 BERGEN-PASSAIC, NJ	1	-	1	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	1	-
	0.2	-	1.1	-	-	-	-	-	-	0.5	-	-	0.3	-	-	0.5	-	0.4	0.3	-
	100.0	-	100.0	-	-	-	-	-	-	100.0	-	-	100.0	-	-	100.0	-	100.0	100.0	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 101
MSA

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
TOTAL	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
0880 BILLINGS, MT	2	-	-	-	-	-	-	2	-	-	2	-	2	-	-	2	-	1	1	1
	0.4	-	-	-	-	-	-	9.5	-	-	1.4	-	0.5	-	-	1.1	-	0.4	0.3	0.6
	100.0	-	-	-	-	-	-	100.0	-	-	100.0	-	100.0	-	-	100.0	-	50.0	50.0	50.0
0920 BILOXI-GULFPORT- PASCAGOULA, MS	1	-	-	1	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	1
	0.2	-	-	1.0	-	-	-	-	-	-	0.7	-	0.3	-	0.3	-	0.4	-	-	0.6
	100.0	-	-	100.0	-	-	-	-	-	-	100.0	-	100.0	-	100.0	-	100.0	-	-	100.0
0960 BINGHAMTON, NY	2	-	2	-	-	-	-	-	-	-	2	-	2	-	2	-	1	-	-	1
	0.4	-	2.2	-	-	-	-	-	-	-	1.4	-	0.5	-	0.7	-	0.4	-	-	0.6
	100.0	-	100.0	-	-	-	-	-	-	-	100.0	-	100.0	-	100.0	-	50.0	-	-	50.0
1000 BIRMINGHAM, AL	1	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-
	0.2	-	-	1.0	-	-	-	-	-	-	0.7	-	-	-	0.3	-	0.4	-	0.3	-
	100.0	-	-	100.0	-	-	-	-	-	-	100.0	-	-	-	100.0	-	100.0	-	100.0	-
1120 BOSTON, MA-NH	3	3	-	-	-	-	-	-	-	3	-	-	3	-	2	1	-	3	3	-
	0.6	21.4	-	-	-	-	-	-	-	1.5	-	-	0.8	-	0.7	0.5	-	1.3	1.0	-
	100.0	100.0	-	-	-	-	-	-	-	100.0	-	-	100.0	-	66.7	33.3	-	100.0	100.0	-
1125 BOULDER-LONGMONT, CO	2	-	-	-	-	-	-	2	-	-	2	-	2	-	1	1	-	2	2	-
	0.4	-	-	-	-	-	-	9.5	-	-	1.4	-	0.5	-	0.3	0.5	-	0.9	0.6	-
	100.0	-	-	-	-	-	-	100.0	-	-	100.0	-	100.0	-	50.0	50.0	-	100.0	100.0	-
1145 BRAZORIA, TX	1	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	-	1	1	-
	0.2	-	-	-	-	-	1.2	-	-	-	0.7	-	0.3	-	0.3	-	-	0.4	0.3	-
	100.0	-	-	-	-	-	100.0	-	-	-	100.0	-	100.0	-	100.0	-	-	100.0	100.0	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 101
MSA

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE ONCE /OTHR	AT	LESS	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WATER	VATE WELL WATER	
		ENG- LAND	ATL- ANTIC											LEAST ONCE A WK.	THAN ONCE A WK.					
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
1150 BREMERTON, WA	1	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	1	1	-
	0.2	-	-	-	-	-	-	-	1.3	-	0.7	-	0.3	-	-	0.5	-	0.4	0.3	-
	100.0	-	-	-	-	-	-	-	100.0	-	100.0	-	100.0	-	-	100.0	-	100.0	100.0	-
1160 BRIDGEPORT, CT	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	1
	0.2	7.1	-	-	-	-	-	-	-	-	0.7	-	0.3	-	-	0.5	0.4	-	-	0.6
	100.0	100.0	-	-	-	-	-	-	-	-	100.0	-	100.0	-	-	100.0	100.0	-	-	100.0
1240 BROWNSVILLE-HARLINGEN- SAN BENITO, TX	3	-	-	-	-	-	3	-	-	-	3	-	3	-	2	1	2	1	2	1
	0.6	-	-	-	-	-	3.7	-	-	-	2.1	-	0.8	-	0.7	0.5	0.8	0.4	0.6	0.6
	100.0	-	-	-	-	-	100.0	-	-	-	100.0	-	100.0	-	66.7	33.3	66.7	33.3	66.7	33.3
1280 BUFFALO-NIAGRA FALLS, NY	4	-	4	-	-	-	-	-	-	4	-	-	3	1	3	1	2	2	2	2
	0.8	-	4.5	-	-	-	-	-	-	2.0	-	-	0.8	1.0	1.0	0.5	0.8	0.9	0.6	1.2
	100.0	-	100.0	-	-	-	-	-	-	100.0	-	-	75.0	25.0	75.0	25.0	50.0	50.0	50.0	50.0
1350 CASPER, WY	1	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	1	-
	0.2	-	-	-	-	-	-	4.8	-	-	0.7	-	0.3	-	0.3	-	-	-	0.3	-
	100.0	-	-	-	-	-	-	100.0	-	-	100.0	-	100.0	-	100.0	-	-	-	100.0	-
1440 CHARLESTON-NORTH CHARLESTON, SC	1	-	-	1	-	-	-	-	-	-	1	-	1	-	1	-	-	1	1	-
	0.2	-	-	1.0	-	-	-	-	-	-	0.7	-	0.3	-	0.3	-	-	0.4	0.3	-
	100.0	-	-	100.0	-	-	-	-	-	-	100.0	-	100.0	-	100.0	-	-	100.0	100.0	-
1580 CHEYENNE, WY	2	-	-	-	-	-	-	2	-	-	2	-	2	-	1	1	1	1	1	1
	0.4	-	-	-	-	-	-	9.5	-	-	1.4	-	0.5	-	0.3	0.5	0.4	0.4	0.3	0.6
	100.0	-	-	-	-	-	-	100.0	-	-	100.0	-	100.0	-	50.0	50.0	50.0	50.0	50.0	50.0

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
 * small base; ** very small base (under 30) ineligible for sig testing

Table 101
MSA

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL		
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)								
													(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
1600 CHICAGO, IL	9	-	-	-	9	-	-	-	-	9	-	-	9	-	5	4	1	7	8	1
	1.8	-	-	-	11.7	-	-	-	-	4.4	-	-	2.3	-	1.7	2.1	0.4	3.1	2.6	0.6
	100.0	-	-	-	100.0	BCFH	-	-	-	100.0	JK	-	100.0	-	55.6	44.4	11.1	77.8P	88.9	11.1
1640 CINCINNATI, OH-KY-IN	2	-	-	2	-	-	-	-	-	2	-	-	1	1	2	-	1	1	1	1
	0.4	-	-	2.0	-	-	-	-	-	1.0	-	-	0.3	1.0	0.7	-	0.4	0.4	0.3	0.6
	100.0	-	-	100.0	-	-	-	-	-	100.0	-	-	50.0	50.0	100.0	-	50.0	50.0	50.0	50.0
1680 CLEVELAND-LORAIN-ELYRIA, OH	5	-	-	-	5	-	-	-	-	5	-	-	5	-	5	-	1	4	5	-
	1.0	-	-	-	6.5	-	-	-	-	2.5	-	-	1.3	-	1.7	-	0.4	1.8	1.6	-
	100.0	-	-	-	100.0	BCFH	-	-	-	100.0	-	-	100.0	-	100.0	-	20.0	80.0	100.0	-
1720 COLORADO SPRINGS, CO	1	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	1	1	-
	0.2	-	-	-	-	-	-	4.8	-	-	0.7	-	0.3	-	0.3	-	-	0.4	0.3	-
	100.0	-	-	-	-	-	-	100.0	-	-	100.0	-	100.0	-	100.0	-	-	100.0	100.0	-
1840 COLUMBUS, OH	2	-	-	-	2	-	-	-	-	2	-	-	1	-	-	2	1	1	2	-
	0.4	-	-	-	2.6	-	-	-	-	1.0	-	-	0.3	-	-	1.1	0.4	0.4	0.6	-
	100.0	-	-	-	100.0	-	-	-	-	100.0	-	-	50.0	-	-	100.0	50.0	50.0	100.0	-
1880 CORPUS CHRISTI, TX	2	-	-	-	-	-	2	-	-	-	2	-	2	-	2	-	1	1	1	1
	0.4	-	-	-	-	-	2.4	-	-	-	1.4	-	0.5	-	0.7	-	0.4	0.4	0.3	0.6
	100.0	-	-	-	-	-	100.0	-	-	-	100.0	-	100.0	-	100.0	-	50.0	50.0	50.0	50.0
1920 DALLAS, TX	2	-	-	-	-	-	2	-	-	2	-	-	1	1	-	2	1	1	2	-
	0.4	-	-	-	-	-	2.4	-	-	1.0	-	-	0.3	1.0	-	1.1	0.4	0.4	0.6	-
	100.0	-	-	-	-	-	100.0	-	-	100.0	-	-	50.0	50.0	-	100.0	50.0	50.0	100.0	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 101
MSA

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT	LESS	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
		ENG- LAND	ATL- ANTIC											LEAST	THAN					
		(A)	(B)									ONCE A WK.		ONCE A WK.	(P)					(Q)
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
1960 DAVENPORT-ROCK ISLAND- MOLINE, IA-IL	1	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	1	-	-	1
	0.2	-	-	-	1.3	-	-	-	-	-	0.7	-	0.3	-	-	-	0.4	-	-	0.6
	100.0	-	-	-	100.0	-	-	-	-	-	100.0	-	100.0	-	-	-	100.0	-	-	100.0
2000 DAYTON-SPRINGFIELD, OH	1	-	-	-	1	-	-	-	-	-	1	-	1	-	1	-	1	-	-	1
	0.2	-	-	-	1.3	-	-	-	-	-	0.7	-	0.3	-	0.3	-	0.4	-	-	0.6
	100.0	-	-	-	100.0	-	-	-	-	-	100.0	-	100.0	-	100.0	-	100.0	-	-	100.0
2080 DENVER, CO	2	-	-	-	-	-	-	2	-	2	-	-	2	-	1	1	2	-	1	1
	0.4	-	-	-	-	-	-	9.5	-	1.0	-	-	0.5	-	0.3	0.5	0.8	-	0.3	0.6
	100.0	-	-	-	-	-	-	100.0	-	100.0	-	-	100.0	-	50.0	50.0	100.0	-	50.0	50.0
2160 DETROIT, MI	5	-	-	-	5	-	-	-	-	5	-	-	4	1	2	3	1	3	4	1
	1.0	-	-	-	6.5	-	-	-	-	2.5	-	-	1.0	1.0	0.7	1.6	0.4	1.3	1.3	0.6
	100.0	-	-	-	100.0	-	-	-	-	100.0	-	-	80.0	20.0	40.0	60.0	20.0	60.0	80.0	20.0
2320 EL PASO, TX	2	-	-	-	-	-	2	-	-	-	2	-	1	1	2	-	-	2	1	1
	0.4	-	-	-	-	-	2.4	-	-	-	1.4	-	0.3	1.0	0.7	-	-	0.9	0.3	0.6
	100.0	-	-	-	-	-	100.0	-	-	-	100.0	-	50.0	50.0	100.0	-	-	100.0	50.0	50.0
2560 FAYETTEVILLE, NC	1	-	-	1	-	-	-	-	-	-	1	-	-	1	-	1	-	1	1	-
	0.2	-	-	1.0	-	-	-	-	-	-	0.7	-	-	1.0	-	0.5	-	0.4	0.3	-
	100.0	-	-	100.0	-	-	-	-	-	-	100.0	-	-	100.0	-	100.0	-	100.0	100.0	-
2620 FLAGSTAFF, AZ-UT	1	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	-	1	1	-
	0.2	-	-	-	-	-	1.2	-	-	-	0.7	-	0.3	-	-	0.5	-	0.4	0.3	-
	100.0	-	-	-	-	-	100.0	-	-	-	100.0	-	100.0	-	-	100.0	-	100.0	100.0	-

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
 * small base; ** very small base (under 30) ineligible for sig testing

Table 101
MSA

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	AT LEAST ONCE A WK.		LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER			
	TOTAL	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
2680 FORT LAUDERDALE, FL	2	-	-	2	-	-	-	-	-	2	-	-	1	1	1	1	-	2	2	-
	0.4	-	-	2.0	-	-	-	-	-	1.0	-	-	0.3	1.0	0.3	0.5	-	0.9	0.6	-
	100.0	-	-	100.0	-	-	-	-	-	100.0	-	-	50.0	50.0	50.0	50.0	-	100.0	100.0	-
2700 FORT MYERS-CAPE CORAL, FL	2	-	-	2	-	-	-	-	-	2	-	2	-	1	1	2	-	1	1	-
	0.4	-	-	2.0	-	-	-	-	-	1.4	-	0.5	-	0.3	0.5	0.8	-	0.3	0.6	-
	100.0	-	-	100.0	-	-	-	-	-	100.0	-	100.0	-	50.0	50.0	100.0	-	50.0	50.0	-
2710 FORT PIERCE-PORT ST LUCIE, FL	1	-	-	1	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	1
	0.2	-	-	1.0	-	-	-	-	-	0.7	-	0.3	-	0.3	-	0.4	-	-	-	0.6
	100.0	-	-	100.0	-	-	-	-	-	100.0	-	100.0	-	100.0	-	100.0	-	-	-	100.0
2720 FORT SMITH, AR-OK	1	-	-	1	-	-	-	-	-	1	-	1	-	1	-	-	-	1	1	-
	0.2	-	-	1.0	-	-	-	-	-	0.7	-	0.3	-	0.3	-	-	-	0.4	0.3	-
	100.0	-	-	100.0	-	-	-	-	-	100.0	-	100.0	-	100.0	-	-	-	100.0	100.0	-
2750 FORT WALTON BEACH, FL	1	-	-	1	-	-	-	-	-	1	-	-	1	1	-	-	-	1	1	-
	0.2	-	-	1.0	-	-	-	-	-	0.7	-	-	1.0	0.3	-	-	-	0.4	0.3	-
	100.0	-	-	100.0	-	-	-	-	-	100.0	-	-	100.0	100.0	-	-	-	100.0	100.0	-
2800 FORT WORTH-ARLINGTON, TX	7	-	-	-	-	-	7	-	-	7	-	-	5	2	5	2	4	3	5	2
	1.4	-	-	-	-	-	8.5	-	-	3.4	-	-	1.3	2.0	1.7	1.1	1.7	1.3	1.6	1.2
	100.0	-	-	-	-	-	100.0	BCDH	-	100.0	JK	-	71.4	28.6	71.4	28.6	57.1	42.9	71.4	28.6
2900 GAINSVILLE, FL	1	-	-	1	-	-	-	-	-	1	-	1	-	1	-	1	-	1	1	-
	0.2	-	-	1.0	-	-	-	-	-	0.7	-	0.3	-	0.3	-	0.4	-	0.3	0.3	-
	100.0	-	-	100.0	-	-	-	-	-	100.0	-	100.0	-	100.0	-	100.0	-	100.0	100.0	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 101
MSA

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
2920 GALVESTON-TEXAS CITY, TX	1	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	-	1	1	-
	0.2	-	-	-	-	-	1.2	-	-	-	0.7	-	0.3	-	-	0.5	-	0.4	0.3	-
	100.0	-	-	-	-	-	100.0	-	-	-	100.0	-	100.0	-	-	100.0	-	100.0	100.0	-
3000 GRAND RAPIDS-MUSKEGON- HOLLAND, MI	1	-	-	-	1	-	-	-	-	1	-	-	1	-	1	-	1	-	-	1
	0.2	-	-	-	1.3	-	-	-	-	0.5	-	-	0.3	-	0.3	-	0.4	-	-	0.6
	100.0	-	-	-	100.0	-	-	-	-	100.0	-	-	100.0	-	100.0	-	100.0	-	-	100.0
3160 GREENVILLE-SPARTANBURG- ANDERSON, SC	1	-	-	1	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	1
	0.2	-	-	1.0	-	-	-	-	-	0.7	-	0.3	-	-	0.5	0.4	-	-	-	0.6
	100.0	-	-	100.0	-	-	-	-	-	100.0	-	100.0	-	-	100.0	100.0	-	-	-	100.0
3240 HARRISBURG-LEBANON- CARLISLE, PA	4	-	4	-	-	-	-	-	-	4	-	4	-	2	2	2	2	1	3	
	0.8	-	4.5	-	-	-	-	-	-	2.8	-	1.0	-	0.7	1.1	0.8	0.9	0.3	1.8	
	100.0	-	100.0	-	-	-	-	-	-	100.0	-	100.0	-	50.0	50.0	50.0	50.0	25.0	75.0	
3360 HOUSTON, TX	2	-	-	-	-	-	2	-	-	2	-	1	-	-	2	-	2	2	-	
	0.4	-	-	-	-	-	2.4	-	-	1.0	-	0.3	-	-	1.1	-	0.9	0.6	-	
	100.0	-	-	-	-	-	100.0	-	-	100.0	-	50.0	-	-	100.0	-	100.0	100.0	-	
3400 HUNTINGTON-ASHLAND, WV- KY-OH	2	-	-	2	-	-	-	-	-	2	-	2	-	1	1	-	1	2	-	
	0.4	-	-	2.0	-	-	-	-	-	1.4	-	0.5	-	0.3	0.5	-	0.4	0.6	-	
	100.0	-	-	100.0	-	-	-	-	-	100.0	-	100.0	-	50.0	50.0	-	50.0	100.0	-	
3480 INDIANAPOLIS, IN	2	-	-	-	2	-	-	-	-	2	-	1	1	2	-	-	2	1	1	
	0.4	-	-	-	2.6	-	-	-	-	1.0	-	0.3	1.0	0.7	-	-	0.9	0.3	0.6	
	100.0	-	-	-	100.0	-	-	-	-	100.0	-	50.0	50.0	100.0	-	-	100.0	50.0	50.0	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 101
MSA

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	OWN	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
3610 JAMESTOWN, NY	1	-	1	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	1
	0.2	-	1.1	-	-	-	-	-	-	-	0.7	-	0.3	-	0.3	-	0.4	-	-	0.6
	100.0	-	100.0	-	-	-	-	-	-	-	100.0	-	100.0	-	100.0	-	100.0	-	-	100.0
3680 JOHNSTOWN, PA	2	-	2	-	-	-	-	-	-	-	2	-	2	-	1	1	1	1	1	1
	0.4	-	2.2	-	-	-	-	-	-	-	1.4	-	0.5	-	0.3	0.5	0.4	0.4	0.3	0.6
	100.0	-	100.0	-	-	-	-	-	-	-	100.0	-	100.0	-	50.0	50.0	50.0	50.0	50.0	50.0
3700 JONESBORO, AR	1	-	-	1	-	-	-	-	-	-	1	-	1	-	1	-	1	-	1	-
	0.2	-	-	1.0	-	-	-	-	-	-	0.7	-	0.3	-	0.3	-	0.4	-	0.3	-
	100.0	-	-	100.0	-	-	-	-	-	-	100.0	-	100.0	-	100.0	-	100.0	-	100.0	-
3720 KALAMAZOO-BATLE CREEK, MI	2	-	-	-	2	-	-	-	-	-	2	-	2	-	1	1	1	1	1	1
	0.4	-	-	-	2.6	-	-	-	-	-	1.4	-	0.5	-	0.3	0.5	0.4	0.4	0.3	0.6
	100.0	-	-	-	100.0	-	-	-	-	-	100.0	-	100.0	-	50.0	50.0	50.0	50.0	50.0	50.0
3760 KANSAS CITY, MO-KS	2	-	-	-	-	2	-	-	-	-	2	-	2	-	1	1	-	2	2	-
	0.4	-	-	-	-	6.7	-	-	-	-	1.0	-	0.5	-	0.3	0.5	-	0.9	0.6	-
	100.0	-	-	-	-	100.0	BCDF	-	-	-	100.0	-	100.0	-	50.0	50.0	-	100.0	100.0	-
							H													
3810 KILLEEN-TEMPLE, TX	3	-	-	-	-	-	3	-	-	-	3	-	3	-	2	1	3	-	3	-
	0.6	-	-	-	-	-	3.7	-	-	-	2.1	-	0.8	-	0.7	0.5	1.3	-	1.0	-
	100.0	-	-	-	-	-	100.0	-	-	-	100.01	-	100.0	-	66.7	33.3	100.0	-	100.0	-
3880 LAFAYETTE, LA	1	-	-	1	-	-	-	-	-	-	1	-	1	-	1	-	1	-	1	-
	0.2	-	-	1.0	-	-	-	-	-	-	0.7	-	0.3	-	0.3	-	0.4	-	0.3	-
	100.0	-	-	100.0	-	-	-	-	-	-	100.0	-	100.0	-	100.0	-	100.0	-	100.0	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 101
MSA

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WATER	VATE WELL WATER	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
3960 LAKE CHARLES, LA	1	-	-	1	-	-	-	-	-	1	-	1	-	1	-	1	-	1	-	-
	0.2	-	-	1.0	-	-	-	-	-	0.7	-	0.3	-	0.3	-	0.4	-	0.3	-	-
	100.0	-	-	100.0	-	-	-	-	-	100.0	-	100.0	-	100.0	-	100.0	-	100.0	-	-
4000 LANCASTER, PA	1	-	1	-	-	-	-	-	-	1	-	1	-	-	1	-	1	1	-	-
	0.2	-	1.1	-	-	-	-	-	-	0.7	-	0.3	-	-	0.5	-	0.4	0.3	-	-
	100.0	-	100.0	-	-	-	-	-	-	100.0	-	100.0	-	-	100.0	-	100.0	100.0	-	-
4040 LANSING-EAST LANSING, MI	1	-	-	-	1	-	-	-	-	1	-	1	-	-	1	-	1	1	-	-
	0.2	-	-	-	1.3	-	-	-	-	0.7	-	0.3	-	-	0.5	-	0.4	0.3	-	-
	100.0	-	-	-	100.0	-	-	-	-	100.0	-	100.0	-	-	100.0	-	100.0	100.0	-	-
4100 LAS CRUCES, NM	1	-	-	-	-	-	1	-	-	1	-	1	-	1	-	1	-	1	-	-
	0.2	-	-	-	-	-	1.2	-	-	0.7	-	0.3	-	0.3	-	0.4	-	0.3	-	-
	100.0	-	-	-	-	-	100.0	-	-	100.0	-	100.0	-	100.0	-	100.0	-	100.0	-	-
4120 LAS VEGAS, NV-AZ	3	-	-	-	-	-	3	-	-	3	-	2	1	2	1	1	2	3	-	-
	0.6	-	-	-	-	-	3.7	-	-	1.5	-	0.5	1.0	0.7	0.5	0.4	0.9	1.0	-	-
	100.0	-	-	-	-	-	100.0	-	-	100.0	-	66.7	33.3	66.7	33.3	33.3	66.7	100.0	-	-
4280 LEXINGTON, KY	2	-	-	2	-	-	-	-	-	2	-	1	1	1	1	-	1	2	-	-
	0.4	-	-	2.0	-	-	-	-	-	1.4	-	0.3	1.0	0.3	0.5	-	0.4	0.6	-	-
	100.0	-	-	100.0	-	-	-	-	-	100.0	-	50.0	50.0	50.0	50.0	-	50.0	100.0	-	-
4320 LIMA, OH	2	-	-	-	2	-	-	-	-	2	-	2	-	1	1	-	2	2	-	-
	0.4	-	-	-	2.6	-	-	-	-	1.4	-	0.5	-	0.3	0.5	-	0.9	0.6	-	-
	100.0	-	-	-	100.0	-	-	-	-	100.0	-	100.0	-	50.0	50.0	-	100.0	100.0	-	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 101
MSA

	REGION										MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE	
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL	RENT/ LEASE /OTHR		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
4400 LITTLE ROCK-NORTH LITTLE ROCK, AR	1	-	-	1	-	-	-	-	-	-	1	-	1	-	-	1	1	-	1	-
	0.2	-	-	1.0	-	-	-	-	-	-	0.7	-	0.3	-	-	0.5	0.4	-	0.3	-
	100.0	-	-	100.0	-	-	-	-	-	-	100.0	-	100.0	-	-	100.0	100.0	-	100.0	-
4420 LONGVIEW-MARSHALL, TX	1	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	1	-	1	-
	0.2	-	-	-	-	-	1.2	-	-	-	0.7	-	0.3	-	-	0.5	0.4	-	0.3	-
	100.0	-	-	-	-	-	100.0	-	-	-	100.0	-	100.0	-	-	100.0	100.0	-	100.0	-
4480 LOS ANGELES-LONG BEACH, CA	13	-	-	-	-	-	-	-	13	13	-	-	8	5	7	6	1	11	12	-
	2.6	-	-	-	-	-	-	-	16.3	6.4	-	-	2.1	5.0	2.4	3.2	0.4	4.9	3.9	-
	100.0	-	-	-	-	-	-	-	100.0	100.0JK	-	-	61.5	38.5	53.8	46.2	7.7	84.6P	92.3S	-
									BCDEF											
4520 LOUISVILLE, KY-IN	2	-	-	1	1	-	-	-	-	-	2	-	1	1	1	1	-	2	2	-
	0.4	-	-	1.0	1.3	-	-	-	-	-	1.4	-	0.3	1.0	0.3	0.5	-	0.9	0.6	-
	100.0	-	-	50.0	50.0	-	-	-	-	-	100.0	-	50.0	50.0	50.0	50.0	-	100.0	100.0	-
4880 MCALLEN-EDINBURG- MISSION, TX	1	-	-	-	-	-	1	-	-	-	1	-	-	1	1	-	-	-	1	-
	0.2	-	-	-	-	-	1.2	-	-	-	0.7	-	-	1.0	0.3	-	-	-	0.3	-
	100.0	-	-	-	-	-	100.0	-	-	-	100.0	-	-	100.0	100.0	-	-	-	100.0	-
4900 MELBOURNE-TITUSVILLE- PALM BAY, FL	4	-	-	4	-	-	-	-	-	-	4	-	3	1	4	-	1	2	4	-
	0.8	-	-	4.1	-	-	-	-	-	-	2.8	-	0.8	1.0	1.4	-	0.4	0.9	1.3	-
	100.0	-	-	100.0	-	-	-	-	-	-	100.0IK	-	75.0	25.0	100.0	-	25.0	50.0	100.0	-
4920 MEMPHIS, TN-AR-MS	1	-	-	1	-	-	-	-	-	1	-	-	-	1	1	-	-	1	1	-
	0.2	-	-	1.0	-	-	-	-	-	0.5	-	-	-	1.0	0.3	-	-	0.4	0.3	-
	100.0	-	-	100.0	-	-	-	-	-	100.0	-	-	-	100.0	100.0	-	-	100.0	100.0	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 101
MSA

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WATER	VATE WELL WATER
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
5000 MIAMI, FL	2	-	-	2	-	-	-	-	-	2	-	-	2	-	2	-	-	2	1	-
	0.4	-	-	2.0	-	-	-	-	-	1.0	-	-	0.5	-	0.7	-	-	0.9	0.3	-
	100.0	-	-	100.0	-	-	-	-	-	100.0	-	-	100.0	-	100.0	-	-	100.0	50.0	-
5015 MIDDLESEX-SOMERSET- HUNTERDON, NJ	2	-	2	-	-	-	-	-	-	2	-	-	2	-	1	1	1	1	1	1
	0.4	-	2.2	-	-	-	-	-	-	1.0	-	-	0.5	-	0.3	0.5	0.4	0.4	0.3	0.6
	100.0	-	100.0	-	-	-	-	-	-	100.0	-	-	100.0	-	50.0	50.0	50.0	50.0	50.0	50.0
5080 MILWAUKEE-WAUKESHA, WI	4	-	-	-	4	-	-	-	-	4	-	-	2	2	2	2	2	2	2	2
	0.8	-	-	-	5.2	-	-	-	-	2.0	-	-	0.5	2.0	0.7	1.1	0.8	0.9	0.6	1.2
	100.0	-	-	-	100.0	BCFH	-	-	-	100.0	-	-	50.0	50.0	50.0	50.0	50.0	50.0	50.0	50.0
5120 MINNEAPOLIS-ST. PAUL, MN-WI	4	-	-	-	4	-	-	-	-	4	-	-	4	-	3	1	1	3	3	1
	0.8	-	-	-	5.2	-	-	-	-	2.0	-	-	1.0	-	1.0	0.5	0.4	1.3	1.0	0.6
	100.0	-	-	-	100.0	BCFH	-	-	-	100.0	-	-	100.0	-	75.0	25.0	25.0	75.0	75.0	25.0
5160 MOBILE, AL	1	-	-	1	-	-	-	-	-	1	-	-	1	-	1	-	1	-	1	-
	0.2	-	-	1.0	-	-	-	-	-	0.7	-	-	0.3	-	0.3	-	0.4	-	0.3	-
	100.0	-	-	100.0	-	-	-	-	-	100.0	-	-	100.0	-	100.0	-	100.0	-	100.0	-
5190 MONMOUTH-OCEAN, NJ	2	-	2	-	-	-	-	-	-	2	-	-	1	1	-	2	-	2	2	-
	0.4	-	2.2	-	-	-	-	-	-	1.0	-	-	0.3	1.0	-	1.1	-	0.9	0.6	-
	100.0	-	100.0	-	-	-	-	-	-	100.0	-	-	50.0	50.0	-	100.0	-	100.0	100.0	-
5350 NASHUA, NH	1	1	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	1	1	-
	0.2	7.1	-	-	-	-	-	-	-	0.7	-	-	0.3	-	0.5	-	0.4	0.3	-	-
	100.0	100.0	-	-	-	-	-	-	-	100.0	-	-	100.0	-	100.0	-	100.0	100.0	100.0	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 101
MSA

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
		ENG-	ATL-					SOUTH												MOUN-
		LAND	ANTIC					-EAST												TAIN
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
5380 NASSAU-SUFFOLK, NY	2	-	2	-	-	-	-	-	-	2	-	-	1	1	1	1	1	1	2	-
	0.4	-	2.2	-	-	-	-	-	-	1.0	-	-	0.3	1.0	0.3	0.5	0.4	0.4	0.6	-
	100.0	-	100.0	-	-	-	-	-	-	100.0	-	-	50.0	50.0	50.0	50.0	50.0	50.0	100.0	-
5600 NEW YORK, NY	2	-	2	-	-	-	-	-	-	2	-	-	1	1	1	1	-	2	2	-
	0.4	-	2.2	-	-	-	-	-	-	1.0	-	-	0.3	1.0	0.3	0.5	-	0.9	0.6	-
	100.0	-	100.0	-	-	-	-	-	-	100.0	-	-	50.0	50.0	50.0	50.0	-	100.0	100.0	-
5640 NEWARK, NJ	5	-	5	-	-	-	-	-	-	5	-	-	5	-	2	3	3	2	3	2
	1.0	-	5.6	-	-	-	-	-	-	2.5	-	-	1.3	-	0.7	1.6	1.3	0.9	1.0	1.2
	100.0	-	100.0	CDHF	-	-	-	-	-	100.0	-	-	100.0	-	40.0	60.0	60.0	40.0	60.0	40.0
5660 NEWBURGH, NY-PA	2	-	2	-	-	-	-	-	-	2	-	-	2	-	-	2	-	2	1	1
	0.4	-	2.2	-	-	-	-	-	-	1.4	-	-	0.5	-	-	1.1	-	0.9	0.3	0.6
	100.0	-	100.0	-	-	-	-	-	-	100.0	-	-	100.0	-	-	100.0	-	100.0	50.0	50.0
5720 NORFOLK-VIRGINIA BEACH- NEWPORT NEWS, VA-NC	2	-	-	2	-	-	-	-	-	2	-	-	2	-	1	1	-	1	1	-
	0.4	-	-	2.0	-	-	-	-	-	1.0	-	-	0.5	-	0.3	0.5	-	0.4	0.3	-
	100.0	-	-	100.0	-	-	-	-	-	100.0	-	-	100.0	-	50.0	50.0	-	50.0	50.0	-
5775 OAKLAND, CA	5	-	-	-	-	-	-	-	5	5	-	-	4	1	5	-	-	3	4	-
	1.0	-	-	-	-	-	-	-	6.3	2.5	-	-	1.0	1.0	1.7	-	-	1.3	1.3	-
	100.0	-	-	-	-	-	-	-	100.0	100.0	-	-	80.0	20.0	100.0	-	-	60.0	80.0	-
									BCDF											
5880 OKLAHOMA CITY, OK	1	-	-	-	-	-	1	-	-	1	-	-	1	-	-	1	-	1	1	-
	0.2	-	-	-	-	-	1.2	-	-	0.5	-	-	0.3	-	-	0.5	-	0.4	0.3	-
	100.0	-	-	-	-	-	100.0	-	-	100.0	-	-	100.0	-	-	100.0	-	100.0	100.0	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 101
MSA

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW	MID-	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT	LESS	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
		ENG- LAND	ATL- ANTIC					MOUN- TAIN						ONCE	THAN ONCE					
		(A)	(B)					(C)				(D)		(E)	(F)					(G)
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
5945 ORANGE COUNTY, CA	2	-	-	-	-	-	-	-	2	2	-	-	2	-	2	-	-	2	2	-
	0.4	-	-	-	-	-	-	-	2.5	1.0	-	-	0.5	-	0.7	-	-	0.9	0.6	-
	100.0	-	-	-	-	-	-	-	100.0	100.0	-	-	100.0	-	100.0	-	-	100.0	100.0	-
5960 ORLANDO, FL	2	-	-	2	-	-	-	-	-	2	-	-	-	2	2	-	1	1	1	1
	0.4	-	-	2.0	-	-	-	-	-	1.0	-	-	-	2.0	0.7	-	0.4	0.4	0.3	0.6
	100.0	-	-	100.0	-	-	-	-	-	100.0	-	-	-	100.0	100.0	-	50.0	50.0	50.0	50.0
													L							
6020 PARKERSBURG-MARIETTA, WV-OH	2	-	-	1	1	-	-	-	-	-	2	-	1	1	-	2	1	1	1	1
	0.4	-	-	1.0	1.3	-	-	-	-	-	1.4	-	0.3	1.0	-	1.1	0.4	0.4	0.3	0.6
	100.0	-	-	50.0	50.0	-	-	-	-	-	100.0	-	50.0	50.0	-	100.0	50.0	50.0	50.0	50.0
6160 PHILADELPHIA, PA-NJ	9	-	9	-	-	-	-	-	-	9	-	-	9	-	4	5	2	5	6	2
	1.8	-	10.1	-	-	-	-	-	-	4.4	-	-	2.3	-	1.4	2.6	0.8	2.2	1.9	1.2
	100.0	-	100.0	CDFH	-	-	-	-	-	100.0	JK	-	100.0	-	44.4	55.6	22.2	55.6	66.7	22.2
6200 PHOENIX-MESA, AZ	9	-	-	-	-	-	9	-	-	9	-	-	7	2	7	2	6	3	8	1
	1.8	-	-	-	-	-	11.0	-	-	4.4	-	-	1.8	2.0	2.4	1.1	2.5	1.3	2.6	0.6
	100.0	-	-	-	-	-	100.0	BCDH	-	100.0	JK	-	77.8	22.2	77.8	22.2	66.7	33.3	88.9	11.1
6280 PITTSBURGH, PA	7	-	7	-	-	-	-	-	-	7	-	-	7	-	1	6	2	5	5	2
	1.4	-	7.9	-	-	-	-	-	-	3.4	-	-	1.8	-	0.3	3.2	0.8	2.2	1.6	1.2
	100.0	-	100.0	CDFH	-	-	-	-	-	100.0	JK	-	100.0	-	14.3	85.7	28.6	71.4	71.4	28.6
6440 PORTLAND-VANCOUVER, OR- WA	3	-	-	-	-	-	-	-	3	3	-	-	3	-	1	2	-	3	3	-
	0.6	-	-	-	-	-	-	-	3.8	1.5	-	-	0.8	-	0.3	1.1	-	1.3	1.0	-
	100.0	-	-	-	-	-	-	-	100.0	100.0	-	-	100.0	-	33.3	66.7	-	100.0	100.0	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 101
MSA

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL	
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
6450 PORTSMOUTH-ROCHESTER, NH-ME	2	2	-	-	-	-	-	-	-	2	-	2	-	-	2	1	1	1	1	-
	0.4	14.3	-	-	-	-	-	-	-	1.4	-	0.5	-	-	1.1	0.4	0.4	0.3	0.6	-
	100.0	100.0	-	-	-	-	-	-	-	100.0	-	100.0	-	-	100.0	50.0	50.0	50.0	50.0	-
6560 PUEBLO, CO	1	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	1	-	1	-
	0.2	-	-	-	-	-	-	4.8	-	-	0.7	-	0.3	-	0.3	-	0.4	-	0.6	-
	100.0	-	-	-	-	-	-	100.0	-	-	100.0	-	100.0	-	100.0	-	100.0	-	100.0	-
6720 RENO, NV	1	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	1	1	-	-
	0.2	-	-	-	-	-	1.2	-	-	-	0.7	-	0.3	-	0.3	-	0.4	0.3	-	-
	100.0	-	-	-	-	-	100.0	-	-	-	100.0	-	100.0	-	100.0	-	100.0	100.0	-	-
6780 RIVERSIDE-SAN BERNARDINO, CA	13	-	-	-	-	-	-	-	13	13	-	-	12	1	8	4	7	6	13	-
	2.6	-	-	-	-	-	-	-	16.3	6.4	-	-	3.1	1.0	2.7	2.1	2.9	2.7	4.2	-
	100.0	-	-	-	-	-	-	-	100.0	100.0JK	-	-	92.3	7.7	61.5	30.8	53.8	46.2	100.0S	-
								BCDEF												
6800 ROANOKE, VA	1	-	-	1	-	-	-	-	-	1	-	-	1	-	1	1	-	1	-	-
	0.2	-	-	1.0	-	-	-	-	-	0.7	-	-	1.0	-	0.5	0.4	-	0.3	-	-
	100.0	-	-	100.0	-	-	-	-	-	100.0	-	-	100.0	-	100.0	100.0	-	100.0	-	-
6840 ROCHESTER, NY	4	-	4	-	-	-	-	-	-	4	-	-	3	1	2	2	1	3	4	-
	0.8	-	4.5	-	-	-	-	-	-	2.0	-	-	0.8	1.0	0.7	1.1	0.4	1.3	1.3	-
	100.0	-	100.0C	-	-	-	-	-	-	100.0	-	-	75.0	25.0	50.0	50.0	25.0	75.0	100.0	-
6880 ROCKFORD, IL	1	-	-	-	1	-	-	-	-	1	-	1	-	1	-	-	1	1	-	-
	0.2	-	-	-	1.3	-	-	-	-	0.7	-	0.3	-	0.3	-	-	0.4	0.3	-	-
	100.0	-	-	-	100.0	-	-	-	-	100.0	-	100.0	-	100.0	-	-	100.0	100.0	-	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 101
MSA

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		OWN	RENT/ LEASE /OTHR	AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
6895 ROCKY MOUNT, NC	1	-	-	1	-	-	-	-	-	-	1	-	1	-	-	1	1	-	1	-
	0.2	-	-	1.0	-	-	-	-	-	-	0.7	-	0.3	-	-	0.5	0.4	-	0.3	-
	100.0	-	-	100.0	-	-	-	-	-	-	100.0	-	100.0	-	-	100.0	100.0	-	100.0	-
6920 SACRAMENTO, CA	1	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	1	-	1	-
	0.2	-	-	-	-	-	-	-	1.3	0.5	-	-	0.3	-	0.3	-	0.4	-	0.3	-
	100.0	-	-	-	-	-	-	-	100.0	100.0	-	-	100.0	-	100.0	-	100.0	-	100.0	-
7040 ST. LOUIS, MO-IL	3	-	-	-	1	2	-	-	-	3	-	-	3	-	1	2	2	-	-	2
	0.6	-	-	-	1.3	6.7	-	-	-	1.5	-	-	0.8	-	0.3	1.1	0.8	-	-	1.2
	100.0	-	-	-	33.3	66.7	BCFH	-	-	100.0	-	-	100.0	-	33.3	66.7	66.7	-	-	66.7
7120 SALINAS, CA	1	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	1	1	-
	0.2	-	-	-	-	-	-	-	1.3	-	0.7	-	0.3	-	0.3	-	-	0.4	0.3	-
	100.0	-	-	-	-	-	-	-	100.0	-	100.0	-	100.0	-	100.0	-	-	100.0	100.0	-
7240 SAN ANTONIO, TX	2	-	-	-	-	2	-	-	-	2	-	-	-	1	2	-	1	1	1	1
	0.4	-	-	-	-	2.4	-	-	-	1.0	-	-	-	1.0	0.7	-	0.4	0.4	0.3	0.6
	100.0	-	-	-	-	100.0	-	-	-	100.0	-	-	-	50.0	100.0	-	50.0	50.0	50.0	50.0
7320 SAN DIEGO, CA	9	-	-	-	-	-	-	-	9	9	-	-	6	2	6	3	1	8	8	1
	1.8	-	-	-	-	-	-	-	11.3	4.4	-	-	1.6	2.0	2.1	1.6	0.4	3.6	2.6	0.6
	100.0	-	-	-	-	-	-	-	100.0	100.0	JK	-	66.7	22.2	66.7	33.3	11.1	88.9P	88.9	11.1
									BCDF											
7360 SAN FRANCISCO, CA	2	-	-	-	-	-	-	-	2	2	-	-	1	1	1	1	-	2	2	-
	0.4	-	-	-	-	-	-	-	2.5	1.0	-	-	0.3	1.0	0.3	0.5	-	0.9	0.6	-
	100.0	-	-	-	-	-	-	-	100.0	100.0	-	-	50.0	50.0	50.0	50.0	-	100.0	100.0	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 101
MSA

	REGION								MARKET SIZE			OWN/RENT RESIDENCE		FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
	TOTAL	NEW	MID-	SOUTH	GREAT	MID-	SOUTH	ROCKY	URBAN LARGE	URBAN SMALL	RURAL	OWN	RENT/ LEASE /OTHR	AT	LESS	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER	
		ENG- LAND	ATL- ANTIC	-EAST	LAKES	WEST	-WEST	TAIN WEST						LEAST ONCE A WK.	THAN ONCE A WK.					
		(A)	(B)	(C)	(D)	(E)	(F)	(G)						(H)	(I)					(J)
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
7400 SAN JOSE, CA	6	-	-	-	-	-	-	-	6	6	-	-	4	2	3	3	2	4	4	2
	1.2	-	-	-	-	-	-	-	7.5	3.0	-	-	1.0	2.0	1.0	1.6	0.8	1.8	1.3	1.2
	100.0	-	-	-	-	-	-	-	100.0	100.0	-	-	66.7	33.3	50.0	50.0	33.3	66.7	66.7	33.3
	BCDF																			
7460 SAN LUIS OBISPO- ATASCADERO-PASO ROBLES, CA	2	-	-	-	-	-	-	-	2	-	2	-	2	-	1	1	2	-	-	2
	0.4	-	-	-	-	-	-	-	2.5	-	1.4	-	0.5	-	0.3	0.5	0.8	-	-	1.2
	100.0	-	-	-	-	-	-	-	100.0	-	100.0	-	100.0	-	50.0	50.0	100.0	-	-	100.0
7480 SANTA BARBARA-SANTA MARIA LOMPOC, CA	2	-	-	-	-	-	-	-	2	-	2	-	2	-	1	1	-	2	2	-
	0.4	-	-	-	-	-	-	-	2.5	-	1.4	-	0.5	-	0.3	0.5	-	0.9	0.6	-
	100.0	-	-	-	-	-	-	-	100.0	-	100.0	-	100.0	-	50.0	50.0	-	100.0	100.0	-
7510 SARASOTA-BRADENTON, FL	1	-	-	1	-	-	-	-	-	1	-	-	-	1	1	-	-	1	1	-
	0.2	-	-	1.0	-	-	-	-	-	0.7	-	-	-	1.0	0.3	-	-	0.4	0.3	-
	100.0	-	-	100.0	-	-	-	-	-	100.0	-	-	-	100.0	100.0	-	-	100.0	100.0	-
7520 SAVANNAH, GA	1	-	-	1	-	-	-	-	-	1	-	-	-	1	-	1	-	1	1	-
	0.2	-	-	1.0	-	-	-	-	-	0.7	-	-	-	1.0	-	0.5	-	0.4	0.3	-
	100.0	-	-	100.0	-	-	-	-	-	100.0	-	-	-	100.0	-	100.0	-	100.0	100.0	-
7560 SCRANTON-WILKES-BARRE- HAZELTON, PA	1	-	1	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	1	-
	0.2	-	1.1	-	-	-	-	-	-	0.7	-	0.3	-	0.3	-	-	-	-	0.3	-
	100.0	-	100.0	-	-	-	-	-	-	100.0	-	100.0	-	100.0	-	-	-	-	100.0	-
7600 SEATTLE-BELLEVUE- EVERETT, WA	4	-	-	-	-	-	-	-	4	4	-	-	3	1	2	2	1	3	2	1
	0.8	-	-	-	-	-	-	-	5.0	2.0	-	-	0.8	1.0	0.7	1.1	0.4	1.3	0.6	0.6
	100.0	-	-	-	-	-	-	-	100.0	100.0	-	-	75.0	25.0	50.0	50.0	25.0	75.0	50.0	25.0
	BCDF																			

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 101
MSA

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER	WATER SOURCE					
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	SUB- URBAN LARGE MSAS	URBAN SMALL MSAS		RURAL	AT RENT/ LEASE /OTHR		A ONCE WK.	LESS THAN ONCE WK.	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WATER	VATE WELL WATER
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)			
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165	
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6	
7800 SOUTH BEND, IN	1	-	-	-	1	-	-	-	-	-	1	-	1	-	1	-	1	-	-	1	
	0.2	-	-	-	1.3	-	-	-	-	-	0.7	-	0.3	-	0.3	-	0.4	-	-	0.6	
	100.0	-	-	-	100.0	-	-	-	-	-	100.0	-	100.0	-	100.0	-	100.0	-	-	100.0	
7880 SPRINGFIELD, IL	1	-	-	-	1	-	-	-	-	-	1	-	-	1	1	-	1	-	-	1	
	0.2	-	-	-	1.3	-	-	-	-	-	0.7	-	-	1.0	0.3	-	0.4	-	-	0.6	
	100.0	-	-	-	100.0	-	-	-	-	-	100.0	-	-	100.0	100.0	-	100.0	-	-	100.0	
7920 SPRINGFIELD, MO	2	-	-	-	-	2	-	-	-	-	2	-	1	1	1	1	1	1	-	2	
	0.4	-	-	-	-	6.7	-	-	-	-	1.4	-	0.3	1.0	0.3	0.5	0.4	0.4	-	1.2	
	100.0	-	-	-	-	100.0	BCDF	-	-	-	100.0	-	50.0	50.0	50.0	50.0	50.0	50.0	-	100.0	
							H														
8050 STATE COLLEGE, PA	1	-	1	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	1	-	
	0.2	-	1.1	-	-	-	-	-	-	-	0.7	-	0.3	-	0.3	-	0.4	-	0.3	-	
	100.0	-	100.0	-	-	-	-	-	-	-	100.0	-	100.0	-	100.0	-	100.0	-	100.0	-	
8120 STOCKTON-LODI, CA	2	-	-	-	-	-	-	-	2	-	2	-	1	1	-	2	1	1	1	1	
	0.4	-	-	-	-	-	-	-	2.5	-	1.4	-	0.3	1.0	-	1.1	0.4	0.4	0.3	0.6	
	100.0	-	-	-	-	-	-	-	100.0	-	100.0	-	50.0	50.0	-	100.0	50.0	50.0	50.0	50.0	
8160 SYRACUSE, NY	2	-	2	-	-	-	-	-	-	-	2	-	2	-	1	1	-	2	2	-	
	0.4	-	2.2	-	-	-	-	-	-	-	1.4	-	0.5	-	0.3	0.5	-	0.9	0.6	-	
	100.0	-	100.0	-	-	-	-	-	-	-	100.0	-	100.0	-	50.0	50.0	-	100.0	100.0	-	
8200 TACOMA, WA	2	-	-	-	-	-	-	-	2	-	2	-	1	1	2	-	1	1	1	1	
	0.4	-	-	-	-	-	-	-	2.5	-	1.4	-	0.3	1.0	0.7	-	0.4	0.4	0.3	0.6	
	100.0	-	-	-	-	-	-	-	100.0	-	100.0	-	50.0	50.0	100.0	-	50.0	50.0	50.0	50.0	

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 101
MSA

	REGION										MARKET SIZE			OWN/RENT RESIDENCE		FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE	
											SUB-					AT		LESS		PRI-	
											URBAN URBAN			RENT/		LEAST		SEPTIC		MUNI-	
	TOTAL	NEW	MID-	SOUTH	GREAT	MID-	SOUTH	ROCKY	URBAN	URBAN	MSAS	MSAS	RURAL	OWN	LEASE	ONCE	ONCE	TIC	SEWER	WATER	WATER
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165	
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6	
8280 TAMPA-ST. PETERSBURG-CLEARWATER, FL	7	-	-	7	-	-	-	-	-	7	-	-	6	1	4	3	5	2	3	4	
	1.4	-	-	7.1	-	-	-	-	-	3.4	-	-	1.6	1.0	1.4	1.6	2.1	0.9	1.0	2.4	
	100.0	-	-	100.0	BDFH	-	-	-	-	100.0	JK	-	85.7	14.3	57.1	42.9	71.4	28.6	42.9	57.1	
8400 TOLEDO, OH	3	-	-	-	3	-	-	-	-	3	-	-	1	2	2	-	1	1	1	1	
	0.6	-	-	-	3.9	-	-	-	-	2.1	-	-	0.3	2.0	0.7	-	0.4	0.4	0.3	0.6	
	100.0	-	-	-	100.0	-	-	-	-	100.0	I	-	33.3	66.7	66.7	-	33.3	33.3	33.3	33.3	
8480 TRENTON, NJ	1	-	1	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	1	-	
	0.2	-	1.1	-	-	-	-	-	-	0.7	-	-	0.3	-	0.3	-	-	0.4	0.3	-	
	100.0	-	100.0	-	-	-	-	-	-	100.0	-	-	100.0	-	100.0	-	-	100.0	100.0	-	
8520 TUCSON, AZ	4	-	-	-	-	-	4	-	-	4	-	-	3	1	3	1	3	1	2	2	
	0.8	-	-	-	-	-	4.9	-	-	2.8	-	-	0.8	1.0	1.0	0.5	1.3	0.4	0.6	1.2	
	100.0	-	-	-	-	-	100.0	CH	-	100.0	K	-	75.0	25.0	75.0	25.0	75.0	25.0	50.0	50.0	
8560 TULSA, OK	1	-	-	-	-	1	-	-	-	1	-	-	1	-	-	1	1	-	1	-	
	0.2	-	-	-	-	1.2	-	-	-	0.7	-	-	0.3	-	-	0.5	0.4	-	0.3	-	
	100.0	-	-	-	-	100.0	-	-	-	100.0	-	-	100.0	-	-	100.0	100.0	-	100.0	-	
8640 TYLER, TX	1	-	-	-	-	1	-	-	-	1	-	-	1	-	1	-	1	-	1	-	
	0.2	-	-	-	-	1.2	-	-	-	0.7	-	-	0.3	-	0.3	-	0.4	-	0.3	-	
	100.0	-	-	-	-	100.0	-	-	-	100.0	-	-	100.0	-	100.0	-	100.0	-	100.0	-	
8680 UTICA-ROME, NY	1	-	1	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	1	-	
	0.2	-	1.1	-	-	-	-	-	-	0.7	-	-	0.3	-	-	0.5	0.4	-	0.3	-	
	100.0	-	100.0	-	-	-	-	-	-	100.0	-	-	100.0	-	-	100.0	100.0	-	100.0	-	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 101
MSA

	TOTAL	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE		
		NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN	WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		AT LEAST ONCE A WK.	LESS THAN ONCE A WK.	SEP- TIC TANK	SEWER	PRI- MUNI- CIPAL WATER	VATE WELL WATER	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100.0	100.0*	100.0*	100.0*	100.0*	100.0**	100.0*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
8735 VENTURA, CA	1	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	1	1	-
	0.2	-	-	-	-	-	-	-	1.3	-	0.7	-	0.3	-	0.3	-	-	0.4	0.3	-
	100.0	-	-	-	-	-	-	-	100.0	-	100.0	-	100.0	-	100.0	-	-	100.0	100.0	-
8840 WASHINGTON, DC-MD-VA-WV	6	-	4	2	-	-	-	-	6	-	-	4	2	3	3	6	-	-	-	5
	1.2	-	4.5	2.0	-	-	-	-	3.0	-	-	1.0	2.0	1.0	1.6	2.5	-	-	-	3.0
	100.0	-	66.7	33.3	-	-	-	-	100.0	JK	-	66.7	33.3	50.0	50.0	100.0	Q	-	-	83.3R
8940 WAUSAU, WI	2	-	-	-	2	-	-	-	-	2	-	2	-	1	-	2	-	-	-	2
	0.4	-	-	-	2.6	-	-	-	-	1.4	-	0.5	-	0.3	-	0.8	-	-	-	1.2
	100.0	-	-	-	100.0	-	-	-	-	100.0	-	100.0	-	50.0	-	100.0	-	-	-	100.0
8960 WEST PALM BEACH-BOCA RATON, FL	1	-	-	1	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	1
	0.2	-	-	1.0	-	-	-	-	-	0.7	-	0.3	-	0.3	-	0.4	-	-	-	0.6
	100.0	-	-	100.0	-	-	-	-	-	100.0	-	100.0	-	100.0	-	100.0	-	-	-	100.0
9000 WHEELING, WV-OH	2	-	-	1	1	-	-	-	-	2	-	2	-	1	1	1	1	1	1	1
	0.4	-	-	1.0	1.3	-	-	-	-	1.4	-	0.5	-	0.3	0.5	0.4	0.4	0.3	0.6	0.6
	100.0	-	-	50.0	50.0	-	-	-	-	100.0	-	100.0	-	50.0	50.0	50.0	50.0	50.0	50.0	50.0
9140 WILLIAMSPORT, PA	2	-	2	-	-	-	-	-	-	2	-	2	-	1	1	1	1	2	-	-
	0.4	-	2.2	-	-	-	-	-	-	1.4	-	0.5	-	0.3	0.5	0.4	0.4	0.6	-	-
	100.0	-	100.0	-	-	-	-	-	-	100.0	-	100.0	-	50.0	50.0	50.0	50.0	100.0	-	-
9260 YAKIMA, WA	3	-	-	-	-	-	-	-	3	-	3	-	2	1	2	1	-	3	3	-
	0.6	-	-	-	-	-	-	-	3.8	-	2.1	-	0.5	1.0	0.7	0.5	-	1.3	1.0	-
	100.0	-	-	-	-	-	-	-	100.0	-	100.0	-	66.7	33.3	66.7	33.3	-	100.0	100.0	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
 * small base; ** very small base (under 30) ineligible for sig testing

Table 101
MSA

	REGION								MARKET SIZE			OWN/RENT RESIDENCE	FREQUENCY OF REUSING GRAYWATER		SEPTIC TANK VS. SEWER		WATER SOURCE			
	TOTAL	NEW ENG- LAND	MID- ATL- ANTIC	SOUTH -EAST	GREAT LAKES	MID- WEST	SOUTH -WEST	ROCKY MOUN- TAIN WEST	URBAN LARGE MSAS	URBAN SMALL MSAS	RURAL		RENT/ LEASE /OTHR	AT	LESS	SEP- TIC TANK	SEWER	MUNI- CIPAL WATER	PRI- VATE WELL WATER	
														ONCE	ONCE					
														A WK.	A WK.					
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	14**	89*	98*	77*	30*	82*	21**	80*	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9**	18.1*	20.0*	15.7*	6.1*	16.7*	4.3**	16.3*	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6
9280 YORK, PA	2	-	2	-	-	-	-	-	-	2	-	2	-	1	1	-	2	1	1	-
	0.4	-	2.2	-	-	-	-	-	-	1.4	-	0.5	-	0.3	0.5	-	0.9	0.3	0.6	-
	100.0	-	100.0	-	-	-	-	-	-	100.0	-	100.0	-	50.0	50.0	-	100.0	50.0	50.0	-
9320 YOUNGSTOWN-WARREN, OH	1	-	-	-	1	-	-	-	-	1	-	1	-	-	1	-	1	1	-	-
	0.2	-	-	-	1.3	-	-	-	-	0.7	-	0.3	-	-	0.5	-	0.4	0.3	-	-
	100.0	-	-	-	100.0	-	-	-	-	100.0	-	100.0	-	-	100.0	-	100.0	100.0	-	-
9360 YUMA, AZ	1	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	1	1	-	-
	0.2	-	-	-	-	-	1.2	-	-	0.7	-	-	1.0	-	0.5	-	0.4	0.3	-	-
	100.0	-	-	-	-	-	100.0	-	-	100.0	-	-	100.0	-	100.0	-	100.0	100.0	-	-
NOT INDICATED	147	6	16	41	19	24	25	10	6	-	-	147	110	35	94	48	107	34	66	77
	29.9	42.9	18.0	41.8	24.7	80.0	30.5	47.6	7.5	-	-	100.0	28.6	35.0	32.3	25.3	44.6	15.2	21.3	46.7
	100.0	4.1	10.9H	27.9B	12.9H	16.3B	17.0H	6.8	4.1	-	-	100.0I	74.8	23.8	63.9	32.7	72.8Q	23.1	44.9	52.4R
				DH		CDFH				J										
Sigma	491	14	89	98	77	30	82	21	80	203	141	147	384	100	291	190	240	224	310	165
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	2.9	18.1	20.0	15.7	6.1	16.7	4.3	16.3	41.3	28.7	29.9	78.2	20.4	59.3	38.7	48.9	45.6	63.1	33.6

Proportions/Means: Columns Tested (5% risk level) - A/B/C/D/E/F/G/H - I/J/K - L/M - N/O - P/Q - R/S
* small base; ** very small base (under 30) ineligible for sig testing

BANNER 2

NPD Custom Services

Project W4RE0031 GRAYWATER DISPOSAL/REUSE

Page -----	Table -----	Title -----	Base -----	Total -----
1	1	Q.1 How Often Does Your Household Reuse Graywater?		491
3	2	Q.2 How Many Years Has Your Household Been Reusing Graywater?		491
5	3	Q.3 How Many Years Has Your Household Been Reusing Graywater At Your Current Residence?		491
7	4	Q.4a During Which Months Of The Year Does Your Household Reuse Graywater?		491
11	5	Q.4b During Which Month Of The Year, If Any, Does Your Household Reuse Graywater Most?		491
15	6	Q.5 In What Type Of Residence Do You Reuse Graywater?		491
17	7	Q.6 What Specifically Caused You To Start Using Graywater?		491
25	8	Q.7 Who In Your Household Made The Decision To Begin Reusing Graywater?		491
27	9	Q.8a How Often Does Your Household Store Or Reuse Graywater From A Bath/Shower?		491
30	10	Q.8a How Often Does Your Household Store Or Reuse Graywater From An In Sink Garbage Disposal?		491
33	11	Q.8a How Often Does Your Household Store Or Reuse Graywater From Hand Dishwashing In Sink?		491
36	12	Q.8a How Often Does Your Household Store Or Reuse Graywater From An Automatic Dishwasher?		491
39	13	Q.8a How Often Does Your Household Store Or Reuse Graywater From A Laundry/Washing Machine?		491

NPD Custom Services

Project W4RE0031 GRAYWATER DISPOSAL/REUSE

Page -----	Table -----	Title -----	Base -----	Total -----
42	14	Q.8a How Often Does Your Household Store Or Reuse Graywater From Car Washing (At Your Home)?		491
45	15	Q.8a How Often Does Your Household Store Or Reuse Graywater From House Cleaning - Using Water Combined With Cleaning Products?		491
48	16	Q.8b An Average, Approximately How Many Gallons Of Graywater Are Reused Each Month?		491
51	17	Q.9 Does Your Household Have A Fruit Or Vegetable Garden At Any Time During The Year?		491
52	18	Q.10 For Which Of The Following Purposes, If Any, Does Your Household Reuse Graywater?		491
56	19	Q.11 How Often Do You Use Graywater For Watering Flowers/Plants?		380
58	20	Q.11 How Often Do You Use Graywater For Watering Vegetable/Fruit Garden?		223
60	21	Q.12 In What Seasons Do You Use Graywater For Watering Flowers/Plants?		380
61	22	Q.12 In What Seasons Do You Use Graywater For Watering Vegetable/Fruit Garden?		223
62	23	Q.13 Why Does Your Household Reuse Graywater?		491
69	24	Q.14 Where Did Your Household First Learn About Reusing Graywater?		491
72	25	Q.15 What Methods Does Your Household Currently Use To Keep Updated On Graywater Reuse?		491
75	26	Q.16 How Likely Are You To Continue Reusing Graywater In The Next 12 Months?		491
77	27	Q.17 Over The Next 12 Months, Do You Think Your Household Will....		491

NPD Custom Services

Project W4RE0031 GRAYWATER DISPOSAL/REUSE

Page ----	Table -----	Title -----	Base ----	Total -----
78	28	Q.18a Which Of The Following, If Any, Do You Feel Are Disadvantages To Reusing Graywater?		491
80	29	Q.18b How Safe Is The Graywater That Is Reused?		491
82	30	Q.19 What System Does Your Household Use For Graywater Storage And/Or Removal?		491
88	31	Q.20 Does The Plumbing In Your Household Have Separate Wastewater Streams For Graywater Versus Toilets, Or Not?		491
89	32	Q.21 For Outside Use Of Graywater, Is The Graywater Distribution System Above Ground, Under Ground Or Both?		491
90	33	Q.22 Which Of The Following Features, If Any, Does Your Household's Graywater Handling/Treatment System Have?		491
94	34	Q.23 How Many Gallons Does The Graywater Treatment System In Your Household Store?		234
96	35	Q.24 How Long Is Graywater Stored In Your Household's Graywater Treatment System Before It Is Reused?		234
98	36	Q.25 Rating Of Complexity Of Graywater Reuse System		491
100	37	Q.26 Does Your Household Have A Septic Tank Or Sewer?		491
101	38	Q.27 What Is Your Household's Water Source?		491
102	39	Q.28 Does Your Household Have A Mechanical Water Softening System?		491
103	40	Q.29 Frequency Household Uses Bath/Shower		491
106	41	Q.29 Frequency Household Uses An In Sink Garbage Disposal		491
109	42	Q.29 Frequency Household Does Hand Dishwashing In Sink		491

NPD Custom Services

Project W4RE0031 GRAYWATER DISPOSAL/REUSE

Page -----	Table -----	Title -----	Base -----	Total -----
112	43	Q.29 Frequency Household Uses An Automatic Dishwasher		491
115	44	Q.29 Frequency Household Uses A Laundry/Washing Machine		491
118	45	Q.29 Frequency Household Does Car Washing (At Your Home)		491
121	46	Q.29 Frequency Household Does House Cleaning - Using Water Combined With Cleaning Products		491
124	47	Q.30 Which Of The Following Products, If Any, Are Discharged Into The Graywater That Is Reused?		491
129	48	Q.31 Approximately How Much Bleach Is Used Per Usage Occasion?		184
131	49	Q.31 Approximately How Much Fabric Softener Is Used Per Usage Occasion?		121
133	50	Q.31 Approximately How Many Laundry Boosters Are Used Per Usage Occasion?		27
135	51	Q.31 Approximately How Much Laundry Detergent Is Used Per Usage Occasion?		289
137	52	Q.31 Approximately How Many Laundry Presoaks Are Used Per Usage Occasion?		40
139	53	Q.31 Approximately How Many Laundry Prewashes/ Stain Removers Are Used Per Usage Occasion?		87
141	54	Q.31 Approximately How Many All Purpose Household Cleaners Are Used Per Usage Occasion?		106
143	55	Q.31 Approximately How Much Ammonia Is Used Per Usage Occasion?		38
145	56	Q.31 Approximately How Much Baking Soda Is Used Per Usage Occasion?		101
147	57	Q.31 Approximately How Much Borax Is Used Per Usage Occasion?		30
149	58	Q.31 Approximately How Much Carpet Cleaner Is Used Per Usage Occasion?		14

NPD Custom Services

Project W4RE0031 GRAYWATER DISPOSAL/REUSE

Page ----	Table -----	Title -----	Base -----	Total -----
151	59	Q.31 Approximately How Much Disinfectant Cleaner Is Used Per Usage Occasion?		61
153	60	Q.31 Approximately How Much Floor/Furniture Cleaner Is Used Per Usage Occasion?		38
155	61	Q.31 Approximately How Much Multi-Surface Cleaner Is Used Per Usage Occasion?		49
157	62	Q.31 Approximately How Much Tub/Tile/Sink Cleaner Is Used Per Usage Occasion?		66
159	63	Q.31 Approximately How Much Hand Dish Washing Liquid Is Used Per Usage Occasion?		277
161	64	Q.31 Approximately How Much Automatic Dish Washer Detergent Is Used Per Usage Occasion?		38
163	65	Q.31 Approximately How Many Rinse Agents For Dishwashers Are Used Per Usage Occasion?		17
165	66	Q.31 Approximately How Much Film And Spot Remover Is Used Per Usage Occasion?		7
167	67	Q.31 Approximately How Much Hand/Body Soap Is Used Per Usage Occasion?		235
169	68	Q.31 Approximately How Much Car Washing Liquid Is Used Per Usage Occasion?		89
171	69	Q.31 Approximately How Much Drain Opening Liquid Is Used Per Usage Occasion?		18
173	70	Q.31 Approximately How Many Packaged Water Softeners Are Used Per Usage Occasion?		7
175	71	Q.32 How Often Does Your Household Participate In Bicycling/Mountain Biking?		491
178	72	Q.32 How Often Does Your Household Participate In Camping?		491
181	73	Q.32 How Often Does Your Household Participate In Crafts?		491
184	74	Q.32 How Often Does Your Household Participate In Fishing?		491

NPD Custom Services

Project W4RE0031 GRAYWATER DISPOSAL/REUSE

Page -----	Table -----	Title -----	Base -----	Total -----
187	75	Q.32 How Often Does Your Household Participate In Gardening?		491
190	76	Q.32 How Often Does Your Household Participate In Hiking?		491
193	77	Q.32 How Often Does Your Household Participate In Painting/Sculpting?		491
196	78	Q.32 How Often Does Your Household Participate In Running/Walking?		491
199	79	Q.32 How Often Does Your Household Participate In Sports/Athletics/Working Out?		491
202	80	Q.33 Sex Of Respondent		491
203	81	Q.34 Age Of Respondent		491
206	82	Q.35 Do You Have A Child In Your Household That Currently Wears Diapers?		491
207	83	Q.36 Types Of Diapers Used		43
208	84	Region		491
211	85	Market Size - MSA		491
213	86	Income (Actual)		491
217	87	Age & Presence Of Children		491
219	88	Household Size		491
221	89	Household Composition		491
223	90	Socio-Economic Status		491
225	91	IBM State		491
232	92	Education Of Head Of Household		491
234	93	Employment Of Head Of Household		491
235	94	Occupation Of Head Of Household		491
238	95	Race		491

NPD Custom Services

Project W4RE0031 GRAYWATER DISPOSAL/REUSE

Page ----	Table -----	Title -----	Base ----	Total -----
239	96	Hispanic Origin		
240	97	Own Or Rent		491
241	98	Kitchen Appliances		491
242	99	Marital Status		491
243	100	Detailed Occupation		491
251	101	MSA		491

Table 1
Q.1 How Often Does Your Household Reuse Graywater?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
												HAS A SUR- FACE	HAS A SUB- SURFC	DISP. GRAY-	WATER TABLE	NON- VEGE-				
					BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTEM	GRAY- WATER SYSTEM	WATER DIR- ECTLY	FRUIT GARDN	WATER -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	TOTAL	2 OR LESS	3-9	10+	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
No answer	10	2	5	2	3	2	5	2	4	1	7	7	2	6	4	6	4	4	-	1
	2.0	2.6	3.2	0.8	1.7	5.1	2.0	3.6	1.5	0.5	3.6	2.0	2.3	1.9	1.8	3.2	4.7	2.7	-	1.1
	100.0	20.0	50.0	20.0	30.0	20.01	50.0	20.0	40.0	10.0	70.01	70.0	20.0	60.0	40.0	60.0	40.0R	40.0	-	10.0
Base: Total Answering	481	76*	150	242	170	37*	250	54*	271	182	186	340	86*	304	219	182	82*	146	116	89*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.8*	31.2	50.3	35.3	7.7*	52.0	11.2*	56.3	37.8	38.7	70.7	17.9*	63.2	45.5	37.8	17.0*	30.4	24.1	18.5*
Less than once a year (0.5)	12	9	1	2	4	1	3	1	3	4	4	6	3	8	2	4	2	1	1	1
	2.5	11.8	0.7	0.8	2.4	2.7	1.2	1.9	1.1	2.2	2.2	1.8	3.5	2.6	0.9	2.2	2.4	0.7	0.9	1.1
	100.0	75.0BC	8.3	16.7	33.3	8.3	25.0	8.3	25.0	33.3	33.3	50.0	25.0	66.7	16.7	33.3	16.7	8.3	8.3	8.3
Once or twice a year (1)	21	10	3	7	2	1	9	1	8	6	6	10	-	13	6	7	9	8	1	-
	4.4	13.2	2.0	2.9	1.2	2.7	3.6	1.9	3.0	3.3	3.2	2.9	-	4.3	2.7	3.8	11.0	5.5	0.9	-
	100.0	47.6B	14.3	33.3	9.5	4.8	42.9	4.8	38.1	28.6	28.6	47.6	-	61.9	28.6	33.3	42.9R	38.1RS	4.8	-
		C															S			
Once every few months (4)	42	7	9	26	7	2	21	3	17	20	23	29	4	33	17	15	16	17	5	-
	8.7	9.2	6.0	10.7	4.1	5.4	8.4	5.6	6.3	11.0	12.4	8.5	4.7	10.9	7.8	8.2	19.5	11.6	4.3	-
	100.0	16.7	21.4	61.9	16.7	4.8	50.0	7.1	40.5	47.6D	54.8D	69.0	9.5	78.6	40.5	35.7	38.1R	40.5R	11.9S	-
										H							S	S		
About once a month (12)	38	5	13	19	15	4	17	3	15	14	15	26	3	28	16	17	21	9	3	4
	7.9	6.6	8.7	7.9	8.8	10.8	6.8	5.6	5.5	7.7	8.1	7.6	3.5	9.2	7.3	9.3	25.6	6.2	2.6	4.5
	100.0	13.2	34.2	50.0	39.5	10.5	44.7	7.9	39.5	36.8	39.5	68.4	7.9	73.7	42.1	44.7	55.3Q	23.7	7.9	10.5
																	RS			

Proportions/Means: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 1
Q.1 How Often Does Your Household Reuse Graywater?

	SOURCES OF GRAYWATER REUSE											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- ING					
	2 OR LESS	3-9	10+	BATH/ SHWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE							<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	481	76*	150	242	170	37*	250	54*	271	182	186	340	86*	304	219	182	82*	146	116	89*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.8*	31.2	50.3	35.3	7.7*	52.0	11.2*	56.3	37.8	38.7	70.7	17.9*	63.2	45.5	37.8	17.0*	30.4	24.1	18.5*
A couple times a month (24)	77	11	25	39	32	4	31	12	38	33	27	50	10	53	36	36	11	36	16	10
	16.0	14.5	16.7	16.1	18.8	10.8	12.4	22.2	14.0	18.1	14.5	14.7	11.6	17.4	16.4	19.8	13.4	24.7	13.8	11.2
	100.0	14.3	32.5	50.6	41.6	5.2	40.3	15.6	49.4	42.9	35.1	64.9	13.0	68.8	46.8	46.8	14.3	46.8P	20.8	13.0
																	RS			
At least once a week (52)	291	34	99	149	110	25	169	34	190	105	111	219	66	169	142	103	23	75	90	74
	60.5	44.7	66.0	61.6	64.7	67.6	67.6	63.0	70.1	57.7	59.7	64.4	76.7	55.6	64.8	56.6	28.0	51.4	77.6	83.1
	100.0	11.7	34.0A	51.2A	37.8	8.6	58.1	11.7	65.3J	36.1	38.1	75.3M	22.7K	48.1	48.8	35.4	7.9	25.8P	30.9P	25.4PQ
									J				M					Q		
Sigma	481	76	150	242	170	37	250	54	271	182	186	340	86	304	219	182	82	146	116	89
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	15.8	31.2	50.3	35.3	7.7	52.0	11.2	56.3	37.8	38.7	70.7	17.9	63.2	45.5	37.8	17.0	30.4	24.1	18.5
Mean Base	481	76	150	242	170	37	250	54	271	182	186	340	86	304	219	182	82	146	116	89
Mean	36.65	28.09	39.62	37.29	39.41	39.28	39.32	38.99	40.77	35.76	36.02	38.32	43.32	34.69	38.88	35.68	21.78	33.89	44.15	46.48PQ
		A	A					IJ		M		KM				P	PQ			
Std. Deviation	19.95	22.85	18.06	19.54	17.89	19.30	19.12	18.03	18.01	20.02	20.39	19.27	16.57	20.42	18.70	19.71	20.16	19.89	15.31	12.69
Std. Error	0.91	2.62	1.47	1.26	1.37	3.17	1.21	2.45	1.09	1.48	1.49	1.05	1.79	1.17	1.26	1.46	2.23	1.65	1.42	1.35

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 2
Q.2 How Many Years Has Your Household Been Reusing Graywater?

	SOURCES OF GRAYWATER REUSE											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A HAS A									
											SUR- SUB- DISP.			WATER						
											FACE SURFC GRAY-			TABLE NON-						
											GRAY- GRAY- WATER			FRUIT WATER						
TOTAL	2 OR LESS	3-9	10+	BATH/ SHWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	DIR- ECTLY	TABLE GARDN	NON- -ING	<10 GALS.	10-49 GALS.	199 GALS.	200+ GALS.	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
No answer	14	-	-	-	6	2	6	1	11	4	2	12	1	6	9	6	-	5	3	3
	2.9	-	-	-	3.5	5.1	2.4	1.8	4.0	2.2	1.0	3.5	1.1	1.9	4.0	3.2	-	3.3	2.6	3.3
	100.0	-	-	-	42.9	14.3	42.9	7.1	78.6	28.6	14.3	85.7	7.1	42.9	64.3	42.9	-	35.7	21.4	21.4
Base: Total Answering	477	78*	155	244	167	37*	249	55*	264	179	191	335	87*	304	214	182	86*	145	113	87*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	16.4*	32.5	51.2	35.0	7.8*	52.2	11.5*	55.3	37.5	40.0	70.2	18.2*	63.7	44.9	38.2	18.0*	30.4	23.7	18.2*
Less than 1 year	20	20	-	-	5	2	5	3	6	4	6	10	5	10	4	6	4	2	2	2
	4.2	25.6	-	-	3.0	5.4	2.0	5.5	2.3	2.2	3.1	3.0	5.7	3.3	1.9	3.3	4.7	1.4	1.8	2.3
	100.0	100.0BC	-	-	25.0	10.0	25.0	15.0	30.0	20.0	30.0	50.0	25.0	50.0	20.0	30.0	20.0	10.0	10.0	10.0
1 - 2	58	58	-	-	19	6	28	4	26	21	22	36	11	37	15	18	16	17	16	6
	12.2	74.4	-	-	11.4	16.2	11.2	7.3	9.8	11.7	11.5	10.7	12.6	12.2	7.0	9.9	18.6	11.7	14.2	6.9
	100.0	100.0BC	-	-	32.8	10.3	48.3	6.9	44.8	36.2	37.9	62.1	19.0	63.8	25.9	31.0	27.6S	29.3	27.6	10.3
3 - 4	71	-	71	-	17	5	31	9	46	19	20	53	14	51	24	18	15	20	16	12
	14.9	-	45.8	-	10.2	13.5	12.4	16.4	17.4	10.6	10.5	15.8	16.1	16.8	11.2	9.9	17.4	13.8	14.2	13.8
	100.0	-	100.0AC	-	23.9	7.0	43.7	12.7	64.8D	26.8	28.2	74.6	19.7	71.8	33.8	25.4	21.1	28.2	22.5	16.9
									IJ											
5 - 9	84	-	84	-	37	3	46	8	43	31	35	64	15	49	39	30	12	31	20	16
	17.6	-	54.2	-	22.2	8.1	18.5	14.5	16.3	17.3	18.3	19.1	17.2	16.1	18.2	16.5	14.0	21.4	17.7	18.4
	100.0	-	100.0AC	-	44.0	3.6	54.8	9.5	51.2	36.9	41.7	76.2	17.9	58.3	46.4	35.7	14.3	36.9	23.8	19.0
10 - 19	126	-	-	126	56	12	69	22	68	54	52	88	19	75	64	52	21	33	29	32
	26.4	-	-	51.6	33.5	32.4	27.7	40.0	25.8	30.2	27.2	26.3	21.8	24.7	29.9	28.6	24.4	22.8	25.7	36.8
	100.0	-	-	100.0A	44.4	9.5	54.8	17.5H	54.0	42.9	41.3	69.8	15.1	59.5	50.8	41.3	16.7	26.2	23.0	25.4Q

Proportions/Means: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 2
Q.2 How Many Years Has Your Household Been Reusing Graywater?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										SOURCES OF GRAYWATER REUSE					GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL				BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A FACE GRAY- WATER SYSTM	HAS A SUB- GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	VEGE- NON- -ING								
		2 OR LESS	3-9	10+													<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.				
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)						
Base: Total Answering	477	78*	155	244	167	37*	249	55*	264	179	191	335	87*	304	214	182	86*	145	113	87*				
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*				
	100.0	16.4*	32.5	51.2	35.0	7.8*	52.2	11.5*	55.3	37.5	40.0	70.2	18.2*	63.7	44.9	38.2	18.0*	30.4	23.7	18.2*				
20+ years	118	-	-	118	33	9	70	9	75	50	56	84	23	82	68	58	18	42	30	19				
	24.7	-	-	48.4	19.8	24.3	28.1	16.4	28.4	27.9	29.3	25.1	26.4	27.0	31.8	31.9	20.9	29.0	26.5	21.8				
	100.0	-	-	100.0A	28.0	7.6	59.3	7.6	63.6D	42.4	47.5D	71.2	19.5	69.5	57.6	49.2	15.3	35.6	25.4	16.1				
				B																				
Sigma	477	78	155	244	167	37	249	55	264	179	191	335	87	304	214	182	86	145	113	87				
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0				
	100.0	16.4	32.5	51.2	35.0	7.8	52.2	11.5	55.3	37.5	40.0	70.2	18.2	63.7	44.9	38.2	18.0	30.4	23.7	18.2				
Mean Base	477	78	155	244	167	37	249	55	264	179	191	335	87	304	214	182	86	145	113	87				
Mean	12.71	1.31	5.12	21.18	11.61	12.68	13.47	10.61	14.12	13.74	14.00	13.09	12.78	13.03	14.73	14.53	11.34	13.33	13.50	12.97				
		A	AB					D																
Std. Deviation	12.61	0.64	1.84	12.59	10.39	12.51	12.03	7.86	13.82	12.13	12.63	12.88	11.95	12.88	12.19	12.89	12.54	12.27	14.01	10.75				
Std. Error	0.58	0.07	0.15	0.81	0.80	2.06	0.76	1.06	0.85	0.91	0.91	0.70	1.28	0.74	0.83	0.96	1.35	1.02	1.32	1.15				

Proportions/Means: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 3
Q.3 How Many Years Has Your Household Been Reusing Graywater At
Your Current Residence?

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SUR- FACE	SUB- GRAY- WATER SYSTM	DISP. GRAY- DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- -ING					
	2 OR LESS	3-9	10+	BATH/ SHWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	GRAY- WATER DIR- ECTLY	VEGE- TABLE FRUIT GARDN	NON- -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
No answer	.9	-	3	3	5	-	3	-	7	5	3	6	1	6	6	5	1	5	1	-
	1.8	-	1.9	1.2	2.9	-	1.2	-	2.5	2.7	1.6	1.7	1.1	1.9	2.7	2.7	1.2	3.3	0.9	-
	100.0	-	33.3	33.3	55.6	-	33.3	-	77.8	55.6	33.3	66.7	11.1	66.7	66.7	55.6	11.1	55.6	11.1	-
Base: Total Answering	482	78*	152	241	168	39*	252	56*	268	178	190	341	87*	304	217	183	85*	145	115	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	16.2*	31.5	50.0	34.9	8.1*	52.3	11.6*	55.6	36.9	39.4	70.7	18.0*	63.1	45.0	38.0	17.6*	30.1	23.9	18.7*
Less than 1 year	43	26	10	7	13	5	19	4	12	14	19	27	9	19	15	19	10	12	7	2
	8.9	33.3	6.6	2.9	7.7	12.8	7.5	7.1	4.5	7.9	10.0	7.9	10.3	6.3	6.9	10.4	11.8	8.3	6.1	2.2
	100.0	60.5B	23.3	16.3	30.2	11.6H	44.2	9.3	27.9	32.6	44.2H	62.8	20.9	44.2	34.9	44.2	23.3S	27.9	16.3	4.7
	C																			
1 - 2	90	52	15	21	32	8	47	6	48	37	31	61	18	64	34	32	25	26	20	13
	18.7	66.7	9.9	8.7	19.0	20.5	18.7	10.7	17.9	20.8	16.3	17.9	20.7	21.1	15.7	17.5	29.4	17.9	17.4	14.4
	100.0	57.8B	16.7	23.3	35.6	8.9	52.2	6.7	53.3	41.1	34.4	67.8	20.0	71.1	37.8	35.6	27.8Q	28.9	22.2	14.4
	C																RS			
3 - 4	80	-	66	13	22	4	37	11	47	25	30	56	15	55	29	28	15	27	18	12
	16.6	-	43.4	5.4	13.1	10.3	14.7	19.6	17.5	14.0	15.8	16.4	17.2	18.1	13.4	15.3	17.6	18.6	15.7	13.3
	100.0	-	82.5A	16.3A	27.5	5.0	46.3	13.8	58.8	31.3	37.5	70.0	18.8	68.8	36.3	35.0	18.8	33.8	22.5	15.0
	C																			
5 - 9	83	-	61	21	34	6	45	7	44	28	31	58	14	46	38	25	12	28	20	19
	17.2	-	40.1	8.7	20.2	15.4	17.9	12.5	16.4	15.7	16.3	17.0	16.1	15.1	17.5	13.7	14.1	19.3	17.4	21.1
	100.0	-	73.5A	25.3A	41.0	7.2	54.2	8.4	53.0	33.7	37.3	69.9	16.9	55.4	45.8	30.1	14.5	33.7	24.1	22.9
	C																			

Proportions/Means: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 3
Q.3 How Many Years Has Your Household Been Reusing Graywater At
Your Current Residence?

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			BATH/ SHOWER	GARBG DIS- POSAL	KITCH SINK	WASH- ING WASHR	CAR WASH- ING	CLEAN -ING HOUSE	HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER VEGE- TABLE FRUIT GARDN	NON- WATER -ING	<10 GALS.	10-49 GALS.	50- 199 200+			
	TOTAL	2 OR LESS	3-9														10+	199	200+	
	(A)	(B)	(C)														(D)	(E)	(F)	(G)
Base: Total Answering	482	78*	152	241	168	39*	252	56*	268	178	190	341	87*	304	217	183	85*	145	115	90*
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	16.2*	31.5	50.0	34.9	8.1*	52.3	11.6*	55.6	36.9	39.4	70.7	18.0*	63.1	45.0	38.0	17.6*	30.1	23.9	18.7*
10 - 19	109	-	-	105	44	9	61	21	61	43	46	82	12	75	58	48	14	32	28	25
	22.6	-	-	43.6	26.2	23.1	24.2	37.5	22.8	24.2	24.2	24.0	13.8	24.7	26.7	26.2	16.5	22.1	24.3	27.8
	100.0	-	-	96.3A	40.4	8.3	56.0	19.3F	56.0	39.4	42.2	75.2L	11.0	68.8L	53.2	44.0	12.8	29.4	25.7	22.9
				B				H												
20+ years	77	-	-	74	23	7	43	7	56	31	33	57	19	45	43	31	9	20	22	19
	16.0	-	-	30.7	13.7	17.9	17.1	12.5	20.9	17.4	17.4	16.7	21.8	14.8	19.8	16.9	10.6	13.8	19.1	21.1
	100.0	-	-	96.1A	29.9	9.1	55.8	9.1	72.7	40.3	42.9	74.0	24.7	58.4	55.8	40.3	11.7	26.0	28.6	24.7
				B																
Sigma	482	78	152	241	168	39	252	56	268	178	190	341	87	304	217	183	85	145	115	90
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	16.2	31.5	50.0	34.9	8.1	52.3	11.6	55.6	36.9	39.4	70.7	18.0	63.1	45.0	38.0	17.6	30.1	23.9	18.7
Mean Base	482	78	152	241	168	39	252	56	268	178	190	341	87	304	217	183	85	145	115	90
Mean	9.62	1.24	4.26	15.52A	9.29	10.24	9.99	9.25	10.92	10.12	10.31	10.17	10.41	9.54	11.11	9.90	7.21	9.03	11.02	11.50P
			A	B															P	
Std. Deviation	10.46	0.66	2.23	11.47	9.93	11.33	10.51	7.47	10.98	10.95	11.12	10.88	11.29	10.36	11.02	10.38	9.29	9.88	11.63	10.01
Std. Error	0.48	0.08	0.18	0.74	0.77	1.81	0.66	1.00	0.67	0.82	0.81	0.59	1.21	0.59	0.75	0.77	1.01	0.82	1.08	1.06

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 4
Q.4a During Which Months Of The Year Does Your Household Reuse Graywater?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										SOURCES OF GRAYWATER REUSE			GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
											HAS A	HAS A	DISP.	WATER	VEGE-							
	2 OR	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	GRAY- DIR- ECTLY	TABLE FRUIT GARDN	NON- WATER -ING							
	TOTAL	LESS															<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.		
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)			
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*		
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*		
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*		
No answer	8	7	1	-	1	1	1	-	-	1	2	-	1	2	-	3	1	1	-	-		
	1.6	9.0	0.6	-	0.6	2.6	0.4	-	-	0.5	1.0	-	1.1	0.6	-	1.6	1.2	0.7	-	-		
	100.0	87.5B	12.5	-	12.5	12.5H	12.5	-	-	12.5	25.0	-	12.5K	25.0	-	37.5	12.5	12.5	-	-		
		C																				
Base: Total Answering	483	71*	154	244	172	38*	254	56*	275	182	191	347	87*	308	223	185	85*	149	116	90*		
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*		
	100.0	14.7*	31.9	50.5	35.6	7.9*	52.6	11.6*	56.9	37.7	39.5	71.8	18.0*	63.8	46.2	38.3	17.6*	30.8	24.0	18.6*		
Winter (Net)	313	36	100	171	126	25	170	42	202	125	129	233	65	192	146	129	36	87	86	74		
	64.8	50.7	64.9	70.1	73.3	65.8	66.9	75.0	73.5	68.7	67.5	67.1	74.7	62.3	65.5	69.7	42.4	58.4	74.1	82.2		
	100.0	11.5	31.9A	54.6A	40.3	8.0	54.3	13.4	64.5	39.9	41.2	74.4	20.8M	61.3	46.6	41.2	11.5	27.8P	27.5P	23.6PQ		
																				Q		
January	277	30	91	150	107	22	147	36	181	103	107	208	61	168	123	113	29	75	77	67		
	57.3	42.3	59.1	61.5	62.2	57.9	57.9	64.3	65.8	56.6	56.0	59.9	70.1	54.5	55.2	61.1	34.1	50.3	66.4	74.4		
	100.0	10.8	32.9A	54.2A	38.6	7.9	53.1	13.0	65.3I	37.2	38.6	75.1	22.0M	60.6	44.4	40.8	10.5	27.1P	27.8P	24.2PQ		
																				Q		
February	275	31	90	149	105	22	144	36	178	103	106	204	60	168	120	113	30	73	76	67		
	56.9	43.7	58.4	61.1	61.0	57.9	56.7	64.3	64.7	56.6	55.5	58.8	69.0	54.5	53.8	61.1	35.3	49.0	65.5	74.4		
	100.0	11.3	32.7A	54.2A	38.2	8.0	52.4	13.1	64.7J	37.5	38.5	74.2	21.8M	61.1	43.6	41.1	10.9	26.5P	27.6P	24.4PQ		
																				Q		
March	306	35	98	167	122	25	166	41	199	123	125	229	64	188	142	127	34	85	85	73		
	63.4	49.3	63.6	68.4	70.9	65.8	65.4	73.2	72.4	67.6	65.4	66.0	73.6	61.0	63.7	68.6	40.0	57.0	73.3	81.1		
	100.0	11.4	32.0A	54.6A	39.9	8.2	54.2	13.4	65.0	40.2	40.8	74.8	20.9M	61.4	46.4	41.5	11.1	27.8P	27.8P	23.9PQ		
																				Q		

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 4
Q.4a During Which Months Of The Year Does Your Household Reuse Graywater?

TOTAL	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG		DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING	VOLUME OF GRAYWATER REUSED			
					DIS- POSAL	KITCH SINK										10-49 199	200+		
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
483	71*	154	244	172	38*	254	56*	275	182	191	347	87*	308	223	185	85*	149	116	90*
100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
100.0	14.7*	31.9	50.5	35.6	7.9*	52.6	11.6*	56.9	37.7	39.5	71.8	18.0*	63.8	46.2	38.3	17.6*	30.8	24.0	18.6*
458	62	145	237	165	35	242	53	267	176	183	332	84	291	212	180	75	140	114	89
94.8	87.3	94.2	97.1	95.9	92.1	95.3	94.6	97.1	96.7	95.8	95.7	96.6	94.5	95.1	97.3	88.2	94.0	98.3	98.9
100.0	13.5	31.7	51.7A	36.0	7.6	52.8	11.6	58.3	38.4	40.0	72.5	18.3	63.5	46.3	39.3	16.4	30.6	24.9P	19.4P
377	45	118	204	143	30	202	48	229	147	154	278	78	231	180	155	48	114	102	80
78.1	63.4	76.6	83.6	83.1	78.9	79.5	85.7	83.3	80.8	80.6	80.1	89.7	75.0	80.7	83.8	56.5	76.5	87.9	88.9
100.0	11.9	31.3A	54.1A	37.9	8.0	53.6	12.7	60.7	39.0	40.8	73.7	20.7K M	61.3	47.7	41.1	12.7	30.2P Q	27.1P	21.2PQ
421	52	135	222	157	35	229	50	253	165	172	310	83	265	200	165	59	126	110	88
87.2	73.2	87.7	91.0	91.3	92.1	90.2	89.3	92.0	90.7	90.1	89.3	95.4	86.0	89.7	89.2	69.4	84.6	94.8	97.8
100.0	12.4	32.1A	52.7A	37.3	8.3	54.4	11.9	60.1	39.2	40.9	73.6	19.7M	62.9	47.5	39.2	14.0	29.9P Q	26.1P	20.9PQ
450	59	143	235	164	35	239	52	260	173	180	327	84	285	212	174	73	136	114	89
93.2	83.1	92.9	96.3	95.3	92.1	94.1	92.9	94.5	95.1	94.2	94.2	96.6	92.5	95.1	94.1	85.9	91.3	98.3	98.9
100.0	13.1	31.8A	52.2A	36.4	7.8	53.1	11.6	57.8	38.4	40.0	72.7	18.7	63.3	47.1	38.7	16.2	30.2	25.3P Q	19.8PQ
465	64	149	239	167	38	247	52	268	178	188	339	82	299	221	177	79	145	114	88
96.3	90.1	96.8	98.0	97.1	100.0	97.2	92.9	97.5	97.8	98.4	97.7	94.3	97.1	99.1	95.7	92.9	97.3	98.3	97.8
100.0	13.8	32.0A	51.4A	35.9	8.2	53.1	11.2	57.6	38.3	40.4G	72.9	17.6	64.3	47.50	38.1	17.0	31.2	24.5	18.9
459	63	147	236	164	37	244	52	266	177	185	335	82	295	221	175	74	144	114	88
95.0	88.7	95.5	96.7	95.3	97.4	96.1	92.9	96.7	97.3	96.9	96.5	94.3	95.8	99.1	94.6	87.1	96.6	98.3	97.8
100.0	13.7	32.0	51.4A	35.7	8.1	53.2	11.3	58.0	38.6	40.3	73.0	17.9	64.3	48.10	38.1	16.1	31.4P	24.8P	19.2P

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 4
Q.4a During Which Months Of The Year Does Your Household Reuse Graywater?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
											HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING											
				BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE																
	TOTAL	2 OR LESS	3-9	10+	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)						
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)							
Base: Total Answering	483	71*	154	244	172	38*	254	56*	275	182	191	347	87*	308	223	185	85*	149	116	90*						
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*						
	100.0	14.7*	31.9	50.5	35.6	7.9*	52.6	11.6*	56.9	37.7	39.5	71.8	18.0*	63.8	46.2	38.3	17.6*	30.8	24.0	18.6*						
August	451	58	145	235	164	37	242	52	261	173	184	332	82	291	217	172	73	138	114	88						
	93.4	81.7	94.2	96.3	95.3	97.4	95.3	92.9	94.9	95.1	96.3	95.7	94.3	94.5	97.3	93.0	85.9	92.6	98.3	97.8						
	100.0	12.9	32.2A	52.1A	36.4	8.2	53.7	11.5	57.9	38.4	40.8	73.6	18.2	64.5	48.10	38.1	16.2	30.6	25.3P	19.5P						
																				Q						
September	423	47	139	224	159	35	227	51	251	165	173	315	80	267	206	167	59	134	107	87						
	87.6	66.2	90.3	91.8	92.4	92.1	89.4	91.1	91.3	90.7	90.6	90.8	92.0	86.7	92.4	90.3	69.4	89.9	92.2	96.7						
	100.0	11.1	32.9A	53.0A	37.6	8.3	53.7	12.1	59.3	39.0	40.9	74.5	18.9	63.1	48.7	39.5	13.9	31.7P	25.3P	20.6P						
Fall (Net)	343	35	113	188	132	28	187	44	217	133	139	258	67	208	159	138	40	98	91	83						
	71.0	49.3	73.4	77.0	76.7	73.7	73.6	78.6	78.9	73.1	72.8	74.4	77.0	67.5	71.3	74.6	47.1	65.8	78.4	92.2						
	100.0	10.2	32.9A	54.8A	38.5	8.2	54.5	12.8	63.3	38.8	40.5	75.2	19.5	60.6	46.4	40.2	11.7	28.6P	26.5P	24.2PQR						
																				Q						
October	338	34	111	186	129	28	185	43	215	131	137	256	67	205	158	135	39	97	91	82						
	70.0	47.9	72.1	76.2	75.0	73.7	72.8	76.8	78.2	72.0	71.7	73.8	77.0	66.6	70.9	73.0	45.9	65.1	78.4	91.1						
	100.0	10.1	32.8A	55.0A	38.2	8.3	54.7	12.7	63.6	38.8	40.5	75.7M	19.8	60.7	46.7	39.9	11.5	28.7P	26.9P	24.3PQR						
																				Q						
November	278	28	89	155	106	22	151	34	186	106	108	212	58	168	125	112	26	75	80	69						
	57.6	39.4	57.8	63.5	61.6	57.9	59.4	60.7	67.6	58.2	56.5	61.1	66.7	54.5	56.1	60.5	30.6	50.3	69.0	76.7						
	100.0	10.1	32.0A	55.8A	38.1	7.9	54.3	12.2	66.9I	38.1	38.8	76.3	20.9M	60.4	45.0	40.3	9.4	27.0P	28.8P	24.8PQ						
																				Q						
December	267	29	85	148	101	21	142	35	177	99	103	202	57	165	118	109	26	71	75	66						
	55.3	40.8	55.2	60.7	58.7	55.3	55.9	62.5	64.4	54.4	53.9	58.2	65.5	53.6	52.9	58.9	30.6	47.7	64.7	73.3						
	100.0	10.9	31.8A	55.4A	37.8	7.9	53.2	13.1	66.3F	37.1	38.6	75.7	21.3M	61.8	44.2	40.8	9.7	26.6P	28.1P	24.7PQ						
																				Q						

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 5
Q.4b During Which Month Of The Year, If Any, Does Your Household Reuse
Graywater Most?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	TOTAL											HAS A SUR-	HAS A SUB-	DISP.	WATER					
		2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	GRAY- WATER DIR- ECTLY	VEGE- TABLE GARDN	NON- WATER -ING				
																	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
No answer	91	16	23	50	22	5	40	11	57	27	26	63	12	57	29	24	11	16	19	24
	18.5	20.5	14.8	20.5	12.7	12.8	15.7	19.6	20.7	14.8	13.5	18.2	13.6	18.4	13.0	12.8	12.8	10.7	16.4	26.7
	100.0	17.6	25.3	54.9	24.2	5.5	44.0	12.1	62.6D	29.7	28.6	69.2	13.2	62.6	31.9	26.4	12.1	17.6	20.9	26.4PQ
									J											
Base: Total Answering	400	62*	132	194	151	34*	215	45*	218	156	167	284	76*	253	194	164	75*	134	97*	66*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*
	100.0	15.5*	33.0	48.5	37.8	8.5*	53.8	11.3*	54.5	39.0	41.8	71.0	19.0*	63.3	48.5	41.0	18.8*	33.5	24.3*	16.5*
Winter (Net)	41	7	13	20	19	4	19	9	27	21	14	25	14	21	15	19	4	12	9	8
	10.3	11.3	9.8	10.3	12.6	11.8	8.8	20.0	12.4	13.5	8.4	8.8	18.4	8.3	7.7	11.6	5.3	9.0	9.3	12.1
	100.0	17.1	31.7	48.8	46.3	9.8	46.3	22.0F	65.9	51.2	34.1	61.0	34.1K	51.2	36.6	46.3	9.8	29.3	22.0	19.5
								J					M							
January	32	3	11	18	15	3	12	9	22	15	10	18	12	18	11	13	4	9	5	7
	8.0	4.8	8.3	9.3	9.9	8.8	5.6	20.0	10.1	9.6	6.0	6.3	15.8	7.1	5.7	7.9	5.3	6.7	5.2	10.6
	100.0	9.4	34.4	56.3	46.9	9.4	37.5	28.1F	68.8	46.9	31.3	56.3	37.5K	56.3	34.4	40.6	12.5	28.1	15.6	21.9
								J					M							
February	30	2	11	17	14	3	14	7	23	14	9	20	12	18	10	10	3	7	7	7
	7.5	3.2	8.3	8.8	9.3	8.8	6.5	15.6	10.6	9.0	5.4	7.0	15.8	7.1	5.2	6.1	4.0	5.2	7.2	10.6
	100.0	6.7	36.7	56.7	46.7	10.0	46.7	23.3F	76.7	46.7	30.0	66.7	40.0K	60.0	33.3	33.3	10.0	23.3	23.3	23.3
								J					M							
March	33	6	9	17	14	4	16	7	22	17	11	21	14	16	10	14	3	10	7	6
	8.3	9.7	6.8	8.8	9.3	11.8	7.4	15.6	10.1	10.9	6.6	7.4	18.4	6.3	5.2	8.5	4.0	7.5	7.2	9.1
	100.0	18.2	27.3	51.5	42.4	12.1	48.5	21.2	66.7	51.5	33.3	63.6	42.4K	48.5	30.3	42.4	9.1	30.3	21.2	18.2
													M							

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 5
Q.4b During Which Month Of The Year, If Any, Does Your Household Reuse
Graywater Most?

TOTAL	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE								GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR- WASH- ING	CLEAN- ING HOUSE	HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- VEGE- TABLE FRUIT -ING	50- VOLUME OF GRAYWATER REUSED				
																<10 GALS.	10-49 GALS.	199 GALS.	200+ GALS.	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
400	62*	132	194	151	34*	215	45*	218	156	167	284	76*	253	194	164	75*	134	97*	66*	
100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*	
100.0	15.5*	33.0	48.5	37.8	8.5*	53.8	11.3*	54.5	39.0	41.8	71.0	19.0*	63.3	48.5	41.0	18.8*	33.5	24.3*	16.5*	
155	28	39	84	58	17	81	21	94	62	69	109	40	88	77	66	27	53	38	26	
38.8	45.2	29.5	43.3	38.4	50.0	37.7	46.7	43.1	39.7	41.3	38.4	52.6	34.8	39.7	40.2	36.0	39.6	39.2	39.4	
100.0	18.1B	25.2	54.2B	37.4	11.0	52.3	13.5	60.6	40.0	44.5	70.3	25.8K	56.8	49.7	42.6	17.4	34.2	24.5	16.8	
												M								
59	11	14	32	21	6	26	13	38	27	26	40	21	31	26	27	8	17	13	13	
14.8	17.7	10.6	16.5	13.9	17.6	12.1	28.9	17.4	17.3	15.6	14.1	27.6	12.3	13.4	16.5	10.7	12.7	13.4	19.7	
100.0	18.6	23.7	54.2	35.6	10.2	44.1	22.0D	64.4	45.8	44.1	67.8	35.6K	52.5	44.1	45.8	13.6	28.8	22.0	22.0	
							FJ					M								
81	14	24	42	34	10	42	13	50	33	36	57	24	41	35	35	9	22	22	20	
20.3	22.6	18.2	21.6	22.5	29.4	19.5	28.9	22.9	21.2	21.6	20.1	31.6	16.2	18.0	21.3	12.0	16.4	22.7	30.3	
100.0	17.3	29.6	51.9	42.0	12.3	51.9	16.0	61.7	40.7	44.4	70.4	29.6K	50.6	43.2	43.2	11.1	27.2	27.2	24.7Pq	
												M								
131	22	34	72	47	14	71	18	81	52	56	95	35	75	68	51	20	44	34	23	
32.8	35.5	25.8	37.1	31.1	41.2	33.0	40.0	37.2	33.3	33.5	33.5	46.1	29.6	35.1	31.1	26.7	32.8	35.1	34.8	
100.0	16.8	26.0	55.0B	35.9	10.7	54.2	13.7	61.8	39.7	42.7	72.5	26.7K	57.3	51.9	38.9	15.3	33.6	26.0	17.6	
												M								
319	44	109	157	119	25	167	37	177	116	129	236	60	210	154	123	54	106	80	56	
79.8	71.0	82.6	80.9	78.8	73.5	77.7	82.2	81.2	74.4	77.2	83.1	78.9	83.0	79.4	75.0	72.0	79.1	82.5	84.8	
100.0	13.8	34.2	49.2	37.3	7.8	52.4	11.6	55.5	36.4	40.4	74.0	18.8	65.8	48.3	38.6	16.9	33.2	25.1	17.6	
228	34	70	118	77	21	115	32	141	84	94	173	49	148	110	86	31	75	60	44	
57.0	54.8	53.0	60.8	51.0	61.8	53.5	71.1	64.7	53.8	56.3	60.9	64.5	58.5	56.7	52.4	41.3	56.0	61.9	66.7	
100.0	14.9	30.7	51.8	33.8	9.2	50.4	14.0D	61.8D	36.8	41.2	75.9	21.5	64.9	48.2	37.7	13.6	32.9P	26.3P	19.3P	
							FI	FI												

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 5
Q.4b During Which Month Of The Year, If Any, Does Your Household Reuse
Graywater Most?

	SOURCES OF GRAYWATER REUSE											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SUR- FACE	HAS A SUB- GRAY- WATER	DISP. GRAY- WATER	VEGE- TABLE	NON- WATER					
				GARBG		WASH- CAR		CLEAN												
				BATH/ DIS- KITCH	DISH- WASH- CAR															
	TOTAL	2 OR LESS	3-9	10+	SHOWR POSAL	SINK	WASHR	ING MACH.	WASH- ING	-ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	WATER DIR- ECTLY	FRUIT GARDN	-ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	400	62*	132	194	151	34*	215	45*	218	156	167	284	76*	253	194	164	75*	134	97*	66*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*
	100.0	15.5*	33.0	48.5	37.8	8.5*	53.8	11.3*	54.5	39.0	41.8	71.0	19.0*	63.3	48.5	41.0	18.8*	33.5	24.3*	16.5*
August	186	24	66	91	73	13	95	19	98	69	74	133	37	118	88	73	34	61	46	32
	46.5	38.7	50.0	46.9	48.3	38.2	44.2	42.2	45.0	44.2	44.3	46.8	48.7	46.6	45.4	44.5	45.3	45.5	47.4	48.5
	100.0	12.9	35.5	48.9	39.2	7.0	51.1	10.2	52.7	37.1	39.8	71.5	19.9	63.4	47.3	39.2	18.3	32.8	24.7	17.2
September	81	10	25	43	33	9	39	13	54	29	33	62	22	48	37	36	7	29	19	17
	20.3	16.1	18.9	22.2	21.9	26.5	18.1	28.9	24.8	18.6	19.8	21.8	28.9	19.0	19.1	22.0	9.3	21.6	19.6	25.8
	100.0	12.3	30.9	53.1	40.7	11.1	48.1	16.0	66.7	35.8	40.7	76.5	27.2	59.3	45.7	44.4	8.6	35.8P	23.5	21.0P
Fall (Net)	38	3	12	23	17	3	17	8	28	15	12	24	16	23	16	15	2	13	7	9
	9.5	4.8	9.1	11.9	11.3	8.8	7.9	17.8	12.8	9.6	7.2	8.5	21.1	9.1	8.2	9.1	2.7	9.7	7.2	13.6
	100.0	7.9	31.6	60.5	44.7	7.9	44.7	21.1F	73.7	39.5	31.6	63.2	42.1K	60.5	42.1	39.5	5.3	34.2	18.4	23.7P
								J					M							
October	36	3	12	21	17	3	15	8	28	14	11	24	15	22	16	13	1	12	7	9
	9.0	4.8	9.1	10.8	11.3	8.8	7.0	17.8	12.8	9.0	6.6	8.5	19.7	8.7	8.2	7.9	1.3	9.0	7.2	13.6
	100.0	8.3	33.3	58.3	47.2	8.3	41.7	22.2F	77.8F	38.9	30.6	66.7	41.7K	61.1	44.4	36.1	2.8	33.3P	19.4	25.0P
								J	J				M							
November	25	2	7	16	11	3	10	6	20	12	9	15	11	16	8	8	2	6	4	6
	6.3	3.2	5.3	8.2	7.3	8.8	4.7	13.3	9.2	7.7	5.4	5.3	14.5	6.3	4.1	4.9	2.7	4.5	4.1	9.1
	100.0	8.0	28.0	64.0	44.0	12.0	40.0	24.0F	80.0	48.0	36.0	60.0	44.0K	64.0	32.0	32.0	8.0	24.0	16.0	24.0
													M							
December	26	2	7	17	11	3	11	6	20	13	10	15	12	17	8	9	2	7	4	6
	6.5	3.2	5.3	8.8	7.3	8.8	5.1	13.3	9.2	8.3	6.0	5.3	15.8	6.7	4.1	5.5	2.7	5.2	4.1	9.1
	100.0	7.7	26.9	65.4	42.3	11.5	42.3	23.1F	76.9	50.0	38.5	57.7	46.2K	65.4	30.8	34.6	7.7	26.9	15.4	23.1
													M							

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 5
Q.4b During Which Month Of The Year, If Any, Does Your Household Reuse
Graywater Most?

NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- VEGE- TABLE -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
400	62*	132	194	151	34*	215	45*	218	156	167	284	76*	253	194	164	75*	134	97*	66*
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
100.0	15.5*	33.0	48.5	37.8	8.5*	53.8	11.3*	54.5	39.0	41.8	71.0	19.0*	63.3	48.5	41.0	18.8*	33.5	24.3*	16.5*
948	133	290	504	367	92	466	151	597	379	379	673	264	568	427	375	124	299	228	190
237.0	214.5	219.7	259.8	243.0	270.6	216.7	335.6	273.9	242.9	226.9	237.0	347.4	224.5	220.1	228.7	165.3	223.1	235.1	287.9
100.0	14.0	30.6	53.2	38.7	9.7	49.2	15.9	63.0	40.0	40.0	71.0	27.8	59.9	45.0	39.6	13.1	31.5	24.1	20.0

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 6
Q.5 In What Type Of Residence Do You Reuse Graywater?

											GRAYWATER SYSTEM			USES OF GRAYWATER						
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE							HAS A SUR- FACE	HAS A SUB- SURFC	DISP. GRAY- WATER			VOLUME OF GRAYWATER REUSED				
				GARBG		WASH- ING		CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	WATER DIR- ECTLY	TABLE FRUIT GARDN	NON- -ING						
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	MACH.							<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
No answer	20	6	2	12	6	2	8	2	8	6	7	10	6	7	9	11	1	7	3	3
	4.1	7.7	1.3	4.9	3.5	5.1	3.1	3.6	2.9	3.3	3.6	2.9	6.8	2.3	4.0	5.9	1.2	4.7	2.6	3.3
	100.0	30.0B	10.0	60.0	30.0	10.0	40.0	10.0	40.0	30.0	35.0	50.0	30.0M	35.0	45.0	55.0	5.0	35.0	15.0	15.0
Base: Total Answering	471	72*	153	232	167	37*	247	54*	267	177	186	337	82*	303	214	177	85*	143	113	87*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.3*	32.5	49.3	35.5	7.9*	52.4	11.5*	56.7	37.6	39.5	71.5	17.4*	64.3	45.4	37.6	18.0*	30.4	24.0	18.5*
Single family house	405	61	122	209	139	32	204	48	241	156	160	291	72	262	192	151	61	124	104	80
	86.0	84.7	79.7	90.1	83.2	86.5	82.6	88.9	90.3	88.1	86.0	86.4	87.8	86.5	89.7	85.3	71.8	86.7	92.0	92.0
	100.0	15.1	30.1	51.6B	34.3	7.9	50.4	11.9	59.5D	38.5	39.5	71.9	17.8	64.7	47.4	37.3	15.1	30.6P	25.7P	19.8P
	F																			
Multiple family house	20	-	9	10	7	-	13	4	11	7	11	16	2	12	10	9	7	5	4	2
	4.2	-	5.9	4.3	4.2	-	5.3	7.4	4.1	4.0	5.9	4.7	2.4	4.0	4.7	5.1	8.2	3.5	3.5	2.3
	100.0	-	45.0A	50.0	35.0	-	65.0	20.0	55.0	35.0	55.0	80.0	10.0	60.0	50.0	45.0	35.0	25.0	20.0	10.0
Condo/Co-op	3	-	2	1	1	1	2	1	1	2	2	1	-	2	1	2	2	1	-	-
	0.6	-	1.3	0.4	0.6	2.7	0.8	1.9	0.4	1.1	1.1	0.3	-	0.7	0.5	1.1	2.4	0.7	-	-
	100.0	-	66.7	33.3	33.3	33.3	66.7	33.3	33.3	66.7	66.7	33.3	-	66.7	33.3	66.7	66.7	33.3	-	-
Apartment	22	8	11	3	9	2	16	-	4	8	9	14	4	16	5	11	13	6	2	-
	4.7	11.1	7.2	1.3	5.4	5.4	6.5	-	1.5	4.5	4.8	4.2	4.9	5.3	2.3	6.2	15.3	4.2	1.8	-
	100.0	36.4C	50.0C	13.6	40.9H	9.1	72.7H	-	18.2	36.4	40.9H	63.6	18.2	72.7	22.7	50.0	59.1Q	27.3	9.1	-
	RS																			

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 6
Q.5 In What Type Of Residence Do You Reuse Graywater?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
												HAS A	HAS A	DISP.	WATER					
												SUR-	SUB-	GRAY-	VEGE-					
	2 OR	3-9	10+		BATH/	DIS-	KITCH	DISH-	WASH-	CAR	CLEAN	GRAY-	GRAY-	WATER	TABLE	NON-	<10	10-49	50-	200+
	LESS				SHOWR	POSAL	SINK	WASHR	MACH.	ING	HOUSE	SYSTM	SYSTM	DIR-	FRUIT	WATER	GALS.	GALS.	GALS.	GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	471	72*	153	232	167	37*	247	54*	267	177	186	337	82*	303	214	177	85*	143	113	87*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.3*	32.5	49.3	35.5	7.9*	52.4	11.5*	56.7	37.6	39.5	71.5	17.4*	64.3	45.4	37.6	18.0*	30.4	24.0	18.5*
Vacation home	4	1	1	2	3	-	2	-	-	1	1	3	1	-	-	-	-	2	-	1
	0.8	1.4	0.7	0.9	1.8	-	0.8	-	-	0.6	0.5	0.9	1.2	-	-	-	-	1.4	-	1.1
	100.0	25.0	25.0	50.0	75.0H	-	50.0	-	-	25.0	25.0	75.0	25.0	-	-	-	-	50.0	-	25.0
Other	17	2	8	7	8	2	10	1	10	3	3	12	3	11	6	4	2	5	3	4
	3.6	2.8	5.2	3.0	4.8	5.4	4.0	1.9	3.7	1.7	1.6	3.6	3.7	3.6	2.8	2.3	2.4	3.5	2.7	4.6
	100.0	11.8	47.1	41.2	47.1	11.8	58.8	5.9	58.8	17.6	17.6	70.6	17.6	64.7	35.3	23.5	11.8	29.4	17.6	23.5
Sigma	471	72	153	232	167	37	247	54	267	177	186	337	82	303	214	177	85	143	113	87
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	15.3	32.5	49.3	35.5	7.9	52.4	11.5	56.7	37.6	39.5	71.5	17.4	64.3	45.4	37.6	18.0	30.4	24.0	18.5

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 7
Q.6 What Specifically Caused You To Start Using Graywater?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL				BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A	HAS A	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- VEGE- WATER -ING	OF GRAYWATER REUSED			
		FACE	SURFC	10- 49 GALS.								199 GALS.	200+ GALS.							
		GRAY- WATER SYSTM	GRAY- WATER SYSTM																	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
No answer	16	8	4	2	3	-	5	4	6	3	2	9	3	9	4	3	2	5	1	2
	3.3	10.3	2.6	0.8	1.7	-	2.0	7.1	2.2	1.6	1.0	2.6	3.4	2.9	1.8	1.6	2.3	3.3	0.9	2.2
	100.0	50.0B	25.0	12.5	18.8	-	31.3	25.0D	37.5	18.8	12.5	56.3	18.8	56.3	25.0	18.8	12.5	31.3	6.3	12.5
		C						FHIJ												
Base: Total Answering	475	70*	151	242	170	39*	250	52*	269	180	191	338	85*	301	219	185	84*	145	115	88*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	14.7*	31.8	50.9	35.8	8.2*	52.6	10.9*	56.6	37.9	40.2	71.2	17.9*	63.4	46.1	38.9	17.7*	30.5	24.2	18.5*
Environmental Concerns (Net)	152	23	39	87	67	15	97	12	77	62	78	104	19	90	82	75	32	53	38	22
	32.0	32.9	25.8	36.0	39.4	38.5	38.8	23.1	28.6	34.4	40.8	30.8	22.4	29.9	37.4	40.5	38.1	36.6	33.0	25.0
	100.0	15.1	25.7	57.2B	44.1GH	9.9	63.8GH	7.9	50.7	40.8	51.3G	68.4	12.5	59.2	53.9	49.3	21.1	34.9	25.0	14.5
											H									
Water Conservation (Subnet)	128	20	33	72	61	13	82	9	66	55	64	88	17	76	66	64	26	47	28	22
	26.9	28.6	21.9	29.8	35.9	33.3	32.8	17.3	24.5	30.6	33.5	26.0	20.0	25.2	30.1	34.6	31.0	32.4	24.3	25.0
	100.0	15.6	25.8	56.3	47.7G	10.2	64.1GH	7.0	51.6	43.0	50.0G	68.8	13.3	59.4	51.6	50.0	20.3	36.7	21.9	17.2
					H						H									
Water conservation/save water/save water supply	75	14	19	41	37	7	49	4	40	36	41	52	13	40	37	38	15	25	19	13
	15.8	20.0	12.6	16.9	21.8	17.9	19.6	7.7	14.9	20.0	21.5	15.4	15.3	13.3	16.9	20.5	17.9	17.2	16.5	14.8
	100.0	18.7	25.3	54.7	49.3G	9.3	65.3G	5.3	53.3	48.0G	54.7G	69.3	17.3	53.3	49.3	50.7	20.0	33.3	25.3	17.3
Don't like to waste valuable water	54	6	14	32	24	6	34	5	26	20	24	36	4	36	30	26	12	22	9	9
	11.4	8.6	9.3	13.2	14.1	15.4	13.6	9.6	9.7	11.1	12.6	10.7	4.7	12.0	13.7	14.1	14.3	15.2	7.8	10.2
	100.0	11.1	25.9	59.3	44.4	11.1	63.0	9.3	48.1	37.0	44.4	66.7	7.4	66.7	55.6	48.1	22.2	40.7	16.7	16.7

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 7
Q.6 What Specifically Caused You To Start Using Graywater?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL				BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- VEGE- TABLE -ING				
																	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
		2 OR LESS	3-9	10+																
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	475	70*	151	242	170	39*	250	52*	269	180	191	338	85*	301	219	185	84*	145	115	88*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	14.7*	31.8	50.9	35.8	8.2*	52.6	10.9*	56.6	37.9	40.2	71.2	17.9*	63.4	46.1	38.9	17.7*	30.5	24.2	18.5*
All other water conservation mentions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Concern for environment/natural resources	31	5	8	18	9	2	19	4	15	11	17	22	3	18	18	16	8	7	11	2
	6.5	7.1	5.3	7.4	5.3	5.1	7.6	7.7	5.6	6.1	8.9	6.5	3.5	6.0	8.2	8.6	9.5	4.8	9.6	2.3
	100.0	16.1	25.8	58.1	29.0	6.5	61.3	12.9	48.4	35.5	54.8	71.0	9.7	58.1	58.1	51.6	25.8s	22.6	35.5s	6.5
Save energy	2	-	1	1	1	-	1	-	1	1	1	1	-	1	-	1	-	-	1	-
	0.4	-	0.7	0.4	0.6	-	0.4	-	0.4	0.6	0.5	0.3	-	0.3	-	0.5	-	-	0.9	-
	100.0	-	50.0	50.0	50.0	-	50.0	-	50.0	50.0	50.0	50.0	-	50.0	-	50.0	-	-	50.0	-
All other environmental concerns mentions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Price/Cost (Net)	81	15	30	35	39	6	42	8	50	29	37	53	15	48	32	38	7	25	25	17
	17.1	21.4	19.9	14.5	22.9	15.4	16.8	15.4	18.6	16.1	19.4	15.7	17.6	15.9	14.6	20.5	8.3	17.2	21.7	19.3
	100.0	18.5	37.0	43.2	48.1	7.4	51.9	9.9	61.7	35.8	45.7	65.4	18.5	59.3	39.5	46.9	8.6	30.9	30.9p	21.0p
Price/cost/price/cost of water/high water bills	42	4	19	19	18	2	26	5	24	17	20	26	6	27	19	20	3	15	11	7
	8.8	5.7	12.6	7.9	10.6	5.1	10.4	9.6	8.9	9.4	10.5	7.7	7.1	9.0	8.7	10.8	3.6	10.3	9.6	8.0
	100.0	9.5	45.2	45.2	42.9	4.8	61.9	11.9	57.1	40.5	47.6	61.9	14.3	64.3	45.2	47.6	7.1	35.7	26.2	16.7
Saves money/save on water bill	32	9	9	14	18	4	15	4	22	10	15	23	8	19	11	15	5	7	12	7
	6.7	12.9	6.0	5.8	10.6	10.3	6.0	7.7	8.2	5.6	7.9	6.8	9.4	6.3	5.0	8.1	6.0	4.8	10.4	8.0
	100.0	28.1c	28.1	43.8	56.3	12.5	46.9	12.5	68.8	31.3	46.9	71.9	25.0	59.4	34.4	46.9	15.6	21.9	37.5	21.9

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 7
Q.6 What Specifically Caused You To Start Using Graywater?

	SOURCES OF GRAYWATER REUSE											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER											HAS A SUR- FACE WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN -ING					
					GARBG BATH/ DIS- KITCH DISH- ING CAR CLEAN GRAY- GRAY- WATER	WASH- WASH- -ING	CAR WASH- WASH- -ING	CLEAN -ING	GRAY- WATER	GRAY- WATER	DISP. DIR- ECTLY	WATER TABLE FRUIT GARDN -ING								
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	DISP. DIR- ECTLY	WATER TABLE FRUIT GARDN -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	475	70*	151	242	170	39*	250	52*	269	180	191	338	85*	301	219	185	84*	145	115	88*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*	100.0	100.0	100.0*	100.0*
	100.0	14.7*	31.8	50.9	35.8	8.2*	52.6	10.9*	56.6	37.9	40.2	71.2	17.9*	63.4	46.1	38.9	17.7*	30.5	24.2	18.5*
Economical	6	2	1	3	2	-	1	-	3	2	1	4	1	3	1	3	-	2	2	2
	1.3	2.9	0.7	1.2	1.2	-	0.4	-	1.1	1.1	0.5	1.2	1.2	1.0	0.5	1.6	-	1.4	1.7	2.3
	100.0	33.3	16.7	50.0	33.3	-	16.7	-	50.0	33.3	16.7	66.7	16.7	50.0	16.7	50.0	-	33.3	33.3	33.3
All other price/cost mentions	5	2	1	1	3	-	3	-	4	2	3	2	1	2	3	2	-	2	1	2
	1.1	2.9	0.7	0.4	1.8	-	1.2	-	1.5	1.1	1.6	0.6	1.2	0.7	1.4	1.1	-	1.4	0.9	2.3
	100.0	40.0	20.0	20.0	60.0	-	60.0	-	80.0	40.0	60.0	40.0	20.0	40.0	60.0	40.0	-	40.0	20.0	40.0
Convenience (Net)	9	1	4	4	3	-	4	1	4	5	4	8	2	7	5	3	-	5	3	1
	1.9	1.4	2.6	1.7	1.8	-	1.6	1.9	1.5	2.8	2.1	2.4	2.4	2.3	2.3	1.6	-	3.4	2.6	1.1
	100.0	11.1	44.4	44.4	33.3	-	44.4	11.1	44.4	55.6	44.4	88.9	22.2	77.8	55.6	33.3	-	55.6	33.3	11.1
Convenient	6	-	3	3	-	-	3	1	2	3	3	6	-	6	4	2	-	5	-	1
	1.3	-	2.0	1.2	-	-	1.2	1.9	0.7	1.7	1.6	1.8	-	2.0	1.8	1.1	-	3.4	-	1.1
	100.0	-	50.0	50.0	-	-	50.0	16.7	33.3	50.0	50.0	100.0	-	100.0	66.7	33.3	-	83.3R	-	16.7
All other convenience mentions	3	1	1	1	3	-	1	-	2	2	1	2	2	1	1	1	-	-	3	-
	0.6	1.4	0.7	0.4	1.8	-	0.4	-	0.7	1.1	0.5	0.6	2.4	0.3	0.5	0.5	-	-	2.6	-
	100.0	33.3	33.3	33.3	100.0	-	33.3	-	66.7	66.7	33.3	66.7	66.7	33.3	33.3	33.3	-	-	100.0	-
Weather Conditions (Net)	100	11	37	47	42	13	54	11	50	44	42	70	13	63	53	41	20	39	22	13
	21.1	15.7	24.5	19.4	24.7	33.3	21.6	21.2	18.6	24.4	22.0	20.7	15.3	20.9	24.2	22.2	23.8	26.9	19.1	14.8
	100.0	11.0	37.0	47.0	42.0	13.0H	54.0	11.0	50.0	44.0	42.0	70.0	13.0	63.0	53.0	41.0	20.0	39.0S	22.0	13.0
Hot summer/hot summer months	9	1	5	3	2	1	4	-	7	1	2	7	1	6	8	1	3	1	4	-
	1.9	1.4	3.3	1.2	1.2	2.6	1.6	-	2.6	0.6	1.0	2.1	1.2	2.0	3.7	0.5	3.6	0.7	3.5	-
	100.0	11.1	55.6	33.3	22.2	11.1	44.4	-	77.8	11.1	22.2	77.8	11.1	66.7	88.90	11.1	33.3	11.1	44.4	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 7
Q.6 What Specifically Caused You To Start Using Graywater?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE								GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG		WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING	OF GRAYWATER REUSED				
						POSAL	KITCH SINK									<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	475	70*	151	242	170	39*	250	52*	269	180	191	338	85*	301	219	185	84*	145	115	88*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	14.7*	31.8	50.9	35.8	8.2*	52.6	10.9*	56.6	37.9	40.2	71.2	17.9*	63.4	46.1	38.9	17.7*	30.5	24.2	18.5*
Dry weather/dry summer	22	4	5	12	2	1	10	1	11	6	6	18	2	15	17	4	5	9	6	1
	4.6	5.7	3.3	5.0	1.2	2.6	4.0	1.9	4.1	3.3	3.1	5.3	2.4	5.0	7.8	2.2	6.0	6.2	5.2	1.1
	100.0	18.2	22.7	54.5	9.1	4.5	45.5	4.5	50.0	27.3	27.3	81.8	9.1	68.2	77.30	18.2	22.7	40.9	27.3	4.5
Drought/little rain	32	1	14	14	16	4	19	5	14	17	14	19	5	23	15	18	6	14	5	4
	6.7	1.4	9.3	5.8	9.4	10.3	7.6	9.6	5.2	9.4	7.3	5.6	5.9	7.6	6.8	9.7	7.1	9.7	4.3	4.5
	100.0	3.1	43.8A	43.8	50.0	12.5	59.4	15.6	43.8	53.1	43.8	59.4	15.6	71.9	46.9	56.3	18.8	43.8	15.6	12.5
Lack of water/rainfall/water shortage	33	4	12	15	13	4	21	3	18	12	15	24	6	21	19	9	4	15	9	4
	6.9	5.7	7.9	6.2	7.6	10.3	8.4	5.8	6.7	6.7	7.9	7.1	7.1	7.0	8.7	4.9	4.8	10.3	7.8	4.5
	100.0	12.1	36.4	45.5	39.4	12.1	63.6	9.1	54.5	36.4	45.5	72.7	18.2	63.6	57.6	27.3	12.1	45.5	27.3	12.1
Water restrictions due to drought/water rationing	20	2	9	8	14	5	8	3	9	11	7	14	1	8	6	11	5	5	4	5
	4.2	2.9	6.0	3.3	8.2	12.8	3.2	5.8	3.3	6.1	3.7	4.1	1.2	2.7	2.7	5.9	6.0	3.4	3.5	5.7
	100.0	10.0	45.0	40.0	70.0F H	25.0F HJ	40.0	15.0	45.0	55.0	35.0	70.0	5.0	40.0	30.0	55.0	25.0	25.0	20.0	25.0
All other weather conditions mentions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Usage (Net)	137	21	37	76	40	6	65	13	80	54	47	104	27	94	66	37	27	39	28	29
	28.8	30.0	24.5	31.4	23.5	15.4	26.0	25.0	29.7	30.0	24.6	30.8	31.8	31.2	30.1	20.0	32.1	26.9	24.3	33.0
	100.0	15.3	27.0	55.5	29.2	4.4	47.4	9.5	58.4	39.4	34.3	75.9	19.7	68.6	48.20	27.0	19.7	28.5	20.4	21.2
Watering Vegetation (Subnet)	121	17	34	68	33	6	58	11	76	46	38	92	26	83	62	30	23	34	25	26
	25.5	24.3	22.5	28.1	19.4	15.4	23.2	21.2	28.3	25.6	19.9	27.2	30.6	27.6	28.3	16.2	27.4	23.4	21.7	29.5
	100.0	14.0	28.1	56.2	27.3	5.0	47.9	9.1	62.8D	38.0	31.4	76.0	21.5	68.6	51.20	24.8	19.0	28.1	20.7	21.5

J

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 7
Q.6 What Specifically Caused You To Start Using Graywater?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM HAS A HAS A			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	SUR- FACE GRAY- WATER SYSTM	SUB- SURFC GRAY- WATER SYSTM	DISP. DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- VEGE- -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.					
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)							
Base: Total Answering	475	70*	151	242	170	39*	250	52*	269	180	191	338	85*	301	219	185	84*	145	115	88*						
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0						
	100.0	14.7*	31.8	50.9	35.8	8.2*	52.6	10.9*	56.6	37.9	40.2	71.2	17.9*	63.4	46.1	38.9	17.7*	30.5	24.2	18.5*						
Watering houseplants	2	-	-	2	1	-	1	-	1	1	1	2	-	2	1	2	-	2	-	-						
	0.4	-	-	0.8	0.6	-	0.4	-	0.4	0.6	0.5	0.6	-	0.7	0.5	1.1	-	1.4	-	-						
	100.0	-	-	100.0	50.0	-	50.0	-	50.0	50.0	50.0	100.0	-	100.0	50.0	100.0	-	100.0	-	-						
Watering flowers/plants/ garden	66	8	19	38	21	5	31	3	38	27	23	45	11	43	45	21	13	19	16	13						
	13.9	11.4	12.6	15.7	12.4	12.8	12.4	5.8	14.1	15.0	12.0	13.3	12.9	14.3	20.5	11.4	15.5	13.1	13.9	14.8						
	100.0	12.1	28.8	57.6	31.8	7.6	47.0	4.5	57.6	40.9	34.8	68.2	16.7	65.2	68.20	31.8	19.7	28.8	24.2	19.7						
Watering yard/lawn	35	4	7	24	12	2	16	4	28	17	13	31	10	22	14	7	-	5	8	15						
	7.4	5.7	4.6	9.9	7.1	5.1	6.4	7.7	10.4	9.4	6.8	9.2	11.8	7.3	6.4	3.8	-	3.4	7.0	17.0						
	100.0	11.4	20.0	68.6	34.3	5.7	45.7	11.4	80.0	48.6	37.1	88.6	28.6	62.9	40.0	20.0	-	14.3	22.9P	42.9PQR						
Watering vegetables/fruit garden	9	1	3	5	5	-	6	1	4	3	3	7	3	7	8	4	2	2	4	1						
	1.9	1.4	2.0	2.1	2.9	-	2.4	1.9	1.5	1.7	1.6	2.1	3.5	2.3	3.7	2.2	2.4	1.4	3.5	1.1						
	100.0	11.1	33.3	55.6	55.6	-	66.7	11.1	44.4	33.3	33.3	77.8	33.3	77.8	88.9	44.4	22.2	22.2	44.4	11.1						
Use on plants/flowers/ garden/good for plants	23	5	5	12	4	1	16	4	11	8	5	18	5	18	11	6	9	8	3	2						
	4.8	7.1	3.3	5.0	2.4	2.6	6.4	7.7	4.1	4.4	2.6	5.3	5.9	6.0	5.0	3.2	10.7	5.5	2.6	2.3						
	100.0	21.7	21.7	52.2	17.4	4.3	69.6	17.4	47.8	34.8	21.7	78.3	21.7	78.3	47.8	26.1	39.1R S	34.8	13.0	8.7						
Washing machine drains into backyard/onto grass/flowers/ trees	9	1	6	2	1	-	2	-	9	2	3	9	3	7	-	1	1	3	3	-						
	1.9	1.4	4.0	0.8	0.6	-	0.8	-	3.3	1.1	1.6	2.7	3.5	2.3	-	0.5	1.2	2.1	2.6	-						
	100.0	11.1	66.7C	22.2	11.1	-	22.2	-	100.0F	22.2	33.3	100.0	33.3	77.8	-	11.1	11.1	33.3	33.3	-						
All other watering mentions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 7
0.6 What Specifically Caused You To Start Using Graywater?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER			VOLUME OF GRAYWATER REUSED			
												HAS A SUR- FACE	HAS A SUB- SURFC	DISP. GRAY- WATER	WATER TABLE	NON- FRUIT GARDN					
												GRAY- SYSTM	GRAY- SYSTM	DIR- ECTLY							
	2 OR TOTAL	LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- SYSTM	GRAY- SYSTM	DIR- ECTLY	TABLE	NON- FRUIT GARDN		<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	475	70*	151	242	170	39*	250	52*	269	180	191	338	85*	301	219	185		84*	145	115	88*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0		100.0*	100.0	100.0	100.0*
	100.0	14.7*	31.8	50.9	35.8	8.2*	52.6	10.9*	56.6	37.9	40.2	71.2	17.9*	63.4	46.1	38.9		17.7*	30.5	24.2	18.5*
Bug Deterrent (Subnet)	7	1	2	4	-	-	3	1	2	1	1	6	2	6	2	-		4	3	-	-
	1.5	1.4	1.3	1.7	-	-	1.2	1.9	0.7	0.6	0.5	1.8	2.4	2.0	0.9	-		4.8	2.1	-	-
	100.0	14.3	28.6	57.1	-	-	42.9	14.3	28.6	14.3	14.3	85.7	28.6	85.7	28.6	-		57.1R	42.9	-	-
																		S			
To keep bugs off plants/ soapy water is natural bug deterrent	7	1	2	4	-	-	3	1	2	1	1	6	2	6	2	-		4	3	-	-
	1.5	1.4	1.3	1.7	-	-	1.2	1.9	0.7	0.6	0.5	1.8	2.4	2.0	0.9	-		4.8	2.1	-	-
	100.0	14.3	28.6	57.1	-	-	42.9	14.3	28.6	14.3	14.3	85.7	28.6	85.7	28.6	-		57.1R	42.9	-	-
																		S			
All other bug deterrent mentions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-
Use for garage floors/garage way/driveways	6	1	3	2	2	-	1	1	4	6	4	3	2	3	3	6		2	3	-	1
	1.3	1.4	2.0	0.8	1.2	-	0.4	1.9	1.5	3.3	2.1	0.9	2.4	1.0	1.4	3.2		2.4	2.1	-	1.1
	100.0	16.7	50.0	33.3	33.3	-	16.7	16.7	66.7	100.0F	66.7	50.0	33.3	50.0	50.0	100.0		33.3	50.0	-	16.7
All other usage mentions	21	4	5	10	12	-	10	1	8	13	12	17	3	12	8	11		5	4	4	7
	4.4	5.7	3.3	4.1	7.1	-	4.0	1.9	3.0	7.2	6.3	5.0	3.5	4.0	3.7	5.9		6.0	2.8	3.5	8.0
	100.0	19.0	23.8	47.6	57.1H	-	47.6	4.8	38.1	61.9H	57.1	81.0	14.3	57.1	38.1	52.4		23.8	19.0	19.0	33.3
Miscellaneous (Net)	155	19	52	79	48	11	78	21	106	51	55	117	34	103	68	55		18	43	38	39
	32.6	27.1	34.4	32.6	28.2	28.2	31.2	40.4	39.4	28.3	28.8	34.6	40.0	34.2	31.1	29.7		21.4	29.7	33.0	44.3
	100.0	12.3	33.5	51.0	31.0	7.1	50.3	13.5	68.4D	32.9	35.5	75.5	21.9	66.5	43.9	35.5		11.6	27.7	24.5	25.2PQ

IJ

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 7
Q.6 What Specifically Caused You To Start Using Graywater?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
											HAS A			HAS A															
											FACE			SURFC			GRAY-		VEGE-										
											GRAY-			GRAY-			WATER		TABLE		NON-								
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	WATER DIR- ECTLY	FRUIT GARDN	WATER -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.									
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)										
Base: Total Answering	475	70*	151	242	170	39*	250	52*	269	180	191	338	85*	301	219	185	84*	145	115	88*									
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*									
	100.0	14.7*	31.8	50.9	35.8	8.2*	52.6	10.9*	56.6	37.9	40.2	71.2	17.9*	63.4	46.1	38.9	17.7*	30.5	24.2	18.5*									
Just run on ground	6	-	1	4	2	-	1	1	6	2	1	5	3	3	3	-	-	2	-	4									
	1.3	-	0.7	1.7	1.2	-	0.4	1.9	2.2	1.1	0.5	1.5	3.5	1.0	1.4	-	-	1.4	-	4.5									
	100.0	-	16.7	66.7	33.3	-	16.7	16.7	100.0	33.3	16.7	83.3	50.0	50.0	50.0	-	-	33.3	-	66.7R									
Trying to reduce water in septic tank	47	5	20	21	11	2	13	9	42	11	10	43	14	30	13	4	1	4	12	22									
	9.9	7.1	13.2	8.7	6.5	5.1	5.2	17.3	15.6	6.1	5.2	12.7	16.5	10.0	5.9	2.2	1.2	2.8	10.4	25.0									
	100.0	10.6	42.6	44.7	23.4	4.3	27.7	19.1D	89.4D	23.4	21.3	91.5	29.8	63.8	27.7	8.5	2.1	8.5	25.5P	46.8PQR									
								FIJ	FIJ										Q										
Have a well/well water	14	1	5	8	4	1	9	2	9	5	5	11	2	10	9	7	2	7	3	2									
	2.9	1.4	3.3	3.3	2.4	2.6	3.6	3.8	3.3	2.8	2.6	3.3	2.4	3.3	4.1	3.8	2.4	4.8	2.6	2.3									
	100.0	7.1	35.7	57.1	28.6	7.1	64.3	14.3	64.3	35.7	35.7	78.6	14.3	71.4	64.3	50.0	14.3	50.0	21.4	14.3									
Shallow/low well	15	2	5	7	8	-	11	1	8	2	6	12	2	12	8	7	3	3	3	4									
	3.2	2.9	3.3	2.9	4.7	-	4.4	1.9	3.0	1.1	3.1	3.6	2.4	4.0	3.7	3.8	3.6	2.1	2.6	4.5									
	100.0	13.3	33.3	46.7	53.3	-	73.3	6.7	53.3	13.3	40.0	80.0	13.3	80.0	53.3	46.7	20.0	20.0	20.0	26.7									
Something family member always did/ie - grandmother/ mother/sister	26	2	5	19	5	2	18	4	14	14	16	15	3	20	15	14	9	12	2	1									
	5.5	2.9	3.3	7.9	2.9	5.1	7.2	7.7	5.2	7.8	8.4	4.4	3.5	6.6	6.8	7.6	10.7	8.3	1.7	1.1									
	100.0	7.7	19.2	73.1	19.2	7.7	69.2	15.4	53.8	53.8D	61.5D	57.7	11.5	76.9	57.7	53.8	34.6R	46.2RS	7.7	3.8									
																	S												
Always did it	3	-	-	2	2	2	2	1	1	2	-	2	1	1	2	2	-	-	1	1									
	0.6	-	-	0.8	1.2	5.1	0.8	1.9	0.4	1.1	-	0.6	1.2	0.3	0.9	1.1	-	-	0.9	1.1									
	100.0	-	-	66.7	66.7	66.7F	66.7	33.3	33.3	66.7	-	66.7	33.3	33.3	66.7	66.7	-	-	33.3	33.3									
						HJ																							

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 7
Q.6 What Specifically Caused You To Start Using Graywater?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
												HAS A	HAS A	DISP.	WATER						
												SUR-	SUB-	GRAY-	VEGE-						
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	GRAY- WATER DIR- ECTLY	TABLE FRUIT GARDN	NON- ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	475	70*	151	242	170	39*	250	52*	269	180	191	338	85*	301	219	185	84*	145	115	88*	
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*	
	100.0	14.7*	31.8	50.9	35.8	8.2*	52.6	10.9*	56.6	37.9	40.2	71.2	17.9*	63.4	46.1	38.9	17.7*	30.5	24.2	18.5*	
Washing machine with sudsaver	6	-	2	4	-	-	2	-	6	1	1	3	1	5	2	1	1	2	-	2	
	1.3	-	1.3	1.7	-	-	0.8	-	2.2	0.6	0.5	0.9	1.2	1.7	0.9	0.5	1.2	1.4	-	2.3	
	100.0	-	33.3	66.7	-	-	33.3	-	100.0	16.7	16.7	50.0	16.7	83.3	33.3	16.7	16.7	33.3	-	33.3	
All other miscellaneous mentions	43	9	15	18	17	4	25	3	25	17	17	30	10	24	19	20	2	15	17	6	
	9.1	12.9	9.9	7.4	10.0	10.3	10.0	5.8	9.3	9.4	8.9	8.9	11.8	8.0	8.7	10.8	2.4	10.3	14.8	6.8	
	100.0	20.9	34.9	41.9	39.5	9.3	58.1	7.0	58.1	39.5	39.5	69.8	23.3	55.8	44.2	46.5	4.7	34.9P	39.5P	14.0	
Don't know	1	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	
	0.2	-	-	0.4	0.6	-	-	-	-	-	-	-	-	0.3	-	-	-	0.7	-	-	
	100.0	-	-	100.0	100.0	-	-	-	-	-	-	-	-	100.0	-	-	-	100.0	-	-	
Sigma	711	99	224	368	270	55	381	71	414	283	291	515	128	452	352	280	120	224	173	138	
	149.7	141.4	148.3	152.1	158.8	141.0	152.4	136.5	153.9	157.2	152.4	152.4	150.6	150.2	160.7	151.4	142.9	154.5	150.4	156.8	
	100.0	13.9	31.5	51.8	38.0	7.7	53.6	10.0	58.2	39.8	40.9	72.4	18.0	63.6	49.5	39.4	16.9	31.5	24.3	19.4	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 8
Q.7 Who In Your Household Made The Decision To Begin Reusing Graywater?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL				BATH/ SHOWR	GARBG		WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER						
		2 OR LESS	3-9	10+		DIS- POSAL	KITCH SINK							FRUIT GARDN	NON- VEGE- -ING					
																<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
No answer	23	7	9	7	6	3	7	7	10	7	7	12	6	11	6	6	8	1	3	4
	4.7	9.0	5.8	2.9	3.5	7.7	2.7	12.5	3.6	3.8	3.6	3.5	6.8	3.5	2.7	3.2	9.3	0.7	2.6	4.4
	100.0	30.4C	39.1	30.4	26.1	13.0	30.4	30.4D	43.5	30.4	30.4	52.2	26.1	47.8	26.1	26.1	34.8QR	4.3	13.0	17.4Q
									FHIJ											
Base: Total Answering	468	71*	146	237	167	36*	248	49*	265	176	186	335	82*	299	217	182	78*	149	113	86*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.2*	31.2	50.6	35.7	7.7*	53.0	10.5*	56.6	37.6	39.7	71.6	17.5*	63.9	46.4	38.9	16.7*	31.8	24.1	18.4*
Male Head of Household	171	26	54	88	59	13	82	15	111	57	59	136	37	98	84	46	18	44	45	49
	36.5	36.6	37.0	37.1	35.3	36.1	33.1	30.6	41.9	32.4	31.7	40.6	45.1	32.8	38.7	25.3	23.1	29.5	39.8	57.0
	100.0	15.2	31.6	51.5	34.5	7.6	48.0	8.8	64.9F	33.3	34.5	79.5M	21.6M	57.3	49.1O	26.9	10.5	25.7	26.3P	28.7PQR
									IJ											
Female Head of Household	278	43	84	142	100	23	157	33	140	110	122	183	42	189	127	131	58	102	62	32
	59.4	60.6	57.5	59.9	59.9	63.9	63.3	67.3	52.8	62.5	65.6	54.6	51.2	63.2	58.5	72.0	74.4	68.5	54.9	37.2
	100.0	15.5	30.2	51.1	36.0	8.3	56.5H	11.9	50.4	39.6H	43.9H	65.8	15.1	68.0K	45.7	47.1N	20.9R	36.7R	22.3S	11.5
														L			S	S		
Other Male aged 18 or older	6	-	3	1	2	-	2	-	6	4	1	6	1	3	-	2	-	1	2	2
	1.3	-	2.1	0.4	1.2	-	0.8	-	2.3	2.3	0.5	1.8	1.2	1.0	-	1.1	-	0.7	1.8	2.3
	100.0	-	50.0	16.7	33.3	-	33.3	-	100.0	66.7	16.7	100.0	16.7	50.0	-	33.3	-	16.7	33.3	33.3
Other Female aged 18 or older	1	1	-	-	1	-	1	-	1	1	1	1	-	-	-	1	-	1	-	-
	0.2	1.4	-	-	0.6	-	0.4	-	0.4	0.6	0.5	0.3	-	-	-	0.5	-	0.7	-	-
	100.0	100.0	-	-	100.0	-	100.0	-	100.0	100.0	100.0	100.0	-	-	-	100.0	-	100.0	-	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 8
Q.7 Who In Your Household Made The Decision To Begin Reusing Graywater?

TOTAL	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	2 OR LESS	3-9	10+	GARBG							SUR- FACE GRAY- WATER SYSTM	SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	TABLE FRUIT GARDN	NON- WATER -ING	OF GRAYWATER REUSED			
				BATH/ SHOWR	DIS/ POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE						<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
468	71*	146	237	167	36*	248	49*	265	176	186	335	82*	299	217	182	78*	149	113	86*
100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
100.0	15.2*	31.2	50.6	35.7	7.7*	53.0	10.5*	56.6	37.6	39.7	71.6	17.5*	63.9	46.4	38.9	16.7*	31.8	24.1	18.4*
12	1	5	6	5	-	6	1	7	4	3	9	2	9	6	2	2	1	4	3
2.6	1.4	3.4	2.5	3.0	-	2.4	2.0	2.6	2.3	1.6	2.7	2.4	3.0	2.8	1.1	2.6	0.7	3.5	3.5
100.0	8.3	41.7	50.0	41.7	-	50.0	8.3	58.3	33.3	25.0	75.0	16.7	75.0	50.0	16.7	16.7	8.3	33.3	25.0
468	71	146	237	167	36	248	49	265	176	186	335	82	299	217	182	78	149	113	86
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
100.0	15.2	31.2	50.6	35.7	7.7	53.0	10.5	56.6	37.6	39.7	71.6	17.5	63.9	46.4	38.9	16.7	31.8	24.1	18.4

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 9
Q.8a How Often Does Your Household Store Or Reuse Graywater From
A Bath/Shower?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
												HAS A SUR- FACE	HAS A SUB- SURFC	DISP. GRAY- WATER	WATER VEGE- TABLE					
												GRAY- WATER SYSTM	GRAY- WATER SYSTM	DIR- ECTLY	FRUIT GARDN	NON- WATER -ING				
	2 OR TOTAL	LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- MACH.	CAR WASH- ING	CLEAN -ING HOUSE	(K)	(L)	(M)	(N)	(O)	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
No answer	157	29	41	79	-	11	60	13	88	39	48	115	25	103	63	49	24	50	43	21
	32.0	37.2	26.5	32.4	-	28.2	23.5	23.2	32.0	21.3	24.9	33.1	28.4	33.2	28.3	26.1	27.9	33.3	37.1	23.3
	100.0	18.5	26.1	50.3	-	7.0D	38.2D	8.3D	56.1D	24.8D	30.6D	73.2	15.9	65.6	40.1	31.2	15.3	31.8	27.4S	13.4
Base: Total Answering	334	49*	114	165	173	28**	195	43*	187	144	145	232	63*	207	160	139	62*	100	73*	69*
	100.0	100.0*	100.0	100.0	100.0	100.0**	100	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*
	100.0	14.7*	34.1	49.4	51.8	8.4**	58.4	12.9*	56.0	43.1	43.4	69.5	18.9*	62.0	47.9	41.6	18.6*	29.9	21.9*	20.7*
Once A Week Or More (Net)	118	15	36	64	118	11	80	19	69	43	53	83	33	61	66	55	8	28	38	38
	35.3	30.6	31.6	38.8	68.2	39.3	41.0	44.2	36.9	29.9	36.6	35.8	52.4	29.5	41.3	39.6	12.9	28.0	52.1	55.1
	100.0	12.7	30.5	54.2	100.0FG	9.3	67.8I	16.1	58.5	36.4	44.9	70.3	28.0K	51.7	55.9	46.6	6.8	23.7P	32.2P	32.2PQ
					HIJ								M					Q		
More than once a day (10)	32	6	9	17	32	3	19	6	21	10	12	24	13	16	17	13	-	4	9	18
	9.6	12.2	7.9	10.3	18.5	10.7	9.7	14.0	11.2	6.9	8.3	10.3	20.6	7.7	10.6	9.4	-	4.0	12.3	26.1
	100.0	18.8	28.1	53.1	100.0FI	9.4	59.4	18.8	65.6	31.3	37.5	75.0	40.6K	50.0	53.1	40.6	-	12.5	28.1P	56.3PQR
					J								M					Q		
Once a day (7)	29	2	10	17	29	3	17	8	22	10	17	20	9	13	15	11	2	5	10	9
	8.7	4.1	8.8	10.3	16.8	10.7	8.7	18.6	11.8	6.9	11.7	8.6	14.3	6.3	9.4	7.9	3.2	5.0	13.7	13.0
	100.0	6.9	34.5	58.6	100.0F	10.3	58.6	27.6I	75.9	34.5	58.6	69.0	31.0M	44.8	51.7	37.9	6.9	17.2	34.5P	31.0P
					I													Q		
A few times a week (3.5)	45	6	14	23	45	3	37	4	21	18	19	30	10	24	25	22	5	14	15	9
	13.5	12.2	12.3	13.9	26.0	10.7	19.0	9.3	11.2	12.5	13.1	12.9	15.9	11.6	15.6	15.8	8.1	14.0	20.5	13.0
	100.0	13.3	31.1	51.1	100.0GH	6.7	82.2H	8.9	46.7	40.0	42.2	66.7	22.2	53.3	55.6	48.9	11.1	31.1	33.3P	20.0
					IJ															

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 9
Q.8a How Often Does Your Household Store Or Reuse Graywater From
A Bath/Shower?

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- -ING					
	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE										
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	334	49*	114	165	173	28**	195	43*	187	144	145	232	63*	207	160	139	62*	100	73*	69*
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	14.7*	34.1	49.4	51.8	8.4**	58.4	12.9*	56.0	43.1	43.4	69.5	18.9*	62.0	47.9	41.6	18.6*	29.9	21.9*	20.7*
Once a week (1)	12	1	3	7	12	2	7	1	5	5	5	9	1	8	9	9	1	5	4	2
	3.6	2.0	2.6	4.2	6.9	7.1	3.6	2.3	2.7	3.5	3.4	3.9	1.6	3.9	5.6	6.5	1.6	5.0	5.5	2.9
	100.0	8.3	25.0	58.3	100.0	16.7	58.3	8.3	41.7	41.7	41.7	75.0	8.3	66.7	75.0	75.0	8.3	41.7	33.3	16.7
A few times a month (0.65)	23	3	10	9	23	2	13	2	12	10	7	14	6	9	12	14	5	11	3	2
	6.9	6.1	8.8	5.5	13.3	7.1	6.7	4.7	6.4	6.9	4.8	6.0	9.5	4.3	7.5	10.1	8.1	11.0	4.1	2.9
	100.0	13.0	43.5	39.1	100.0	8.7	56.5	8.7	52.2	43.5	30.4	60.9	26.1	39.1	52.2	60.9	21.7	47.8	13.0	8.7
					J															
Once a month (0.25)	9	4	1	4	9	3	4	-	4	6	6	6	1	5	3	4	3	4	1	1
	2.7	8.2	0.9	2.4	5.2	10.7	2.1	-	2.1	4.2	4.1	2.6	1.6	2.4	1.9	2.9	4.8	4.0	1.4	1.4
	100.0	44.4	11.1	44.4	100.0	33.3	44.4	-	44.4	66.7	66.7	66.7	11.1	55.6	33.3	44.4	33.3	44.4	11.1	11.1
Less often than once a month (0.1)	23	2	7	12	23	2	12	5	15	12	14	15	1	15	10	16	6	7	7	1
	6.9	4.1	6.1	7.3	13.3	7.1	6.2	11.6	8.0	8.3	9.7	6.5	1.6	7.2	6.3	11.5	9.7	7.0	9.6	1.4
	100.0	8.7	30.4	52.2	100.0	8.7	52.2	21.7	65.2	52.2	60.9	65.2	4.3	65.2	43.5	69.6	26.1	30.4	30.4	4.3
Never (0)	161	25	60	76	-	10	86	17	87	73	65	114	22	117	69	50	40	50	24	27
	48.2	51.0	52.6	46.1	-	35.7	44.1	39.5	46.5	50.7	44.8	49.1	34.9	56.5	43.1	36.0	64.5	50.0	32.9	39.1
	100.0	15.5	37.3	47.2	-	6.2	53.4	10.6	54.0	45.3	40.4	70.8	13.7	72.7	42.9	31.1	24.8	31.1	14.9	16.8
																	S			
Sigma	334	49	114	165	173	28	195	43	187	144	145	232	63	207	160	139	62	100	73	69
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	14.7	34.1	49.4	51.8	8.4	58.4	12.9	56.0	43.1	43.4	69.5	18.9	62.0	47.9	41.6	18.6	29.9	21.9	20.7
Mean Base (Including Never)	334	49	114	165	173	28	195	43	187	144	145	232	63	207	160	139	62	100	73	69

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 9
Q.8a How Often Does Your Household Store Or Reuse Graywater From
A Bath/Shower?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
					SOURCES OF GRAYWATER REUSE							HAS A SUR- FACE	HAS A SUB- SURFC	DISP. GRAY- WATER	WATER TABLE	NON- VEGE-					
					GARBG																
					BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	WATER DIR- ECTLY	FRUIT GARDN	WATER -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.	
	TOTAL	2 OR LESS	3-9	10+	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	334	49*	114	165	173	28**	195	43*	187	144	145	232	63*	207	160	139	62*	100	73*	69*	
	100.0	100.0*	100.0	100.0	100.0	100.0**	100	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*	
	100.0	14.7*	34.1	49.4	51.8	8.4**	58.4	12.9*	56.0	43.1	43.4	69.5	18.9*	62.0	47.9	41.6	18.6*	29.9	21.9*	20.7*	
Mean (Including Never)	2.13	2.02	1.92	2.33	4.12F HIJ	2.35	2.34	3.09I	2.42	1.72	2.19	2.18	3.70K M	1.70	2.38	2.19	0.60	1.38P	3.01P	4.03PQ	
Std. Deviation	3.32	3.46	3.19	3.43	3.63	3.51	3.32	3.88	3.55	3.01	3.31	3.39	4.02	3.07	3.41	3.25	1.52	2.54	3.57	4.26	
Std. Error	0.18	0.49	0.30	0.27	0.28	0.66	0.24	0.59	0.26	0.25	0.27	0.22	0.51	0.21	0.27	0.28	0.19	0.25	0.42	0.51	
Mean Base (Excluding Never)	173	24	54	89	173FGH IJ	18	109	26	100	71	80	118	41KM	90	91	89	22	50	49PQ	42P	
Mean (Excluding Never)	4.12	4.13	4.06	4.32	4.12	3.65	4.18	5.11	4.53	3.48	3.97	4.29	5.69K M	3.91	4.19	3.42	1.69	2.76	4.48Q	6.62QR	
Std. Deviation	3.63	3.98	3.57	3.64	3.63	3.81	3.46	3.82	3.75	3.50	3.58	3.69	3.67	3.63	3.59	3.50	2.18	3.02	3.53	3.53	
Std. Error	0.28	0.81	0.49	0.39	0.28	0.90	0.33	0.75	0.38	0.42	0.40	0.34	0.57	0.38	0.38	0.37	0.47	0.43	0.50	0.55	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 10
Q.8a How Often Does Your Household Store Or Reuse Graywater From
An In Sink Garbage Disposal?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										SOURCES OF GRAYWATER REUSE					GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	2 OR LESS			3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING							
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)					
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*				
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*				
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*				
No answer	207	30	60	108	59	-	81	22	116	53	63	145	37	130	89	73	32	65	51	36				
	42.2	38.5	38.7	44.3	34.1	-	31.8	39.3	42.2	29.0	32.6	41.8	42.0	41.9	39.9	38.8	37.2	43.3	44.0	40.0				
	100.0	14.5	29.0	52.2	28.5E	-	39.1E	10.6E	56.0E	25.6E	30.4E	70.0	17.9	62.8	43.0	35.3	15.5	31.4	24.6	17.4				
									FIJ															
Base: Total Answering	284	48*	95*	136	114	39*	174	34*	159	130	130	202	51*	180	134	115	54*	85*	65*	54*				
	100.0	100.0*	100.0*	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0*	100.0*	100.0*				
	100.0	16.9*	33.5*	47.9	40.1	13.7*	61.3	12.0*	56.0	45.8	45.8	71.1	18.0*	63.4	47.2	40.5	19.0*	29.9*	22.9*	19.0*				
Once A Week Or More (Net)	27	3	7	15	13	27	22	6	14	13	19	25	5	9	13	21	4	8	8	5				
	9.5	6.3	7.4	11.0	11.4	69.2	12.6	17.6	8.8	10.0	14.6	12.4	9.8	5.0	9.7	18.3	7.4	9.4	12.3	9.3				
	100.0	11.1	25.9	55.6	48.1	100.0D	81.5	22.2	51.9	48.1	70.4	92.6M	18.5	33.3	48.1	77.8	14.8	29.6	29.6	18.5				
									FGHIJ															
More than once a day (10)	14	2	4	7	5	14	11	3	6	5	8	13	2	4	6	10	3	3	4	3				
	4.9	4.2	4.2	5.1	4.4	35.9	6.3	8.8	3.8	3.8	6.2	6.4	3.9	2.2	4.5	8.7	5.6	3.5	6.2	5.6				
	100.0	14.3	28.6	50.0	35.7	100.0D	78.6	21.4	42.9	35.7	57.1	92.9M	14.3	28.6	42.9	71.4	21.4	21.4	28.6	21.4				
									FGHIJ															
Once a day (7)	6	1	1	4	5	6	4	2	5	3	5	6	2	2	1	5	-	2	2	1				
	2.1	2.1	1.1	2.9	4.4	15.4	2.3	5.9	3.1	2.3	3.8	3.0	3.9	1.1	0.7	4.3	-	2.4	3.1	1.9				
	100.0	16.7	16.7	66.7	83.3	100.0D	66.7	33.3	83.3	50.0	83.3	100.0	33.3	33.3	16.7	83.3	-	33.3	33.3	16.7				
									FGHIJ															
A few times a week (3.5)	4	-	1	3	2	4	4	-	1	2	3	3	1	2	3	4	-	2	2	-				
	1.4	-	1.1	2.2	1.8	10.3	2.3	-	0.6	1.5	2.3	1.5	2.0	1.1	2.2	3.5	-	2.4	3.1	-				
	100.0	-	25.0	75.0	50.0	100.0	100.0	-	25.0	50.0	75.0	75.0	25.0	50.0	75.0	100.0	-	50.0	50.0	-				
									DFHIJ															

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 10
Q.8a How Often Does Your Household Store Or Reuse Graywater From
An In Sink Garbage Disposal?

	SOURCES OF GRAYWATER REUSE											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SUR- FACE	HAS A SUB- SURFC WATER	DISP. GRAY- DIR-	WATER TABLE FRUIT	VEGE- GARDN					
				GARBG BATH/ DIS- KITCH DASH- WASH- CAR CLEAN																
	TOTAL	2 OR LESS	3-9	10+	SHOWR	POSAL	SINK	WASHR	ING MACH.	WASH- ING	-ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	WATER ECTLY	TABLE GARDN	NON- -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	284	48*	95*	136	114	39*	174	34*	159	130	130	202	51*	180	134	115	54*	85*	65*	54*
	100.0	100.0*	100.0*	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0*	100.0*	100.0*
	100.0	16.9*	33.5*	47.9	40.1	13.7*	61.3	12.0*	56.0	45.8	45.8	71.1	18.0*	63.4	47.2	40.5	19.0*	29.9*	22.9*	19.0*
Once a week (1)	3	-	1	1	1	3	3	1	2	3	3	3	-	1	3	2	1	1	-	1
	1.1	-	1.1	0.7	0.9	7.7	1.7	2.9	1.3	2.3	2.3	1.5	-	0.6	2.2	1.7	1.9	1.2	-	1.9
	100.0	-	33.3	33.3	33.3	100.0	100.0	33.3	66.7	100.0	100.0	100.0	-	33.3	100.0	66.7	33.3	33.3	-	33.3
					DFH															
A few times a month (0.65)	6	2	1	3	3	6	3	-	3	5	4	4	1	2	3	3	2	3	1	-
	2.1	4.2	1.1	2.2	2.6	15.4	1.7	-	1.9	3.8	3.1	2.0	2.0	1.1	2.2	2.6	3.7	3.5	1.5	-
	100.0	33.3	16.7	50.0	50.0	100.0D	50.0	-	50.0	83.3	66.7	66.7	16.7	33.3	50.0	50.0	33.3	50.0	16.7	-
					FGHIJ															
Once a month (0.25)	1	-	-	1	-	1	-	-	-	1	-	-	-	1	-	-	1	-	-	-
	0.4	-	-	0.7	-	2.6	-	-	-	0.8	-	-	-	0.6	-	-	1.9	-	-	-
	100.0	-	-	100.0	-	100.0FH	-	-	-	100.0	-	-	-	100.0	-	-	100.0	-	-	-
Less often than once a month (0.1)	5	3	-	2	2	5	4	1	1	3	4	2	1	3	1	2	2	3	-	-
	1.8	6.3	-	1.5	1.8	12.8	2.3	2.9	0.6	2.3	3.1	1.0	2.0	1.7	0.7	1.7	3.7	3.5	-	-
	100.0	60.0B	-	40.0	40.0	100.0D	80.0	20.0	20.0	60.0	80.0	40.0	20.0	60.0	20.0	40.0	40.0	60.0	-	-
					FHIJ															
Never (0)	245	40	87	115	96	-	145	27	141	108	103	171	44	165	117	89	45	71	56	49
	86.3	83.3	91.6	84.6	84.2	-	83.3	79.4	88.7	83.1	79.2	84.7	86.3	91.7	87.3	77.4	83.3	83.5	86.2	90.7
	100.0	16.3	35.5	46.9	39.2E	-	59.2E	11.0E	57.6E	44.1E	42.0E	69.8	18.0	67.3K	47.80	36.3	18.4	29.0	22.9	20.0
								J												
Sigma	284	48	95	136	114	39	174	34	159	130	130	202	51	180	134	115	54	85	65	54
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	16.9	33.5	47.9	40.1	13.7	61.3	12.0	56.0	45.8	45.8	71.1	18.0	63.4	47.2	40.5	19.0	29.9	22.9	19.0

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Q.8a How Often Does Your Household Store Or Reuse Graywater From An In Sink Garbage Disposal?

SOURCES OF GRAYWATER REUSE											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							HAS A SUR- FACE WATER SYSTM	HAS A SUB- SURFC WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	TABLE FRUIT GARDN	NON- WATER -ING	VOLUME OF GRAYWATER REUSED			
TOTAL	2 OR LESS	3-9	10+	BATH/ SHWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	WATER DIR- ECTLY	TABLE FRUIT GARDN	NON- WATER -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
284	48*	95*	136	114	39*	174	34*	159	130	130	202	51*	180	134	115	54*	85*	65*	54*
100.0	100.0*	100.0*	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0*	100.0*	100.0*
100.0	16.9*	33.5*	47.9	40.1	13.7*	61.3	12.0*	56.0	45.8	45.8	71.1	18.0*	63.4	47.2	40.5	19.0*	29.9*	22.9*	19.0*
284	48	95	136	114	39	174	34	159	130	130	202	51	180	134	115	54	85	65	54
0.72	0.60	0.55	0.82	0.83	5.22D FGHIJ	0.90	1.33	0.64	0.65	1.01	0.93M	0.75	0.35	0.62	1.33N	0.61	0.64	0.95	0.70
2.38	2.23	2.15	2.50	2.48	4.25	2.64	3.21	2.24	2.19	2.72	2.70	2.37	1.67	2.19	3.10	2.31	2.16	2.69	2.47
0.14	0.32	0.22	0.21	0.23	0.68	0.20	0.55	0.18	0.19	0.24	0.19	0.33	0.12	0.19	0.29	0.31	0.23	0.33	0.34
39	8	8	21	18	39D FGHIJ	29	7	18	22	27H	31M	7	15	17	26N	9	14	9	5
5.22	3.58	6.52	5.33	5.29	5.22	5.43	6.44	5.70	3.85	4.87	6.07	5.46	4.26	4.86	5.89	3.64	3.88	6.85	7.60
4.25	4.59	4.19	4.12	3.98	4.25	4.21	4.25	4.03	4.08	4.14	4.05	4.12	4.25	4.25	3.98	4.78	4.06	3.55	3.91
0.68	1.62	1.48	0.90	0.94	0.68	0.78	1.61	0.95	0.87	0.80	0.73	1.56	1.10	1.03	0.78	1.59	1.09	1.18	1.75

umns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

Table 11
Q.8a How Often Does Your Household Store Or Reuse Graywater From
Hand Dishwashing In Sink?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
												HAS A	HAS A	DISP.	WATER					
												SUR- FACE	SUB- SURFC	GRAY-	GRAY-	VEGE-				
	2 OR LESS	3-9	10+		BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	DIR- ECTLY	TABLE GARDN	NON- -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
No answer	133	22	38	66	36	6	-	15	83	30	33	98	29	80	49	42	13	38	37	28
	27.1	28.2	24.5	27.0	20.8	15.4	-	26.8	30.2	16.4	17.1	28.2	33.0	25.8	22.0	22.3	15.1	25.3	31.9	31.1
	100.0	16.5	28.6	49.6	27.1F	4.5F	-	11.3F	62.4D	22.6F	24.8F	73.7	21.8	60.2	36.8	31.6	9.8	28.6	27.8P	21.1P
Base: Total Answering	358	56*	117	178	137	33*	255	41*	192	153	160	249	59*	230	174	146	73*	112	79*	62*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*
	100.0	15.6*	32.7	49.7	38.3	9.2*	71.2	11.5*	53.6	42.7	44.7	69.6	16.5*	64.2	48.6	40.8	20.4*	31.3	22.1*	17.3*
Once A Week Or More (Net)	189	26	59	99	93	25	189	25	98	85	90	137	38	105	111	90	27	60	53	36
	52.8	46.4	50.4	55.6	67.9	75.8	74.1	61.0	51.0	55.6	56.3	55.0	64.4	45.7	63.8	61.6	37.0	53.6	67.1	58.1
	100.0	13.8	31.2	52.4	49.2H	13.2	100.0H	13.2	51.9	45.0	47.6	72.5M	20.1M	55.6	58.7	47.6	14.3	31.7P	28.0P	19.0P
					IJ	HIJ	IJ													
More than once a day (10)	73	7	20	45	40	13	73	12	48	32	37	55	17	40	42	34	5	18	23	20
	20.4	12.5	17.1	25.3	29.2	39.4	28.6	29.3	25.0	20.9	23.1	22.1	28.8	17.4	24.1	23.3	6.8	16.1	29.1	32.3
	100.0	9.6	27.4	61.6A	54.8	17.8	100.0	16.4	65.8	43.8	50.7	75.3	23.3	54.8	57.5	46.6	6.8	24.7	31.5P	27.4PQ
Once a day (7)	43	10	15	16	25	6	43	6	23	23	22	32	8	18	25	24	4	11	17	9
	12.0	17.9	12.8	9.0	18.2	18.2	16.9	14.6	12.0	15.0	13.8	12.9	13.6	7.8	14.4	16.4	5.5	9.8	21.5	14.5
	100.0	23.3	34.9	37.2	58.1	14.0	100.0	14.0	53.5	53.5	51.2	74.4	18.6	41.9	58.1	55.8	9.3	25.6	39.5P	20.9
A few times a week (3.5)	58	5	17	34	22	4	58	7	21	23	24	37	11	37	36	28	10	27	10	7
	16.2	8.9	14.5	19.1	16.1	12.1	22.7	17.1	10.9	15.0	15.0	14.9	18.6	16.1	20.7	19.2	13.7	24.1	12.7	11.3
	100.0	8.6	29.3	58.6	37.9	6.9	100.0H	12.1	36.2	39.7	41.4	63.8	19.0	63.8	62.1	48.3	17.2	46.6S	17.2	12.1

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 11
Q.8a How Often Does Your Household Store Or Reuse Graywater From
Hand Dishwashing In Sink?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
												HAS A SUR-	HAS A SUB-	DISP.	WATER	VEGE-					
												FACE	SURFC	GRAY-	TABLE	NON-					
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTEM	GRAY- WATER SYSTEM	DIR- ECTLY	FRUIT GARDN	WATER -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	358	56*	117	178	137	33*	255	41*	192	153	160	249	59*	230	174	146	73*	112	79*	62*	
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	
	100.0	15.6*	32.7	49.7	38.3	9.2*	71.2	11.5*	53.6	42.7	44.7	69.6	16.5*	64.2	48.6	40.8	20.4*	31.3	22.1*	17.3*	
Once a week (1)	15	4	7	4	6	2	15	-	6	7	7	13	2	10	8	4	8	4	3	-	
	4.2	7.1	6.0	2.2	4.4	6.1	5.9	-	3.1	4.6	4.4	5.2	3.4	4.3	4.6	2.7	11.0	3.6	3.8	-	
	100.0	26.7	46.7	26.7	40.0	13.3	100.0	-	40.0	46.7	46.7	86.7	13.3	66.7	53.3	26.7	53.3Q	26.7	20.0	-	
																	S				
A few times a month (0.65)	35	3	10	22	8	2	35	3	21	18	15	22	1	29	17	11	13	15	1	4	
	9.8	5.4	8.5	12.4	5.8	6.1	13.7	7.3	10.9	11.8	9.4	8.8	1.7	12.6	9.8	7.5	17.8	13.4	1.3	6.5	
	100.0	8.6	28.6	62.9	22.9	5.7	100.0D	8.6	60.0	51.4	42.9	62.9	2.9	82.9L	48.6	31.4	37.1R	42.9R	2.9	11.4	
Once a month (0.25)	12	3	5	4	3	-	12	-	2	3	6	9	-	11	5	8	5	6	-	1	
	3.4	5.4	4.3	2.2	2.2	-	4.7	-	1.0	2.0	3.8	3.6	-	4.8	2.9	5.5	6.8	5.4	-	1.6	
	100.0	25.0	41.7	33.3	25.0	-	100.0H	-	16.7	25.0	50.0	75.0	-	91.7	41.7	66.7	41.7R	50.0R	-	8.3	
Less often than once a month (0.1)	19	1	3	14	5	2	19	1	13	12	11	16	1	10	10	7	3	8	6	2	
	5.3	1.8	2.6	7.9	3.6	6.1	7.5	2.4	6.8	7.8	6.9	6.4	1.7	4.3	5.7	4.8	4.1	7.1	7.6	3.2	
	100.0	5.3	15.8	73.7	26.3	10.5	100.0	5.3	68.4	63.2	57.9	84.2	5.3	52.6	52.6	36.8	15.8	42.1	31.6	10.5	
Never (0)	103	23	40	39	28	4	-	12	58	35	38	65	19	75	31	30	25	23	19	19	
	28.8	41.1	34.2	21.9	20.4	12.1	-	29.3	30.2	22.9	23.8	26.1	32.2	32.6	17.8	20.5	34.2	20.5	24.1	30.6	
	100.0	22.3C	38.8C	37.9	27.2F	3.9F	-	11.7F	56.3D	34.0F	36.9F	63.1	18.4	72.8	30.1	29.1	24.3Q	22.3	18.4	18.4	
									EF												
Sigma	358	56	117	178	137	33	255	41	192	153	160	249	59	230	174	146	73	112	79	62	
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
	100.0	15.6	32.7	49.7	38.3	9.2	71.2	11.5	53.6	42.7	44.7	69.6	16.5	64.2	48.6	40.8	20.4	31.3	22.1	17.3	
Mean Base (Including Never)	358	56	117	178	137	33	255	41	192	153	160	249	59	230	174	146	73	112	79	62	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 11
Q.8a How Often Does Your Household Store Or Reuse Graywater From
Hand Dishwashing In Sink?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										SOURCES OF GRAYWATER REUSE					GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
											HAS A	HAS A	DISP.	WATER										
											SUR- FACE	SUB- SURFC	GRAY- WATER	VEGE- TABLE										
											GRAY- WATER	GRAY- WATER	DIR- ECTLY	FRUIT GARDN	NON- ING									
	2 OR TOTAL	LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTEM	GRAY- WATER SYSTEM	GRAY- WATER DIR- ECTLY	FRUIT GARDN	NON- ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.				
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)					
Base: Total Answering	358	56*	117	178	137	33*	255	41*	192	153	160	249	59*	230	174	146	73*	112	79*	62*				
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*				
	100.0	15.6*	32.7	49.7	38.3	9.2*	71.2	11.5*	53.6	42.7	44.7	69.6	16.5*	64.2	48.6	40.8	20.4*	31.3	22.1*	17.3*				
Mean (Including Never)	3.57	2.93	3.24	3.94	4.85H I	5.74H IJ	5.01H IJ	4.60	3.83	3.80	3.92	3.75M	4.53M	2.99	4.27	4.25	1.79	3.28P Q	4.91P	4.69PQ				
Std. Deviation	3.96	3.75	3.85	4.08	4.10	4.17	3.85	4.22	4.21	3.98	4.06	4.03	4.19	3.80	3.96	3.98	2.88	3.64	4.16	4.37				
Std. Error	0.21	0.50	0.36	0.31	0.35	0.73	0.24	0.66	0.30	0.32	0.32	0.26	0.55	0.25	0.30	0.33	0.34	0.34	0.47	0.56				
Mean Base (Excluding Never)	255	33	77	139AB	109H	29H	255DEG HIJ	29	134	118	122	184	40	155	143	116	48	89P	60	43				
Mean (Excluding Never)	5.01	4.98	4.93	5.05	6.10F I	6.53	5.01	6.50	5.49	4.93	5.14	5.08	6.68K M	4.44	5.19	5.34	2.73	4.13P Q	6.47P	6.76PQ				
Std. Deviation	3.85	3.70	3.78	3.97	3.67	3.82	3.85	3.56	4.03	3.87	3.92	3.91	3.37	3.87	3.78	3.75	3.18	3.63	3.56	3.67				
Std. Error	0.24	0.64	0.43	0.34	0.35	0.71	0.24	0.66	0.35	0.36	0.35	0.29	0.53	0.31	0.32	0.35	0.46	0.39	0.46	0.56				

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 12
Q.8a How Often Does Your Household Store Or Reuse Graywater From
An Automatic Dishwasher?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	2 OR LESS 3-9 10+			SOURCES OF GRAYWATER REUSE							HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. DIR- WATER ECTLY	WATER VEGE- TABLE FRUIT GARDN	NON- WATER -ING	OF GRAYWATER REUSED				
				BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE						<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.	
	TOTAL	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
No answer	207	32	63	102	58	17	85	-	120	51	62	152	37	128	85	77	34	63	54	32
	42.2	41.0	40.6	41.8	33.5	43.6	33.3	-	43.6	27.9	32.1	43.8	42.0	41.3	38.1	41.0	39.5	42.0	46.6	35.6
	100.0	15.5	30.4	49.3	28.0G	8.2G	41.1G	-	58.0D	24.6G	30.0G	73.4	17.9	61.8	41.1	37.2	16.4	30.4	26.1	15.5
									FGIJ											
Base: Total Answering	284	46*	92*	142	115	22**	170	56*	155	132	131	195	51*	182	138	111	52*	87*	62*	58*
	100.0	100.0*	100.0*	100.0	100.0	100.0**	100	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0*	100.0*	100.0*
	100.0	16.2*	32.4*	50.0	40.5	7.7**	59.9	19.7*	54.6	46.5	46.1	68.7	18.0*	64.1	48.6	39.1	18.3*	30.6*	21.8*	20.4*
Once A Week Or More (Net)	44	3	14	26	23	6	26	44	27	20	21	32	10	28	20	16	2	14	7	17
	15.5	6.5	15.2	18.3	20.0	27.3	15.3	78.6	17.4	15.2	16.0	16.4	19.6	15.4	14.5	14.4	3.8	16.1	11.3	29.3
	100.0	6.8	31.8	59.1	52.3	13.6	59.1	100.0D	61.4	45.5	47.7	72.7	22.7	63.6	45.5	36.4	4.5	31.8P	15.9	38.6PR
								FHIJ												
More than once a day (10)	9	-	-	9	6	2	4	9	8	6	5	6	5	4	4	3	-	1	1	5
	3.2	-	-	6.3	5.2	9.1	2.4	16.1	5.2	4.5	3.8	3.1	9.8	2.2	2.9	2.7	-	1.1	1.6	8.6
	100.0	-	-	100.0B	66.7	22.2	44.4	100.0D	88.9	66.7	55.6	66.7	55.6K	44.4	44.4	33.3	-	11.1	11.1	55.6PQ
								FHIJ					M							
Once a day (7)	9	-	5	4	5	1	6	9	7	4	6	7	4	5	4	1	-	3	1	4
	3.2	-	5.4	2.8	4.3	4.5	3.5	16.1	4.5	3.0	4.6	3.6	7.8	2.7	2.9	0.9	-	3.4	1.6	6.9
	100.0	-	55.6	44.4	55.6	11.1	66.7	100.0D	77.8	44.4	66.7	77.8	44.4	55.6	44.4	11.1	-	33.3	11.1	44.4
								FHIJ												
A few times a week (3.5)	19	3	5	10	10	2	12	19	11	8	8	15	1	14	10	9	1	6	4	8
	6.7	6.5	5.4	7.0	8.7	9.1	7.1	33.9	7.1	6.1	6.1	7.7	2.0	7.7	7.2	8.1	1.9	6.9	6.5	13.8
	100.0	15.8	26.3	52.6	52.6	10.5	63.2	100.0D	57.9	42.1	42.1	78.9	5.3	73.7	52.6	47.4	5.3	31.6	21.1	42.1P
								FHIJ												

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 12
Q.8a How Often Does Your Household Store Or Reuse Graywater From
An Automatic Dishwasher?

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A HAS A									
											SUR- SUB- DISP.			WATER						
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	GRAY- WATER DIR- ECTLY	TABLE FRUIT GARDN	NON- WATER -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	284	46*	92*	142	115	22**	170	56*	155	132	131	195	51*	182	138	111	52*	87*	62*	58*
	100.0	100.0*	100.0*	100.0	100.0	100.0**	100	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0*	100.0*	100.0*
	100.0	16.2*	32.4*	50.0	40.5	7.7**	59.9	19.7*	54.6	46.5	46.1	68.7	18.0*	64.1	48.6	39.1	18.3*	30.6*	21.8*	20.4*
Once a week (1)	7	-	4	3	2	1	4	7	1	2	2	4	-	5	2	3	1	4	1	-
	2.5	-	4.3	2.1	1.7	4.5	2.4	12.5	0.6	1.5	1.5	2.1	-	2.7	1.4	2.7	1.9	4.6	1.6	-
	100.0	-	57.1	42.9	28.6	14.3	57.1	100.0	14.3	28.6	28.6	57.1	-	71.4	28.6	42.9	14.3	57.1	14.3	-
								FHIJ												
A few times a month (0.65)	7	1	2	4	2	-	2	7	4	4	4	4	2	5	5	5	-	5	1	1
	2.5	2.2	2.2	2.8	1.7	-	1.2	12.5	2.6	3.0	3.1	2.1	3.9	2.7	3.6	4.5	-	5.7	1.6	1.7
	100.0	14.3	28.6	57.1	28.6	-	28.6	100.0	57.1	57.1	57.1	57.1	28.6	71.4	71.4	71.4	-	71.4	14.3	14.3
								FHIJ												
Once a month (0.25)	1	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-
	0.4	-	1.1	-	-	-	-	1.8	-	-	-	-	2.0	-	-	-	1.9	-	-	-
	100.0	-	100.0	-	-	-	-	100.0	-	-	-	-	100.0	-	-	-	100.0	-	-	-
Less often than once a month (0.1)	4	3	-	1	1	1	1	4	2	2	2	2	1	2	1	2	-	2	-	1
	1.4	6.5	-	0.7	0.9	4.5	0.6	7.1	1.3	1.5	1.5	1.0	2.0	1.1	0.7	1.8	-	2.3	-	1.7
	100.0	75.0BC	-	25.0	25.0	25.0	25.0	100.0	50.0	50.0	50.0	50.0	25.0	50.0	25.0	50.0	-	50.0	-	25.0
								FHIJ												
Never (0)	228	39	75	111	89	15	141	-	122	106	104	157	37	147	112	88	49	66	54	39
	80.3	84.8	81.5	78.2	77.4	68.2	82.9	-	78.7	80.3	79.4	80.5	72.5	80.8	81.2	79.3	94.2	75.9	87.1	67.2
	100.0	17.1	32.9	48.7	39.0G	6.6	61.8G	-	53.5G	46.5G	45.6G	68.9	16.2	64.5	49.1	38.6	21.5G	28.9	23.7S	17.1
																	S			
Sigma	284	46	92	142	115	22	170	56	155	132	131	195	51	182	138	111	52	87	62	58
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	16.2	32.4	50.0	40.5	7.7	59.9	19.7	54.6	46.5	46.1	68.7	18.0	64.1	48.6	39.1	18.3	30.6	21.8	20.4

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 12
Q.8a How Often Does Your Household Store Or Reuse Graywater From
An Automatic Dishwasher?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER											SOURCES OF GRAYWATER REUSE			GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
												HAS A FACE	HAS A SUB- SURFC	DISP- GRAY-	WATER VEGE-								
												GRAY-	GRAY-	WATER	TABLE	NON-							
												WATER	WATER	DIR-	FRUIT	WATER							
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	WASH- ING	CLEAN HOUSE	GRAY- SYSTEM	GRAY- SYSTEM	GRAY- DIR-	FRUIT GARDN	WATER -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.			
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)				
Base: Total Answering	284	46*	92*	142	115	22**	170	56*	155	132	131	195	51*	182	138	111	52*	87*	62*	58*			
	100.0	100.0*	100.0*	100.0	100.0	100.0**	100	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0*	100.0*	100.0*			
	100.0	16.2*	32.4*	50.0	40.5	7.7**	59.9	19.7*	54.6	46.5	46.1	68.7	18.0*	64.1	48.6	39.1	18.3*	30.6*	21.8*	20.4*			
Mean Base (Including Never)	284	46	92	142	115	22	170	56	155	132	131	195	51	182	138	111	52	87	62	58			
Mean (Including Never)	0.82	0.25	0.63	1.12A	1.16	1.60	0.76	4.14D FHIJ	1.11	0.92	0.95	0.86	1.63M	0.73	0.79	0.68	0.09	0.68P	0.53	1.84PQR			
Std. Deviation	2.22	0.87	1.74	2.72	2.67	3.23	2.10	3.37	2.66	2.45	2.44	2.26	3.39	2.00	2.16	1.94	0.50	1.82	1.73	3.24			
Std. Error	0.13	0.13	0.18	0.23	0.25	0.69	0.16	0.45	0.21	0.21	0.21	0.16	0.47	0.15	0.18	0.18	0.07	0.20	0.22	0.43			
Mean Base (Excluding Never)	56	7	17	31	26	7	29	56DFH IJ	33	26	27	38	14	35	26	23	3	21P	8	19PR			
Mean (Excluding Never)	4.14	1.64	3.41	5.12	5.13	5.01	4.46	4.14	5.19	4.65	4.62	4.43	5.94	3.78	4.17	3.26	1.58	2.83	4.08	5.62			
Std. Deviation	3.37	1.75	2.66	3.70	3.38	4.05	3.10	3.37	3.50	3.67	3.50	3.23	4.07	3.08	3.29	3.16	1.70	2.81	3.07	3.29			
Std. Error	0.45	0.66	0.64	0.66	0.66	1.53	0.57	0.45	0.61	0.72	0.67	0.52	1.09	0.52	0.65	0.66	0.98	0.61	1.09	0.75			

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 13
Q.8a How Often Does Your Household Store Or Reuse Graywater From
A Laundry/Washing Machine?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
				SOURCES OF GRAYWATER REUSE							HAS A HAS A			WATER						
				GARBG			WASH- CAR CLEAN				GRAY-	SUB-	DISP.	VEGE-	NON-					
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	WASH- ING	-ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	GRAY- WATER DIR- ECTLY	TABLE FRUIT GARDN	WATER -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
No answer	112	26	30	54	34	13	56	19	-	36	46	70	15	74	45	54	30	42	22	7
	22.8	33.3	19.4	22.1	19.7	33.3	22.0	33.9	-	19.7	23.8	20.2	17.0	23.9	20.2	28.7	34.9	28.0	19.0	7.8
	100.0	23.2B	26.8	48.2	30.4H	11.6H	50.0H	17.0DH	-	32.1H	41.1H	62.5	13.4	66.1	40.2	48.2N	26.8R	37.5S	19.6S	6.3
Base: Total Answering	379	52*	125	190	139	26**	199	37*	275	147	147	277	73*	236	178	134	56*	108	94*	83*
	100.0	100.0*	100.0	100.0	100.0	100.0**	100	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*
	100.0	13.7*	33.0	50.1	36.7	6.9**	52.5	9.8*	72.6	38.8	38.8	73.1	19.3*	62.3	47.0	35.4	14.8*	28.5	24.8*	21.9*
Once A Week Or More (Net)	197	26	64	101	67	10	91	20	197	74	63	164	48	117	91	51	5	31	70	63
	52.0	50.0	51.2	53.2	48.2	38.5	45.7	54.1	71.6	50.3	42.9	59.2	65.8	49.6	51.1	38.1	8.9	28.7	74.5	75.9
	100.0	13.2	32.5	51.3	34.0	5.1	46.2	10.2	100.0D	37.6	32.0	83.2M	24.4M	59.4	46.2O	25.9	2.5	15.7P	35.5P	32.0PQ
More than once a day (10)	49	5	12	31	20	3	26	5	49	18	11	38	15	28	26	12	2	4	15	24
	12.9	9.6	9.6	16.3	14.4	11.5	13.1	13.5	17.8	12.2	7.5	13.7	20.5	11.9	14.6	9.0	3.6	3.7	16.0	28.9
	100.0	10.2	24.5	63.3	40.8	6.1	53.1	10.2	100.0J	36.7	22.4	77.6	30.6	57.1	53.1	24.5	4.1	8.2	30.6P	49.0PQR
Once a day (7)	15	1	4	9	7	1	7	3	15	4	5	13	5	4	8	2	-	3	3	6
	4.0	1.9	3.2	4.7	5.0	3.8	3.5	8.1	5.5	2.7	3.4	4.7	6.8	1.7	4.5	1.5	-	2.8	3.2	7.2
	100.0	6.7	26.7	60.0	46.7	6.7	46.7	20.0	100.0	26.7	33.3	86.7	33.3M	26.7	53.3	13.3	-	20.0	20.0	40.0P
A few times a week (3.5)	97	12	38	46	27	5	44	10	97	42	40	86	24	63	37	27	-	17	38	25
	25.6	23.1	30.4	24.2	19.4	19.2	22.1	27.0	35.3	28.6	27.2	31.0	32.9	26.7	20.8	20.1	-	15.7	40.4	30.1
	100.0	12.4	39.2	47.4	27.8	5.2	45.4	10.3	100.0D	43.3	41.2	88.7	24.7	64.9	38.1	27.8	-	17.5P	39.2P	25.8PQ

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 13
Q.8a How Often Does Your Household Store Or Reuse Graywater From
A Laundry/Washing Machine?

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SUR- FACE GRAY- WATER SYSTM	SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- VEGE- -ING					
	2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	WATER DIR- ECTLY	TABLE FRUIT GARDN	NON- VEGE- -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	379	52*	125	190	139	26**	199	37*	275	147	147	277	73*	236	178	134	56*	108	94*	83*
	100.0	100.0*	100.0	100.0	100.0	100.0**	100	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*
	100.0	13.7*	33.0	50.1	36.7	6.9**	52.5	9.8*	72.6	38.8	38.8	73.1	19.3*	62.3	47.0	35.4	14.8*	28.5	24.8*	21.9*
Once a week (1)	36	8	10	15	13	1	14	2	36	10	7	27	4	22	20	10	3	7	14	8
	9.5	15.4	8.0	7.9	9.4	3.8	7.0	5.4	13.1	6.8	4.8	9.7	5.5	9.3	11.2	7.5	5.4	6.5	14.9	9.6
	100.0	22.2	27.8	41.7	36.1	2.8	38.9	5.6	100.0F	27.8	19.4	75.0	11.1	61.1	55.6	27.8	8.3	19.4	38.9	22.2
									IJ											
A few times a month (0.65)	45	1	14	26	21	5	22	9	45	20	19	31	8	26	20	22	7	20	8	8
	11.9	1.9	11.2	13.7	15.1	19.2	11.1	24.3	16.4	13.6	12.9	11.2	11.0	11.0	11.2	16.4	12.5	18.5	8.5	9.6
	100.0	2.2	31.1A	57.8A	46.7	11.1	48.9	20.0	100.0	44.4	42.2	68.9	17.8	57.8	44.4	48.9	15.6	44.4R	17.8	17.8
									F											
Once a month (0.25)	11	2	4	5	2	1	6	3	11	3	7	7	1	8	7	7	1	8	1	1
	2.9	3.8	3.2	2.6	1.4	3.8	3.0	8.1	4.0	2.0	4.8	2.5	1.4	3.4	3.9	5.2	1.8	7.4	1.1	1.2
	100.0	18.2	36.4	45.5	18.2	9.1	54.5	27.3	100.0	27.3	63.6	63.6	9.1	72.7	63.6	63.6	9.1	72.7RS	9.1	9.1
									D											
Less often than once a month (0.1)	22	3	7	11	10	2	15	1	22	11	12	16	-	16	13	7	8	9	1	2
	5.8	5.8	5.6	5.8	7.2	7.7	7.5	2.7	8.0	7.5	8.2	5.8	-	6.8	7.3	5.2	14.3	8.3	1.1	2.4
	100.0	13.6	31.8	50.0	45.5	9.1	68.2	4.5	100.0	50.0	54.5	72.7L	-	72.7L	59.1	31.8	36.4R	40.9R	4.5	9.1
																	S			
Never (0)	104	20	36	47	39	8	65	4	-	39	46	59	16	69	47	47	35	40	14	9
	27.4	38.5	28.8	24.7	28.1	30.8	32.7	10.8	-	26.5	31.3	21.3	21.9	29.2	26.4	35.1	62.5	37.0	14.9	10.8
	100.0	19.2	34.6	45.2	37.5GH	7.7	62.5GH	3.8H	-	37.5G	44.2G	56.7	15.4	66.3K	45.2	45.2	33.7Q	38.5R	13.5	8.7
										H	H						RS	S		
Sigma	379	52	125	190	139	26	199	37	275	147	147	277	73	236	178	134	56	108	94	83
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	13.7	33.0	50.1	36.7	6.9	52.5	9.8	72.6	38.8	38.8	73.1	19.3	62.3	47.0	35.4	14.8	28.5	24.8	21.9

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 13
Q.8a How Often Does Your Household Store Or Reuse Graywater From
A Laundry/Washing Machine?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL				SOURCES OF GRAYWATER REUSE							HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- VEGE- TABLE -ING				
		2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	WASH- DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	GRAY- WATER DIR- ECTLY	TABLE FRUIT GARDN	NON- VEGE- TABLE -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Answering	379	52*	125	190	139	26**	199	37*	275	147	147	277	73*	236	178	134	56*	108	94*	83*
	100.0	100.0*	100.0	100.0	100.0	100.0**	100	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*
	100.0	13.7*	33.0	50.1	36.7	6.9**	52.5	9.8*	72.6	38.8	38.8	73.1	19.3*	62.3	47.0	35.4	14.8*	28.5	24.8*	21.9*
Mean Base (Including Never)	379	52	125	190	139	26	199	37	275	147	147	277	73	236	178	134	56	108	94	83
Mean (Including Never)	2.65	2.09	2.41	2.99	2.67	2.28	2.48	3.10	3.65D FIJ	2.58	2.09	2.97	3.81M	2.42	2.71O	1.90	0.51	1.33P	3.44P Q	4.62PQR
Std. Deviation	3.34	3.06	3.04	3.59	3.51	3.34	3.39	3.42	3.42	3.26	2.88	3.35	3.70	3.21	3.50	2.96	1.87	2.33	3.31	3.89
Std. Error	0.17	0.42	0.27	0.26	0.30	0.65	0.24	0.56	0.21	0.27	0.24	0.20	0.43	0.21	0.26	0.26	0.25	0.22	0.34	0.43
Mean Base (Excluding Never)	275	32	89	143	100	18	134	33D IJ	275D GIJ	108	101	218M	57	167	131	87	21	68P	80PQ	74PQ
Mean (Excluding Never)	3.65	3.39	3.39	3.97	3.72	3.29	3.69	3.48	3.65	3.52	3.04	3.77	4.89K M	3.42	3.68	2.93	1.36	2.11	4.04Q	5.18QR
Std. Deviation	3.42	3.30	3.12	3.63	3.64	3.59	3.56	3.43	3.42	3.34	3.03	3.34	3.50	3.34	3.62	3.23	2.89	2.65	3.22	3.75
Std. Error	0.21	0.58	0.33	0.30	0.36	0.85	0.31	0.60	0.21	0.32	0.30	0.23	0.46	0.26	0.32	0.35	0.63	0.32	0.36	0.44

Proportions/Means: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 14
Q.8a How Often Does Your Household Store Or Reuse Graywater From
Car Washing (At Your Home)?

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
											HAS A SUR- FACE GRAY- WATER SYSTEM	HAS A SUB- SURFC GRAY- WATER SYSTEM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING					
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER	2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
TOTAL	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
No answer	186	33	57	88	58	14	73	19	106	-	50	137	37	119	77	59	25	53	46	36
	37.9	42.3	36.8	36.1	33.5	35.9	28.6	33.9	38.5	-	25.9	39.5	42.0	38.4	34.5	31.4	29.1	35.3	39.7	40.0
	100.0	17.7	30.6	47.3	31.2	7.5	39.2	10.2	57.0	FIJ	26.9	73.7	19.9	64.0	41.4	31.7	13.4	28.5	24.7	19.4
Base: Total Answering	305	45*	98*	156	115	25**	182	37*	169	183	143	210	51*	191	146	129	61*	97*	70*	54*
	100.0	100.0*	100.0*	100.0	100.0	100.0**	100	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0*	100.0*	100.0*
	100.0	14.8*	32.1*	51.1	37.7	8.2**	59.7	12.1*	55.4	60.0	46.9	68.9	16.7*	62.6	47.9	42.3	20.0*	31.8*	23.0*	17.7*
Once A Week Or More (Net)	50	4	13	32	19	3	31	7	28	50	27	37	11	25	25	29	6	16	17	10
	16.4	8.9	13.3	20.5	16.5	12.0	17.0	18.9	16.6	27.3	18.9	17.6	21.6	13.1	17.1	22.5	9.8	16.5	24.3	18.5
	100.0	8.0	26.0	64.0	38.0	6.0	62.0	14.0	56.0	100.0	54.0	74.0	22.0	50.0	50.0	58.0	12.0	32.0	34.0	20.0
										FH										
More than once a day (10)	12	-	2	10	9	1	7	4	10	12	7	8	3	5	5	5	2	1	4	4
	3.9	-	2.0	6.4	7.8	4.0	3.8	10.8	5.9	6.6	4.9	3.8	5.9	2.6	3.4	3.9	3.3	1.0	5.7	7.4
	100.0	-	16.7	83.3	75.0	8.3	58.3	33.3	83.3	100.0	58.3	66.7	25.0	41.7	41.7	41.7	16.7	8.3	33.3	33.3
Once a day (7)	3	2	-	1	1	-	2	-	1	3	1	2	1	1	1	2	-	-	2	1
	1.0	4.4	-	0.6	0.9	-	1.1	-	0.6	1.6	0.7	1.0	2.0	0.5	0.7	1.6	-	-	2.9	1.9
	100.0	66.7	-	33.3	33.3	-	66.7	-	33.3	100.0	33.3	66.7	33.3	33.3	33.3	66.7	-	-	66.7	33.3
A few times a week (3.5)	9	-	3	6	5	1	7	1	4	9	5	8	3	4	5	7	-	4	2	3
	3.0	-	3.1	3.8	4.3	4.0	3.8	2.7	2.4	4.9	3.5	3.8	5.9	2.1	3.4	5.4	-	4.1	2.9	5.6
	100.0	-	33.3	66.7	55.6	11.1	77.8	11.1	44.4	100.0	55.6	88.9	33.3	44.4	55.6	77.8	-	44.4	22.2	33.3

Proportions/Means: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 14
Q.8a How Often Does Your Household Store Or Reuse Graywater From
Car Washing (At Your Home)?

												GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED										
												HAS A SUR- FACE			HAS A SUB- SURFC						DISP. GRAY- WATER	VEGE- TABLE					
												GRAY- WATER	GRAY- WATER	WATER DIR-	FRUIT GARDN	NON- -ING											
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE								BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTEM	GRAY- WATER SYSTEM	WATER DIR-	FRUIT GARDN	NON- -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	TOTAL	2 OR LESS	3-9	10+	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)				
Base: Total Answering	305	45*	98*	156	115	25**	182	37*	169	183	143	210	51*	191	146	129	61*	97*	70*	54*							
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0					
	100.0	14.8*	32.1*	51.1	37.7	8.2**	59.7	12.1*	55.4	60.0	46.9	68.9	16.7*	62.6	47.9	42.3	20.0*	31.8*	23.0*	17.7*							
Once a week (1)	26	2	8	15	4	1	15	2	13	26	14	19	4	15	14	15	4	11	9	2							
	8.5	4.4	8.2	9.6	3.5	4.0	8.2	5.4	7.7	14.2	9.8	9.0	7.8	7.9	9.6	11.6	6.6	11.3	12.9	3.7							
	100.0	7.7	30.8	57.7	15.4	3.8	57.7	7.7	50.0	100.0	53.8	73.1	15.4	57.7	53.8	57.7	15.4	42.3	34.6	7.7							
A few times a month (0.65)	48	7	13	27	18	5	33	6	31	48	29	34	11	37	21	22	10	16	11	8							
	15.7	15.6	13.3	17.3	15.7	20.0	18.1	16.2	18.3	26.2	20.3	16.2	21.6	19.4	14.4	17.1	16.4	16.5	15.7	14.8							
	100.0	14.6	27.1	56.3	37.5	10.4	68.8	12.5	64.6	100.0	60.4	70.8	22.9	77.1	43.8	45.8	20.8	33.3	22.9	16.7							
Once a month (0.25)	27	4	8	15	5	5	16	4	12	27	20	19	2	18	14	16	3	14	4	3							
	8.9	8.9	8.2	9.6	4.3	20.0	8.8	10.8	7.1	14.8	14.0	9.0	3.9	9.4	9.6	12.4	4.9	14.4	5.7	5.6							
	100.0	14.8	29.6	55.6	18.5	18.5	59.3	14.8	44.4	100.0	74.1	70.4	7.4	66.7	51.9	59.3	11.1	51.9	14.8	11.1							
									H	H																	
Less often than once a month (0.1)	58	10	16	30	29	9	38	9	37	58	37	39	6	32	31	30	12	19	12	10							
	19.0	22.2	16.3	19.2	25.2	36.0	20.9	24.3	21.9	31.7	25.9	18.6	11.8	16.8	21.2	23.3	19.7	19.6	17.1	18.5							
	100.0	17.2	27.6	51.7	50.0	15.5	65.5	15.5	63.8	100.0	63.8	67.2	10.3	55.2	53.4	51.7	20.7	32.8	20.7	17.2							
									H																		
Never (0)	122	20	48	52	44	3	64	11	61	-	30	81	21	79	55	32	30	32	26	23							
	40.0	44.4	49.0	33.3	38.3	12.0	35.2	29.7	36.1	-	21.0	38.6	41.2	41.4	37.7	24.8	49.2	33.0	37.1	42.6							
	100.0	16.4	39.3	42.6	36.1	2.5	52.5	9.0	50.0	-	24.6	66.4	17.2	64.8	45.1	26.2	24.6	26.2	21.3	18.9							
Sigma	305	45	98	156	115	25	182	37	169	183	143	210	51	191	146	129	61	97	70	54							
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0							
	100.0	14.8	32.1	51.1	37.7	8.2	59.7	12.1	55.4	60.0	46.9	68.9	16.7	62.6	47.9	42.3	20.0	31.8	23.0	17.7							
Mean Base (Including Never)	305	45	98	156	115	25	182	37	169	183	143	210	51	191	146	129	61	97	70	54							

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 14
Q.8a How Often Does Your Household Store Or Reuse Graywater From
Car Washing (At Your Home)?

												GRAYWATER SYSTEM			USES OF GRAYWATER					
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE							HAS A SUR- FACE	HAS A SUB- SURFC	DISP. GRAY- WATER	WATER TABLE FRUIT	NON- VEGE- WATER	VOLUME OF GRAYWATER REUSED				
	TOTAL				BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTEM	GRAY- WATER SYSTEM	WATER DIR- ECTLY	GARDN	-ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
		2 OR LESS	3-9	10+																
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Answering	305	45*	98*	156	115	25**	182	37*	169	183	143	210	51*	191	146	129	61*	97*	70*	54*
	100.0	100.0*	100.0*	100.0	100.0	100.0**	100	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0*	100.0*	100.0*
	100.0	14.8*	32.1*	51.1	37.7	8.2**	59.7	12.1*	55.4	60.0	46.9	68.9	16.7*	62.6	47.9	42.3	20.0*	31.8*	23.0*	17.7*
Mean (Including Never)	0.79	0.50	0.52	1.07B	1.17	0.80	0.84	1.39	0.95	1.32F	0.95	0.82	1.17	0.62	0.74	0.97	0.53	0.52	1.13Q	1.23Q
Std. Deviation	2.08	1.45	1.52	2.50	2.76	2.04	2.08	3.10	2.41	2.55	2.23	2.06	2.55	1.71	1.95	2.14	1.79	1.21	2.54	2.78
Std. Error	0.12	0.22	0.15	0.20	0.26	0.41	0.15	0.51	0.19	0.19	0.19	0.14	0.36	0.12	0.16	0.19	0.23	0.12	0.30	0.38
Mean Base (Excluding Never)	183	25	50	104B	71	22	118	26	108	183DF GHJ	113DF H	129	30	112	91	97N	31	65P	44	31
Mean (Excluding Never)	1.32	0.90	1.01	1.61	1.89	0.90	1.29	1.97	1.49	1.32	1.20	1.33	1.99	1.05	1.20	1.29	1.05	0.78	1.80Q	2.14Q
Std. Deviation	2.55	1.86	2.02	2.92	3.31	2.16	2.47	3.55	2.88	2.55	2.45	2.50	3.08	2.14	2.37	2.39	2.41	1.41	3.02	3.41
Std. Error	0.19	0.37	0.29	0.29	0.39	0.46	0.23	0.70	0.28	0.19	0.23	0.22	0.56	0.20	0.25	0.24	0.43	0.18	0.46	0.61

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 15
Q.8a How Often Does Your Household Store Or Reuse Graywater From
House Cleaning - Using Water Combined With Cleaning Products?

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
											HAS A SUR- FACE WATER SYSTM	HAS A SUB- SURFC WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- -ING					
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	GRAY- WATER DIR- ECTLY	TABLE FRUIT GARDN	NON- -ING	<10 GALS.	10-49 GALS.	199 GALS.	200+ GALS.
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
No answer	162	27	49	77	44	8	56	13	95	29	-	112	33	101	63	40	24	46	39	32
	33.0	34.6	31.6	31.6	25.4	20.5	22.0	23.2	34.5	15.8	-	32.3	37.5	32.6	28.3	21.3	27.9	30.7	33.6	35.6
	100.0	16.7	30.2	47.5	27.21J	4.9J	34.6J	8.0J	58.6D	17.9J	-	69.1	20.4	62.3	38.9	24.7	14.8	28.4	24.1	19.8
											FIJ									
Base: Total Answering	329	51*	106	167	129	31*	199	43*	180	154	193	235	55*	209	160	148	62*	104	77*	58*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*
	100.0	15.5*	32.2	50.8	39.2	9.4*	60.5	13.1*	54.7	46.8	58.7	71.4	16.7*	63.5	48.6	45.0	18.8*	31.6	23.4*	17.6*
Once A Week Or More (Net)	99	13	29	56	43	14	66	15	54	58	99	72	19	59	55	60	9	40	29	16
	30.1	25.5	27.4	33.5	33.3	45.2	33.2	34.9	30.0	37.7	51.3	30.6	34.5	28.2	34.4	40.5	14.5	38.5	37.7	27.6
	100.0	13.1	29.3	56.6	43.4	14.1	66.7	15.2	54.5	58.6	100.0D	72.7	19.2	59.6	55.6	60.6	9.1	40.4P	29.3P	16.2
											FHI									
More than once a day (10)	13	1	4	8	5	3	10	2	7	9	13	10	3	7	7	7	3	1	5	2
	4.0	2.0	3.8	4.8	3.9	9.7	5.0	4.7	3.9	5.8	6.7	4.3	5.5	3.3	4.4	4.7	4.8	1.0	6.5	3.4
	100.0	7.7	30.8	61.5	38.5	23.1	76.9	15.4	53.8	69.2	100.0	76.9	23.1	53.8	53.8	53.8	23.1	7.7	38.5Q	15.4
Once a day (7)	7	1	3	3	2	1	6	1	4	4	7	5	2	3	4	6	2	1	2	2
	2.1	2.0	2.8	1.8	1.6	3.2	3.0	2.3	2.2	2.6	3.6	2.1	3.6	1.4	2.5	4.1	3.2	1.0	2.6	3.4
	100.0	14.3	42.9	42.9	28.6	14.3	85.7	14.3	57.1	57.1	100.0	71.4	28.6	42.9	57.1	85.7	28.6	14.3	28.6	28.6
A few times a week (3.5)	42	7	13	21	22	6	25	8	23	20	42	31	9	27	28	25	2	20	11	7
	12.8	13.7	12.3	12.6	17.1	19.4	12.6	18.6	12.8	13.0	21.8	13.2	16.4	12.9	17.5	16.9	3.2	19.2	14.3	12.1
	100.0	16.7	31.0	50.0	52.4	14.3	59.5	19.0	54.8	47.6	100.0F	73.8	21.4	64.3	66.7	59.5	4.8	47.6P	26.2P	16.7
											HI									

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 15
Q.8a How Often Does Your Household Store Or Reuse Graywater From
House Cleaning - Using Water Combined With Cleaning Products?

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- ING					
	2 OR LESS	3-9	10+	BATH/ SHWR	DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE										
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	329	51*	106	167	129	31*	199	43*	180	154	193	235	55*	209	160	148	62*	104	77*	58*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*
	100.0	15.5*	32.2	50.8	39.2	9.4*	60.5	13.1*	54.7	46.8	58.7	71.4	16.7*	63.5	48.6	45.0	18.8*	31.6	23.4*	17.6*
Once a week (1)	37	4	9	24	14	4	25	4	20	25	37	26	5	22	16	22	2	18	11	5
	11.2	7.8	8.5	14.4	10.9	12.9	12.6	9.3	11.1	16.2	19.2	11.1	9.1	10.5	10.0	14.9	3.2	17.3	14.3	8.6
	100.0	10.8	24.3	64.9	37.8	10.8	67.6	10.8	54.1	67.6	100.0D	70.3	13.5	59.5	43.2	59.5	5.4	48.6P	29.7P	13.5
										H										
A few times a month (0.65)	43	7	10	25	16	7	23	5	21	27	43	27	6	25	18	23	8	18	8	5
	13.1	13.7	9.4	15.0	12.4	22.6	11.6	11.6	11.7	17.5	22.3	11.5	10.9	12.0	11.3	15.5	12.9	17.3	10.4	8.6
	100.0	16.3	23.3	58.1	37.2	16.3	53.5	11.6	48.8	62.8	100.0D	62.8	14.0	58.1	41.9	53.5	18.6	41.9	18.6	11.6
										FH										
Once a month (0.25)	17	1	6	10	7	1	11	3	10	12	17	9	-	13	9	11	4	8	4	1
	5.2	2.0	5.7	6.0	5.4	3.2	5.5	7.0	5.6	7.8	8.8	3.8	-	6.2	5.6	7.4	6.5	7.7	5.2	1.7
	100.0	5.9	35.3	58.8	41.2	5.9	64.7	17.6	58.8	70.6	100.0	52.9	-	76.5	52.9	64.7	23.5	47.1	23.5	5.9
Less often than once a month (0.1)	34	7	10	17	14	5	22	4	16	16	34	24	3	22	14	15	13	9	5	5
	10.3	13.7	9.4	10.2	10.9	16.1	11.1	9.3	8.9	10.4	17.6	10.2	5.5	10.5	8.8	10.1	21.0	8.7	6.5	8.6
	100.0	20.6	29.4	50.0	41.2	14.7	64.7	11.8	47.1	47.1	100.0H	70.6	8.8	64.7	41.2	44.1	38.2Q	26.5	14.7	14.7
																	R			
Never (0)	136	23	51	59	49	4	77	16	79	41	-	103	27	90	64	39	28	29	31	31
	41.3	45.1	48.1	35.3	38.0	12.9	38.7	37.2	43.9	26.6	-	43.8	49.1	43.1	40.0	26.4	45.2	27.9	40.3	53.4
	100.0	16.9	37.5C	43.4	36.0EI	2.9J	56.6E	11.8E	58.1E	30.1J	-	75.7	19.9	66.2	47.10	28.7	20.6Q	21.3	22.8	22.8Q
					J		IJ	J	IJ											
Sigma	329	51	106	167	129	31	199	43	180	154	193	235	55	209	160	148	62	104	77	58
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	15.5	32.2	50.8	39.2	9.4	60.5	13.1	54.7	46.8	58.7	71.4	16.7	63.5	48.6	45.0	18.8	31.6	23.4	17.6

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 15
Q.8a How Often Does Your Household Store Or Reuse Graywater From
House Cleaning - Using Water Combined With Cleaning Products?

												GRAYWATER SYSTEM			USES OF GRAYWATER						
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING	VOLUME OF GRAYWATER REUSED				
	TOTAL				BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE										
		2 OR LESS	3-9	10+	(D)	(E)	(F)	(G)	(H)	(I)	(J)							(K)	(L)	(M)	(N)
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	329	51*	106	167	129	31*	199	43*	180	154	193	235	55*	209	160	148	62*	104	77*	58*	
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*	
	100.0	15.5*	32.2	50.8	39.2	9.4*	60.5	13.1*	54.7	46.8	58.7	71.4	16.7*	63.5	48.6	45.0	18.8*	31.6	23.4*	17.6*	
Mean Base (Including Never)	329	51	106	167	129	31	199	43	180	154	193	235	55	209	160	148	62	104	77	58	
Mean (Including Never)	1.21	1.00	1.17	1.31	1.31	2.17H	1.38	1.47	1.20	1.53	2.07D FH	1.24	1.54	1.10	1.42	1.63	0.98	1.15	1.56	1.16	
Std. Deviation	2.30	1.95	2.34	2.40	2.29	3.07	2.52	2.49	2.30	2.58	2.69	2.36	2.67	2.15	2.43	2.53	2.46	1.66	2.71	2.34	
Std. Error	0.13	0.27	0.23	0.19	0.20	0.55	0.18	0.38	0.17	0.21	0.19	0.15	0.36	0.15	0.19	0.21	0.31	0.16	0.31	0.31	
Mean Base (Excluding Never)	193	28	55	108B	80	27DF GH	122	27	101	113DF H	193DE FGHI	132	28	119	96	109N	34	75PS	46	27	
Mean (Excluding Never)	2.07	1.82	2.26	2.03	2.11	2.49	2.25	2.35	2.14	2.08	2.07	2.21	3.03	1.93	2.37	2.21	1.78	1.59	2.61Q	2.50	
Std. Deviation	2.69	2.35	2.85	2.73	2.60	3.17	2.90	2.80	2.73	2.82	2.69	2.79	3.10	2.55	2.76	2.72	3.12	1.76	3.10	2.92	
Std. Error	0.19	0.44	0.38	0.26	0.29	0.61	0.26	0.54	0.27	0.27	0.19	0.24	0.59	0.23	0.28	0.26	0.53	0.20	0.46	0.56	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 16
Q.8b An Average, Approximately How Many Gallons Of Graywater Are Reused Each Month?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
											HAS A SUR- FACE	HAS A SUB- SURFC	DISP. GRAY- WATER	WATER VEGE- TABLE NON- FRUIT WATER GARDN -ING												
	2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	DIR- ECTLY			<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.							
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)							
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*						
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*						
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*						
No answer	49	13	13	20	10	2	15	5	32	12	11	29	8	33	9	17	-	-	-	-						
	10.0	16.7	8.4	8.2	5.8	5.1	5.9	8.9	11.6	6.6	5.7	8.4	9.1	10.6	4.0	9.0	-	-	-	-						
	100.0	26.5C	26.5	40.8	20.4	4.1	30.6	10.2	65.3D	24.5	22.4	59.2	16.3	67.3	18.4	34.7N	-	-	-	-						
									FJ																	
Base: Total Answering	442	65*	142	224	163	37*	240	51*	243	171	182	318	80*	277	214	171	86*	150	116	90*						
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*						
	100.0	14.7*	32.1	50.7	36.9	8.4*	54.3	11.5*	55.0	38.7	41.2	71.9	18.1*	62.7	48.4	38.7	19.5*	33.9	26.2	20.4*						
Under 50 Gallons (Net)	236	39	78	114	72	23	137	24	89	96	109	154	28	167	105	106	86	150	-	-						
	53.4	60.0	54.9	50.9	44.2	62.2	57.1	47.1	36.6	56.1	59.9	48.4	35.0	60.3	49.1	62.0	100.0	100.0	-	-						
	100.0	16.5	33.1	48.3	30.5	9.7D	58.1D	10.2	37.7	40.7D	46.2D	65.3L	11.9	70.8K	44.5	44.9N	36.4R	63.6RS	-	-						
						H	H			H	H			L		S										
Under 10	86	20	27	39	22	9	48	3	21	31	34	50	10	66	31	33	86	-	-	-						
	19.5	30.8	19.0	17.4	13.5	24.3	20.0	5.9	8.6	18.1	18.7	15.7	12.5	23.8	14.5	19.3	100.0	-	-	-						
	100.0	23.3C	31.4	45.3	25.6	10.5G	55.8GH	3.5	24.4	36.0G	39.5G	58.1	11.6	76.7K	36.0	38.4	100.0QRS	-	-	-						
						H				H	H			L												
10 - 19	52	10	15	27	15	5	29	6	21	25	24	35	5	42	24	31	-	52	-	-						
	11.8	15.4	10.6	12.1	9.2	13.5	12.1	11.8	8.6	14.6	13.2	11.0	6.3	15.2	11.2	18.1	-	34.7	-	-						
	100.0	19.2	28.8	51.9	28.8	9.6	55.8	11.5	40.4	48.1	46.2	67.3	9.6	80.8L	46.2	59.6	-	100.0PRS	-	-						
20 - 49	98	9	36	48	35	9	60	15	47	40	51	69	13	59	50	42	-	98	-	-						
	22.2	13.8	25.4	21.4	21.5	24.3	25.0	29.4	19.3	23.4	28.0	21.7	16.3	21.3	23.4	24.6	-	65.3	-	-						
	100.0	9.2	36.7	49.0	35.7	9.2	61.2	15.3	48.0	40.8	52.0H	70.4	13.3	60.2	51.0	42.9	-	100.0PRS	-	-						

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 16
Q.8b An Average, Approximately How Many Gallons Of Graywater Are Reused Each Month?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM		USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	TOTAL				BATH/ SHOWR	GARBG		DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING				
		2 OR LESS	3-9	10+		DIS- POSAL	KITCH SINK													
																	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	442	65*	142	224	163	37*	240	51*	243	171	182	318	80*	277	214	171	86*	150	116	90*
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	14.7*	32.1	50.7	36.9	8.4*	54.3	11.5*	55.0	38.7	41.2	71.9	18.1*	62.7	48.4	38.7	19.5*	33.9	26.2	20.4*
50 - 399 Gallons (Net)	152	21	46	81	69	12	77	14	106	60	62	122	30	81	84	57	-	-	116	36
	34.4	32.3	32.4	36.2	42.3	32.4	32.1	27.5	43.6	35.1	34.1	38.4	37.5	29.2	39.3	33.3	-	-	100.0	40.0
	100.0	13.8	30.3	53.3	45.4F	7.9	50.7	9.2	69.7F	39.5	40.8	80.3M	19.7	53.3	55.3	37.5	-	-	76.3P	23.7PQ
									GJ										QS	
50 - 99	59	8	16	33	22	4	30	5	36	20	23	44	12	34	37	25	-	-	59	-
	13.3	12.3	11.3	14.7	13.5	10.8	12.5	9.8	14.8	11.7	12.6	13.8	15.0	12.3	17.3	14.6	-	-	50.9	-
	100.0	13.6	27.1	55.9	37.3	6.8	50.8	8.5	61.0	33.9	39.0	74.6	20.3	57.6	62.7	42.4	-	-	100.0PQS	-
100 - 399	93	13	30	48	47	8	47	9	70	40	39	78	18	47	47	32	-	-	57	36
	21.0	20.0	21.1	21.4	28.8	21.6	19.6	17.6	28.8	23.4	21.4	24.5	22.5	17.0	22.0	18.7	-	-	49.1	40.0
	100.0	14.0	32.3	51.6	50.5F	8.6	50.5	9.7	75.3F	43.0	41.9	83.9M	19.4	50.5	50.5	34.4	-	-	61.3P	38.7PQ
																			Q	
400+	54	5	18	29	22	2	26	13	48	15	11	42	22	29	25	8	-	-	-	54
	12.2	7.7	12.7	12.9	13.5	5.4	10.8	25.5	19.8	8.8	6.0	13.2	27.5	10.5	11.7	4.7	-	-	-	60.0
	100.0	9.3	33.3	53.7	40.7J	3.7	48.1	24.1D	88.9E	27.8	20.4	77.8	40.7K	53.7	46.3O	14.8	-	-	-	100.0PQR
								EFIJ	FIJ				M							
Sigma	442	65	142	224	163	37	240	51	243	171	182	318	80	277	214	171	86	150	116	90
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	14.7	32.1	50.7	36.9	8.4	54.3	11.5	55.0	38.7	41.2	71.9	18.1	62.7	48.4	38.7	19.5	33.9	26.2	20.4
Mean Base	442	65	142	224	163	37	240	51	243	171	182	318	80	277	214	171	86	150	116	90
Mean	188.3	91.2	229.1	181.7	215.0	107.6	168.5	354.2	254.8	148.1	115.0	198.2	387.0	160.9	170.1	120.7	4.4	22.2P	87.6	770.9PQR
					J			EFIJ	FIJ			KM							PQ	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 16
Q.8b An Average, Approximately How Many Gallons Of Graywater Are Reused Each Month?

NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE								GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
												HAS A SUR- FACE GRAY- WATER SYSTEM	HAS A SUB- SURFC GRAY- WATER SYSTEM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE NON- VEGE- FRUIT GARDN -ING					
TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	GABRG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	(K)	(L)	(M)	(N)	(O)	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)						(P)	(Q)	(R)	(S)	
442	65*	142	224	163	37*	240	51*	243	171	182	318	80*	277	214	171	86*	150	116	90*	
100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*	
100.0	14.7*	32.1	50.7	36.9	8.4*	54.3	11.5*	55.0	38.7	41.2	71.9	18.1*	62.7	48.4	38.7	19.5*	33.9	26.2	20.4*	
450.3	180.1	605.6	364.4	434.9	249.4	418.3	596.4	448.0	325.9	262.5	447.0	675.9	437.0	353.4	415.2	1.9	9.7	31.8	753.5	
21.4	22.3	50.8	24.3	34.1	41.0	27.0	83.5	28.7	24.9	19.5	25.1	75.6	26.3	24.2	31.8	0.2	0.8	3.0	79.4	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 17
Q.9 Does Your Household Have A Fruit Or Vegetable Garden At Any Time During The Year?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
												HAS A	HAS A	DISP.	WATER					
												SUR- FACE	SUR- FACE	GRAY- WATER	VEGE- TABLE	NON- WATER				
												GRAY- SYSTM	GRAY- SYSTM	DIR- ECTLY	FRUIT GARDN	ING				
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	DIR- ECTLY	FRUIT GARDN	ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
No answer	6	2	3	1	-	-	1	-	3	-	-	4	1	5	-	2	-	-	-	3
	1.2	2.6	1.9	0.4	-	-	0.4	-	1.1	-	-	1.2	1.1	1.6	-	1.1	-	-	-	3.3
	100.0	33.3	50.0	16.7	-	-	16.7	-	50.0	-	-	66.7	16.7	83.3	-	33.3	-	-	-	50.0QR
Base: Total Answering	485	76*	152	243	173	39*	254	56*	272	183	193	343	87*	305	223	186	86*	150	116	87*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.7*	31.3	50.1	35.7	8.0*	52.4	11.5*	56.1	37.7	39.8	70.7	17.9*	62.9	46.0	38.4	17.7*	30.9	23.9	17.9*
Yes	339	47	104	176	132	21	184	41	194	127	136	243	63	214	221	125	52	105	93	66
	69.9	61.8	68.4	72.4	76.3	53.8	72.4	73.2	71.3	69.4	70.5	70.8	72.4	70.2	99.1	67.2	60.5	70.0	80.2	75.9
	100.0	13.9	30.7	51.9	38.9E	6.2	54.3E	12.1	57.2E	37.5	40.1E	71.7	18.6	63.1	65.20	36.9	15.3	31.0	27.4P	19.5P
No	146	29	48	67	41	18	70	15	78	56	57	100	24	91	2	61	34	45	23	21
	30.1	38.2	31.6	27.6	23.7	46.2	27.6	26.8	28.7	30.6	29.5	29.2	27.6	29.8	0.9	32.8	39.5	30.0	19.8	24.1
	100.0	19.9	32.9	45.9	28.1	12.3D	47.9	10.3	53.4	38.4	39.0	68.5	16.4	62.3	1.4	41.8N	23.3R	30.8	15.8	14.4
						FHJ										S				
Sigma	485	76	152	243	173	39	254	56	272	183	193	343	87	305	223	186	86	150	116	87
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	15.7	31.3	50.1	35.7	8.0	52.4	11.5	56.1	37.7	39.8	70.7	17.9	62.9	46.0	38.4	17.7	30.9	23.9	17.9

Proportions/Means: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 18
Q.10 For Which Of The Following Purposes, If Any, Does Your Household
Reuse Graywater?

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			BATH/SHOWER	GARBG DISPOSAL	KITCH SINK	DISH-WASHR	WASH-ING MACH.	CAR WASH-ING	CLEAN-ING HOUSE	HAS A SURFACE WATER SYSTEM	HAS A SUB-SURFC WATER SYSTEM	DISP. GRAY-WATER DIR-ECTLY	WATER TABLE FRUIT GARDN	VEGE-ING	VOLUME OF GRAYWATER REUSED				
	TOTAL	2 OR LESS	3-9													10+	<10 GALS.	10-49 GALS.	50-199 GALS.	200+ GALS.
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
No answer	9	5	3	1	-	-	1	1	4	1	1	4	2	3	-	-	1	2	-	2
	1.8	6.4	1.9	0.4	-	-	0.4	1.8	1.5	0.5	0.5	1.2	2.3	1.0	-	-	1.2	1.3	-	2.2
	100.0	55.6C	33.3	11.1	-	-	11.1	11.1	44.4	11.1	11.1	44.4	22.2	33.3	-	-	11.1	22.2	-	22.2
Base: Total Answering	482	73*	152	243	173	39*	254	55*	271	182	192	343	86*	307	223	188	85*	148	116	88*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.1*	31.5	50.4	35.9	8.1*	52.7	11.4*	56.2	37.8	39.8	71.2	17.8*	63.7	46.3	39.0	17.6*	30.7	24.1	18.3*
Driveway/street cleaning	86	15	22	47	41	9	51	13	46	54	53	62	9	50	36	86	12	36	20	13
	17.8	20.5	14.5	19.3	23.7	23.1	20.1	23.6	17.0	29.7	27.6	18.1	10.5	16.3	16.1	45.7	14.1	24.3	17.2	14.8
	100.0	17.4	25.6	54.7	47.7	10.5	59.3	15.1	53.5	62.8F	61.6H	72.1	10.5	58.1	41.9	100.0N	14.0	41.9	23.3	15.1
										H										
In sink garbage disposal flushing	32	3	6	20	10	16	26	4	12	20	24	24	3	17	16	32	6	12	8	4
	6.6	4.1	3.9	8.2	5.8	41.0	10.2	7.3	4.4	11.0	12.5	7.0	3.5	5.5	7.2	17.0	7.1	8.1	6.9	4.5
	100.0	9.4	18.8	62.5	31.3	50.0D	81.3H	12.5	37.5	62.5H	75.0D	75.0	9.4	53.1	50.0	100.0N	18.8	37.5	25.0	12.5
						FGHIJ				H										
Toilet flushing	97	9	31	55	56	11	65	8	43	48	56	68	15	57	45	97	18	37	19	13
	20.1	12.3	20.4	22.6	32.4	28.2	25.6	14.5	15.9	26.4	29.2	19.8	17.4	18.6	20.2	51.6	21.2	25.0	16.4	14.8
	100.0	9.3	32.0	56.7	57.7G	11.3	67.0H	8.2	44.3	49.5H	57.7G	70.1	15.5	58.8	46.4	100.0N	18.6	38.1	19.6	13.4
					H					H										
Water Plants/Vegetation (Net)	456	64	149	230	161	37	243	55	262	174	182	333	81	290	223	165	79	142	113	84
	94.6	87.7	98.0	94.7	93.1	94.9	95.7	100.0	96.7	95.6	94.8	97.1	94.2	94.5	100.0	87.8	92.9	95.9	97.4	95.5
	100.0	14.0	32.7A	50.4A	35.3	8.1	53.3	12.1D	57.5	38.2	39.9	73.0	17.8	63.6	48.90	36.2	17.3	31.1	24.8	18.4

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 18
Q.10 For Which Of The Following Purposes, If Any, Does Your Household
Reuse Graywater?

	SOURCES OF GRAYWATER REUSE											GRAYWATER SYSTEM		USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	TABLE FRUIT GARDN	NON- WATER -ING					
	2 OR LESS	3-9	10+	BATH/ SHWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE										
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	482	73*	152	243	173	39*	254	55*	271	182	192	343	86*	307	223	188	85*	148	116	88*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.1*	31.5	50.4	35.9	8.1*	52.7	11.4*	56.2	37.8	39.8	71.2	17.8*	63.7	46.3	39.0	17.6*	30.7	24.1	18.3*
Sub-surface irrigation	46	2	9	34	30	6	28	12	39	25	26	32	18	21	34	22	1	11	13	17
	9.5	2.7	5.9	14.0	17.3	15.4	11.0	21.8	14.4	13.7	13.5	9.3	20.9	6.8	15.2	11.7	1.2	7.4	11.2	19.3
	100.0	4.3	19.6	73.9A	65.2	13.0	60.9	26.1F	84.8	54.3	56.5	69.6	39.1K	45.7	73.9	47.8	2.2	23.9P	28.3P	37.0PQ
				B									M							
Watering flowers/plants	380	50	119	199	137	34	223	42	206	162	169	271	55	245	211	155	76	127	89	61
	78.8	68.5	78.3	81.9	79.2	87.2	87.8	76.4	76.0	89.0	88.0	79.0	64.0	79.8	94.6	82.4	89.4	85.8	76.7	69.3
	100.0	13.2	31.3	52.4A	36.1	8.9	58.7D	11.1	54.2	42.6D	44.5D	71.3L	14.5	64.5L	55.5D	40.8	20.0R	33.4S	23.4	16.1
							GH			GH	GH						S			
Watering lawn/soil/pastures	273	40	83	146	102	21	142	42	177	120	118	214	53	170	135	101	25	87	74	63
	56.6	54.8	54.6	60.1	59.0	53.8	55.9	76.4	65.3	65.9	61.5	62.4	61.6	55.4	60.5	53.7	29.4	58.8	63.8	71.6
	100.0	14.7	30.4	53.5	37.4	7.7	52.0	15.4D	64.8F	44.0F	43.2	78.4	19.4	62.3	49.5	37.0	9.2	31.9P	27.1P	23.1PQ
								EFJ												
Watering shrubs/trees	329	39	105	176	127	29	191	43	195	140	141	248	58	200	185	131	40	106	93	64
	68.3	53.4	69.1	72.4	73.4	74.4	75.2	78.2	72.0	76.9	73.4	72.3	67.4	65.1	83.0	69.7	47.1	71.6	80.2	72.7
	100.0	11.9	31.9A	53.5A	38.6	8.8	58.1	13.1	59.3	42.6	42.9	75.4M	17.6	60.8	56.2D	39.8	12.2	32.2P	28.3P	19.5P
Watering vegetable/fruit garden	223	19	63	132	91	17	143	26	131	91	96	163	40	131	223	85	31	74	68	41
	46.3	26.0	41.4	54.3	52.6	43.6	56.3	47.3	48.3	50.0	50.0	47.5	46.5	42.7	100.0	45.2	36.5	50.0	58.6	46.6
	100.0	8.5	28.3A	59.2A	40.8	7.6	64.1	11.7	58.7	40.8	43.0	73.1	17.9	58.7	100.0D	38.1	13.9	33.2P	30.5P	18.4
				B																
Laundry/washing clothes	13	1	1	11	9	-	9	-	9	3	7	6	-	7	4	13	2	1	7	2
	2.7	1.4	0.7	4.5	5.2	-	3.5	-	3.3	1.6	3.6	1.7	-	2.3	1.8	6.9	2.4	0.7	6.0	2.3
	100.0	7.7	7.7	84.6B	69.2	-	69.2	-	69.2	23.1	53.8	46.2	-	53.8	30.8	100.0N	15.4	7.7	53.8Q	15.4

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 18
Q.10 For Which Of The Following Purposes, If Any, Does Your Household
Reuse Graywater?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER VEGE- TABLE FRUIT GARDN	NON- WATER -ING	OF GRAYWATER REUSED			
																	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	482	73*	152	243	173	39*	254	55*	271	182	192	343	86*	307	223	188	85*	148	116	88*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.1*	31.5	50.4	35.9	8.1*	52.7	11.4*	56.2	37.8	39.8	71.2	17.8*	63.7	46.3	39.0	17.6*	30.7	24.1	18.3*
Washing car	6	1	2	3	2	-	3	1	3	4	4	3	-	5	1	6	2	3	-	-
	1.2	1.4	1.3	1.2	1.2	-	1.2	1.8	1.1	2.2	2.1	0.9	-	1.6	0.4	3.2	2.4	2.0	-	-
	100.0	16.7	33.3	50.0	33.3	-	50.0	16.7	50.0	66.7	66.7	50.0	-	83.3	16.7	100.0N	33.3	50.0	-	-
Cleaning/household cleaning	14	1	2	11	7	1	5	4	9	8	11	12	1	8	7	14	3	6	3	1
	2.9	1.4	1.3	4.5	4.0	2.6	2.0	7.3	3.3	4.4	5.7	3.5	1.2	2.6	3.1	7.4	3.5	4.1	2.6	1.1
	100.0	7.1	14.3	78.6	50.0	7.1	35.7	28.6F	64.3	57.1	78.6F	85.7	7.1	57.1	50.0	100.0N	21.4	42.9	21.4	7.1
Other	25	6	7	10	11	4	13	-	15	11	11	17	3	15	10	13	6	6	7	5
	5.2	8.2	4.6	4.1	6.4	10.3	5.1	-	5.5	6.0	5.7	5.0	3.5	4.9	4.5	6.9	7.1	4.1	6.0	5.7
	100.0	24.0	28.0	40.0	44.0	16.0G	52.0	-	60.0	44.0	44.0	68.0	12.0	60.0	40.0	52.0	24.0	24.0	28.0	20.0
Non-Watering (Net)	188	24	48	110	89	26	116	23	87	97	109	129	21	114	85	188	33	73	44	21
	39.0	32.9	31.6	45.3	51.4	66.7	45.7	41.8	32.1	53.3	56.8	37.6	24.4	37.1	38.1	100.0	38.8	49.3	37.9	23.9
	100.0	12.8	25.5	58.5B	47.3H	13.8F	61.7H	12.2	46.3	51.6H	58.0F	68.6L	11.2	60.6L	45.2	100.0N	17.6S	38.8S	23.4S	11.2
						GH					H									
Non-Watering Only (Net)	23	8	3	12	10	1	9	-	7	8	9	7	4	15	-	23	6	6	3	2
	4.8	11.0	2.0	4.9	5.8	2.6	3.5	-	2.6	4.4	4.7	2.0	4.7	4.9	-	12.2	7.1	4.1	2.6	2.3
	100.0	34.8B	13.0	52.2	43.5	4.3	39.1	-	30.4	34.8	39.1	30.4	17.4	65.2K	-	100.0N	26.1	26.1	13.0	8.7
Non-Ground (Net)	175	22	47	100	85	26	112	21	78	93	103	123	20	104	81	175	28	71	41	21
	36.3	30.1	30.9	41.2	49.1	66.7	44.1	38.2	28.8	51.1	53.6	35.9	23.3	33.9	36.3	93.1	32.9	48.0	35.3	23.9
	100.0	12.6	26.9	57.1B	48.6H	14.9D	64.0H	12.0	44.6	53.1H	58.9F	70.3L	11.4	59.4	46.3	100.0N	16.0	40.6P	23.4	12.0
						FGH					GH						RS			

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 18
Q.10 For Which Of The Following Purposes, If Any, Does Your Household
Reuse Graywater?

NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
TOTAL				GARBG		DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE VEGE- FRUIT GARDN	NON- -ING					
	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL										KITCH SINK	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
482	73*	152	243	173	39*	254	55*	271	182	192	343	86*	307	223	188	85*	148	116	88*
100.0	100.0*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
100.0	15.1*	31.5	50.4	35.9	8.1*	52.7	11.4*	56.2	37.8	39.8	71.2	17.8*	63.7	46.3	39.0	17.6*	30.7	24.1	18.3*
1524	186	450	844	623	148	899	195	885	686	716	1120	255	926	907	755	222	506	401	284
316.2	254.8	296.1	347.3	360.1	379.5	353.9	354.5	326.6	376.9	372.9	326.5	296.5	301.6	406.7	401.6	261.2	341.9	345.7	322.7
100.0	12.2	29.5	55.4	40.9	9.7	59.0	12.8	58.1	45.0	47.0	73.5	16.7	60.8	59.5	49.5	14.6	33.2	26.3	18.6

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 19
Q.11 How Often Do You Use Graywater For Watering Flowers/Plants?

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			GARBG							HAS A SURFACE GRAY-WATER SYSTEM	HAS A SUB-SURFC GRAY-WATER SYSTEM	DISP. GRAY-WATER DIR-ECTLY	WATER TABLE FRUIT GARDN	NON-WATER -ING					
	2 OR LESS	3-9	10+	BATH/SHOWR	DIS-POSAL	KITCH SINK	DISH-WASHR	ING MACH.	CAR WASH-ING	CLEAN -ING HOUSE	GRAY-WATER SYSTEM	GRAY-WATER SYSTEM	WATER DIR-ECTLY	TABLE FRUIT GARDN	NON-WATER -ING					
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Reuse Graywater To Water Flowers/Plants	380 100.0 100.0	50* 100.0 13.2*	119 100.0 31.3	199 100.0 52.4	137 100.0 36.1	34* 100.0 8.9*	223 100.0 58.7	42* 100.0 11.1*	206 100.0 54.2	162 100.0 42.6	169 100.0 44.5	271 100.0 71.3	55* 100.0 14.5*	245 100.0 64.5	211 100.0 55.5	155 100.0 40.8	76* 100.0 20.0*	127 100.0 33.4	89* 100.0 23.4*	61* 100.0 16.1*
No answer	12 3.2 100.0	4 8.0 33.3B	2 1.7 16.7	6 3.0 50.0	1 0.7 8.3	1 2.9 8.3	3 1.3 25.0	2 4.8 16.7	5 2.4 41.7	3 1.9 25.0	3 1.8 25.0	6 2.2 50.0	- - -	7 2.9 58.3	1 0.5 8.3	3 1.9 25.0	4 5.3 33.3R	2 1.6 16.7	- - -	1 1.6 8.3
Base: Total Answering	368 100.0 100.0	46* 100.0 12.5*	117 100.0 31.8	193 100.0 52.4	136 100.0 37.0	33* 100.0 9.0*	220 100.0 59.8	40* 100.0 10.9*	201 100.0 54.6	159 100.0 43.2	166 100.0 45.1	265 100.0 72.0	55* 100.0 14.9*	238 100.0 64.7	210 100.0 57.1	152 100.0 41.3	72* 100.0 19.6*	125 100.0 34.0	89* 100.0 24.2*	60* 100.0 16.3*
Once A Week Or More (Net)	291 79.1 100.0	37 80.4 12.7	92 78.6 31.6	152 78.8 52.2	116 85.3 39.9	26 78.8 8.9	183 83.2 62.9	33 82.5 11.3	160 79.6 55.0	125 78.6 43.0	135 81.3 46.4	211 79.6 72.5	50 90.9 17.2M	176 73.9 60.5	177 84.3 60.8	118 77.6 40.5	38 52.8 13.1	97 77.6 33.3P	82 92.1 28.2P	53 88.3 18.2P
More than once a day (10)	26 7.1 100.0	- - -	10 8.5 38.5A	15 7.8 57.7	10 7.4 38.5	5 15.2 19.2	21 9.5 80.8	6 15.0 23.1	18 9.0 69.2	10 6.3 38.5	14 8.4 53.8	24 9.1 92.3	4 7.3 15.4	18 7.6 69.2	17 8.1 65.4	6 3.9 23.1	1 1.4 3.8	6 4.8 23.1	9 10.1 34.6P	7 11.7 26.9P
Once a day (7)	62 16.8 100.0	7 15.2 11.3	15 12.8 24.2	38 19.7 61.3	34 25.0 54.8I	5 15.2 8.1	43 19.5 69.4	5 12.5 8.1	38 18.9 61.3	21 13.2 33.9	32 19.3 51.6	43 16.2 69.4	14 25.5 22.6M	28 11.8 45.2	42 20.0 67.7	27 17.8 43.5	1 1.4 1.6	20 16.0 32.3P	23 25.8 37.1P	14 23.3 22.6P
A few times a week (3.5)	147 39.9 100.0	19 41.3 12.9	49 41.9 33.3	74 38.3 50.3	49 36.0 33.3	12 36.4 8.2	87 39.5 59.2	11 27.5 7.5	78 38.8 53.1	69 43.4 46.9	64 38.6 43.5	109 41.1 74.1	22 40.0 15.0	85 35.7 57.8	89 42.4 60.5	59 38.8 40.1	21 29.2 14.3	52 41.6 35.4	42 47.2 28.6P	23 38.3 15.6
Once a week (1)	56 15.2 100.0	11 23.9 19.6	18 15.4 32.1	25 13.0 44.6	23 16.9 41.1	4 12.1 7.1	32 14.5 57.1	11 27.5 19.6F	26 12.9 46.4	25 15.7 44.6	25 15.1 44.6	35 13.2 62.5	10 18.2 17.9	45 18.9 80.4	29 13.8 51.8	26 17.1 46.4	15 20.8 26.8R	19 15.2 33.9	8 9.0 14.3	9 15.0 16.1

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 19
Q.11 How Often Do You Use Graywater For Watering Flowers/Plants?

	SOURCES OF GRAYWATER REUSE											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER											HAS A SUR- FACE	HAS A SUB- GRAY- WATER SYSTEM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING					
					BATH/ SHWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTEM	GRAY- WATER SYSTEM								
	2 OR LESS	3-9	10+																		
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	368	46*	117	193	136	33*	220	40*	201	159	166	265	55*	238	210	152	72*	125	89*	60*	
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
	100.0	12.5*	31.8	52.4	37.0	9.0*	59.8	10.9*	54.6	43.2	45.1	72.0	14.9*	64.7	57.1	41.3	19.6*	34.0	24.2*	16.3*	
A few times a month (0.65)	44	5	14	23	12	5	24	4	26	24	17	32	3	35	14	23	17	18	5	4	
	12.0	10.9	12.0	11.9	8.8	15.2	10.9	10.0	12.9	15.1	10.2	12.1	5.5	14.7	6.7	15.1	23.6	14.4	5.6	6.7	
	100.0	11.4	31.8	52.3	27.3	11.4	54.5	9.1	59.1	54.5	38.6	72.7	6.8	79.5	31.8	52.3N	38.6R	40.9R	11.4	9.1	
																S					
Once a month (0.25)	18	2	6	10	2	1	7	2	9	5	8	12	1	15	11	6	9	6	1	1	
	4.9	4.3	5.1	5.2	1.5	3.0	3.2	5.0	4.5	3.1	4.8	4.5	1.8	6.3	5.2	3.9	12.5	4.8	1.1	1.7	
	100.0	11.1	33.3	55.6	11.1	5.6	38.9	11.1	50.0	27.8	44.4	66.7	5.6	83.3	61.1	33.3	50.0R	33.3	5.6	5.6	
																S					
Less often than once a month (0.1)	15	2	5	8	6	1	6	1	6	5	6	10	1	12	8	5	8	4	1	2	
	4.1	4.3	4.3	4.1	4.4	3.0	2.7	2.5	3.0	3.1	3.6	3.8	1.8	5.0	3.8	3.3	11.1	3.2	1.1	3.3	
	100.0	13.3	33.3	53.3	40.0	6.7	40.0	6.7	40.0	33.3	40.0	66.7	6.7	80.0	53.3	33.3	53.3Q	26.7	6.7	13.3	
																	R				
Sigma	368	46	117	193	136	33	220	40	201	159	166	265	55	238	210	152	72	125	89	60	
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
	100.0	12.5	31.8	52.4	37.0	9.0	59.8	10.9	54.6	43.2	45.1	72.0	14.9	64.7	57.1	41.3	19.6	34.0	24.2	16.3	
Mean Base	368	46	117	193	136	33	220	40	201	159	166	265	55	238	210	152	72	125	89	60	
Mean	3.53	2.84	3.47	3.72	3.98I	4.08	3.93I	3.69	3.80	3.34	3.78	3.71M	4.13M	3.14	3.89O	3.28	1.66	3.32P	4.60P	4.34PQ	
																		Q			
Std. Deviation	2.82	2.21	2.87	2.91	2.90	3.30	2.95	3.39	2.95	2.68	2.93	2.92	2.81	2.86	2.86	2.63	1.80	2.65	2.75	3.05	
Std. Error	0.15	0.33	0.27	0.21	0.25	0.58	0.20	0.54	0.21	0.21	0.23	0.18	0.38	0.19	0.20	0.21	0.21	0.24	0.29	0.39	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 20
Q.11 How Often Do You Use Graywater For Watering Vegetable/Fruit Garden?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE								GRAYWATER SYSTEM		USES OF GRAYWATER			VOLUME OF GRAYWATER REUSED			
												HAS A SUR- FACE GRAY- WATER SYSTEM	HAS A SUB- SURFC GRAY- WATER SYSTEM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- ING				
	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE							<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(S)
Base: Reuse Graywater To Water Vegetable/Fruit Garden	223 100.0 100.0	19** 100.0** 8.5**	63* 100*100.0 28.3*	132 100.0 59.2	91* 100.0*100.0 40.8*	17** 100.0** 7.6**	143 100 64.1	26** 100 11.7**	131 100 58.7	91* 100.0*100.0 40.8*	96* 100.0*100.0 43.0*	163 100.0 73.1	40* 100.0*100.0 17.9*	131 100.0 58.7	223 100.0 100.0	85* 100.0*100.0 38.1*	31* 100.0*100.0 13.9*	74* 100.0*100.0 33.2*	68* 100.0*100.0 30.5*	41* 100.0*100.0 18.4*
No answer	7 3.1 100.0	- - -	1 1.6 14.3	5 3.8 71.4	3 3.3 42.9	2 11.8 28.6	4 2.8 57.1	- - -	6 4.6 85.7	2 2.2 28.6	2 2.1 28.6	5 3.1 71.4	1 2.5 14.3	2 1.5 28.6	7 3.1 100.0	2 2.4 28.6	- - -	3 4.1 42.9	3 4.4 42.9	1 2.4 14.3
Base: Total Answering	216 100.0 100.0	19** 100.0** 8.8**	62* 100*100.0 28.7*	127 100.0 58.8	88* 100.0*100.0 40.7*	15** 100.0** 6.9**	139 100 64.4	26** 100 12.0**	125 100 57.9	89* 100.0*100.0 41.2*	94* 100.0*100.0 43.5*	158 100.0 73.1	39* 100.0*100.0 18.1*	129 100.0 59.7	216 100.0 100.0	83* 100.0*100.0 38.4*	31* 100.0*100.0 14.4*	71* 100.0*100.0 32.9*	65* 100.0*100.0 30.1*	40* 100.0*100.0 18.5*
Once A Week Or More (Net)	171 79.2 100.0	15 78.9 8.8	48 77.4 28.1	101 79.5 59.1	77 87.5 45.0	12 80.0 7.0	112 80.6 65.5	23 88.5 13.5	102 81.6 59.6	74 83.1 43.3	78 83.0 45.6	123 77.8 71.9	35 89.7 20.5	97 75.2 56.7	171 79.2 100.0	68 81.9 39.8	13 41.9 7.6	55 77.5 32.2P	60 92.3 35.1P	35 87.5 20.5P
More than once a day (10)	15 6.9 100.0	- - -	3 4.8 20.0	12 9.4 80.0	6 6.8 40.0	1 6.7 6.7	12 8.6 80.0	2 7.7 13.3	9 7.2 60.0	6 6.7 40.0	7 7.4 46.7	13 8.2 86.7	4 10.3 26.7	11 8.5 73.3	15 6.9 100.0	2 2.4 13.3	- - -	2 2.8 13.3	7 10.8 46.7	5 12.5 33.3PQ
Once a day (7)	39 18.1 100.0	4 21.1 10.3	9 14.5 23.1	25 19.7 64.1	22 25.0 56.4	4 26.7 10.3	27 19.4 69.2	6 23.1 15.4	24 19.2 61.5	14 15.7 35.9	18 19.1 46.2	29 18.4 74.4	11 28.2 28.2M	14 10.9 35.9	39 18.1 100.0	19 22.9 48.7	1 3.2 2.6	14 19.7 35.9P	16 24.6 41.0P	6 15.0 15.4
A few times a week (3.5)	85 39.4 100.0	7 36.8 8.2	29 46.8 34.1	45 35.4 52.9	35 39.8 41.2	4 26.7 4.7	53 38.1 62.4	9 34.6 10.6	48 38.4 56.5	38 42.7 44.7	39 41.5 45.9	62 39.2 72.9	14 35.9 16.5	53 41.1 62.4	85 39.4 100.0	33 39.8 38.8	9 29.0 10.6	28 39.4 32.9	25 38.5 29.4	20 50.0 23.5
Once a week (1)	32 14.8 100.0	4 21.1 12.5	7 11.3 21.9	19 15.0 59.4	14 15.9 43.8	3 20.0 9.4	20 14.4 62.5	6 23.1 18.8	21 16.8 65.6	16 18.0 50.0	14 14.9 43.8	19 12.0 59.4	6 15.4 18.8	19 14.7 59.4	32 14.8 100.0	14 16.9 43.8	3 9.7 9.4	11 15.5 34.4	12 18.5 37.5	4 10.0 12.5

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 20
Q.11 How Often Do You Use Graywater For Watering Vegetable/Fruit Garden?

	SOURCES OF GRAYWATER REUSE											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER											HAS A SUR- FACE WATER SYSTM	HAS A SUB- GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	TABLE FRUIT GARDN	NON- WATER -ING					
				GARBG BATH/ DIS- SHWR POSAL		KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	WATER DIR- ECTLY								
	2 OR LESS	3-9	10+																		
	TOTAL	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	216	19**	62*	127	88*	15**	139	26**	125	89*	94*	158	39*	129	216	83*	31*	71*	65*	40*	
	100.0	100.0**	100*	100.0	100.0*	100.0**	100	100.0**	100	100.0*	100.0*	100.0	100.0*	100.0	100.0	100.0*	100.0*	100.0*	100.0*	100.0*	
	100.0	8.8**	28.7*	58.8	40.7*	6.9**	64.4	12.0**	57.9	41.2*	43.5*	73.1	18.1*	59.7	100.0	38.4*	14.4*	32.9*	30.1*	18.5*	
A few times a month (0.65)	24	2	8	13	7	2	17	2	14	12	9	17	3	16	24	8	8	9	3	4	
	11.1	10.5	12.9	10.2	8.0	13.3	12.2	7.7	11.2	13.5	9.6	10.8	7.7	12.4	11.1	9.6	25.8	12.7	4.6	10.0	
	100.0	8.3	33.3	54.2	29.2	8.3	70.8	8.3	58.3	50.0	37.5	70.8	12.5	66.7	100.0	33.3	33.3R	37.5	12.5	16.7	
Once a month (0.25)	10	1	4	5	1	-	4	1	5	1	1	8	1	8	10	2	4	4	1	1	
	4.6	5.3	6.5	3.9	1.1	-	2.9	3.8	4.0	1.1	1.1	5.1	2.6	6.2	4.6	2.4	12.9	5.6	1.5	2.5	
	100.0	10.0	40.0	50.0	10.0	-	40.0	10.0	50.0	10.0	10.0	80.0	10.0	80.0	100.0	20.0	40.0R	40.0	10.0	10.0	
Less often than once a month (0.1)	11	1	2	8	3	1	6	-	4	2	6	10	-	8	11	5	6	3	1	-	
	5.1	5.3	3.2	6.3	3.4	6.7	4.3	-	3.2	2.2	6.4	6.3	-	6.2	5.1	6.0	19.4	4.2	1.5	-	
	100.0	9.1	18.2	72.7	27.3	9.1	54.5	-	36.4	18.2	54.5	90.9	-	72.7	100.0	45.5	54.5Q	27.3	9.1	-	
																RS					
Sigma	216	19	62	127	88	15	139	26	125	89	94	158	39	129	216	83	31	71	65	40	
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
	100.0	8.8	28.7	58.8	40.7	6.9	64.4	12.0	57.9	41.2	43.5	73.1	18.1	59.7	100.0	38.4	14.4	32.9	30.1	18.5	
Mean Base	216	19	62	127	88	15	139	26	125	89	94	158	39	129	216	83	31	71	65	40	
Mean	3.57	3.06	3.35	3.80	4.04	3.76	3.79	3.89	3.66	3.54	3.76	3.69	4.47M	3.30	3.57	3.48	1.56	3.30P	4.37P	4.22P	
																		Q			
Std. Deviation	2.84	2.46	2.59	3.05	2.81	3.13	2.95	2.96	2.86	2.73	2.84	2.94	2.99	2.87	2.84	2.59	1.74	2.60	2.97	2.92	
Std. Error	0.19	0.56	0.33	0.27	0.30	0.81	0.25	0.58	0.26	0.29	0.29	0.23	0.48	0.25	0.19	0.28	0.31	0.31	0.37	0.46	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 21
Q.12 In What Seasons Do You Use Graywater For Watering Flowers/Plants?

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			BATH/SHOWR	GARBG DIS-POSAL	KITCH SINK	DISH-WASHR	WASH-ING MACH.	CAR WASH-ING	CLEAN-ING HOUSE	HAS A FACE GRAY-WATER SYSTM	HAS A SUB-SURFC GRAY-WATER SYSTM	DISP. GRAY-WATER DIR-ECTLY	WATER TABLE FRUIT GARDN	NON-VEGE-ING	VOLUME OF GRAYWATER REUSED				
	TOTAL	2 OR LESS	3-9													10+	<10 GALS.	10-49 GALS.	50-199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Reuse Graywater To Water Flowers/Plants	380	50*	119	199	137	34*	223	42*	206	162	169	271	55*	245	211	155	76*	127	89*	61*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*
	100.0	13.2*	31.3	52.4	36.1	8.9*	58.7	11.1*	54.2	42.6	44.5	71.3	14.5*	64.5	55.5	40.8	20.0*	33.4	23.4*	16.1*
No answer	11	2	2	6	3	-	2	2	6	4	3	6	1	7	2	3	3	3	-	1
	2.9	4.0	1.7	3.0	2.2	-	0.9	4.8	2.9	2.5	1.8	2.2	1.8	2.9	0.9	1.9	3.9	2.4	-	1.6
	100.0	18.2	18.2	54.5	27.3	-	18.2	18.2	54.5	36.4	27.3	54.5	9.1	63.6	18.2	27.3	27.3	27.3	-	9.1
Base: Total Answering	369	48*	117	193	134	34*	221	40*	200	158	166	265	54*	238	209	152	73*	124	89*	60*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*
	100.0	13.0*	31.7	52.3	36.3	9.2*	59.9	10.8*	54.2	42.8	45.0	71.8	14.6*	64.5	56.6	41.2	19.8*	33.6	24.1*	16.3*
Winter	144	17	44	79	53	13	85	17	85	63	69	103	16	92	77	62	24	49	36	26
	39.0	35.4	37.6	40.9	39.6	38.2	38.5	42.5	42.5	39.9	41.6	38.9	29.6	38.7	36.8	40.8	32.9	39.5	40.4	43.3
	100.0	11.8	30.6	54.9	36.8	9.0	59.0	11.8	59.0	43.8	47.9	71.5	11.1	63.9	53.5	43.1	16.7	34.0	25.0	18.1
Spring	291	38	91	155	110	30	180	30	152	130	140	210	45	178	171	130	49	104	74	46
	78.9	79.2	77.8	80.3	82.1	88.2	81.4	75.0	76.0	82.3	84.3	79.2	83.3	74.8	81.8	85.5	67.1	83.9	83.1	76.7
	100.0	13.1	31.3	53.3	37.8	10.3	61.9	10.3	52.2	44.7	48.1H	72.2	15.5	61.2	58.8	44.7	16.8	35.7P	25.4P	15.8
Summer	361	48	115	187	130	34	217	40	198	155	165	261	52	232	207	149	69	123	87	59
	97.8	100.0	98.3	96.9	97.0	100.0	98.2	100.0	99.0	98.1	99.4	98.5	96.3	97.5	99.0	98.0	94.5	99.2	97.8	98.3
	100.0	13.3	31.9	51.8	36.0	9.4	60.1	11.1	54.8	42.9	45.7	72.3	14.4	64.3	57.3	41.3	19.1	34.1P	24.1	16.3
Fall	233	25	71	130	92	24	145	25	135	104	107	173	33	143	139	102	35	84	63	38
	63.1	52.1	60.7	67.4	68.7	70.6	65.6	62.5	67.5	65.8	64.5	65.3	61.1	60.1	66.5	67.1	47.9	67.7	70.8	63.3
	100.0	10.7	30.5	55.8A	39.5	10.3	62.2	10.7	57.9	44.6	45.9	74.2	14.2	61.4	59.7	43.8	15.0	36.1P	27.0P	16.3
Sigma	1029	128	321	551	385	101	627	112	570	452	481	747	146	645	594	443	177	360	260	169
	278.9	266.7	274.4	285.5	287.3	297.1	283.7	280.0	285.0	286.1	289.8	281.9	270.4	271.0	284.2	291.4	242.5	290.3	292.1	281.7
	100.0	12.4	31.2	53.5	37.4	9.8	60.9	10.9	55.4	43.9	46.7	72.6	14.2	62.7	57.7	43.1	17.2	35.0	25.3	16.4

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 22
Q.12 In What Seasons Do You Use Graywater For Watering Vegetable/Fruit Garden?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL											HAS A SUR- FACE GRAY- WATER SYSTEM	HAS A SUB- SURFC GRAY- WATER SYSTEM	DISP. GRAY- WATER DIR- ECTLY	WATER VEGE- TABLE FRUIT GARDN	NON- WATER -ING				
		2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE									
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Reuse Graywater To Water Vegetable/Fruit Garden	223 100.0 100.0	19** 100.0** 8.5**	63* 100* 28.3*	132 100.0 59.2	91* 100.0* 40.8*	17** 100.0** 7.6**	143 100 64.1	26** 100 58.7	131 100 40.8*	91* 100.0* 43.0*	96* 100.0* 73.1	163 100.0 17.9*	40* 100.0 58.7	131 100.0 100.0	223 100.0 38.1*	85* 100.0* 13.9*	31* 100.0* 33.2*	74* 100.0* 30.5*	68* 100.0* 18.4*	41* 100.0* 18.4*
No answer	7 3.1 100.0	- - -	1 1.6 14.3	5 3.8 71.4	2 2.2 28.6	1 5.9 14.3	3 2.1 42.9	1 3.8 14.3	6 4.6 85.7	3 2.1 28.6	2 3.7 85.7	6 7.5 42.9	3 2.3 42.9	3 3.1 100.0	7 3.5 42.9	3 - -	3 4.1 42.9	2 2.9 28.6	1 2.4 14.3	
Base: Total Answering	216 100.0 100.0	19** 100.0** 8.8**	62* 100* 28.7*	127 100.0 58.8	89* 100.0* 41.2*	16** 100.0** 7.4**	140 100 64.8	25** 100 57.9	125 100 40.7*	88* 100.0* 43.5*	94* 100.0* 72.7	157 100.0 17.1*	37* 100.0 59.3	128 100.0 100.0	216 100.0 38.0*	82* 100.0* 14.4*	31* 100.0* 32.9*	71* 100.0* 30.6*	66* 100.0* 18.5*	40* 100.0* 18.5*
Winter	31 14.4 100.0	2 10.5 6.5	5 8.1 16.1	23 18.1 74.2	14 15.7 45.2	3 18.8 9.7	22 15.7 71.0	3 12.0 9.7	20 16.0 64.5	17 19.3 54.8	13 13.8 41.9	23 14.6 74.2	8 21.6 25.8M	11 8.6 35.5	31 14.4 100.0	9 11.0 29.0	2 6.5 6.5	6 8.5 19.4	14 21.2 45.2Q	8 20.0 25.8
Spring	158 73.1 100.0	14 73.7 8.9	45 72.6 28.5	94 74.0 59.5	72 80.9 45.6	13 81.3 8.2	98 70.0 62.0	20 80.0 12.7	91 72.8 57.6	70 79.5 44.3	74 78.7 46.8	116 73.9 73.4	33 89.2 20.9K	81 63.3 51.3	158 73.1 100.0	63 76.8 39.9	18 58.1 11.4	50 70.4 31.6	54 81.8 34.2P	29 72.5 18.4
Summer	215 99.5 100.0	19 100.0 8.8	61 98.4 28.4	127 100.0 59.1	89 100.0 41.4	16 100.0 7.4	139 99.3 64.7	25 100.0 11.6	125 100.0 58.1	87 98.9 40.5	93 98.9 43.3	156 99.4 72.6	37 100.0 17.2	127 99.2 59.1	215 98.8 100.0	81 98.8 37.7	31 100.0 14.4	70 98.6 32.6	66 100.0 30.7	40 100.0 18.6
Fall	101 46.8 100.0	5 26.3 5.0	29 46.8 28.7	62 48.8 61.4	46 51.7 45.5	6 37.5 5.9	67 47.9 66.3	11 44.0 10.9	62 49.6 61.4	48 54.5 47.5	44 46.8 43.6	71 45.2 70.3	17 45.9 16.8	51 39.8 50.5	101 46.8 100.0	35 42.7 34.7	7 22.6 6.9	29 40.8 28.7	37 56.1 36.6P	25 62.5 24.8PQ
Sigma	505 233.8 100.0	40 210.5 7.9	140 225.8 27.7	306 240.9 60.6	221 248.3 43.8	38 237.5 7.5	326 232.9 64.6	59 236.0 11.7	298 238.4 59.0	222 252.3 44.0	224 238.3 44.4	366 233.1 72.5	95 256.8 18.8	270 210.9 53.5	505 233.8 100.0	188 229.3 37.2	58 187.1 11.5	155 218.3 30.7	171 259.1 33.9	102 255.0 20.2

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 23
Q.13 Why Does Your Household Reuse Graywater?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL				BATH/ SHOWR	GARBG		DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING				
		2 OR LESS	3-9	10+		DIS- POSAL	KITCH SINK										<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
		(A)	(B)	(C)		(D)	(E)										(F)	(G)	(H)	(I)
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
No answer	13	7	3	3	-	2	5	1	4	2	3	4	3	3	1	4	4	1	1	1
	2.6	9.0	1.9	1.2	-	5.1	2.0	1.8	1.5	1.1	1.6	1.2	3.4	1.0	0.4	2.1	4.7	0.7	0.9	1.1
	100.0	53.8B	23.1	23.1	-	15.4D	38.5	7.7	30.8	15.4	23.1	30.8	23.1	23.1	7.7	30.8	30.8Q	7.7	7.7	7.7
		C																		
Base: Total Answering	478	71*	152	241	173	37*	250	55*	271	181	190	343	85*	307	222	184	82*	149	115	89*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	14.9*	31.8	50.4	36.2	7.7*	52.3	11.5*	56.7	37.9	39.7	71.8	17.8*	64.2	46.4	38.5	17.2*	31.2	24.1	18.6*
Environmental Concerns (Net)	304	38	91	169	114	24	175	32	161	130	136	215	45	185	158	138	61	99	67	57
	63.6	53.5	59.9	70.1	65.9	64.9	70.0	58.2	59.4	71.8	71.6	62.7	52.9	60.3	71.2	75.0	74.4	66.4	58.3	64.0
	100.0	12.5	29.9	55.6A	37.5	7.9	57.6H	10.5	53.0	42.8H	44.7H	70.7	14.8	60.9	52.0	45.4	20.1R	32.6	22.0	18.8
				B																
Water Conservation (Subnet)	17	-	4	13	6	-	12	1	9	7	8	10	4	12	14	13	3	5	6	3
	3.6	-	2.6	5.4	3.5	-	4.8	1.8	3.3	3.9	4.2	2.9	4.7	3.9	6.3	7.1	3.7	3.4	5.2	3.4
	100.0	-	23.5	76.5A	35.3	-	70.6	5.9	52.9	41.2	47.1	58.8	23.5	70.6	82.4	76.5	17.6	29.4	35.3	17.6
Water conservation/save water/save water supply	12	-	3	9	5	-	8	1	7	6	6	7	3	8	9	9	2	3	5	2
	2.5	-	2.0	3.7	2.9	-	3.2	1.8	2.6	3.3	3.2	2.0	3.5	2.6	4.1	4.9	2.4	2.0	4.3	2.2
	100.0	-	25.0	75.0	41.7	-	66.7	8.3	58.3	50.0	50.0	58.3	25.0	66.7	75.0	75.0	16.7	25.0	41.7	16.7
Don't like to waste valuable water	5	-	1	4	1	-	4	-	2	1	2	3	1	4	5	4	1	2	1	1
	1.0	-	0.7	1.7	0.6	-	1.6	-	0.7	0.6	1.1	0.9	1.2	1.3	2.3	2.2	1.2	1.3	0.9	1.1
	100.0	-	20.0	80.0	20.0	-	80.0	-	40.0	20.0	40.0	60.0	20.0	80.0	100.0	80.0	20.0	40.0	20.0	20.0
All other water conservation mentions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 23
Q.13 Why Does Your Household Reuse Graywater?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER			VOLUME OF GRAYWATER REUSED			
												HAS A SUR-	HAS A SUB-	DISP.	WATER	VEGE-					
												FACE GRAY-	SURFC GRAY-	GRAY-	TABLE	NON-					
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTEM	GRAY- WATER SYSTEM	DIR- ECTLY	FRUIT GARDN	WATER -ING		<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	478	71*	152	241	173	37*	250	55*	271	181	190	343	85*	307	222	184		82*	149	115	89*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0		100.0*	100.0	100.0	100.0*
	100.0	14.9*	31.8	50.4	36.2	7.7*	52.3	11.5*	56.7	37.9	39.7	71.8	17.8*	64.2	46.4	38.5		17.2*	31.2	24.1	18.6*
Environmental considerations	296	38	90	162	112	24	169	32	158	128	133	210	42	178	151	133		60	97	63	56
	61.9	53.5	59.2	67.2	64.7	64.9	67.6	58.2	58.3	70.7	70.0	61.2	49.4	58.0	68.0	72.3		73.2	65.1	54.8	62.9
	100.0	12.8	30.4	54.7A	37.8	8.1	57.1H	10.8	53.4	43.2H	44.9H	70.9L	14.2	60.1	51.0	44.9		20.3R	32.8	21.3	18.9
Like to recycle	3	-	-	3	2	-	3	-	3	2	2	3	-	1	2	2		1	-	1	1
	0.6	-	-	1.2	1.2	-	1.2	-	1.1	1.1	1.1	0.9	-	0.3	0.9	1.1		1.2	-	0.9	1.1
	100.0	-	-	100.0	66.7	-	100.0	-	100.0	66.7	66.7	100.0	-	33.3	66.7	66.7		33.3	-	33.3	33.3
All other environmental concerns mentions	1	-	-	1	1	-	1	-	-	-	1	-	-	-	-	1		-	-	1	-
	0.2	-	-	0.4	0.6	-	0.4	-	-	-	0.5	-	-	-	-	0.5		-	-	0.9	-
	100.0	-	-	100.0	100.0	-	100.0	-	-	-	100.0	-	-	-	-	100.0		-	-	100.0	-
Price/Cost (Net)	201	32	60	103	82	21	111	26	110	92	100	136	28	120	102	98		27	68	54	37
	42.1	45.1	39.5	42.7	47.4	56.8	44.4	47.3	40.6	50.8	52.6	39.7	32.9	39.1	45.9	53.3		32.9	45.6	47.0	41.6
	100.0	15.9	29.9	51.2	40.8	10.4	55.2	12.9	54.7	45.8H	49.8H	67.7	13.9	59.7	50.7	48.8		13.4	33.8	26.9	18.4
Cost of sewage treatment	49	6	16	24	15	4	29	6	27	20	22	33	5	27	23	25		3	15	15	10
	10.3	8.5	10.5	10.0	8.7	10.8	11.6	10.9	10.0	11.0	11.6	9.6	5.9	8.8	10.4	13.6		3.7	10.1	13.0	11.2
	100.0	12.2	32.7	49.0	30.6	8.2	59.2	12.2	55.1	40.8	44.9	67.3	10.2	55.1	46.9	51.0		6.1*	30.6	30.6P	20.4
Cost of water/water bills	195	32	56	101	80	20	107	23	107	91	98	130	27	117	98	96		27	67	52	35
	40.8	45.1	36.8	41.9	46.2	54.1	42.8	41.8	39.5	50.3	51.6	37.9	31.8	38.1	44.1	52.2		32.9	45.0	45.2	39.3
	100.0	16.4	28.7	51.8	41.0	10.3	54.9	11.8	54.9	46.7H	50.3H	66.7	13.8	60.0	50.3	49.2		13.8	34.4	26.7	17.9
Saves money	1	-	1	-	1	-	-	-	-	-	-	1	-	-	-	1		-	-	-	1
	0.2	-	0.7	-	0.6	-	-	-	-	-	-	0.3	-	-	-	0.5		-	-	-	1.1
	100.0	-	100.0	-	100.0	-	-	-	-	-	-	100.0	-	-	-	100.0		-	-	-	100.0

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 23
Q.13 Why Does Your Household Reuse Graywater?

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER DIR- ECTLY	DISP. GRAY- WATER	TABLE FRUIT GARDN	NON- WATERS					
	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE										
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	478	71*	152	241	173	37*	250	55*	271	181	190	343	85*	307	222	184	82*	149	115	89*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	14.9*	31.8	50.4	36.2	7.7*	52.3	11.5*	56.7	37.9	39.7	71.8	17.8*	64.2	46.4	38.5	17.2*	31.2	24.1	18.6*
All other price/cost mentions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convenience (Net)	4	-	3	1	2	-	2	1	3	4	3	3	2	3	3	-	-	1	2	-
	0.8	-	2.0	0.4	1.2	-	0.8	1.8	1.1	2.2	1.6	0.9	2.4	1.0	1.4	-	-	0.7	1.7	-
	100.0	-	75.0	25.0	50.0	-	50.0	25.0	75.0	100.0	75.0	75.0	50.0	75.0	75.0	-	-	25.0	50.0	-
Easy/easier than regular watering	4	-	3	1	2	-	2	1	3	4	3	3	2	3	3	-	-	1	2	-
	0.8	-	2.0	0.4	1.2	-	0.8	1.8	1.1	2.2	1.6	0.9	2.4	1.0	1.4	-	-	0.7	1.7	-
	100.0	-	75.0	25.0	50.0	-	50.0	25.0	75.0	100.0	75.0	75.0	50.0	75.0	75.0	-	-	25.0	50.0	-
All other convenience mentions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weather Conditions (Net)	10	-	4	5	6	1	7	-	3	4	5	7	1	6	5	4	1	6	3	-
	2.1	-	2.6	2.1	3.5	2.7	2.8	-	1.1	2.2	2.6	2.0	1.2	2.0	2.3	2.2	1.2	4.0	2.6	-
	100.0	-	40.0	50.0	60.0	10.0	70.0	-	30.0	40.0	50.0	70.0	10.0	60.0	50.0	40.0	10.0	60.0	30.0	-
Hot weather	1	-	1	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	1	-
	0.2	-	0.7	-	-	-	-	-	0.4	-	-	0.3	-	0.3	-	-	-	-	0.9	-
	100.0	-	100.0	-	-	-	-	-	100.0	-	-	100.0	-	100.0	-	-	-	-	100.0	-
Dry weather	1	-	1	-	-	-	-	-	-	-	1	1	-	1	1	-	-	1	-	-
	0.2	-	0.7	-	-	-	-	-	-	-	0.5	0.3	-	0.3	0.5	-	-	0.7	-	-
	100.0	-	100.0	-	-	-	-	-	-	-	100.0	100.0	-	100.0	100.0	-	-	100.0	-	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 23
Q.13 Why Does Your Household Reuse Graywater?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
				SOURCES OF GRAYWATER REUSE								HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE NON- VEGE- FRUIT GARDN -ING					
	2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	GRAY- WATER DIR- ECTLY	TABLE FRUIT GARDN -ING	NON- VEGE- FRUIT GARDN -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	478	71*	152	241	173	37*	250	55*	271	181	190	343	85*	307	222	184	82*	149	115	89*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	14.9*	31.8	50.4	36.2	7.7*	52.3	11.5*	56.7	37.9	39.7	71.8	17.8*	64.2	46.4	38.5	17.2*	31.2	24.1	18.6*
Drought/little rain	4	-	1	3	3	1	3	-	1	3	2	2	1	3	2	2	1	3	-	-
	0.8	-	0.7	1.2	1.7	2.7	1.2	-	0.4	1.7	1.1	0.6	1.2	1.0	0.9	1.1	1.2	2.0	-	-
	100.0	-	25.0	75.0	75.0	25.0	75.0	-	25.0	75.0	50.0	50.0	25.0	75.0	50.0	50.0	25.0	75.0	-	-
Lack of water/rainfall/water shortage	4	-	1	2	3	-	4	-	1	1	2	3	-	1	2	2	-	2	2	-
	0.8	-	0.7	0.8	1.7	-	1.6	-	0.4	0.6	1.1	0.9	-	0.3	0.9	1.1	-	1.3	1.7	-
	100.0	-	25.0	50.0	75.0	-	100.0	-	25.0	25.0	50.0	75.0	-	25.0	50.0	50.0	-	50.0	50.0	-
All other weather conditions mentions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Usage (Net)	19	-	3	16	-	-	8	3	6	5	6	11	3	16	11	4	6	9	2	1
	4.0	-	2.0	6.6	-	-	3.2	5.5	2.2	2.8	3.2	3.2	3.5	5.2	5.0	2.2	7.3	6.0	1.7	1.1
	100.0	-	15.8	84.2AB	-	-	42.1D	15.8D	31.6D	26.3D	31.6D	57.9	15.8	84.2	57.9	21.1	31.6S	47.4	10.5	5.3
Watering Vegetation (Subnet)	9	-	3	6	-	-	2	2	2	1	1	4	1	9	5	1	4	4	-	1
	1.9	-	2.0	2.5	-	-	0.8	3.6	0.7	0.6	0.5	1.2	1.2	2.9	2.3	0.5	4.9	2.7	-	1.1
	100.0	-	33.3	66.7	-	-	22.2	22.2D	22.2	11.1	11.1	44.4	11.1	100.0	55.6	11.1	44.4R	44.4	-	11.1
Watering flowers/plants/garden	3	-	-	3	-	-	-	-	2	-	-	2	1	3	2	-	1	1	-	1
	0.6	-	-	1.2	-	-	-	-	0.7	-	-	0.6	1.2	1.0	0.9	-	1.2	0.7	-	1.1
	100.0	-	-	100.0	-	-	-	-	66.7	-	-	66.7	33.3	100.0	66.7	-	33.3	33.3	-	33.3
Good for my plants/flowers	6	-	3	3	-	-	2	2	-	1	1	2	-	6	3	1	3	3	-	-
	1.3	-	2.0	1.2	-	-	0.8	3.6	-	0.6	0.5	0.6	-	2.0	1.4	0.5	3.7	2.0	-	-
	100.0	-	50.0	50.0	-	-	33.3	33.3DH	-	16.7	16.7	33.3	-	100.0	50.0	16.7	50.0R	50.0	-	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 23
Q.13 Why Does Your Household Reuse Graywater?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										SOURCES OF GRAYWATER REUSE					GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL										HAS A	HAS A												
		2 OR LESS	3-9	10+	BATH/ SHWR	DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	TABLE FRUIT GARDN	NON- WATER -ING								
																	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.				
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)					
Base: Total Answering	478	71*	152	241	173	37*	250	55*	271	181	190	343	85*	307	222	184	82*	149	115	89*				
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*				
	100.0	14.9*	31.8	50.4	36.2	7.7*	52.3	11.5*	56.7	37.9	39.7	71.8	17.8*	64.2	46.4	38.5	17.2*	31.2	24.1	18.6*				
All other watering mentions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Bug Deterrent (Subnet)	7	-	-	7	-	-	4	1	3	2	3	5	2	4	4	1	2	3	1	-				
	1.5	-	-	2.9	-	-	1.6	1.8	1.1	1.1	1.6	1.5	2.4	1.3	1.8	0.5	2.4	2.0	0.9	-				
	100.0	-	-	100.0B	-	-	57.1	14.3	42.9	28.6	42.9	71.4	28.6	57.1	57.1	14.3	28.6	42.9	14.3	-				
To keep bugs away/kills bugs/prevents bugs on plants	7	-	-	7	-	-	4	1	3	2	3	5	2	4	4	1	2	3	1	-				
	1.5	-	-	2.9	-	-	1.6	1.8	1.1	1.1	1.6	1.5	2.4	1.3	1.8	0.5	2.4	2.0	0.9	-				
	100.0	-	-	100.0B	-	-	57.1	14.3	42.9	28.6	42.9	71.4	28.6	57.1	57.1	14.3	28.6	42.9	14.3	-				
All other bug deterrent mentions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Fertilizer/better growth	2	-	-	2	-	-	2	-	1	1	1	1	-	2	2	1	-	2	-	-				
	0.4	-	-	0.8	-	-	0.8	-	0.4	0.6	0.5	0.3	-	0.7	0.9	0.5	-	1.3	-	-				
	100.0	-	-	100.0	-	-	100.0	-	50.0	50.0	50.0	50.0	-	100.0	100.0	50.0	-	100.0	-	-				
All other usage mentions	1	-	-	1	-	-	-	-	1	1	1	1	-	1	-	1	-	-	1	-				
	0.2	-	-	0.4	-	-	-	-	0.6	0.5	0.3	-	0.3	-	0.5	-	-	-	0.9	-				
	100.0	-	-	100.0	-	-	-	-	100.0	100.0	100.0	-	100.0	-	100.0	-	-	-	100.0	-				
Law/Regulations (Net)	94	12	41	37	42	9	56	7	51	39	41	71	10	58	41	44	21	29	17	19				
	19.7	16.9	27.0	15.4	24.3	24.3	22.4	12.7	18.8	21.5	21.6	20.7	11.8	18.9	18.5	23.9	25.6	19.5	14.8	21.3				
	100.0	12.8	43.6C	39.4	44.7	9.6	59.6	7.4	54.3	41.5	43.6	75.5	10.6	61.7	43.6	46.8	22.3	30.9	18.1	20.2				

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 23
Q.13 Why Does Your Household Reuse Graywater?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										SOURCES OF GRAYWATER REUSE					GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
											HAS A	HAS A	DISP.	WATER										
											SUR- FACE	SUB- SURFC	GRAY-	VEGE-										
											GRAY-	GRAY-	WATER	TABLE	NON-									
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	DIR- ECTLY	FRUIT GARDN	WATER -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.				
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)					
Base: Total Answering	478	71*	152	241	173	37*	250	55*	271	181	190	343	85*	307	222	184	82*	149	115	89*				
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*				
	100.0	14.9*	31.8	50.4	36.2	7.7*	52.3	11.5*	56.7	37.9	39.7	71.8	17.8*	64.2	46.4	38.5	17.2*	31.2	24.1	18.6*				
Local regulations	11	-	6	5	7	1	7	-	6	8	4	10	2	6	4	5	2	4	1	3				
	2.3	-	3.9	2.1	4.0	2.7	2.8	-	2.2	4.4	2.1	2.9	2.4	2.0	1.8	2.7	2.4	2.7	0.9	3.4				
	100.0	-	54.5	45.5	63.6	9.1	63.6	-	54.5	72.7	36.4	90.9	18.2	54.5	36.4	45.5	18.2	36.4	9.1	27.3				
Water supply restrictions	88	12	37	35	40	9	52	7	47	35	39	65	9	53	39	43	20	28	16	17				
	18.4	16.9	24.3	14.5	23.1	24.3	20.8	12.7	17.3	19.3	20.5	19.0	10.6	17.3	17.6	23.4	24.4	18.8	13.9	19.1				
	100.0	13.6	42.0C	39.8	45.5	10.2	59.1	8.0	53.4	39.8	44.3	73.9	10.2	60.2	44.3	48.9	22.7	31.8	18.2	19.3				
Miscellaneous (Net)	191	31	57	97	70	15	93	24	141	65	59	149	52	119	83	50	16	45	53	54				
	40.0	43.7	37.5	40.2	40.5	40.5	37.2	43.6	52.0	35.9	31.1	43.4	61.2	38.8	37.4	27.2	19.5	30.2	46.1	60.7				
	100.0	16.2	29.8	50.8	36.6	7.9	48.7	12.6	73.8D FIJ	34.0	30.9	78.0	27.2K M	62.3	43.50	26.2	8.4	23.6	27.7P Q	28.3PQR				
No sewer hook-up	43	8	12	22	16	1	24	5	33	10	10	37	10	27	21	8	2	12	13	10				
	9.0	11.3	7.9	9.1	9.2	2.7	9.6	9.1	12.2	5.5	5.3	10.8	11.8	8.8	9.5	4.3	2.4	8.1	11.3	11.2				
	100.0	18.6	27.9	51.2	37.2	2.3	55.8	11.6	76.7I J	23.3	23.3	86.0	23.3	62.8	48.80	18.6	4.7	27.9	30.2P	23.3P				
Trying to reduce flow to septic system	158	24	48	80	60	13	75	22	124	55	52	125	47	97	66	39	7	35	48	49				
	33.1	33.8	31.6	33.2	34.7	35.1	30.0	40.0	45.8	30.4	27.4	36.4	55.3	31.6	29.7	21.2	8.5	23.5	41.7	55.1				
	100.0	15.2	30.4	50.6	38.0	8.2	47.5	13.9	78.5D FIJ	34.8	32.9	79.1	29.7K M	61.4	41.8	24.7	4.4	22.2P Q	30.4P	31.0PQ				
Have a well/well water	7	1	1	5	2	-	3	1	4	1	-	5	1	4	7	2	1	3	-	3				
	1.5	1.4	0.7	2.1	1.2	-	1.2	1.8	1.5	0.6	-	1.5	1.2	1.3	3.2	1.1	1.2	2.0	-	3.4				
	100.0	14.3	14.3	71.4	28.6	-	42.9	14.3	57.1	14.3	-	71.4	14.3	57.1	100.0	28.6	14.3	42.9	-	42.9R				

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 23
Q.13 Why Does Your Household Reuse Graywater?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										SOURCES OF GRAYWATER REUSE					GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL				BATH/ SHOWR	GARBG		DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A GRAY- WATER SYSTEM	SUB- SURFC GRAY- WATER SYSTEM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING								
		2 OR LESS	3-9	10+		DIS- POSAL	KITCH SINK										50-							
																	<10 GALS.	10-49 GALS.	199 GALS.	200+ GALS.				
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)						
Base: Total Answering	478	71*	152	241	173	37*	250	55*	271	181	190	343	85*	307	222	184	82*	149	115	89*				
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*				
	100.0	14.9*	31.8	50.4	36.2	7.7*	52.3	11.5*	56.7	37.9	39.7	71.8	17.8*	64.2	46.4	38.5	17.2*	31.2	24.1	18.6*				
All other miscellaneous mentions	14	5	2	7	4	1	8	1	4	5	6	9	1	7	6	8	6	2	2	2				
	2.9	7.0	1.3	2.9	2.3	2.7	3.2	1.8	1.5	2.8	3.2	2.6	1.2	2.3	2.7	4.3	7.3	1.3	1.7	2.2				
	100.0	35.7B	14.3	50.0	28.6	7.1	57.1	7.1	28.6	35.7	42.9	64.3	7.1	50.0	42.9	57.1	42.9Q	14.3	14.3	14.3				
Don't know	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Sigma	916	126	283	480	354	74	507	102	534	375	389	659	154	554	450	384	139	284	225	191				
	191.6	177.5	186.2	199.2	204.6	200.0	202.8	185.5	197.0	207.2	204.7	192.1	181.2	180.5	202.7	208.7	169.5	190.6	195.7	214.6				
	100.0	13.8	30.9	52.4	38.6	8.1	55.3	11.1	58.3	40.9	42.5	71.9	16.8	60.5	49.1	41.9	15.2	31.0	24.6	20.9				

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 24
Q.14 Where Did Your Household First Learn About Reusing Graywater?

	SOURCES OF GRAYWATER REUSE											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SUR- FACE GRAY- WATER SYSTEM	HAS A SUB- SURFC GRAY- WATER SYSTEM	DISP. GRAY- WATER DIR- ECTLY	TABLE FRUIT GARDN	NON- VEGE- -ING					
	2 OR LESS	3-9	10+	BATH/ DIS- SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE							<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
	TOTAL																			
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
No answer	45	11	13	18	10	5	14	5	26	14	11	28	11	26	12	12	7	17	3	8
	9.2	14.1	8.4	7.4	5.8	12.8	5.5	8.9	9.5	7.7	5.7	8.1	12.5	8.4	5.4	6.4	8.1	11.3	2.6	8.9
	100.0	24.4	28.9	40.0	22.2	11.1	31.1	11.1	57.8	31.1	24.4	62.2	24.4	57.8	26.7	26.7	15.6	37.8R	6.7	17.8R
Base: Total Answering	446	67*	142	226	163	34*	241	51*	249	169	182	319	77*	284	211	176	79*	133	113	82*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.0*	31.8	50.7	36.5	7.6*	54.0	11.4*	55.8	37.9	40.8	71.5	17.3*	63.7	47.3	39.5	17.7*	29.8	25.3	18.4*
Advertisement (Net)	92	19	30	40	35	9	55	13	47	33	46	68	12	55	39	45	16	33	20	16
	20.6	28.4	21.1	17.7	21.5	26.5	22.8	25.5	18.9	19.5	25.3	21.3	15.6	19.4	18.5	25.6	20.3	24.8	17.7	19.5
	100.0	20.7	32.6	43.5	38.0	9.8	59.8	14.1	51.1	35.9	50.0	73.9	13.0	59.8	42.4	48.9	17.4	35.9	21.7	17.4
Advertisement for graywater system	7	2	3	2	3	1	3	-	3	3	5	6	3	2	3	4	-	2	2	1
	1.6	3.0	2.1	0.9	1.8	2.9	1.2	-	1.2	1.8	2.7	1.9	3.9	0.7	1.4	2.3	-	1.5	1.8	1.2
	100.0	28.6	42.9	28.6	42.9	14.3	42.9	-	42.9	42.9	71.4	85.7	42.9M	28.6	42.9	57.1	-	28.6	28.6	14.3
Magazines	57	9	19	26	24	6	33	9	31	16	26	42	9	32	27	29	6	19	15	13
	12.8	13.4	13.4	11.5	14.7	17.6	13.7	17.6	12.4	9.5	14.3	13.2	11.7	11.3	12.8	16.5	7.6	14.3	13.3	15.9
	100.0	15.8	33.3	45.6	42.1	10.5	57.9	15.8	54.4	28.1	45.6	73.7	15.8	56.1	47.4	50.9	10.5	33.3	26.3	22.8
Newspapers	36	6	12	16	11	4	22	9	17	12	21	21	2	21	19	19	5	13	8	7
	8.1	9.0	8.5	7.1	6.7	11.8	9.1	17.6	6.8	7.1	11.5	6.6	2.6	7.4	9.0	10.8	6.3	9.8	7.1	8.5
	100.0	16.7	33.3	44.4	30.6	11.1	61.1	25.0D	47.2	33.3	58.3	58.3	5.6	58.3	52.8	52.8	13.9	36.1	22.2	19.4
								HI												
Pamphlets/Newsletters/Flyers/ Announcements	24	6	8	10	8	3	15	1	12	11	15	17	1	15	8	12	8	9	3	2
	5.4	9.0	5.6	4.4	4.9	8.8	6.2	2.0	4.8	6.5	8.2	5.3	1.3	5.3	3.8	6.8	10.1	6.8	2.7	2.4
	100.0	25.0	33.3	41.7	33.3	12.5	62.5	4.2	50.0	45.8	62.5	70.8	4.2	62.5	33.3	50.0	33.3R	37.5	12.5	8.3
																	S			

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 24
Q.14 Where Did Your Household First Learn About Reusing Graywater?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL											HAS A	HAS A	DISP.	WATER														
		2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	WASH- DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	SUR- FACE GRAY- WATER SYSTM	SUB- SURFC GRAY- WATER SYSTM	WATER DIR- ECTLY	TABLE FRUIT GARDN	NON- -ING													
												GRAY-	GRAY-	WATER	VEGE-														
												WATER	WATER	DIR-	TABLE	NON-	<10	10-49	199	200+									
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)											
Base: Total Answering	446	67*	142	226	163	34*	241	51*	249	169	182	319	77*	284	211	176	79*	133	113	82*									
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*									
	100.0	15.0*	31.8	50.7	36.5	7.6*	54.0	11.4*	55.8	37.9	40.8	71.5	17.3*	63.7	47.3	39.5	17.7*	29.8	25.3	18.4*									
Personal (Net)	193	22	69	96	68	13	110	25	114	80	78	142	36	121	96	80	34	56	48	42									
	43.3	32.8	48.6	42.5	41.7	38.2	45.6	49.0	45.8	47.3	42.9	44.5	46.8	42.6	45.5	45.5	43.0	42.1	42.5	51.2									
	100.0	11.4	35.8A	49.7	35.2	6.7	57.0	13.0	59.1	41.5	40.4	73.6	18.7	62.7	49.7	41.5	17.6	29.0	24.9	21.8									
Co-worker	7	2	1	3	3	1	4	2	5	6	4	7	1	4	3	5	1	1	3	2									
	1.6	3.0	0.7	1.3	1.8	2.9	1.7	3.9	2.0	3.6	2.2	2.2	1.3	1.4	1.4	2.8	1.3	0.8	2.7	2.4									
	100.0	28.6	14.3	42.9	42.9	14.3	57.1	28.6	71.4	85.7	57.1	100.0	14.3	57.1	42.9	71.4	14.3	14.3	42.9	28.6									
Farmer/Farm Association	19	2	2	14	11	2	9	5	13	9	7	15	5	9	11	10	2	3	6	6									
	4.3	3.0	1.4	6.2	6.7	5.9	3.7	9.8	5.2	5.3	3.8	4.7	6.5	3.2	5.2	5.7	2.5	2.3	5.3	7.3									
	100.0	10.5	10.5	73.7B	57.9	10.5	47.4	26.3	68.4	47.4	36.8	78.9	26.3	47.4	57.9	52.6	10.5	15.8	31.6	31.6									
Friend/Family member	166	18	61	82	56	11	96	19	97	71	72	119	27	106	86	69	31	50	39	36									
	37.2	26.9	43.0	36.3	34.4	32.4	39.8	37.3	39.0	42.0	39.6	37.3	35.1	37.3	40.8	39.2	39.2	37.6	34.5	43.9									
	100.0	10.8	36.7A	49.4	33.7	6.6	57.8	11.4	58.4	42.8	43.4	71.7	16.3	63.9	51.8	41.6	18.7	30.1	23.5	21.7									
Plumber/Handyman	14	-	7	7	5	-	6	-	11	4	3	14	5	6	4	6	1	3	4	5									
	3.1	-	4.9	3.1	3.1	-	2.5	-	4.4	2.4	1.6	4.4	6.5	2.1	1.9	3.4	1.3	2.3	3.5	6.1									
	100.0	-	50.0	50.0	35.7	-	42.9	-	78.6	28.6	21.4	100.0	35.7M	42.9	28.6	42.9	7.1	21.4	28.6	35.7									
Government (Net)	19	4	6	9	6	2	7	3	11	10	12	12	2	13	5	8	3	5	4	5									
	4.3	6.0	4.2	4.0	3.7	5.9	2.9	5.9	4.4	5.9	6.6	3.8	2.6	4.6	2.4	4.5	3.8	3.8	3.5	6.1									
	100.0	21.1	31.6	47.4	31.6	10.5	36.8	15.8	57.9	52.6	63.2	63.2	10.5	68.4	26.3	42.1	15.8	26.3	21.1	26.3									
Local/State Government meetings	5	-	3	2	2	-	-	-	3	3	2	4	1	3	2	1	-	1	1	3									
	1.1	-	2.1	0.9	1.2	-	-	-	1.2	1.8	1.1	1.3	1.3	1.1	0.9	0.6	-	0.8	0.9	3.7									
	100.0	-	60.0	40.0	40.0	-	-	-	60.0	60.0F	40.0	80.0	20.0	60.0	40.0	20.0	-	20.0	20.0	60.0									

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 24
Q.14 Where Did Your Household First Learn About Reusing Graywater?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	SOURCES OF GRAYWATER REUSE											HAS A SUR- FACE	HAS A SUB- SURFC	DISP. GRAY- WATER	WATER VEGE- TABLE	OF GRAYWATER REUSED				
	GARBG BATH/ DIS- POSAL											GRAY- WATER SYSTM	GRAY- WATER SYSTM	GRAY- WATER ECTLY	FRUIT GARDN	NON- WATER -ING	50- 199 200+			
	TOTAL	2 OR LESS	3-9	10+	SHOWR	SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	GRAY- WATER ECTLY	FRUIT GARDN	NON- WATER -ING	<10 GALS.	10-49 GALS.	199 GALS.	200+ GALS.	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	446	67*	142	226	163	34*	241	51*	249	169	182	319	77*	284	211	176	79*	133	113	82*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*
	100.0	15.0*	31.8	50.7	36.5	7.6*	54.0	11.4*	55.8	37.9	40.8	71.5	17.3*	63.7	47.3	39.5	17.7*	29.8	25.3	18.4*
Local/State Government publications	16	4	4	8	6	2	7	3	10	9	11	10	1	10	4	8	3	4	3	4
	3.6	6.0	2.8	3.5	3.7	5.9	2.9	5.9	4.0	5.3	6.0	3.1	1.3	3.5	1.9	4.5	3.8	3.0	2.7	4.9
	100.0	25.0	25.0	50.0	37.5	12.5	43.8	18.8	62.5	56.3	68.8	62.5	6.3	62.5	25.0	50.0	18.8	25.0	18.8	25.0
Internet	2	-	-	2	-	1	1	-	1	-	1	1	1	-	1	1	-	-	1	-
	0.4	-	-	0.9	-	2.9	0.4	-	0.4	-	0.5	0.3	1.3	-	0.5	0.6	-	-	0.9	-
	100.0	-	-	100.0	-	50.0	50.0	-	50.0	-	50.0	50.0	50.0	-	50.0	50.0	-	-	50.0	-
					1															
Water company	25	3	11	10	11	4	13	2	15	12	12	18	3	11	12	13	6	7	5	3
	5.6	4.5	7.7	4.4	6.7	11.8	5.4	3.9	6.0	7.1	6.6	5.6	3.9	3.9	5.7	7.4	7.6	5.3	4.4	3.7
	100.0	12.0	44.0	40.0	44.0	16.0	52.0	8.0	60.0	48.0	48.0	72.0	12.0	44.0	48.0	52.0	24.0	28.0	20.0	12.0
Other	172	26	47	94	65	13	93	21	92	62	69	122	31	110	83	64	27	48	49	31
	38.6	38.8	33.1	41.6	39.9	38.2	38.6	41.2	36.9	36.7	37.9	38.2	40.3	38.7	39.3	36.4	34.2	36.1	43.4	37.8
	100.0	15.1	27.3	54.7	37.8	7.6	54.1	12.2	53.5	36.0	40.1	70.9	18.0	64.0	48.3	37.2	15.7	27.9	28.5	18.0
Sigma	550	78	178	276	205	48	302	71	310	218	248	396	90	329	263	241	90	160	139	113
	123.3	116.4	125.4	122.1	125.8	141.2	125.3	139.2	124.5	129.0	136.3	124.1	116.9	115.8	124.6	136.9	113.9	120.3	123.0	137.8
	100.0	14.2	32.4	50.2	37.3	8.7	54.9	12.9	56.4	39.6	45.1	72.0	16.4	59.8	47.8	43.8	16.4	29.1	25.3	20.5

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 25
Q.15 What Methods Does Your Household Currently Use To Keep Updated On
Graywater Reuse?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
												HAS A SUR- FACE GRAY- WATER SYSTEM	HAS A SUB- SURFC GRAY- WATER SYSTEM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	VEGE- -ING				
					BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE									
	TOTAL	2 OR LESS	3-9	10+	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
No answer	185	35	47	96	48	18	79	25	94	56	61	111	33	115	67	66	37	58	33	25
	37.7	44.9	30.3	39.3	27.7	46.2	31.0	44.6	34.2	30.6	31.6	32.0	37.5	37.1	30.0	35.1	43.0	38.7	28.4	27.8
	100.0	18.98	25.4	51.9	25.9	9.70	42.7	13.50	50.8	30.3	33.0	60.0	17.8	62.2	36.2	35.7	20.0R S	31.4	17.8	13.5
Base: Total Answering	306	43*	108	148	125	21**	176	31*	181	127	132	236	55*	195	156	122	49*	92*	83*	65*
	100.0	100.0*	100.0	100.0	100.0	100.0**	100	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0*	100.0*	100.0*
	100.0	14.1*	35.3	48.4	40.8	6.9**	57.5	10.1*	59.2	41.5	43.1	77.1	18.0*	63.7	51.0	39.9	16.0*	30.1*	27.1*	21.2*
Advertisement (Net)	134	20	44	67	60	10	86	15	75	62	65	105	18	79	75	61	23	43	35	31
	43.8	46.5	40.7	45.3	48.0	47.6	48.9	48.4	41.4	48.8	49.2	44.5	32.7	40.5	48.1	50.0	46.9	46.7	42.2	47.7
	100.0	14.9	32.8	50.0	44.8	7.5	64.2	11.2	56.0	46.3	48.5	78.4	13.4	59.0	56.0	45.5	17.2	32.1	26.1	23.1
Advertisement for graywater system	10	2	5	3	6	1	5	2	8	5	7	6	3	4	5	6	-	4	3	3
	3.3	4.7	4.6	2.0	4.8	4.8	2.8	6.5	4.4	3.9	5.3	2.5	5.5	2.1	3.2	4.9	-	4.3	3.6	4.6
	100.0	20.0	50.0	30.0	60.0	10.0	50.0	20.0	80.0	50.0	70.0	60.0	30.0	40.0	50.0	60.0	-	40.0	30.0	30.0
Magazines	76	10	23	40	39	7	49	7	41	37	39	63	5	43	45	40	11	20	22	21
	24.8	23.3	21.3	27.0	31.2	33.3	27.8	22.6	22.7	29.1	29.5	26.7	9.1	22.1	28.8	32.8	22.4	21.7	26.5	32.3
	100.0	13.2	30.3	52.6	51.3	9.2	64.5	9.2	53.9	48.7	51.3	82.9L	6.6	56.6L	59.2	52.6	14.5	26.3	28.9	27.6
Newspapers	73	8	26	36	30	4	45	7	35	32	37	57	5	42	46	33	11	24	20	16
	23.9	18.6	24.1	24.3	24.0	19.0	25.6	22.6	19.3	25.2	28.0	24.2	9.1	21.5	29.5	27.0	22.4	26.1	24.1	24.6
	100.0	11.0	35.6	49.3	41.1	5.5	61.6	9.6	47.9	43.8	50.7	78.1L	6.8	57.5L	63.0	45.2	15.1	32.9	27.4	21.9
Pamphlets/Newsletters/Flyers/ Announcements	64	9	22	33	29	3	39	8	37	30	33	50	10	41	32	30	14	20	16	14
	20.9	20.9	20.4	22.3	23.2	14.3	22.2	25.8	20.4	23.6	25.0	21.2	18.2	21.0	20.5	24.6	28.6	21.7	19.3	21.5
	100.0	14.1	34.4	51.6	45.3	4.7	60.9	12.5	57.8	46.9	51.6	78.1	15.6	64.1	50.0	46.9	21.9	31.3	25.0	21.9

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 25
Q.15 What Methods Does Your Household Currently Use To Keep Updated On
Graywater Reuse?

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SURFACE GRAY-WATER SYSTM	HAS A SUB-SURFC GRAY-WATER SYSTM	DISP. GRAY-WATER ECTLY	WATER TABLE FRUIT GARDN	NON-WATER -ING					
	2 OR LESS	3-9	10+	BATH/SHOWR	GARBG DIS-POSAL	KITCH SINK	DISH-WASHR	WASH-ING MACH.	CAR WASH-ING	CLEAN-ING HOUSE	GRAY-WATER SYSTM	GRAY-WATER SYSTM	GRAY-WATER DIR-	VEGE-						
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	306	43*	108	148	125	21**	176	31*	181	127	132	236	55*	195	156	122	49*	92*	83*	65*
	100.0	100.0*	100.0	100.0	100.0	100.0**	100	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0*	100.0*	100.0*
	100.0	14.1*	35.3	48.4	40.8	6.9**	57.5	10.1*	59.2	41.5	43.1	77.1	18.0*	63.7	51.0	39.9	16.0*	30.1*	27.1*	21.2*
Personal (Net)	88	13	37	37	35	6	49	11	51	41	34	73	20	53	44	40	14	31	19	21
	28.8	30.2	34.3	25.0	28.0	28.6	27.8	35.5	28.2	32.3	25.8	30.9	36.4	27.2	28.2	32.8	28.6	33.7	22.9	32.3
	100.0	14.8	42.0	42.0	39.8	6.8	55.7	12.5	58.0	46.6	38.6	83.0	22.7	60.2	50.0	45.5	15.9	35.2	21.6	23.9
Co-worker	5	1	-	4	3	-	3	1	2	3	2	5	1	2	5	3	1	2	1	1
	1.6	2.3	-	2.7	2.4	-	1.7	3.2	1.1	2.4	1.5	2.1	1.8	1.0	3.2	2.5	2.0	2.2	1.2	1.5
	100.0	20.0	-	80.0	60.0	-	60.0	20.0	40.0	60.0	40.0	100.0	20.0	40.0	100.0	60.0	20.0	40.0	20.0	20.0
Farmer/Farm Association	17	1	4	12	10	2	9	3	10	8	8	14	4	6	12	8	2	3	6	6
	5.6	2.3	3.7	8.1	8.0	9.5	5.1	9.7	5.5	6.3	6.1	5.9	7.3	3.1	7.7	6.6	4.1	3.3	7.2	9.2
	100.0	5.9	23.5	70.6	58.8	11.8	52.9	17.6	58.8	47.1	47.1	82.4	23.5	35.3	70.6	47.1	11.8	17.6	35.3	35.3
Friend/Family member	60	9	26	24	21	4	35	6	33	28	23	49	13	43	28	27	12	27	8	11
	19.6	20.9	24.1	16.2	16.8	19.0	19.9	19.4	18.2	22.0	17.4	20.8	23.6	22.1	17.9	22.1	24.5	29.3	9.6	16.9
	100.0	15.0	43.3	40.0	35.0	6.7	58.3	10.0	55.0	46.7	38.3	81.7	21.7	71.7	46.7	45.0	20.0R	45.0R	13.3	18.3
Plumber/Handyman	16	3	8	5	7	1	7	3	13	8	5	14	5	5	7	7	-	1	7	7
	5.2	7.0	7.4	3.4	5.6	4.8	4.0	9.7	7.2	6.3	3.8	5.9	9.1	2.6	4.5	5.7	-	1.1	8.4	10.8
	100.0	18.8	50.0	31.3	43.8	6.3	43.8	18.8	81.3	50.0	31.3	87.5	31.3M	31.3	43.8	43.8	-	6.3	43.8P	43.8PQ
																				Q
Government (Net)	26	1	8	17	12	-	12	3	16	16	16	23	2	17	14	14	4	9	6	7
	8.5	2.3	7.4	11.5	9.6	-	6.8	9.7	8.8	12.6	12.1	9.7	3.6	8.7	9.0	11.5	8.2	9.8	7.2	10.8
	100.0	3.8	30.8	65.4	46.2	-	46.2	11.5	61.5	61.5	61.5	88.5	7.7	65.4	53.8	53.8	15.4	34.6	23.1	26.9
Local/State Government meetings	4	1	1	2	2	-	2	1	1	3	3	4	-	4	4	1	1	3	-	-
	1.3	2.3	0.9	1.4	1.6	-	1.1	3.2	0.6	2.4	2.3	1.7	-	2.1	2.6	0.8	2.0	3.3	-	-
	100.0	25.0	25.0	50.0	50.0	-	50.0	25.0	25.0	75.0	75.0	100.0	-	100.0	100.0	25.0	25.0	75.0	-	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 25
Q.15 What Methods Does Your Household Currently Use To Keep Updated On
Graywater Reuse?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
												HAS A SUR- FACE GRAY- WATER SYSTEM	HAS A SUB- SURFC GRAY- WATER SYSTEM	DISP. GRAY- WATER ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING				
	2 OR LESS	3-9	10+		BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE									
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	306	43*	108	148	125	21**	176	31*	181	127	132	236	55*	195	156	122	49*	92*	83*	65*
	100.0	100.0	100.0	100.0	100.0	100.0**	100	100.0*	100.0	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*	100.0*	100.0*	100.0*
	100.0	14.1*	35.3	48.4	40.8	6.9**	57.5	10.1*	59.2	41.5	43.1	77.1	18.0*	63.7	51.0	39.9	16.0*	30.1*	27.1*	21.2*
Local/State Government publications	24	1	8	15	10	-	11	2	15	15	15	21	2	15	12	13	4	7	6	7
	7.8	2.3	7.4	10.1	8.0	-	6.3	6.5	8.3	11.8	11.4	8.9	3.6	7.7	7.7	10.7	8.2	7.6	7.2	10.8
	100.0	4.2	33.3	62.5	41.7	-	45.8	8.3	62.5	62.5	62.5	87.5	8.3	62.5	50.0	54.2	16.7	29.2	25.0	29.2
Internet	15	-	4	11	9	1	12	2	11	6	6	13	4	8	10	8	2	3	4	6
	4.9	-	3.7	7.4	7.2	4.8	6.8	6.5	6.1	4.7	4.5	5.5	7.3	4.1	6.4	6.6	4.1	3.3	4.8	9.2
	100.0	-	26.7	73.3	60.0	6.7	80.0	13.3	73.3	40.0	40.0	86.7	26.7	53.3	66.7	53.3	13.3	20.0	26.7	40.0
Water company	32	4	17	11	13	2	17	2	16	17	19	25	4	17	18	17	8	12	6	4
	10.5	9.3	15.7	7.4	10.4	9.5	9.7	6.5	8.8	13.4	14.4	10.6	7.3	8.7	11.5	13.9	16.3	13.0	7.2	6.2
	100.0	12.5	53.1c	34.4	40.6	6.3	53.1	6.3	50.0	53.1	59.4	78.1	12.5	53.1	56.3	53.1	25.0	37.5	18.8	12.5
Other	119	14	37	64	50	7	66	11	74	44	49	92	21	77	64	40	12	32	36	28
	38.9	32.6	34.3	43.2	40.0	33.3	37.5	35.5	40.9	34.6	37.1	39.0	38.2	39.5	41.0	32.8	24.5	34.8	43.4	43.1
	100.0	11.8	31.1	53.8	42.0	5.9	55.5	9.2	62.2	37.0	41.2	77.3	17.6	64.7	53.8	33.6	10.1	26.9	30.3p	23.5p
Sigma	515	63	181	260	229	32	300	55	296	236	246	413	77	307	288	233	78	158	135	124
	168.3	146.5	167.6	175.7	183.2	152.4	170.5	177.4	163.5	185.8	186.4	175.0	140.0	157.4	184.6	191.0	159.2	171.7	162.7	190.8
	100.0	12.2	35.1	50.5	44.5	6.2	58.3	10.7	57.5	45.8	47.8	80.2	15.0	59.6	55.9	45.2	15.1	30.7	26.2	24.1

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 26
Q.16 How Likely Are You To Continue Reusing Graywater In The Next 12 Months?

	SOURCES OF GRAYWATER REUSE											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER											HAS A HAS A								
												SUR- SUB- DISP.			WATER					
	2 OR	3-9	10+	BATH/	GARBG	KITCH	DISH-	WASH-	CAR	CLEAN	GRAY-	GRAY-	GRAY-	WATER	VEGE-	NON-	<10	10-49	50-	200+
TOTAL	LESS			SHOWR	POSAL	SINK	WASHR	MACH.	-ING	-ING	WATER	WATER	DIR-	TABLE	FRUIT	WATER	GALS.	GALS.	GALS.	GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
No answer	11	8	1	2	1	1	4	1	3	2	3	4	2	2	1	2	1	1	-	3
	2.2	10.3	0.6	0.8	0.6	2.6	1.6	1.8	1.1	1.1	1.6	1.2	2.3	0.6	0.4	1.1	1.2	0.7	-	3.3
	100.0	72.7BC	9.1	18.2	9.1	9.1	36.4	9.1	27.3	18.2	27.3	36.4	18.2	18.2	9.1	18.2	9.1	9.1	-	27.3R
Base: Total Answering	480	70*	154	242	172	38*	251	55*	272	181	190	343	86*	308	222	186	85*	149	116	87*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	14.6*	32.1	50.4	35.8	7.9*	52.3	11.5*	56.7	37.7	39.6	71.5	17.9*	64.2	46.3	38.8	17.7*	31.0	24.2	18.1*
<u>Very/Somewhat Likely (Net)</u>	459	62	148	235	166	36	246	50	264	176	182	331	83	294	215	178	79	141	111	87
	95.6	88.6	96.1	97.1	96.5	94.7	98.0	90.9	97.1	97.2	95.8	96.5	96.5	95.5	96.8	95.7	92.9	94.6	95.7	100.0
	100.0	13.5	32.2A	51.2A	36.2	7.8	53.6G	10.9	57.5G	38.3G	39.7	72.1	18.1	64.1	46.8	38.8	17.2	30.7	24.2	19.0PQ
Very likely (4)	407	51	129	213	150	31	223	45	247	157	160	298	76	256	197	159	56	117	108	87
	84.8	72.9	83.8	88.0	87.2	81.6	88.8	81.8	90.8	86.7	84.2	86.9	88.4	83.1	88.7	85.5	65.9	78.5	93.1	100.0
	100.0	12.5	31.7	52.3A	36.9	7.6	54.8	11.1	60.7J	38.6	39.3	73.2	18.7	62.9	48.4	39.1	13.8	28.7P	26.5P	21.4PQR
																				Q
Somewhat likely (3)	52	11	19	22	16	5	23	5	17	19	22	33	7	38	18	19	23	24	3	-
	10.8	15.7	12.3	9.1	9.3	13.2	9.2	9.1	6.3	10.5	11.6	9.6	8.1	12.3	8.1	10.2	27.1	16.1	2.6	-
	100.0	21.2	36.5	42.3	30.8	9.6	44.2	9.6	32.7	36.5	42.3H	63.5	13.5	73.1	34.6	36.5	44.2Q	46.2RS	5.8	-
																	RS			
<u>Somewhat/Very Unlikely (Net)</u>	21	8	6	7	6	2	5	5	8	5	8	12	3	14	7	8	6	8	5	-
	4.4	11.4	3.9	2.9	3.5	5.3	2.0	9.1	2.9	2.8	4.2	3.5	3.5	4.5	3.2	4.3	7.1	5.4	4.3	-
	100.0	38.1B	28.6	33.3	28.6	9.5	23.8	23.8F	38.1	23.8	38.1	57.1	14.3	66.7	33.3	38.1	28.6S	38.1S	23.8	-
		C						HI												

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 26
Q.16 How Likely Are You To Continue Reusing Graywater In The Next 12 Months?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG		WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	FACE GRAY- WATER SYSTM	HAS A SUB- SURF	HAS A GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	VEGE- TABLE FRUIT GARDN	NON- WATER -ING	VOLUME OF GRAYWATER REUSED			
						DIS- POSAL	KITCH SINK										<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	480	70*	154	242	172	38*	251	55*	272	181	190	343	86*	308	222	186	85*	149	116	87*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	14.6*	32.1	50.4	35.8	7.9*	52.3	11.5*	56.7	37.7	39.6	71.5	17.9*	64.2	46.3	38.8	17.7*	31.0	24.2	18.1*
Somewhat unlikely (2)	7	5	-	2	3	1	1	2	3	3	3	5	1	5	1	2	-	6	1	-
	1.5	7.1	-	0.8	1.7	2.6	0.4	3.6	1.1	1.7	1.6	1.5	1.2	1.6	0.5	1.1	-	4.0	0.9	-
	100.0	71.4BC	-	28.6	42.9	14.3	14.3	28.6F	42.9	42.9	42.9	71.4	14.3	71.4	14.3	28.6	-	85.7	14.3	-
Very unlikely (1)	14	3	6	5	3	1	4	3	5	2	5	7	2	9	6	6	6	2	4	-
	2.9	4.3	3.9	2.1	1.7	2.6	1.6	5.5	1.8	1.1	2.6	2.0	2.3	2.9	2.7	3.2	7.1	1.3	3.4	-
	100.0	21.4	42.9	35.7	21.4	7.1	28.6	21.4	35.7	14.3	35.7	50.0	14.3	64.3	42.9	42.9	42.9Q	14.3	28.6	-
																	S			
Sigma	480	70	154	242	172	38	251	55	272	181	190	343	86	308	222	186	85	149	116	87
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	14.6	32.1	50.4	35.8	7.9	52.3	11.5	56.7	37.7	39.6	71.5	17.9	64.2	46.3	38.8	17.7	31.0	24.2	18.1
Mean Base	480	70	154	242	172	38	251	55	272	181	190	343	86	308	222	186	85	149	116	87
Mean	3.78	3.57	3.76	3.83A	3.82	3.74	3.85G	3.67	3.86G	3.83	3.77	3.81	3.83	3.76	3.83	3.78	3.52	3.72P	3.85P	4.00PQR
Std. Deviation	0.62	0.81	0.65	0.53	0.54	0.64	0.48	0.79	0.50	0.49	0.61	0.55	0.56	0.63	0.56	0.62	0.83	0.60	0.59	0.00
Std. Error	0.03	0.10	0.05	0.03	0.04	0.10	0.03	0.11	0.03	0.04	0.04	0.03	0.06	0.04	0.04	0.05	0.09	0.05	0.06	0.00

Proportions/Means: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 27
Q.17 Over The Next 12 Months, Do You Think Your Household Will....

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
												HAS A SUR- FACE	HAS A SUB- SURFC	DISP. GRAY-	WATER TABLE	VEGE-				
												GRAY- WATER SYSTM	GRAY- WATER SYSTM	WATER DIR- ECTLY	FRUIT GARDN	NON- ING				
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	WATER DIR- ECTLY	FRUIT GARDN	NON- ING	<10 GALS.	10-49 GALS.	199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
No answer	9	6	2	1	-	1	2	1	1	1	2	1	1	2	-	1	3	1	-	1
	1.8	7.7	1.3	0.4	-	2.6	0.8	1.8	0.4	0.5	1.0	0.3	1.1	0.6	-	0.5	3.5	0.7	-	1.1
	100.0	66.7B	22.2	11.1	-	11.1D	22.2	11.1	11.1	11.1	22.2	11.1	11.1	22.2	-	11.1	33.3R	11.1	-	11.1
		C																		
Base: Total Answering	482	72*	153	243	173	38*	253	55*	274	182	191	346	87*	308	223	187	83*	149	116	89*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	14.9*	31.7	50.4	35.9	7.9*	52.5	11.4*	56.8	37.8	39.6	71.8	18.0*	63.9	46.3	38.8	17.2*	30.9	24.1	18.5*
Reuse more graywater than it currently does	73	15	29	28	25	8	45	8	39	31	37	57	12	45	36	35	16	27	17	11
	15.1	20.8	19.0	11.5	14.5	21.1	17.8	14.5	14.2	17.0	19.4	16.5	13.8	14.6	16.1	18.7	19.3	18.1	14.7	12.4
	100.0	20.5C	39.7C	38.4	34.2	11.0	61.6	11.0	53.4	42.5	50.7	78.1	16.4	61.6	49.3	47.9	21.9	37.0	23.3	15.1
Reuse about the same amount of graywater than it currently does	383	48	115	208	138	25	193	43	219	143	144	273	73	245	176	141	62	112	93	78
	79.5	66.7	75.2	85.6	79.8	65.8	76.3	78.2	79.9	78.6	75.4	78.9	83.9	79.5	78.9	75.4	74.7	75.2	80.2	87.6
	100.0	12.5	30.0	54.3A	36.0	6.5	50.4	11.2	57.2E	37.3	37.6	71.3	19.1	64.0	46.0	36.8	16.2	29.2	24.3	20.4PQ
				B																
Reuse less graywater than it currently does	26	9	9	7	10	5	15	4	16	8	10	16	2	18	11	11	5	10	6	-
	5.4	12.5	5.9	2.9	5.8	13.2	5.9	7.3	5.8	4.4	5.2	4.6	2.3	5.8	4.9	5.9	6.0	6.7	5.2	-
	100.0	34.6C	34.6	26.9	38.5	19.2I	57.7	15.4	61.5	30.8	38.5	61.5	7.7	69.2	42.3	42.3	19.2S	38.5S	23.1S	-
Sigma	482	72	153	243	173	38	253	55	274	182	191	346	87	308	223	187	83	149	116	89
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	14.9	31.7	50.4	35.9	7.9	52.5	11.4	56.8	37.8	39.6	71.8	18.0	63.9	46.3	38.8	17.2	30.9	24.1	18.5

Proportions/Means: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 28
Q.18a Which Of The Following, If Any, Do You Feel Are Disadvantages To
Reusing Graywater?

											GRAYWATER SYSTEM			USES OF GRAYWATER						
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE							HAS A SUR-	HAS A SUB-	DISP.			VOLUME OF GRAYWATER REUSED				
											FACE GRAY-	SURFC GRAY-	GRAY-	WATER	VEGE-					
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	GRAY- DIR- ECTLY	TABLE FRUIT GARDN	NON- -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
No answer	14	6	6	2	3	1	4	1	7	6	4	5	4	4	3	3	1	2	3	2
	2.9	7.7	3.9	0.8	1.7	2.6	1.6	1.8	2.5	3.3	2.1	1.4	4.5	1.3	1.3	1.6	1.2	1.3	2.6	2.2
	100.0	42.9C	42.9C	14.3	21.4	7.1	28.6	7.1	50.0	42.9	28.6	35.7	28.6	28.6	21.4	21.4	7.1	14.3	21.4	14.3
Base: Total Answering	477	72*	149	242	170	38*	251	55*	268	177	189	342	84*	306	220	185	85*	148	113	88*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.1*	31.2	50.7	35.6	8.0*	52.6	11.5*	56.2	37.1	39.6	71.7	17.6*	64.2	46.1	38.8	17.8*	31.0	23.7	18.4*
Cost of collection/ distribution system	29	5	10	14	13	2	15	3	16	13	12	23	4	19	14	10	5	11	7	4
	6.1	6.9	6.7	5.8	7.6	5.3	6.0	5.5	6.0	7.3	6.3	6.7	4.8	6.2	6.4	5.4	5.9	7.4	6.2	4.5
	100.0	17.2	34.5	48.3	44.8	6.9	51.7	10.3	55.2	44.8	41.4	79.3	13.8	65.5	48.3	34.5	17.2	37.9	24.1	13.8
Disappointing cost savings in water bills	45	8	15	21	18	2	24	8	22	24	20	32	2	33	17	24	11	18	6	8
	9.4	11.1	10.1	8.7	10.6	5.3	9.6	14.5	8.2	13.6	10.6	9.4	2.4	10.8	7.7	13.0	12.9	12.2	5.3	9.1
	100.0	17.8	33.3	46.7	40.0	4.4	53.3	17.8	48.9	53.3	44.4	71.1L	4.4	73.3L	37.8	53.3	24.4	40.0	13.3	17.8
Environmental concerns	44	3	14	25	6	3	23	5	26	19	15	29	3	31	18	17	9	19	9	3
	9.2	4.2	9.4	10.3	3.5	7.9	9.2	9.1	9.7	10.7	7.9	8.5	3.6	10.1	8.2	9.2	10.6	12.8	8.0	3.4
	100.0	6.8	31.8	56.8	13.6	6.8	52.3D	11.4	59.1D	43.2D	34.1	65.9	6.8	70.5	40.9	38.6	20.5	43.2S	20.5	6.8
Governmental regulations	39	7	5	26	14	7	22	10	22	22	17	29	11	26	22	15	8	11	10	8
	8.2	9.7	3.4	10.7	8.2	18.4	8.8	18.2	8.2	12.4	9.0	8.5	13.1	8.5	10.0	8.1	9.4	7.4	8.8	9.1
	100.0	17.9	12.8	66.7B	35.9	17.9H	56.4	25.6D	56.4	56.4	43.6	74.4	28.2	66.7	56.4	38.5	20.5	28.2	25.6	20.5

FH

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 28
Q.18a Which Of The Following, If Any, Do You Feel Are Disadvantages To
Reusing Graywater?

	SOURCES OF GRAYWATER REUSE											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SUR- FACE WATER SYSTM	HAS A SUB- GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY							
				GARBG			WASH- CAR CLEAN													
				BATH/ DIS- KITCH DISH- ING WASH- CAR CLEAN																
	2 OR TOTAL	3-9	10+	SHOWR	POSAL	SINK	WASHR	MACH.	ING	HOUSE	SYSTM	SYSTM	ECTLY	TABLE FRUIT GARDN	NON- VEGE- -ING		<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	477	72*	149	242	170	38*	251	55*	268	177	189	342	84*	306	220	185	85*	148	113	88*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.1*	31.2	50.7	35.6	8.0*	52.6	11.5*	56.2	37.1	39.6	71.7	17.6*	64.2	46.1	38.8	17.8*	31.0	23.7	18.4*
Health concerns	64	14	22	27	23	11	41	8	30	34	30	43	10	41	30	30	14	23	13	11
	13.4	19.4	14.8	11.2	13.5	28.9	16.3	14.5	11.2	19.2	15.9	12.6	11.9	13.4	13.6	16.2	16.5	15.5	11.5	12.5
	100.0	21.9	34.4	42.2	35.9	17.2D	64.1	12.5	46.9	53.1H	46.9	67.2	15.6	64.1	46.9	46.9	21.9	35.9	20.3	17.2
						H														
Maintenance/labor	100	14	34	47	45	6	59	14	56	36	38	72	8	64	58	45	14	31	27	17
	21.0	19.4	22.8	19.4	26.5	15.8	23.5	25.5	20.9	20.3	20.1	21.1	9.5	20.9	26.4	24.3	16.5	20.9	23.9	19.3
	100.0	14.0	34.0	47.0	45.0	6.0	59.0	14.0	56.0	36.0	38.0	72.0L	8.0	64.0L	58.0	45.0	14.0	31.0	27.0	17.0
Odors	55	12	22	21	23	6	35	7	27	24	27	42	11	32	23	24	12	17	13	11
	11.5	16.7	14.8	8.7	13.5	15.8	13.9	12.7	10.1	13.6	14.3	12.3	13.1	10.5	10.5	13.0	14.1	11.5	11.5	12.5
	100.0	21.8	40.0	38.2	41.8	10.9	63.6	12.7	49.1	43.6	49.1	76.4	20.0	58.2	41.8	43.6	21.8	30.9	23.6	20.0
Other	23	7	8	8	10	2	16	1	4	6	10	18	2	13	12	7	3	9	7	3
	4.8	9.7	5.4	3.3	5.9	5.3	6.4	1.8	1.5	3.4	5.3	5.3	2.4	4.2	5.5	3.8	3.5	6.1	6.2	3.4
	100.0	30.4C	34.8	34.8	43.5H	8.7	69.6H	4.3	17.4	26.1	43.5H	78.3	8.7	56.5	52.2	30.4	13.0	39.1	30.4	13.0
None	229	29	73	120	75	20	111	25	142	78	85	169	51	141	100	83	35*	61	58	49
	48.0	40.3	49.0	49.6	44.1	52.6	44.2	45.5	53.0	44.1	45.0	49.4	60.7	46.1	45.5	44.9	41.2	41.2	51.3	55.7
	100.0	12.7	31.9	52.4	32.8	8.7	48.5	10.9	62.0F	34.1	37.1	73.8	22.3M	61.6	43.7	36.2	15.3	26.6	25.3	21.4Q
Sigma	628	99	203	309	227	59	346	81	345	256	254	457	102	400	294	255	111	200	150	114
	131.7	137.5	136.2	127.7	133.5	155.3	137.8	147.3	128.7	144.6	134.4	133.6	121.4	130.7	133.6	137.8	130.6	135.1	132.7	129.5
	100.0	15.8	32.3	49.2	36.1	9.4	55.1	12.9	54.9	40.8	40.4	72.8	16.2	63.7	46.8	40.6	17.7	31.8	23.9	18.2

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 29
Q.18b How Safe Is The Graywater That Is Reused?

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			BATH/SHOWR	GARBG DIS-POSAL	KITCH SINK	DISH-WASHR	WASH-ING MACH.	CAR WASH-ING	CLEAN-ING HOUSE	HAS A SUR-FACE WATER SYSTM	HAS A SUB-SURFC GRAY-WATER SYSTM	DISP. GRAY-WATER DIR-ECTLY	WATER TABLE FRUIT GARDN	NON-VEGE-WATER -ING	VOLUME OF GRAYWATER REUSED				
	TOTAL	2 OR LESS	3-9													10+	<10 GALS.	10-49 GALS.	50-199 GALS.	200+ GALS.
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
No answer	9	4	4	1	1	1	4	-	4	4	2	3	1	3	3	2	1	1	1	2
	1.8	5.1	2.6	0.4	0.6	2.6	1.6	-	1.5	2.2	1.0	0.9	1.1	1.0	1.3	1.1	1.2	0.7	0.9	2.2
	100.0	44.4C	44.4	11.1	11.1	11.1	44.4	-	44.4	44.4	22.2	33.3	11.1	33.3	33.3	22.2	11.1	11.1	11.1	22.2
Base: Total Answering	482	74*	151	243	172	38*	251	56*	271	179	191	344	87*	307	220	186	85*	149	115	88*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.4*	31.3	50.4	35.7	7.9*	52.1	11.6*	56.2	37.1	39.6	71.4	18.0*	63.7	45.6	38.6	17.6*	30.9	23.9	18.3*
Very/Somewhat Safe (Net)	426	57	135	221	150	32	222	48	252	151	161	311	78	269	202	166	69	129	107	79
	88.4	77.0	89.4	90.9	87.2	84.2	88.4	85.7	93.0	84.4	84.3	90.4	89.7	87.6	91.8	89.2	81.2	86.6	93.0	89.8
	100.0	13.4	31.7A	51.9A	35.2	7.5	52.1	11.3	59.2D	35.4	37.8	73.0	18.3	63.1	47.4	39.0	16.2	30.3	25.1P	18.5
								IJ												
Very safe (5)	324	39	98	177	119	24	173	37	203	105	117	234	62	203	167	120	45	97	88	63
	67.2	52.7	64.9	72.8	69.2	63.2	68.9	66.1	74.9	58.7	61.3	68.0	71.3	66.1	75.9	64.5	52.9	65.1	76.5	71.6
	100.0	12.0	30.2	54.6A	36.7I	7.4	53.4I	11.4	62.7I	32.4	36.1	72.2	19.1	62.7	51.50	37.0	13.9	29.9	27.2P	19.4P
								J											Q	
Somewhat safe (4)	102	18	37	44	31	8	49	11	49	46	44	77	16	66	35	46	24	32	19	16
	21.2	24.3	24.5	18.1	18.0	21.1	19.5	19.6	18.1	25.7	23.0	22.4	18.4	21.5	15.9	24.7	28.2	21.5	16.5	18.2
	100.0	17.6	36.3	43.1	30.4	7.8	48.0	10.8	48.0	45.1	43.1	75.5	15.7	64.7	34.3	45.1N	23.5R	31.4	18.6	15.7
Might or might not be safe (3)	49	15	15	18	20	4	25	7	17	25	26	28	9	35	16	16	13	17	8	8
	10.2	20.3	9.9	7.4	11.6	10.5	10.0	12.5	6.3	14.0	13.6	8.1	10.3	11.4	7.3	8.6	15.3	11.4	7.0	9.1
	100.0	30.6B	30.6	36.7	40.8H	8.2	51.0	14.3	34.7	51.0H	53.1H	57.1	18.4	71.4	32.7	32.7	26.5	34.7	16.3	16.3
		C																		

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 29
Q.18b How Safe Is The Graywater That Is Reused?

	SOURCES OF GRAYWATER REUSE											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SURFACE WATER	HAS A SUB-GRAY-WATER	DISP. GRAY-VEGE-							
											FACE GRAY-WATER SYSTEM	GRAY-WATER SYSTEM	WATER TABLE FRUIT GARDN	NON-WATER -ING						
				GARBG BATH/ DIS- KITCH DISH- ING CAR CLEAN	WASH- CAR CLEAN	GRAY- GRAY- WATER	TABLE FRUIT GARDN	NON-WATER -ING												
	TOTAL	2 OR LESS	3-9	10+	SHOWR	POSAL	SINK	WASHR	MACH.	ING	HOUSE	SYSTEM	SYSTEM	ECTLY	ING	<10 GALS.	10-49 GALS.	50-199 GALS.	200+ GALS.	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	482	74*	151	243	172	38*	251	56*	271	179	191	344	87*	307	220	186	85*	149	115	88*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*
	100.0	15.4*	31.3	50.4	35.7	7.9*	52.1	11.6*	56.2	37.1	39.6	71.4	18.0*	63.7	45.6	38.6	17.6*	30.9	23.9	18.3*
Somewhat/Very Unsafe (Net)	7	2	1	4	2	2	4	1	2	3	4	5	-	3	2	4	3	3	-	1
	1.5	2.7	0.7	1.6	1.2	5.3	1.6	1.8	0.7	1.7	2.1	1.5	-	1.0	0.9	2.2	3.5	2.0	-	1.1
	100.0	28.6	14.3	57.1	28.6	28.6H	57.1	14.3	28.6	42.9	57.1	71.4	-	42.9	28.6	57.1	42.9R	42.9	-	14.3
Somewhat unsafe (2)	4	1	1	2	1	1	2	-	1	3	2	3	-	2	2	1	1	3	-	-
	0.8	1.4	0.7	0.8	0.6	2.6	0.8	-	0.4	1.7	1.0	0.9	-	0.7	0.9	0.5	1.2	2.0	-	-
	100.0	25.0	25.0	50.0	25.0	25.0	50.0	-	25.0	75.0	50.0	75.0	-	50.0	50.0	25.0	25.0	75.0	-	-
Very unsafe (1)	3	1	-	2	1	1	2	1	1	-	2	2	-	1	-	3	2	-	-	1
	0.6	1.4	-	0.8	0.6	2.6	0.8	1.8	0.4	-	1.0	0.6	-	0.3	-	1.6	2.4	-	-	1.1
	100.0	33.3	-	66.7	33.3	33.3I	66.7	33.3	33.3	-	66.7	66.7	-	33.3	-	100.0	66.7	-	-	33.3
Sigma	482	74	151	243	172	38	251	56	271	179	191	344	87	307	220	186	85	149	115	88
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	15.4	31.3	50.4	35.7	7.9	52.1	11.6	56.2	37.1	39.6	71.4	18.0	63.7	45.6	38.6	17.6	30.9	23.9	18.3
Mean Base	482	74	151	243	172	38	251	56	271	179	191	344	87	307	220	186	85	149	115	88
Mean	4.54	4.26	4.54A	4.61A	4.55	4.39	4.55	4.48	4.67E IJ	4.41	4.42	4.56	4.61	4.52	4.67O	4.50	4.28	4.50	4.70P Q	4.59P
Std. Deviation	0.76	0.92	0.70	0.73	0.77	0.97	0.77	0.85	0.64	0.79	0.84	0.73	0.67	0.75	0.65	0.81	0.93	0.78	0.59	0.75
Std. Error	0.03	0.11	0.06	0.05	0.06	0.16	0.05	0.11	0.04	0.06	0.06	0.04	0.07	0.04	0.04	0.06	0.10	0.06	0.06	0.08

Proportions/Means: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 30
Q.19 What System Does Your Household Use For Graywater Storage And/Or Removal?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE								GRAYWATER SYSTEM HAS A HAS A			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	SUR- FACE GRAY- WATER SYSTM	SUB- SURFC GRAY- WATER DIR- ECTLY	DISP. GRAY- WATER TABLE FRUIT GARDN	WATER VEGE- TABLE NON- -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
No answer	65	24	17	22	19	6	22	8	28	24	20	31	12	41	18	31	13	19	11	4
	13.2	30.8	11.0	9.0	11.0	15.4	8.6	14.3	10.2	13.1	10.4	8.9	13.6	13.2	8.1	16.5	15.1	12.7	9.5	4.4
	100.0	36.9B	26.2	33.8	29.2	9.2	33.8	12.3	43.1	36.9	30.8	47.7	18.5	63.1	27.7	47.7N	20.0S	29.2S	16.9	6.2
	C																			
Base: Total Answering	426	54*	138	222	154	33*	233	48*	247	159	173	316	76*	269	205	157	73*	131	105	86*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	12.7*	32.4	52.1	36.2	7.7*	54.7	11.3*	58.0	37.3	40.6	74.2	17.8*	63.1	48.1	36.9	17.1*	30.8	24.6	20.2*
Storage (Net)	259	26	89	136	102	18	164	25	135	99	110	192	31	158	147	115	47	97	64	39
	60.8	48.1	64.5	61.3	66.2	54.5	70.4	52.1	54.7	62.3	63.6	60.8	40.8	58.7	71.7	73.2	64.4	74.0	61.0	45.3
	100.0	10.0	34.4A	52.5	39.4H	6.9	63.3GH	9.7	52.1	38.2	42.5	74.1L	12.0	61.0L	56.8	44.4	18.1S	37.5R	24.7S	15.1
																	S			
Laundry tub	8	-	-	6	3	-	2	-	8	1	2	5	-	5	5	4	-	3	2	1
	1.9	-	-	2.7	1.9	-	0.9	-	3.2	0.6	1.2	1.6	-	1.9	2.4	2.5	-	2.3	1.9	1.2
	100.0	-	-	75.0	37.5	-	25.0	-	100.0	12.5	25.0	62.5	-	62.5	62.5	50.0	-	37.5	25.0	12.5
Tub	14	-	5	9	10	1	11	1	10	4	6	13	2	9	10	10	-	4	5	4
	3.3	-	3.6	4.1	6.5	3.0	4.7	2.1	4.0	2.5	3.5	4.1	2.6	3.3	4.9	6.4	-	3.1	4.8	4.7
	100.0	-	35.7	64.3	71.4	7.1	78.6	7.1	71.4	28.6	42.9	92.9	14.3	64.3	71.4	71.4	-	28.6	35.7	28.6
Sink	8	1	2	5	3	-	7	-	6	4	4	5	2	6	3	6	1	4	1	2
	1.9	1.9	1.4	2.3	1.9	-	3.0	-	2.4	2.5	2.3	1.6	2.6	2.2	1.5	3.8	1.4	3.1	1.0	2.3
	100.0	12.5	25.0	62.5	37.5	-	87.5	-	75.0	50.0	50.0	62.5	25.0	75.0	37.5	75.0	12.5	50.0	12.5	25.0

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 30
Q.19 What System Does Your Household Use For Graywater Storage And/Or Removal?

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SURFACE GRAY-WATER SYSTM	HAS A SUB-SURFC GRAY-WATER SYSTM	DISP. WATER DIR-ECTLY	WATER TABLE FRUIT GARDN	NON-VEGE-ING					
	2 OR LESS	3-9	10+	BATH/SHOWR	GARBG DIS-POSAL	KITCH SINK	DISH-WASHR	WASH-ING MACH.	CAR WASH-ING	CLEAN-ING HOUSE										
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	426	54*	138	222	154	33*	233	48*	247	159	173	316	76*	269	205	157	73*	131	105	86*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	12.7*	32.4	52.1	36.2	7.7*	54.7	11.3*	58.0	37.3	40.6	74.2	17.8*	63.1	48.1	36.9	17.1*	30.8	24.6	20.2*
Tank	12	2	4	5	8	-	9	1	8	5	4	12	5	1	6	4	2	4	2	4
	2.8	3.7	2.9	2.3	5.2	-	3.9	2.1	3.2	3.1	2.3	3.8	6.6	0.4	2.9	2.5	2.7	3.1	1.9	4.7
	100.0	16.7	33.3	41.7	66.7	-	75.0	8.3	66.7	41.7	33.3	100.0M	41.7M	8.3	50.0	33.3	16.7	33.3	16.7	33.3
Pitcher	4	1	-	3	3	-	3	2	2	3	2	4	-	4	2	3	-	1	2	1
	0.9	1.9	-	1.4	1.9	-	1.3	4.2	0.8	1.9	1.2	1.3	-	1.5	1.0	1.9	-	0.8	1.9	1.2
	100.0	25.0	-	75.0	75.0	-	75.0	50.0	50.0	75.0	50.0	100.0	-	100.0	50.0	75.0	-	25.0	50.0	25.0
Bottles/plastic bottles	4	1	-	2	2	1	3	-	1	1	2	4	1	2	4	3	-	4	-	-
	0.9	1.9	-	0.9	1.3	3.0	1.3	-	0.4	0.6	1.2	1.3	1.3	0.7	2.0	1.9	-	3.1	-	-
	100.0	25.0	-	50.0	50.0	25.0	75.0	-	25.0	25.0	50.0	100.0	25.0	50.0	100.0	75.0	-	100.0	-	-
Milk containers	6	1	1	4	4	-	4	1	1	3	3	4	-	6	3	4	2	3	1	-
	1.4	1.9	0.7	1.8	2.6	-	1.7	2.1	0.4	1.9	1.7	1.3	-	2.2	1.5	2.5	2.7	2.3	1.0	-
	100.0	16.7	16.7	66.7	66.7	-	66.7	16.7	16.7	50.0	50.0	66.7	-	100.0	50.0	66.7	33.3	50.0	16.7	-
Dishpan	20	-	4	15	2	2	19	-	7	8	8	17	-	15	10	10	6	5	5	3
	4.7	-	2.9	6.8	1.3	6.1	8.2	-	2.8	5.0	4.6	5.4	-	5.6	4.9	6.4	8.2	3.8	4.8	3.5
	100.0	-	20.0	75.0	10.0	10.0	95.0	0.0	35.0	40.0	40.0	85.0	-	75.0	50.0	50.0	30.0	25.0	25.0	15.0
55 gallon drum	10	1	6	3	5	-	5	3	7	4	2	7	2	4	7	2	1	2	4	3
	2.3	1.9	4.3	1.4	3.2	-	2.1	6.3	2.8	2.5	1.2	2.2	2.6	1.5	3.4	1.3	1.4	1.5	3.8	3.5
	100.0	10.0	60.0	30.0	50.0	-	50.0	30.0	70.0	40.0	20.0	70.0	20.0	40.0	70.0	20.0	10.0	20.0	40.0	30.0
5 gallon bucket/pail	21	3	6	12	10	1	13	5	9	9	7	16	4	13	11	9	2	11	6	2
	4.9	5.6	4.3	5.4	6.5	3.0	5.6	10.4	3.6	5.7	4.0	5.1	5.3	4.8	5.4	5.7	2.7	8.4	5.7	2.3
	100.0	14.3	28.6	57.1	47.6	4.8	61.9	23.8	42.9	42.9	33.3	76.2	19.0	61.9	52.4	42.9	9.5	52.4	28.6	9.5

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 30
Q.19 What System Does Your Household Use For Graywater Storage And/Or Removal?

											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
											HAS A HAS A			WATER						
	SOURCES OF GRAYWATER REUSE										SUR- FACE GRAY- WATER SYSTM	SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	VEGE- TABLE FRUIT GARDN	NON- WATER -ING					
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	GRAY- WATER DIR- ECTLY	TABLE FRUIT GARDN	NON- WATER -ING					
	TOTAL	2 OR LESS	3-9	10+	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	426	54*	138	222	154	33*	233	48*	247	159	173	316	76*	269	205	157	73*	131	105	86*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	12.7*	32.4	52.1	36.2	7.7*	54.7	11.3*	58.0	37.3	40.6	74.2	17.8*	63.1	48.1	36.9	17.1*	30.8	24.6	20.2*
Buckets/collect in buckets	107	9	38	57	37	10	64	8	56	39	51	78	7	71	66	50	17	45	28	9
	25.1	16.7	27.5	25.7	24.0	30.3	27.5	16.7	22.7	24.5	29.5	24.7	9.2	26.4	32.2	31.8	23.3	34.4	26.7	10.5
	100.0	8.4	35.5	53.3	34.6	9.3	59.8	7.5	52.3	36.4	47.7	72.9L	6.5	66.4L	61.7	46.7	15.9S	42.1S	26.2S	8.4
Gallon jugs/plastic gallon jugs	20	2	6	11	10	2	18	3	7	10	13	11	2	13	10	10	7	10	3	-
	4.7	3.7	4.3	5.0	6.5	6.1	7.7	6.3	2.8	6.3	7.5	3.5	2.6	4.8	4.9	6.4	9.6	7.6	2.9	-
	100.0	10.0	30.0	55.0	50.0	10.0	90.0H	15.0	35.0	50.0	65.0H	55.0	10.0	65.0	50.0	50.0	35.0S	50.0S	15.0	-
Barrels	14	1	7	5	3	-	6	1	8	2	4	13	1	8	8	2	2	6	2	2
	3.3	1.9	5.1	2.3	1.9	-	2.6	2.1	3.2	1.3	2.3	4.1	1.3	3.0	3.9	1.3	2.7	4.6	1.9	2.3
	100.0	7.1	50.0	35.7	21.4	-	42.9	7.1	57.1	14.3	28.6	92.9	7.1	57.1	57.1	14.3	14.3	42.9	14.3	14.3
Container	8	-	2	5	4	1	4	-	5	3	2	6	-	5	4	5	3	2	3	-
	1.9	-	1.4	2.3	2.6	3.0	1.7	-	2.0	1.9	1.2	1.9	-	1.9	2.0	3.2	4.1	1.5	2.9	-
	100.0	-	25.0	62.5	50.0	12.5	50.0	-	62.5	37.5	25.0	75.0	-	62.5	50.0	62.5	37.5	25.0	37.5	-
Watering can	13	1	6	5	3	1	7	-	6	3	4	10	1	10	6	5	2	6	3	1
	3.1	1.9	4.3	2.3	1.9	3.0	3.0	-	2.4	1.9	2.3	3.2	1.3	3.7	2.9	3.2	2.7	4.6	2.9	1.2
	100.0	7.7	46.2	38.5	23.1	7.7	53.8	-	46.2	23.1	30.8	76.9	7.7	76.9	46.2	38.5	15.4	46.2	23.1	7.7
Garbage/trash cans	12	3	2	7	6	1	9	-	10	5	4	10	-	4	8	7	1	4	4	3
	2.8	5.6	1.4	3.2	3.9	3.0	3.9	-	4.0	3.1	2.3	3.2	-	1.5	3.9	4.5	1.4	3.1	3.8	3.5
	100.0	25.0	16.7	58.3	50.0	8.3	75.0	-	83.3	41.7	33.3	83.3	-	33.3	66.7	58.3	8.3	33.3	33.3	25.0
Septic tank	5	1	2	2	2	-	1	2	2	2	3	1	4	4	2	1	1	-	2	1
	1.2	1.9	1.4	0.9	1.3	-	0.4	4.2	0.8	1.3	1.7	0.3	5.3	1.5	1.0	0.6	1.4	-	1.9	1.2
	100.0	20.0	40.0	40.0	40.0	-	20.0	40.0F	40.0	40.0	60.0	20.0	80.0K	80.0	40.0	20.0	20.0	-	40.0	20.0

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 30
Q.19 What System Does Your Household Use For Graywater Storage And/Or Removal?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE								GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL			BATH/ SHOWR	GARBG		DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	SUB- SURFC GRAY- WATER SYSTM	DISP- GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING					
		2 OR LESS	3-9		10+	DIS- POSAL										KITCH SINK	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
		(A)	(B)		(C)	(D)										(E)	(F)	(G)	(H)	(I)
Base: Total Answering	426	54*	138	222	154	33*	233	48*	247	159	173	316	76*	269	205	157	73*	131	105	86*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	12.7*	32.4	52.1	36.2	7.7*	54.7	11.3*	58.0	37.3	40.6	74.2	17.8*	63.1	48.1	36.9	17.1*	30.8	24.6	20.2*
Pails	15	-	8	7	8	2	12	-	8	5	9	9	1	9	8	11	3	4	6	2
	3.5	-	5.8	3.2	5.2	6.1	5.2	-	3.2	3.1	5.2	2.8	1.3	3.3	3.9	7.0	4.1	3.1	5.7	2.3
	100.0	-	53.3	46.7	53.3	13.3	80.0	-	53.3	33.3	60.0	60.0	6.7	60.0	53.3	73.3	20.0	26.7	40.0	13.3
All other storage mentions	24	3	9	12	12	2	15	2	12	12	7	18	7	8	12	8	5	4	5	9
	5.6	5.6	6.5	5.4	7.8	6.1	6.4	4.2	4.9	7.5	4.0	5.7	9.2	3.0	5.9	5.1	6.8	3.1	4.8	10.5
	100.0	12.5	37.5	50.0	50.0	8.3	62.5	8.3	50.0	50.0	29.2	75.0	29.2M	33.3	50.0	33.3	20.8	16.7	20.8	37.5Q
Removal (Net)	126	17	42	64	40	11	55	20	97	47	41	104	35	74	54	27	8	26	37	42
	29.6	31.5	30.4	28.8	26.0	33.3	23.6	41.7	39.3	29.6	23.7	32.9	46.1	27.5	26.3	17.2	11.0	19.8	35.2	48.8
	100.0	13.5	33.3	50.8	31.7	8.7	43.7	15.9D FJ	77.0D FIJ	37.3	32.5	82.5	27.8K M	58.7	42.9O	21.4	6.3	20.6	29.4P q	33.3PQ
Siphoning	7	-	2	5	2	1	2	-	3	1	4	4	1	3	3	4	2	3	2	-
	1.6	-	1.4	2.3	1.3	3.0	0.9	-	1.2	0.6	2.3	1.3	1.3	1.1	1.5	2.5	2.7	2.3	1.9	-
	100.0	-	28.6	71.4	28.6	14.3	28.6	-	42.9	14.3	57.1	57.1	14.3	42.9	42.9	57.1	28.6	42.9	28.6	-
PVC pipes	34	11	8	15	14	4	16	4	31	13	12	32	15	20	18	4	2	5	13	11
	8.0	20.4	5.8	6.8	9.1	12.1	6.9	8.3	12.6	8.2	6.9	10.1	19.7	7.4	8.8	2.5	2.7	3.8	12.4	12.8
	100.0	32.4B C	23.5	44.1	41.2	11.8	47.1	11.8	91.2F	38.2	35.3	94.1	44.1K M	58.8	52.9O	11.8	5.9	14.7	38.2P q	32.4PQ
Run/pump directly out to lawn/yard	29	2	11	16	9	3	17	6	24	11	10	26	5	19	10	5	-	2	10	14
	6.8	3.7	8.0	7.2	5.8	9.1	7.3	12.5	9.7	6.9	5.8	8.2	6.6	7.1	4.9	3.2	-	1.5	9.5	16.3
	100.0	6.9	37.9	55.2	31.0	10.3	58.6	20.7	82.8	37.9	34.5	89.7	17.2	65.5	34.5	17.2	-	6.9	34.5P q	48.3PQ

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 30
Q.19 What System Does Your Household Use For Graywater Storage And/Or Removal?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM		USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
												HAS A SUR- FACE	HAS A SUB- SURFC	DISP. GRAY- WATER	WATER TABLE FRUIT					
												GRAY- WATER SYSTEM	GRAY- WATER SYSTEM	DIR- ECTLY	VEGE- -ING					
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTEM	GRAY- WATER SYSTEM	DIR- ECTLY	VEGE- -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	426	54*	138	222	154	33*	233	48*	247	159	173	316	76*	269	205	157	73*	131	105	86*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	12.7*	32.4	52.1	36.2	7.7*	54.7	11.3*	58.0	37.3	40.6	74.2	17.8*	63.1	48.1	36.9	17.1*	30.8	24.6	20.2*
Hose connected to washing machine	25	2	7	14	2	-	6	1	22	9	5	23	3	19	7	3	-	.5	6	9
	5.9	3.7	5.1	6.3	1.3	-	2.6	2.1	8.9	5.7	2.9	7.3	3.9	7.1	3.4	1.9	-	3.8	5.7	10.5
	100.0	8.0	28.0	56.0	8.0	-	24.0	4.0	88.0D	36.0D	20.0	92.0	12.0	76.0	28.0	12.0	-	20.0	24.0P	36.0P
									FJ											
Manually/by hand	14	1	8	5	8	2	9	2	6	9	10	9	-	10	7	9	2	7	2	2
	3.3	1.9	5.8	2.3	5.2	6.1	3.9	4.2	2.4	5.7	5.8	2.8	-	3.7	3.4	5.7	2.7	5.3	1.9	2.3
	100.0	7.1	57.1	35.7	57.1	14.3	64.3	14.3	42.9	64.3	71.4	64.3	-	71.4	50.0	64.3	14.3	50.0	14.3	14.3
Sump pump	6	-	1	4	1	-	-	1	5	1	-	5	2	3	2	1	-	2	1	1
	1.4	-	0.7	1.8	0.6	-	-	2.1	2.0	0.6	-	1.6	2.6	1.1	1.0	0.6	-	1.5	1.0	1.2
	100.0	-	16.7	66.7	16.7	-	-	16.7F	83.3F	16.7	-	83.3	33.3	50.0	33.3	16.7	-	33.3	16.7	16.7
All other removal mentions	17	2	7	8	6	1	9	6	12	6	2	11	9	5	10	2	2	2	5	7
	4.0	3.7	5.1	3.6	3.9	3.0	3.9	12.5	4.9	3.8	1.2	3.5	11.8	1.9	4.9	1.3	2.7	1.5	4.8	8.1
	100.0	11.8	41.2	47.1	35.3	5.9	52.9	35.3D	70.6J	35.3	11.8	64.7	52.9K	29.4	58.8	11.8	11.8	11.8	29.4	41.2Q
								FHIJ					M							
No System (Net)	72	13	17	39	21	6	29	6	39	23	31	46	17	57	22	22	20	16	16	12
	16.9	24.1	12.3	17.6	13.6	18.2	12.4	12.5	15.8	14.5	17.9	14.6	22.4	21.2	10.7	14.0	27.4	12.2	15.2	14.0
	100.0	18.18	23.6	54.2	29.2	8.3	40.3	8.3	54.2	31.9	43.1	63.9	23.6	79.2K	30.6	30.6	27.8Q	22.2	22.2	16.7
																	RS			
Do not store/use immediately/ dump from current use	48	11	7	28	15	4	22	4	22	17	24	29	13	37	15	15	11	14	11	7
	11.3	20.4	5.1	12.6	9.7	12.1	9.4	8.3	8.9	10.7	13.9	9.2	17.1	13.8	7.3	9.6	15.1	10.7	10.5	8.1
	100.0	22.98	14.6	58.38	31.3	8.3	45.8	8.3	45.8	35.4	50.0	60.4	27.1K	77.1	31.3	31.3	22.9	29.2	22.9	14.6

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 30
Q.19 What System Does Your Household Use For Graywater Storage And/Or Removal?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE								GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
												HAS A SUR- FACE	HAS A SUB- SURFC	DISP. GRAY- WATER	WATER TABLE FRUIT	VEGE- GARDN				
				BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE		GRAY- WATER SYSTM	GRAY- WATER SYSTM	DIR- ECTLY						
	2 OR LESS	3-9	10+														<10 GALS.	10-49 GALS.	199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)		(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Answering	426	54*	138	222	154	33*	233	48*	247	159	173	316	76*	269	205	157	73*	131	105	86*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	12.7*	32.4	52.1	36.2	7.7*	54.7	11.3*	58.0	37.3	40.6	74.2	17.8*	63.1	48.1	36.9	17.1*	30.8	24.6	20.2*
None	23	2	10	10	5	2	7	2	17	6	7	17	4	19	7	6	8	2	5	5
	5.4	3.7	7.2	4.5	3.2	6.1	3.0	4.2	6.9	3.8	4.0	5.4	5.3	7.1	3.4	3.8	11.0	1.5	4.8	5.8
	100.0	8.7	43.5	43.5	21.7	8.7	30.4	8.7	73.9	26.1	30.4	73.9	17.4	82.6	30.4	26.1	34.8q	8.7	21.7	21.7
All other no system mentions	1	-	-	1	1	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
	0.2	-	-	0.5	0.6	-	-	-	-	-	-	-	-	0.4	-	0.6	1.4	-	-	-
	100.0	-	-	100.0	100.0	-	-	-	-	-	-	-	-	100.0	-	100.0	100.0	-	-	-
Don't know	2	1	1	-	2	-	1	-	2	2	1	1	1	-	1	1	-	-	1	1
	0.5	1.9	0.7	-	1.3	-	0.4	-	0.8	1.3	0.6	0.3	1.3	-	0.5	0.6	-	-	1.0	1.2
	100.0	50.0c	50.0	-	100.0	-	50.0	-	100.0	100.0	50.0	50.0	50.0	-	50.0	50.0	-	-	50.0	50.0
Sigma	531	62	170	281	200	41	301	55	317	198	212	400	92	333	265	205	83	164	140	104
	124.6	114.8	123.2	126.6	129.9	124.2	129.2	114.6	128.3	124.5	122.5	126.6	121.1	123.8	129.3	130.6	113.7	125.2	133.3	120.9
	100.0	11.7	32.0	52.9	37.7	7.7	56.7	10.4	59.7	37.3	39.9	75.3	17.3	62.7	49.9	38.6	15.6	30.9	26.4	19.6

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 31
Q.20 Does The Plumbing In Your Household Have Separate Wastewater Streams
For Graywater Versus Toilets, Or Not?

	SOURCES OF GRAYWATER REUSE											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SURFACE GRAY-WATER SYSTM	HAS A SUB-SURFC GRAY-WATER DIR-ECTLY	WATER TABLE FRUIT GARDN	NON-VEGE-WATER -ING						
	2 OR LESS	3-9	10+	BATH/SHOWR	DIS-POSAL	KITCH SINK	DISH-WASHR	WASH-ING MACH.	CAR WASH-ING	CLEAN-ING HOUSE	GRAY-WATER SYSTM	GRAY-WATER SYSTM	GRAY-WATER DIR-ECTLY	WATER TABLE FRUIT GARDN	NON-VEGE-WATER -ING	<10 GALS.	10-49 GALS.	50-199 GALS.	200+ GALS.	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
No answer	19	5	5	9	7	4	11	-	10	9	7	8	2	6	6	9	3	11	2	-
	3.9	6.4	3.2	3.7	4.0	10.3	4.3	-	3.6	4.9	3.6	2.3	2.3	1.9	2.7	4.8	3.5	7.3	1.7	-
	100.0	26.3	26.3	47.4	36.8	21.1G	57.9	-	52.6	47.4	36.8	42.1	10.5	31.6	31.6	47.4	15.8	57.9R	10.5	-
																	S			
Base: Total Answering	472	73*	150	235	166	35*	244	56*	265	174	186	339	86*	304	217	179	83*	139	114	90*
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	15.5*	31.8	49.8	35.2	7.4*	51.7	11.9*	56.1	36.9	39.4	71.8	18.2*	64.4	46.0	37.9	17.6*	29.4	24.2	19.1*
Yes	141	21	42	74	58	11	69	24	105	41	36	121	56	73	61	29	8	25	40	52
	29.9	28.8	28.0	31.5	34.9	31.4	28.3	42.9	39.6	23.6	19.4	35.7	65.1	24.0	28.1	16.2	9.6	18.0	35.1	57.8
	100.0	14.9	29.8	52.5	41.1IJ	7.8	48.9J	17.0F	74.5F	29.1	25.5	85.8M	39.7K	51.8	43.3O	20.6	5.7	17.7	28.4P	36.9PQR
								IJ	IJ				M					Q		
No	331	52	108	161	108	24	175	32	160	133	150	218	30	231	156	150	75	114	74	38
	70.1	71.2	72.0	68.5	65.1	68.6	71.7	57.1	60.4	76.4	80.6	64.3	34.9	76.0	71.9	83.8	90.4	82.0	64.9	42.2
	100.0	15.7	32.6	48.6	32.6	7.3	52.9GH	9.7	48.3	40.2D	45.3D	65.9L	9.1	69.8K	47.1	45.3N	22.7R	34.4R	22.4S	11.5
										GH	FGH			L			S	S		
Sigma	472	73	150	235	166	35	244	56	265	174	186	339	86	304	217	179	83	139	114	90
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	15.5	31.8	49.8	35.2	7.4	51.7	11.9	56.1	36.9	39.4	71.8	18.2	64.4	46.0	37.9	17.6	29.4	24.2	19.1

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 32
Q.21 For Outside Use Of Graywater, Is The Graywater Distribution System
Above Ground, Under Ground Or Both?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER											SOURCES OF GRAYWATER REUSE					GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL											HAS A FACE GRAY- WATER SYSTM	HAS A SUB- GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING									
		2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE														
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)					
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*					
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0					
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*					
No answer	112	24	30	56	40	7	57	11	38	42	50	-	-	69	46	51	30	42	19	6					
	22.8	30.8	19.4	23.0	23.1	17.9	22.4	19.6	13.8	23.0	25.9	-	-	22.3	20.6	27.1	34.9	28.0	16.4	6.7					
	100.0	21.4	26.8	50.0	35.7H	6.3	50.9H	9.8	33.9	37.5H	44.6H	-	-	61.6K	41.1	45.5	26.8R	37.5R	17.0S	5.4					
														L			S	S							
Base: Total Answering	379	54*	125	188	133	32*	198	45*	237	141	143	347	88*	241	177	137	56*	108	97*	84*					
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0					
	100.0	14.2*	33.0	49.6	35.1	8.4*	52.2	11.9*	62.5	37.2	37.7	91.6	23.2*	63.6	46.7	36.1	14.8*	28.5	25.6*	22.2*					
Above ground	291	38	96	146	92	25	158	31	180	111	115	291	-	201	137	116	46	90	75	54					
	76.8	70.4	76.8	77.7	69.2	78.1	79.8	68.9	75.9	78.7	80.4	83.9	-	83.4	77.4	84.7	82.1	83.3	77.3	64.3					
	100.0	13.1	33.0	50.2	31.6	8.6	54.3D	10.7	61.9	38.1	39.5	100.0L	-	69.1L	47.1	39.9	15.8S	30.9S	25.8	18.6					
Under ground	32	8	8	16	15	1	14	7	19	12	11	-	32	16	14	8	6	4	6	11					
	8.4	14.8	6.4	8.5	11.3	3.1	7.1	15.6	8.0	8.5	7.7	-	36.4	6.6	7.9	5.8	10.7	3.7	6.2	13.1					
	100.0	25.0	25.0	50.0	46.9	3.1	43.8	21.9	59.4	37.5	34.4	-	100.0K	50.0K	43.8	25.0	18.8	12.5	18.8	34.4Q					
													M												
Both	56	8	21	26	26	6	26	7	38	18	17	56	56	24	26	13	4	14	16	19					
	14.8	14.8	16.8	13.8	19.5	18.8	13.1	15.6	16.0	12.8	11.9	16.1	63.6	10.0	14.7	9.5	7.1	13.0	16.5	22.6					
	100.0	14.3	37.5	46.4	46.4	10.7	46.4	12.5	67.9	32.1	30.4	100.0	100.0K	42.9	46.4	23.2	7.1	25.0	28.6	33.9P					
												M	M												
Sigma	379	54	125	188	133	32	198	45	237	141	143	347	88	241	177	137	56	108	97	84					
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0					
	100.0	14.2	33.0	49.6	35.1	8.4	52.2	11.9	62.5	37.2	37.7	91.6	23.2	63.6	46.7	36.1	14.8	28.5	25.6	22.2					

Proportions/Means: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 33
Q.22 Which Of The Following Features, If Any, Does Your Household's
Graywater Handling/Treatment System Have?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										SOURCES OF GRAYWATER REUSE					GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL				BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	VEGE- TABLE DIR- ING								
		2 OR LESS	3-9	10+													<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.				
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)						
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*				
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*				
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*				
No answer	48	13	11	20	18	7	25	2	17	19	20	10	3	-	19	22	8	18	12	2				
	9.8	16.7	7.1	8.2	10.4	17.9	9.8	3.6	6.2	10.4	10.4	2.9	3.4	-	8.5	11.7	9.3	12.0	10.3	2.2				
	100.0	27.1B	22.9	41.7	37.5	14.6G	52.1	4.2	35.4	39.6	41.7	20.8M	6.3M	-	39.6	45.8	16.7S	37.5S	25.0S	4.2				
		C				H																		
Base: Total Answering	443	65*	144	224	155	32*	230	54*	258	164	173	337	85*	310	204	166	78*	132	104	88*				
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*				
	100.0	14.7*	32.5	50.6	35.0	7.2*	51.9	12.2*	58.2	37.0	39.1	76.1	19.2*	70.0	46.0	37.5	17.6*	29.8	23.5	19.9*				
Any Features (Net)	234	30	80	116	84	19	106	34	179	89	83	203	62	101	107	73	17	58	70	66				
	52.8	46.2	55.6	51.8	54.2	59.4	46.1	63.0	69.4	54.3	48.0	60.2	72.9	32.6	52.5	44.0	21.8	43.9	67.3	75.0				
	100.0	12.8	34.2	49.6	35.9	8.1	45.3	14.5F	76.5D	38.0	35.5	86.8M	26.5K	43.2	45.7	31.2	7.3	24.8P	29.9P	28.2PQ				
									FIJ				M					Q						
Aeration	11	2	2	6	4	2	6	1	6	5	4	9	5	-	5	4	-	2	2	7				
	2.5	3.1	1.4	2.7	2.6	6.3	2.6	1.9	2.3	3.0	2.3	2.7	5.9	-	2.5	2.4	-	1.5	1.9	8.0				
	100.0	18.2	18.2	54.5	36.4	18.2	54.5	9.1	54.5	45.5	36.4	81.8M	45.5M	-	45.5	36.4	-	18.2	18.2	63.6PQ				
Cistern (underground tank for storing water)	8	2	2	4	6	-	2	2	7	2	3	3	7	-	6	2	-	-	2	3				
	1.8	3.1	1.4	1.8	3.9	-	0.9	3.7	2.7	1.2	1.7	0.9	8.2	-	2.9	1.2	-	-	1.9	3.4				
	100.0	25.0	25.0	50.0	75.0F	-	25.0	25.0	87.5	25.0	37.5	37.5	87.5KM	-	75.0	25.0	-	-	25.0	37.5Q				
Coagulation (helps clump together particles in the graywater)	1	-	-	1	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	1				
	0.2	-	-	0.4	-	-	-	-	0.4	-	-	0.3	-	-	0.5	-	-	-	-	1.1				
	100.0	-	-	100.0	-	-	-	-	100.0	-	-	100.0	-	-	100.0	-	-	-	-	100.0				

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 33
Q.22 Which Of The Following Features, If Any, Does Your Household's
Graywater Handling/Treatment System Have?

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			GARBG							HAS A	HAS A	DISP.	WATER	VEGE-					
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWER	DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	WATER DIR- ECTLY	TABLE FRUIT GARDN	NON- WATER -ING				
																	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	443	65*	144	224	155	32*	230	54*	258	164	173	337	85*	310	204	166	78*	132	104	88*
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	14.7*	32.5	50.6	35.0	7.2*	51.9	12.2*	58.2	37.0	39.1	76.1	19.2*	70.0	46.0	37.5	17.6*	29.8	23.5	19.9*
Collection tank	39	4	18	16	21	4	23	6	26	11	15	33	17	-	23	16	3	12	11	11
	8.8	6.2	12.5	7.1	13.5	12.5	10.0	11.1	10.1	6.7	8.7	9.8	20.0	-	11.3	9.6	3.8	9.1	10.6	12.5
	100.0	10.3	46.2	41.0	53.8	10.3	59.0	15.4	66.7	28.2	38.5	84.6	43.6	-	59.0	41.0	7.7	30.8	28.2	28.2
Disinfection	7	1	4	2	3	-	4	2	4	4	4	6	3	-	5	4	-	2	3	1
	1.6	1.5	2.8	0.9	1.9	-	1.7	3.7	1.6	2.4	2.3	1.8	3.5	-	2.5	2.4	-	1.5	2.9	1.1
	100.0	14.3	57.1	28.6	42.9	-	57.1	28.6	57.1	57.1	57.1	85.7	42.9	-	71.4	57.1	-	28.6	42.9	14.3
Filtration	21	4	7	9	12	2	13	3	13	8	9	15	12	-	10	9	1	8	3	7
	4.7	6.2	4.9	4.0	7.7	6.3	5.7	5.6	5.0	4.9	5.2	4.5	14.1	-	4.9	5.4	1.3	6.1	2.9	8.0
	100.0	19.0	33.3	42.9	57.1	9.5	61.9	14.3	61.9	38.1	42.9	71.4	57.1	-	47.6	42.9	4.8	38.1	14.3	33.3
Hose connected to source of graywater (i.e. washing machine)	153	17	51	79	43	9	59	22	130	57	48	135	35	101	68	36	6	34	47	48
	34.5	26.2	35.4	35.3	27.7	28.1	25.7	40.7	50.4	34.8	27.7	40.1	41.2	32.6	33.3	21.7	7.7	25.8	45.2	54.5
	100.0	11.1	33.3	51.6	28.1	5.9	38.6	14.4	85.0	37.3	31.4	88.2	22.9	66.0	44.4	23.5	3.9	22.2	30.7	31.4
									EFIJ									Q		
Recirculating pump	8	2	2	3	4	-	2	-	8	3	3	6	5	-	7	3	-	2	3	3
	1.8	3.1	1.4	1.3	2.6	-	0.9	-	3.1	1.8	1.7	1.8	5.9	-	3.4	1.8	-	1.5	2.9	3.4
	100.0	25.0	25.0	37.5	50.0	-	25.0	-	100.0	37.5	37.5	75.0	62.5	-	87.5	37.5	-	25.0	37.5	37.5
Separate plumbing	43	6	13	22	23	7	24	9	34	17	14	37	26	-	19	9	1	8	9	22
	9.7	9.2	9.0	9.8	14.8	21.9	10.4	16.7	13.2	10.4	8.1	11.0	30.6	-	9.3	5.4	1.3	6.1	8.7	25.0
	100.0	14.0	30.2	51.2	53.5	16.3	55.8	20.9	79.1	39.5	32.6	86.0	60.5	-	44.2	20.9	2.3	18.6	20.9	51.2

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 33
Q.22 Which Of The Following Features, If Any, Does Your Household's
Graywater Handling/Treatment System Have?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED							
	TOTAL				BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER VEGE- TABLE FRUIT GARDN	NON- WATER -ING								
		2 OR LESS	3-9	10+																				
		(A)	(B)	(C)													(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)
Base: Total Answering	443	65*	144	224	155	32*	230	54*	258	164	173	337	85*	310	204	166	78*	132	104	88*				
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0				
	100.0	14.7*	32.5	50.6	35.0	7.2*	51.9	12.2*	58.2	37.0	39.1	76.1	19.2*	70.0	46.0	37.5	17.6*	29.8	23.5	19.9*				
Storage/holding tank	41	5	18	16	23	7	26	5	28	17	16	35	15	-	25	14	4	13	12	10				
	9.3	7.7	12.5	7.1	14.8	21.9	11.3	9.3	10.9	10.4	9.2	10.4	17.6	-	12.3	8.4	5.1	9.8	11.5	11.4				
	100.0	12.2	43.9	39.0	56.1	17.1J	63.4	12.2	68.3	41.5	39.0	85.4M	36.6M	-	61.0	34.1	9.8	31.7	29.3	24.4				
Buckets	8	-	2	6	3	1	4	1	6	2	3	6	-	-	7	4	1	2	2	3				
	1.8	-	1.4	2.7	1.9	3.1	1.7	1.9	2.3	1.2	1.7	1.8	-	-	3.4	2.4	1.3	1.5	1.9	3.4				
	100.0	-	25.0	75.0	37.5	12.5	50.0	12.5	75.0	25.0	37.5	75.0M	-	-	87.5	50.0	12.5	25.0	25.0	37.5				
Pipe/PVC pipe	2	-	1	1	2	-	1	1	1	1	-	2	2	-	1	-	1	1	-	-				
	0.5	-	0.7	0.4	1.3	-	0.4	1.9	0.4	0.6	-	0.6	2.4	-	0.5	-	1.3	0.8	-	-				
	100.0	-	50.0	50.0	100.0	-	50.0	50.0	50.0	50.0	-	100.0	100.0M	-	50.0	-	50.0	50.0	-	-				
Other	13	-	3	10	7	2	4	-	7	5	8	12	1	-	9	9	2	2	7	2				
	2.9	-	2.1	4.5	4.5	6.3	1.7	-	2.7	3.0	4.6	3.6	1.2	-	4.4	5.4	2.6	1.5	6.7	2.3				
	100.0	-	23.1	76.9	53.8	15.4	30.8	-	53.8	38.5	61.5	92.3M	7.7	-	69.2	69.2	15.4	15.4	53.8Q	15.4				
Hose Only	101	12	36	49	19	2	31	15	88	37	29	91	17	101	34	21	5	27	29	25				
	22.8	18.5	25.0	21.9	12.3	6.3	13.5	27.8	34.1	22.6	16.8	27.0	20.0	32.6	16.7	12.7	6.4	20.5	27.9	28.4				
	100.0	11.9	35.6	48.5	18.8	2.0	30.7	14.9D	87.1D	36.6D	28.7	90.1	16.8	100.0L	33.7	20.8	5.0	26.7P	28.7P	24.8P				
								EF	EFIJ	EF														
Complex (Net)	133	18	44	67	65	17	75	19	91	52	54	112	45	-	73	52	12	31	41	41				
	30.0	27.7	30.6	29.9	41.9	53.1	32.6	35.2	35.3	31.7	31.2	33.2	52.9	-	35.8	31.3	15.4	23.5	39.4	46.6				
	100.0	13.5	33.1	50.4	48.9J	12.8F	56.4	14.3	68.4	39.1	40.6	84.2M	33.8KM	-	54.9	39.1	9.0	23.3	30.8P	30.8PQ				
						IJ														Q				

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 33
Q.22 Which Of The Following Features, If Any, Does Your Household's
Graywater Handling/Treatment System Have?

TOTAL	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	2 OR LESS	3-9	10+	GARBG			WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- VEGE- -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.	
				BATH/ SHOWR	DIS- POSAL	KITCH SINK													
				(D)	(E)	(F)													
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
443	65*	144	224	155	32*	230	54*	258	164	173	337	85*	310	204	166	78*	132	104	88*
100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
100.0	14.7*	32.5	50.6	35.0	7.2*	51.9	12.2*	58.2	37.0	39.1	76.1	19.2*	70.0	46.0	37.5	17.6*	29.8	23.5	19.9*
209	35	64	108	71	13	124	20	79	75	90	134	23	209	97	93	61	74	34	22
47.2	53.8	44.4	48.2	45.8	40.6	53.9	37.0	30.6	45.7	52.0	39.8	27.1	67.4	47.5	56.0	78.2	56.1	32.7	25.0
100.0	16.7	30.6	51.7	34.0H	6.2	59.3GH	9.6	37.8	35.9H	43.1H	64.1L	11.0	100.0K L	46.4	44.5	29.2Q RS	35.4R S	16.3	10.5
564	78	187	283	222	47	292	72	350	207	217	434	151	310	283	203	80	160	135	140
127.3	120.0	129.9	126.3	143.2	146.9	127.0	133.3	135.7	126.2	125.4	128.8	177.6	100.0	138.7	122.3	102.6	121.2	129.8	159.1
100.0	13.8	33.2	50.2	39.4	8.3	51.8	12.8	62.1	36.7	38.5	77.0	26.8	55.0	50.2	36.0	14.2	28.4	23.9	24.8

Proportions/Means: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 34
Q.23 How Many Gallons Does The Graywater Treatment System In Your Household Store?

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- -ING					
	2 OR LESS	3-9	10+	BATH/ SHOWER	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE										
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Specified Features Of Graywater Handling/Treatment System	234	30*	80*	116	84*	19**	106	34*	179	89*	83*	203	62*	101	107	73*	17**	58*	70*	66*
	100.0	100.0*	100.0*	100.0	100.0*	100.0**	100	100.0*	100.0	100.0*	100.0*	100.0	100.0*	100.0	100.0	100.0*	100.0**	100*	100.0*	100.0*
	100.0	12.8*	34.2*	49.6	35.9*	8.1**	45.3	14.5*	76.5	38.0*	35.5*	86.8	26.5*	43.2	45.7	31.2*	7.3**	24.8*	29.9*	28.2*
No answer	102	12	31	54	28	10	40	16	83	45	37	85	27	56	42	28	7	19	28	31
	43.6	40.0	38.8	46.6	33.3	52.6	37.7	47.1	46.4	50.6	44.6	41.9	43.5	55.4	39.3	38.4	41.2	32.8	40.0	47.0
	100.0	11.8	30.4	52.9	27.5	9.8	39.2	15.7	81.40	44.10	36.3	83.3	26.5	54.9K	41.2	27.5	6.9	18.6	27.5	30.4
Base: Total Answering	132	18**	49*	62*	56*	9**	66*	18**	96*	44*	46*	118	35*	45*	65*	45*	10**	39*	42*	35*
	100.0	100.0**	100*100.0*	100.0*	100.0*	100.0**	100*100.0**	100*100.0**	100*100.0*	100.0*	100.0*	100.0	100.0*	100.0*	100.0*	100.0*	100.0**	100*100.0*	100.0*	100.0*
	100.0	13.6**	37.1*	47.0*	42.4*	6.8**	50.0*	13.6**	72.7*	33.3*	34.8*	89.4	26.5*	34.1*	49.2*	34.1*	7.6**	29.5*	31.8*	26.5*
0	40	6	13	20	12	2	19	9	34	12	12	35	12	22	14	8	2	5	14	15
	30.3	33.3	26.5	32.3	21.4	22.2	28.8	50.0	35.4	27.3	26.1	29.7	34.3	48.9	21.5	17.8	20.0	12.8	33.3	42.9
	100.0	15.0	32.5	50.0	30.0	5.0	47.5	22.5	85.0	30.0	30.0	87.5	30.0	55.0K	35.0	20.0	5.0	12.5	35.0Q	37.5Q
1 - 9	17	3	3	11	7	3	8	2	10	10	9	15	1	3	8	10	4	8	3	2
	12.9	16.7	6.1	17.7	12.5	33.3	12.1	11.1	10.4	22.7	19.6	12.7	2.9	6.7	12.3	22.2	40.0	20.5	7.1	5.7
	100.0	17.6	17.6	64.7	41.2	17.6	47.1	11.8	58.8	58.8	52.9	88.2	5.9	17.6	47.1	58.8	23.5	47.1	17.6	11.8
10 - 29	22	2	9	11	9	2	10	2	16	4	9	19	6	12	11	10	4	8	7	2
	16.7	11.1	18.4	17.7	16.1	22.2	15.2	11.1	16.7	9.1	19.6	16.1	17.1	26.7	16.9	22.2	40.0	20.5	16.7	5.7
	100.0	9.1	40.9	50.0	40.9	9.1	45.5	9.1	72.7	18.2	40.9	86.4	27.3	54.5	50.0	45.5	18.2	36.4	31.8	9.1
30 - 49	18	4	9	4	8	-	10	2	10	6	6	17	3	3	8	8	-	10	4	4
	13.6	22.2	18.4	6.5	14.3	-	15.2	11.1	10.4	13.6	13.0	14.4	8.6	6.7	12.3	17.8	-	25.6	9.5	11.4
	100.0	22.2	50.0	22.2	44.4	-	55.6	11.1	55.6	33.3	33.3	94.4	16.7	16.7	44.4	44.4	-	55.6	22.2	22.2
50 or more	35	3	15	16	20	2	19	3	26	12	10	32	13	5	24	9	-	8	14	12
	26.5	16.7	30.6	25.8	35.7	22.2	28.8	16.7	27.1	27.3	21.7	27.1	37.1	11.1	36.9	20.0	-	20.5	33.3	34.3
	100.0	8.6	42.9	45.7	57.1	5.7	54.3	8.6	74.3	34.3	28.6	91.4M	37.1M	14.3	68.6	25.7	-	22.9	40.0	34.3

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 34
Q.23 How Many Gallons Does The Graywater Treatment System In Your Household Store?

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER			VOLUME OF GRAYWATER REUSED			
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SURFACE GRAY-WATER SYSTM	HAS A SUB-SURFC GRAY-WATER SYSTM	DISP. GRAY-WATER DIR-ECTLY	WATER TABLE FRUIT GARDN	NON-WATER -ING					
	2 OR LESS	3-9	10+	BATH/SHOVR	DIS-POSAL	KITCH SINK	DISH-WASHR	ING MACH.	CAR WASH-ING	CLEAN -ING HOUSE										
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
	TOTAL																			
Base: Total Answering	132	18**	49*	62*	56*	9**	66*	18**	96*	44*	46*	118	35*	45*	65*	45*	10**	39*	42*	35*
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0*	100.0*	100.0	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0*	100.0*
	100.0	13.6**	37.1*	47.0*	42.4*	6.8**	50.0*	13.6**	72.7*	33.3*	34.8*	89.4	26.5*	34.1*	49.2*	34.1*	7.6**	29.5*	31.8*	26.5*
Sigma	132	18	49	62	56	9	66	18	96	44	46	118	35	45	65	45	10	39	42	35
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	13.6	37.1	47.0	42.4	6.8	50.0	13.6	72.7	33.3	34.8	89.4	26.5	34.1	49.2	34.1	7.6	29.5	31.8	26.5
Mean Base (Including Zero)	132	18	49	62	56	9	66	18	96	44	46	118	35	45	65	45	10	39	42	35
Mean (Including Zero)	160.6	24.7	181.3	189.3	185.5	21.8	107.2	179.6	186.0	28.8	28.1	134.2	232.4	218.0	150.0	200.5	7.3	26.0	203.7	328.1
Std. Deviation	801.5	32.7	996.6	768.4	768.0	35.0	613.2	704.3	918.0	46.0	43.0	718.5	894.7	1077.0	660.2	856.4	7.3	24.4	1075.7	1008.2
Std. Error	69.8	7.7	142.4	97.6	102.6	11.7	75.5	166.0	93.7	6.9	6.3	66.1	151.2	160.5	81.9	127.7	2.3	3.9	166.0	170.4
Mean Base (Excluding Zero)	92	12	36	42	44	7	47	9	62	32	34	83M	23	23	51	37	8	34RS	28	20
Mean (Excluding Zero)	230.4	37.1	246.7	279.5	236.1	28.0	150.5	359.1	288.1	39.5	38.0	190.8	353.7	426.6	191.2	243.8	9.1	29.8	305.5	574.3
Std. Deviation	953.2	33.9	1160.0	923.4	861.5	37.8	724.3	990.7	1132.5	50.0	46.1	851.9	1091.9	1492.2	741.5	941.1	7.0	23.9	1313.3	1292.4
Std. Error	99.4	9.8	193.3	142.5	129.9	14.3	105.6	330.2	143.8	8.8	7.9	93.5	227.7	311.2	103.8	154.7	2.5	4.1	248.2	289.0

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 35
Q.24 How Long Is Graywater Stored In Your Household's Graywater Treatment
System Before It Is Reused?

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			GARBG			WASH-ING	CAR WASH-ING	CLEAN-ING	HAS A FACE GRAY- WATER SYSTM	HAS A SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING						
	2 OR LESS	3-9	10+	BATH/ SHWR	DIS- POSAL	KITCH SINK	DISH- WASHR	MACH.												
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Specified Features Of Graywater Handling/Treatment System	234	30*	80*	116	84*	19**	106	34*	179	89*	83*	203	62*	101	107	73*	17**	58*	70*	66*
	100.0	100.0	100.0	100.0	100.0	100.0**	100	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	12.8*	34.2*	49.6	35.9*	8.1**	45.3	14.5*	76.5	38.0*	35.5*	86.8	26.5*	43.2	45.7	31.2*	7.3**	24.8*	29.9*	28.2*
No answer	24	3	8	12	6	2	11	4	17	8	11	20	7	13	12	6	5	6	6	6
	10.3	10.0	10.0	10.3	7.1	10.5	10.4	11.8	9.5	9.0	13.3	9.9	11.3	12.9	11.2	8.2	29.4	10.3	8.6	9.1
	100.0	12.5	33.3	50.0	25.0	8.3	45.8	16.7	70.8	33.3	45.8	83.3	29.2	54.2	50.0	25.0	20.8	25.0	25.0	25.0
Base: Total Answering	210	27**	72*	104	78*	17**	95*	30*	162	81*	72*	183	55*	88*	95*	67*	12**	52*	64*	60*
	100.0	100.0**	100*	100.0	100.0	100.0**	100*	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	12.9**	34.3*	49.5	37.1*	8.1**	45.2*	14.3*	77.1	38.6*	34.3*	87.1	26.2*	41.9*	45.2*	31.9*	5.7**	24.8*	30.5*	28.6*
One Week Or Less (Net)	59	7	20	32	26	5	34	6	40	23	20	54	16	10	33	27	4	25	15	13
	28.1	25.9	27.8	30.8	33.3	29.4	35.8	20.0	24.7	28.4	27.8	29.5	29.1	11.4	34.7	40.3	33.3	48.1	23.4	21.7
	100.0	11.9	33.9	54.2	44.1	8.5	57.6	10.2	67.8	39.0	33.9	91.5M	27.1M	16.9	55.9	45.8	6.8	42.4R	25.4	22.0
																	S			
Less than one week	50	5	18	27	25	4	29	4	33	17	17	46	14	9	28	22	3	21	11	13
	23.8	18.5	25.0	26.0	32.1	23.5	30.5	13.3	20.4	21.0	23.6	25.1	25.5	10.2	29.5	32.8	25.0	40.4	17.2	21.7
	100.0	10.0	36.0	54.0	50.0H	8.0	58.0	8.0	66.0	34.0	34.0	92.0M	28.0M	18.0	56.0	44.0	6.0	42.0R	22.0	26.0
																	S			
One week	9	2	2	5	1	1	5	2	7	6	3	8	2	1	5	5	1	4	4	-
	4.3	7.4	2.8	4.8	1.3	5.9	5.3	6.7	4.3	7.4	4.2	4.4	3.6	1.1	5.3	7.5	8.3	7.7	6.3	-
	100.0	22.2	22.2	55.6	11.1	11.1	55.6	22.2	77.8	66.7	33.3	88.9	22.2	11.1	55.6	55.6	11.1	44.4S	44.4	-
Two Weeks Or Longer (Net)	11	-	5	5	7	-	8	3	7	4	5	10	3	-	7	4	2	4	4	1
	5.2	-	6.9	4.8	9.0	-	8.4	10.0	4.3	4.9	6.9	5.5	5.5	-	7.4	6.0	16.7	7.7	6.3	1.7
	100.0	-	45.5	45.5	63.6	-	72.7	27.3	63.6	36.4	45.5	90.9M	27.3M	-	63.6	36.4	18.2	36.4	36.4	9.1

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 35
Q.24 How Long Is Graywater Stored In Your Household's Graywater Treatment
System Before It Is Reused?

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			GARBG			WASH- CAR		CLEAN GRAY- GRAY- WATER	HAS A SUR- FACE WATER	HAS A SUB- SURFC WATER	DISP. DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING	OF GRAYWATER REUSED					
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHWR	DIS- POSAL	KITCH SINK	DISH- WASHR							ING MACH.	WASH- ING				
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	210	27**	72*	104	78*	17**	95*	30*	162	81*	72*	183	55*	88*	95*	67*	12**	52*	64*	60*
	100.0	100.0**	100*	100.0	100.0*	100.0**	100*	100.0*	100.0	100.0*	100.0*	100.0	100.0*	100.0*	100.0*	100.0*	100.0**	100*	100.0*	100.0*
	100.0	12.9**	34.3*	49.5	37.1*	8.1**	45.2*	14.3*	77.1	38.6*	34.3*	87.1	26.2*	41.9*	45.2*	31.9*	5.7**	24.8*	30.5*	28.6*
Two weeks	4	-	1	3	4	-	3	3	3	2	2	4	1	-	2	2	-	1	2	1
	1.9	-	1.4	2.9	5.1	-	3.2	10.0	1.9	2.5	2.8	2.2	1.8	-	2.1	3.0	-	1.9	3.1	1.7
	100.0	-	25.0	75.0	100.0	-	75.0	75.0H	75.0	50.0	50.0	100.0	25.0	-	50.0	50.0	-	25.0	50.0	25.0
Three weeks	2	-	1	1	-	-	1	-	2	-	1	1	-	-	1	-	-	-	2	-
	1.0	-	1.4	1.0	-	-	1.1	-	1.2	-	1.4	0.5	-	-	1.1	-	-	-	3.1	-
	100.0	-	50.0	50.0	-	-	50.0	-	100.0	-	50.0	50.0	-	-	50.0	-	-	-	100.0	-
A month or longer	5	-	3	1	3	-	4	-	2	2	2	5	2	-	4	2	2	3	-	-
	2.4	-	4.2	1.0	3.8	-	4.2	-	1.2	2.5	2.8	2.7	3.6	-	4.2	3.0	16.7	5.8	-	-
	100.0	-	60.0	20.0	60.0	-	80.0	-	40.0	40.0	40.0	100.0	40.0	-	80.0	40.0	40.0	60.0	-	-
Don't know how long it's stored	5	2	1	2	3	-	4	1	3	2	2	1	4	1	3	3	-	2	2	1
	2.4	7.4	1.4	1.9	3.8	-	4.2	3.3	1.9	2.5	2.8	0.5	7.3	1.1	3.2	4.5	-	3.8	3.1	1.7
	100.0	40.0	20.0	40.0	60.0	-	80.0	20.0	60.0	40.0	40.0	20.0	80.0K	20.0	60.0	60.0	-	40.0	40.0	20.0
Do not store graywater, it is used as soon as it is produced	135	18	46	65	42	12	49	20	112	52	45	118	32	77	52	33	6	21	43	45
	64.3	66.7	63.9	62.5	53.8	70.6	51.6	66.7	69.1	64.2	62.5	64.5	58.2	87.5	54.7	49.3	50.0	40.4	67.2	75.0
	100.0	13.3	34.1	48.1	31.1	8.9	36.3	14.8	83.0H	38.5	33.3	87.4	23.7	57.0K	38.5	24.4	4.4	15.6	31.9Q	33.3Q
									F					L						
Sigma	210	27	72	104	78	17	95	30	162	81	72	183	55	88	95	67	12	52	64	60
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	12.9	34.3	49.5	37.1	8.1	45.2	14.3	77.1	38.6	34.3	87.1	26.2	41.9	45.2	31.9	5.7	24.8	30.5	28.6

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 36
Q.25 Rating Of Complexity Of Graywater Reuse System

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SUR- FACE WATER SYSTM	HAS A SUB- GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING					
	2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	WATER DIR- ECTLY	TABLE FRUIT GARDN	NON- WATER -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
No answer	46	15	12	18	15	6	18	5	15	15	19	15	9	21	14	23	10	16	6	2
	9.4	19.2	7.7	7.4	8.7	15.4	7.1	8.9	5.5	8.2	9.8	4.3	10.2	6.8	6.3	12.2	11.6	10.7	5.2	2.2
	100.0	32.6B	26.1	39.1	32.6	13.0H	39.1	10.9	32.6	32.6	41.3	32.6	19.6K	45.7	30.4	50.0N	21.7S	34.8S	13.0	4.3
Base: Total Answering	445	63*	143	226	158	33*	237	51*	260	168	174	332	79*	289	209	165	76*	134	110	88*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	14.2*	32.1	50.8	35.5	7.4*	53.3	11.5*	58.4	37.8	39.1	74.6	17.8*	64.9	47.0	37.1	17.1*	30.1	24.7	19.8*
Complex (Net)	27	2	7	17	9	2	10	6	20	5	5	18	15	14	10	7	1	3	7	12
	6.1	3.2	4.9	7.5	5.7	6.1	4.2	11.8	7.7	3.0	2.9	5.4	19.0	4.8	4.8	4.2	1.3	2.2	6.4	13.6
	100.0	7.4	25.9	63.0	33.3	7.4	37.0	22.2F	74.1I	18.5	18.5	66.7	55.6K	51.9	37.0	25.9	3.7	11.1	25.9	44.4PQ
								IJ	J				M							
5	15	-	5	10	5	1	5	5	10	3	5	9	7	8	5	4	-	1	5	8
	3.4	-	3.5	4.4	3.2	3.0	2.1	9.8	3.8	1.8	2.9	2.7	8.9	2.8	2.4	2.4	-	0.7	4.5	9.1
	100.0	-	33.3	66.7	33.3	6.7	33.3	33.3F	66.7	20.0	33.3	60.0	46.7K	53.3	33.3	26.7	-	6.7	33.3	53.3PQ
								IJ					M							
4	12	2	2	7	4	1	5	1	10	2	-	9	8	6	5	3	1	2	2	4
	2.7	3.2	1.4	3.1	2.5	3.0	2.1	2.0	3.8	1.2	-	2.7	10.1	2.1	2.4	1.8	1.3	1.5	1.8	4.5
	100.0	16.7	16.7	58.3	33.3J	8.3J	41.7	8.3	83.3J	16.7	-	75.0	66.7K	50.0	41.7	25.0	8.3	16.7	16.7	33.3
													M							
3	29	2	16	11	9	-	15	4	24	10	12	24	11	14	13	5	1	6	8	12
	6.5	3.2	11.2	4.9	5.7	-	6.3	7.8	9.2	6.0	6.9	7.2	13.9	4.8	6.2	3.0	1.3	4.5	7.3	13.6
	100.0	6.9	55.2C	37.9	31.0	-	51.7	13.8	82.8	34.5	41.4	82.8	37.9M	48.3	44.8	17.2	3.4	20.7	27.6	41.4PQ

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 36
Q.25 Rating Of Complexity Of Graywater Reuse System

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE								GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL				BATH/ SHOWR	GARBG		DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE VEGE- GARDN	NON- WATER -ING					
						DIS- POSAL	KITCH SINK														
		2 OR LESS	3-9	10+													50- 199 GALS.	200+ GALS.			
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)			
Base: Total Answering	445	63*	143	226	158	33*	237	51*	260	168	174	332	79*	289	209	165	76*	134	110	88*	
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0*	
	100.0	14.2*	32.1	50.8	35.5	7.4*	53.3	11.5*	58.4	37.8	39.1	74.6	17.8*	64.9	47.0	37.1	17.1*	30.1	24.7	19.8*	
Basic (Net)	389	59	120	198	140	31	212	41	216	153	157	290	53	261	186	153	74	125	95	64	
	87.4	93.7	83.9	87.6	88.6	93.9	89.5	80.4	83.1	91.1	90.2	87.3	67.1	90.3	89.0	92.7	97.4	93.3	86.4	72.7	
	100.0	15.2	30.8	50.9	36.0	8.0	54.5H	10.5	55.5	39.3G	40.4H	74.6L	13.6	67.1L	47.8	39.3	19.0R	32.1S	24.4S	16.5	
									H								S				
2	53	8	18	24	18	2	25	5	46	21	13	50	16	29	21	9	1	7	20	21	
	11.9	12.7	12.6	10.6	11.4	6.1	10.5	9.8	17.7	12.5	7.5	15.1	20.3	10.0	10.0	5.5	1.3	5.2	18.2	23.9	
	100.0	15.1	34.0	45.3	34.0	3.8	47.2	9.4	86.8F	39.6	24.5	94.3	30.2M	54.7	39.6	17.0	1.9	13.2	37.7P	39.6PQ	
									J									Q			
1	336	51	102	174	122	29	187	36	170	132	144	240	37	232	165	144	73	118	75	43	
	75.5	81.0	71.3	77.0	77.2	87.9	78.9	70.6	65.4	78.6	82.8	72.3	46.8	80.3	78.9	87.3	96.1	88.1	68.2	48.9	
	100.0	15.2	30.4	51.8	36.3H	8.6H	55.7H	10.7	50.6	39.3H	42.9H	71.4L	11.0	69.0K	49.1	42.9N	21.7R	35.1R	22.3S	12.8	
													L				S	S			
Sigma	445	63	143	226	158	33	237	51	260	168	174	332	79	289	209	165	76	134	110	88	
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
	100.0	14.2	32.1	50.8	35.5	7.4	53.3	11.5	58.4	37.8	39.1	74.6	17.8	64.9	47.0	37.1	17.1	30.1	24.7	19.8	
Mean Base	445	63	143	226	158	33	237	51	260	168	174	332	79	289	209	165	76	134	110	88	
Mean	1.47	1.29	1.53	1.47	1.43	1.27	1.38	1.71F	1.63F	1.35	1.33	1.48	2.14K	1.37	1.39	1.27	1.08	1.22	1.56P	2.01PQR	
								IJ	IJ				M					Q			
Std. Deviation	0.97	0.68	0.99	1.03	0.95	0.88	0.86	1.30	1.06	0.80	0.84	0.94	1.35	0.89	0.89	0.81	0.42	0.66	1.03	1.28	
Std. Error	0.05	0.09	0.08	0.07	0.08	0.15	0.06	0.18	0.07	0.06	0.06	0.05	0.15	0.05	0.06	0.06	0.05	0.06	0.10	0.14	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 37
Q.26 Does Your Household Have A Septic Tank Or Sewer?

	SOURCES OF GRAYWATER REUSE											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SURFACE WATER SYSTEM	SUB-SURFACE WATER	DISP. GRAY-WATER DIRECTLY	TABLE FRUIT GARDN	NON-VEGETATION					
	2 OR LESS	3-9	10+	BATH/SHOWER	GARBG DISPOSAL	KITCH SINK	DISH-WASH	WASH-ING MACH.	CAR WASH-ING	CLEAN-ING HOUSE	GRAY-WATER SYSTEM	GRAY-WATER SYSTEM	GRAY-WATER DIR-ECTLY							
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
No answer	27	8	10	8	7	5	16	-	10	7	11	14	4	13	7	11	7	13	2	1
	5.5	10.3	6.5	3.3	4.0	12.8	6.3	-	3.6	3.8	5.7	4.0	4.5	4.2	3.1	5.9	8.1	8.7	1.7	1.1
	100.0	29.6C	37.0	29.6	25.9	18.5D	59.3	-	37.0	25.9	40.7	51.9	14.8	48.1	25.9	40.7	25.9R	48.1RS	7.4	3.7
						GHI											S			
Base: Total Answering	464	70*	145	236	166	34*	239	56*	265	176	182	333	84*	297	216	177	79*	137	114	89*
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	15.1*	31.3	50.9	35.8	7.3*	51.5	12.1*	57.1	37.9	39.2	71.8	18.1*	64.0	46.6	38.1	17.0*	29.5	24.6	19.2*
Septic tank	240	35	76	120	86	15	117	31	161	85	78	182	64	145	119	63	29	57	64	62
	51.7	50.0	52.4	50.8	51.8	44.1	49.0	55.4	60.8	48.3	42.9	54.7	76.2	48.8	55.1	35.6	36.7	41.6	56.1	69.7
	100.0	14.6	31.7	50.0	35.8	6.3	48.8	12.9	67.1F	35.4	32.5	75.8	26.7K	60.4	49.6O	26.3	12.1	23.8	26.7P	25.8PQ
								IJ				M							Q	
Sewer	224	35	69	116	80	19	122	25	104	91	104	151	20	152	97	114	50	80	50	27
	48.3	50.0	47.6	49.2	48.2	55.9	51.0	44.6	39.2	51.7	57.1	45.3	23.8	51.2	44.9	64.4	63.3	58.4	43.9	30.3
	100.0	15.6	30.8	51.8	35.7	8.5	54.5H	11.2	46.4	40.6H	46.4H	67.4L	8.9	67.9L	43.3	50.9N	22.3R	35.7R	22.3	12.1
																	S	S		
Sigma	464	70	145	236	166	34	239	56	265	176	182	333	84	297	216	177	79	137	114	89
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	15.1	31.3	50.9	35.8	7.3	51.5	12.1	57.1	37.9	39.2	71.8	18.1	64.0	46.6	38.1	17.0	29.5	24.6	19.2

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 38
Q.27 What Is Your Household's Water Source?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										SOURCES OF GRAYWATER REUSE			GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
				GARBG			WASH- CAR			FACE GRAY- WATER SYSTEM	HAS A SUB- SURFC GRAY- WATER SYSTEM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- VEGE- WATER -ING								
	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	WASH- ING						CLEAN -ING HOUSE	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.			
	TOTAL	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*		
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*		
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*		
No answer	16	4	4	7	4	4	7	1	8	7	6	7	3	4	8	6	2	9	4	-		
	3.3	5.1	2.6	2.9	2.3	10.3	2.7	1.8	2.9	3.8	3.1	2.0	3.4	1.3	3.6	3.2	2.3	6.0	3.4	-		
	100.0	25.0	25.0	43.8	25.0	25.0	43.8	6.3	50.0	43.8	37.5	43.8	18.8	25.0	50.0	37.5	12.5	56.3s	25.0	-		
						FHJ																
Base: Total Answering	475	74*	151	237	169	35*	248	55*	267	176	187	340	85*	306	215	182	84*	141	112	90*		
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*		
	100.0	15.6*	31.8	49.9	35.6	7.4*	52.2	11.6*	56.2	37.1	39.4	71.6	17.9*	64.4	45.3	38.3	17.7*	29.7	23.6	18.9*		
Municipal water	310	48	102	151	106	23	166	31	164	117	137	211	40	206	133	131	62	99	71	48		
	65.3	64.9	67.5	63.7	62.7	65.7	66.9	56.4	61.4	66.5	73.3	62.1	47.1	67.3	61.9	72.0	73.8	70.2	63.4	53.3		
	100.0	15.5	32.9	48.7	34.2	7.4	53.5	10.0	52.9	37.7	44.2	68.1	12.9	66.5	42.9	42.3	20.0s	31.9s	22.9	15.5		
											GH											
Private well water	165	26	49	86	63	12	82	24	103	59	50	129	45	100	82	51	22	42	41	42		
	34.7	35.1	32.5	36.3	37.3	34.3	33.1	43.6	38.6	33.5	26.7	37.9	52.9	32.7	38.1	28.0	26.2	29.8	36.6	46.7		
	100.0	15.8	29.7	52.1	38.2	7.3	49.7	14.5	62.4	35.8	30.3	78.2	27.3	60.6	49.7	30.9	13.3	25.5	24.8	25.5		
												M										
Sigma	475	74	151	237	169	35	248	55	267	176	187	340	85	306	215	182	84	141	112	90		
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0		
	100.0	15.6	31.8	49.9	35.6	7.4	52.2	11.6	56.2	37.1	39.4	71.6	17.9	64.4	45.3	38.3	17.7	29.7	23.6	18.9		

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 39
Q.28 Does Your Household Have A Mechanical Water Softening System?

	SOURCES OF GRAYWATER REUSE											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SURFACE WATER SYSTM	HAS A SUB-SURFC GRAY-WATER SYSTM	DISP. DIR-ECTLY	WATER TABLE FRUIT GARDN	NON-VEGE-ING					
	TOTAL	2 OR LESS	3-9	10+	BATH/SHOWR	GARBG DIS-POSAL	KITCH SINK	DISH-WASHR	WASH-ING MACH.	CAR WASH-ING	CLEAN-ING HOUSE						<10 GALS.	10-49 GALS.	50-199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
No answer	10	4	2	4	2	2	5	1	3	4	4	1	1	2	4	3	2	6	1	-
	2.0	5.1	1.3	1.6	1.2	5.1	2.0	1.8	1.1	2.2	2.1	0.3	1.1	0.6	1.8	1.6	2.3	4.0	0.9	-
	100.0	40.0	20.0	40.0	20.0	20.0	50.0	10.0	30.0	40.0	40.0	10.0	10.0	20.0	40.0	30.0	20.0	60.0	10.0	-
Base: Total Answering	481	74*	153	240	171	37*	250	55*	272	179	189	346	87*	308	219	185	84*	144	115	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.4*	31.8	49.9	35.6	7.7*	52.0	11.4*	56.5	37.2	39.3	71.9	18.1*	64.0	45.5	38.5	17.5*	29.9	23.9	18.7*
Yes	54	9	15	27	15	6	20	5	32	20	22	47	13	31	19	25	8	16	11	10
	11.2	12.2	9.8	11.3	8.8	16.2	8.0	9.1	11.8	11.2	11.6	13.6	14.9	10.1	8.7	13.5	9.5	11.1	9.6	11.1
	100.0	16.7	27.8	50.0	27.8	11.1	37.0	9.3	59.3	37.0	40.7	87.0	24.1	57.4	35.2	46.3	14.8	29.6	20.4	18.5
No	427	65	138	213	156	31	230	50	240	159	167	299	74	277	200	160	76	128	104	80
	88.8	87.8	90.2	88.8	91.2	83.8	92.0	90.9	88.2	88.8	88.4	86.4	85.1	89.9	91.3	86.5	90.5	88.9	90.4	88.9
	100.0	15.2	32.3	49.9	36.5	7.3	53.9	11.7	56.2	37.2	39.1	70.0	17.3	64.9	46.8	37.5	17.8	30.0	24.4	18.7
Sigma	481	74	153	240	171	37	250	55	272	179	189	346	87	308	219	185	84	144	115	90
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	15.4	31.8	49.9	35.6	7.7	52.0	11.4	56.5	37.2	39.3	71.9	18.1	64.0	45.5	38.5	17.5	29.9	23.9	18.7

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 40
Q.29 Frequency Household Uses Bath/Shower

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL				BATH/ SHOWR	GARBG		DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING				
		2 OR LESS	3-9	10+		KITCH SINK	199										200+			
																		VEGE- TABLE GARDN	10-49 GALS.	50- 199 GALS.
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
No answer	8	2	3	3	2	3	4	-	5	1	3	2	2	4	3	3	2	3	-	1
	1.6	2.6	1.9	1.2	1.2	7.7	1.6	-	1.8	0.5	1.6	0.6	2.3	1.3	1.3	1.6	2.3	2.0	-	1.1
	100.0	25.0	37.5	37.5	25.0	37.5D	50.0	-	62.5	12.5	37.5	25.0	25.0	50.0	37.5	37.5	25.0	37.5	-	12.5
	FGHIJ																			
Base: Total Answering	483	76*	152	241	171	36*	251	56*	270	182	190	345	86*	306	220	185	84*	147	116	89*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.7*	31.5	49.9	35.4	7.5*	52.0	11.6*	55.9	37.7	39.3	71.4	17.8*	63.4	45.5	38.3	17.4*	30.4	24.0	18.4*
Once A Week Or More (Net)	478	76	150	238	170	36	246	53	268	178	186	341	86	301	215	181	84	143	116	88
	99.0	100.0	98.7	98.8	99.4	100.0	98.0	94.6	99.3	97.8	97.9	98.8	100.0	98.4	97.7	97.8	100.0	97.3	100.0	98.9
	100.0	15.9	31.4	49.8	35.6G	7.5	51.5	11.1	56.1G	37.2	38.9	71.3	18.0	63.0	45.0	37.9	17.6	29.9	24.3	18.4
More than once a day (10)	226	42	72	105	83	17	109	25	130	88	92	160	46	145	97	83	36	65	51	50
	46.8	55.3	47.4	43.6	48.5	47.2	43.4	44.6	48.1	48.4	48.4	46.4	53.5	47.4	44.1	44.9	42.9	44.2	44.0	56.2
	100.0	18.6	31.9	46.5	36.7	7.5	48.2	11.1	57.5	38.9	40.7	70.8	20.4	64.2	42.9	36.7	15.9	28.8	22.6	22.1
Once a day (7)	178	26	56	93	62	11	88	21	100	67	70	131	34	111	78	66	35	54	42	29
	36.9	34.2	36.8	38.6	36.3	30.6	35.1	37.5	37.0	36.8	36.8	38.0	39.5	36.3	35.5	35.7	41.7	36.7	36.2	32.6
	100.0	14.6	31.5	52.2	34.8	6.2	49.4	11.8	56.2	37.6	39.3	73.6	19.1	62.4	43.8	37.1	19.7	30.3	23.6	16.3
A few times a week (3.5)	68	8	21	36	22	8	44	7	36	22	23	46	6	40	37	28	11	22	22	9
	14.1	10.5	13.8	14.9	12.9	22.2	17.5	12.5	13.3	12.1	12.1	13.3	7.0	13.1	16.8	15.1	13.1	15.0	19.0	10.1
	100.0	11.8	30.9	52.9	32.4	11.8	64.7	10.3	52.9	32.4	33.8	67.6	8.8	58.8	54.4	41.2	16.2	32.4	32.4	13.2
Once a week (1)	6	-	1	4	3	-	5	-	2	1	1	4	-	5	3	4	2	2	1	-
	1.2	-	0.7	1.7	1.8	-	2.0	-	0.7	0.5	0.5	1.2	-	1.6	1.4	2.2	2.4	1.4	0.9	-
	100.0	-	16.7	66.7	50.0	-	83.3	-	33.3	16.7	16.7	66.7	-	83.3	50.0	66.7	33.3	33.3	16.7	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 40
Q.29 Frequency Household Uses Bath/Shower

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL				BATH/ SHOWR	GARBG		DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- VEGE- WATER -ING				
		2 OR LESS	3-9	10+		DIS- POSAL	KITCH SINK										<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	483	76*	152	241	171	36*	251	56*	270	182	190	345	86*	306	220	185	84*	147	116	89*
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	15.7*	31.5	49.9	35.4	7.5*	52.0	11.6*	55.9	37.7	39.3	71.4	17.8*	63.4	45.5	38.3	17.4*	30.4	24.0	18.4*
A few times a month (0.65)	1	-	-	1	1	-	1	1	1	1	1	1	-	1	1	1	-	1	-	-
	0.2	-	-	0.4	0.6	-	0.4	1.8	0.4	0.5	0.5	0.3	-	0.3	0.5	0.5	-	0.7	-	-
	100.0	-	-	100.0	100.0	-	100.0	100.0	100.0	100.0	100.0	100.0	-	100.0	100.0	100.0	-	100.0	-	-
Once a month (0.25)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Less often than once a month (0.1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Never (0)	4	-	2	2	-	-	4	2	1	3	3	3	-	4	4	3	-	3	-	1
	0.8	-	1.3	0.8	-	-	1.6	3.6	0.4	1.6	1.6	0.9	-	1.3	1.8	1.6	-	2.0	-	1.1
	100.0	-	50.0	50.0	-	-	100.0	50.0	25.0	75.0	75.0	75.0	-	100.0	100.0	75.0	-	75.0	-	25.0
								H												
Sigma	483	76	152	241	171	36	251	56	270	182	190	345	86	306	220	185	84	147	116	89
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	15.7	31.5	49.9	35.4	7.5	52.0	11.6	55.9	37.7	39.3	71.4	17.8	63.4	45.5	38.3	17.4	30.4	24.0	18.4
Mean Base (Including Never)	483	76	152	241	171	36	251	56	270	182	190	345	86	306	220	185	84	147	116	89
Mean (Including Never)	7.77	8.29C	7.81	7.60	7.86	7.64	7.43	7.54	7.88F	7.84	7.85	7.78	8.36K	7.75	7.50	7.54	7.68	7.54	7.60	8.25Q
													M							
Std. Deviation	2.51	2.16	2.50	2.57	2.47	2.60	2.75	2.81	2.41	2.53	2.51	2.49	1.97	2.58	2.72	2.73	2.43	2.71	2.51	2.31
Std. Error	0.11	0.25	0.20	0.17	0.19	0.43	0.17	0.37	0.15	0.19	0.18	0.13	0.21	0.15	0.18	0.20	0.27	0.22	0.23	0.24

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 40
Q.29 Frequency Household Uses Bath/Shower

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE								GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
												HAS A SUR- FACE	HAS A SUB- SURFC	DISP. GRAY- WATER	WATER TABLE FRUIT	NON- VEGE- GARDN				
				BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTEM	GRAY- WATER SYSTEM	WATER DIR- ECTLY				<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	TOTAL	2 OR LESS	3-9	10+	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Answering	483	76*	152	241	171	36*	251	56*	270	182	190	345	86*	306	220	185	84*	147	116	89*
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	15.7*	31.5	49.9	35.4	7.5*	52.0	11.6*	55.9	37.7	39.3	71.4	17.8*	63.4	45.5	38.3	17.4*	30.4	24.0	18.4*
Mean Base (Excluding Never)	479	76	150	239	171G	36	247	54	269G	179	187	342	86	302	216	182	84	144	116	88
Mean (Excluding Never)	7.83	8.29C	7.91	7.66	7.86	7.64	7.55	7.82	7.91	7.98	7.98	7.84	8.36	7.86	7.63	7.66	7.68	7.69	7.60	8.35QR
Std. Deviation	2.42	2.16	2.34	2.48	2.47	2.60	2.60	2.44	2.37	2.33	2.33	2.39	1.97	2.44	2.54	2.57	2.43	2.51	2.51	2.15
Std. Error	0.11	0.25	0.19	0.16	0.19	0.43	0.17	0.33	0.14	0.17	0.17	0.13	0.21	0.14	0.17	0.19	0.27	0.21	0.23	0.23

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 41
Q.29 Frequency Household Uses An In Sink Garbage Disposal

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL				BATH/ SHOWR	GARBG		DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	VEGE- TABLE FRUIT GARDN	NON- WATER -ING									
		2 OR LESS	3-9	10+		DIS- POSAL	KITCH SINK																			
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)								
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*						
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*						
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*						
No answer	69	10	16	37	25	5	30	11	46	20	22	44	14	37	27	26	7	17	16	15						
	14.1	12.8	10.3	15.2	14.5	12.8	11.8	19.6	16.7	10.9	11.4	12.7	15.9	11.9	12.1	13.8	8.1	11.3	13.8	16.7						
	100.0	14.5	23.2	53.6	36.2	7.2	43.5	15.9	66.7	29.0	31.9	63.8	20.3	53.6	39.1	37.7	10.1	24.6	23.2	21.7						
Base: Total Answering	422	68*	139	207	148	34*	225	45*	229	163	171	303	74*	273	196	162	79*	133	100	75*						
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*						
	100.0	16.1*	32.9	49.1	35.1	8.1*	53.3	10.7*	54.3	38.6	40.5	71.8	17.5*	64.7	46.4	38.4	18.7*	31.5	23.7	17.8*						
Once A Week Or More (Net)	124	14	42	63	42	20	63	15	56	44	58	83	17	84	50	63	24	51	23	13						
	29.4	20.6	30.2	30.4	28.4	58.8	28.0	33.3	24.5	27.0	33.9	27.4	23.0	30.8	25.5	38.9	30.4	38.3	23.0	17.3						
	100.0	11.3	33.9	50.8	33.9	16.1D	50.8	12.1	45.2	35.5	46.8H	66.9	13.7	67.7	40.3	50.8N	19.4	41.1R	18.5	10.5						
						FGHIJ											S									
More than once a day (10)	44	5	18	21	16	5	16	4	16	17	21	29	7	33	11	22	12	18	5	6						
	10.4	7.4	12.9	10.1	10.8	14.7	7.1	8.9	7.0	10.4	12.3	9.6	9.5	12.1	5.6	13.6	15.2	13.5	5.0	8.0						
	100.0	11.4	40.9	47.7	36.4	11.4	36.4	9.1	36.4	38.6	47.7	65.9	15.9	75.0	25.0	50.0N	27.3R	40.9R	11.4	13.6						
Once a day (7)	40	5	12	22	18	5	22	5	23	12	17	28	6	24	18	16	5	15	7	5						
	9.5	7.4	8.6	10.6	12.2	14.7	9.8	11.1	10.0	7.4	9.9	9.2	8.1	8.8	9.2	9.9	6.3	11.3	7.0	6.7						
	100.0	12.5	30.0	55.0	45.0	12.5	55.0	12.5	57.5	30.0	42.5	70.0	15.0	60.0	45.0	40.0	12.5	37.5	17.5	12.5						
A few times a week (3.5)	35	4	10	18	7	10	23	6	12	14	18	22	3	23	19	22	7	16	9	2						
	8.3	5.9	7.2	8.7	4.7	29.4	10.2	13.3	5.2	8.6	10.5	7.3	4.1	8.4	9.7	13.6	8.9	12.0	9.0	2.7						
	100.0	11.4	28.6	51.4	20.0	28.6D	65.7H	17.1D	34.3	40.0	51.4H	62.9	8.6	65.7	54.3	62.9	20.0	45.7S	25.7	5.7						
						FHIJ		H																		
Once a week (1)	5	-	2	2	1	-	2	-	5	1	2	4	1	4	2	3	-	2	2	-						
	1.2	-	1.4	1.0	0.7	-	0.9	-	2.2	0.6	1.2	1.3	1.4	1.5	1.0	1.9	-	1.5	2.0	-						
	100.0	-	40.0	40.0	20.0	-	40.0	-	100.0	20.0	40.0	80.0	20.0	80.0	40.0	60.0	-	40.0	40.0	-						

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 41
Q.29 Frequency Household Uses An In Sink Garbage Disposal

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER											SOURCES OF GRAYWATER REUSE					GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL				BATH/ SHOWR	GARBG		DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A FACE GRAY- WATER SYSTM	HAS A SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING									
		2 OR LESS	3-9	10+		DIS- POSAL	KITCH SINK																		
																	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.					
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)							
Base: Total Answering	422	68*	139	207	148	34*	225	45*	229	163	171	303	74*	273	196	162	79*	133	100	75*					
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*					
	100.0	16.1*	32.9	49.1	35.1	8.1*	53.3	10.7*	54.3	38.6	40.5	71.8	17.5*	64.7	46.4	38.4	18.7*	31.5	23.7	17.8*					
A few times a month (0.65)	2	1	-	1	-	1	2	-	1	1	1	1	-	1	1	-	1	-	1	-					
	0.5	1.5	-	0.5	-	2.9	0.9	-	0.4	0.6	0.6	0.3	-	0.4	0.5	-	1.3	-	1.0	-					
	100.0	50.0	-	50.0	-	50.0	100.0	-	50.0	50.0	50.0	50.0	-	50.0	50.0	-	50.0	-	50.0	-					
D																									
Once a month (0.25)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
Less often than once a month (0.1)	3	1	-	2	-	-	1	-	2	1	2	3	-	3	1	2	-	-	1	2					
	0.7	1.5	-	1.0	-	-	0.4	-	0.9	0.6	1.2	1.0	-	1.1	0.5	1.2	-	-	1.0	2.7					
	100.0	33.3	-	66.7	-	-	33.3	-	66.7	33.3	66.7	100.0	-	100.0	33.3	66.7	-	-	33.3	66.7					
Never (0)	293	52	97	141	106	13	159	30	170	117	110	216	57	185	144	97	54	82	75	60					
	69.4	76.5	69.8	68.1	71.6	38.2	70.7	66.7	74.2	71.8	64.3	71.3	77.0	67.8	73.5	59.9	68.4	61.7	75.0	80.0					
	100.0	17.7	33.1	48.1	36.2E	4.4	54.3E	10.2E	58.0E	39.9E	37.5E	73.7	19.5	63.1	49.10	33.1	18.4	28.0	25.6Q	20.5Q					
J																									
Sigma	422	68	139	207	148	34	225	45	229	163	171	303	74	273	196	162	79	133	100	75					
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0					
	100.0	16.1	32.9	49.1	35.1	8.1	53.3	10.7	54.3	38.6	40.5	71.8	17.5	64.7	46.4	38.4	18.7	31.5	23.7	17.8					
Mean Base (Including Never)	422	68	139	207	148	34	225	45	229	163	171	303	74	273	196	162	79	133	100	75					
Mean (Including Never)	2.01	1.47	2.17	2.08	2.10	3.55D	1.77	2.13	1.61	1.87	2.31H	1.87	1.67	2.14	1.56	2.54N	2.28	2.58R	1.33	1.36					
FHI																									
Std. Deviation	3.48	3.11	3.67	3.49	3.61	3.65	3.18	3.42	3.17	3.42	3.63	3.40	3.36	3.59	2.99	3.70	3.79	3.74	2.80	3.14					
S																									

Proportions/Means: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 41
Q.29 Frequency Household Uses An In Sink Garbage Disposal

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SUR- FACE	HAS A SUB- SURFC	DISP. GRAY- WATER	WATER						
				GARBG			WASH- CAR		CLEAN											
				BATH/ DIS- KITCH	DISH- WASH- CAR	CLEAN														
	TOTAL	2 OR LESS	3-9	10+	SHOWR POSAL SINK	WASHR MACH. ING	WASH- ING	WASH- ING	HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	WATER DIR- ECTLY	TABLE FRUIT GARDN	NON- -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.		
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	422	68*	139	207	148	34*	225	45*	229	163	171	303	74*	273	196	162	79*	133	100	75*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	16.1*	32.9	49.1	35.1	8.1*	53.3	10.7*	54.3	38.6	40.5	71.8	17.5*	64.7	46.4	38.4	18.7*	31.5	23.7	17.8*
Std. Error	0.17	0.38	0.31	0.24	0.30	0.63	0.21	0.51	0.21	0.27	0.28	0.20	0.39	0.22	0.21	0.29	0.43	0.32	0.28	0.36
Mean Base (Excluding Never)	129	16	42	66	42	21D FG HIJ	66	15	59	46	61H	87	17	88	52	65N	25	51RS	25	15
Mean (Excluding Never)	6.58	6.23	7.17	6.51	7.42F H	5.75	6.03	6.40	6.25	6.63	6.47	6.53	7.26	6.63	5.87	6.34	7.21	6.73	5.33	6.81
Std. Deviation	3.07	3.39	2.94	3.04	2.51	2.96	2.95	2.73	3.14	3.13	3.16	3.12	2.90	3.21	2.89	3.17	3.12	2.92	3.20	3.52
Std. Error	0.27	0.85	0.45	0.37	0.39	0.65	0.36	0.70	0.41	0.46	0.40	0.33	0.70	0.34	0.40	0.39	0.62	0.41	0.64	0.91

Proportions/Means: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 42
Q.29 Frequency Household Does Hand Dishwashing In Sink

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL				BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING				
																	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
No answer	22	3	7	10	8	3	6	4	13	7	9	11	6	9	9	12	5	6	3	4
	4.5	3.8	4.5	4.1	4.6	7.7	2.4	7.1	4.7	3.8	4.7	3.2	6.8	2.9	4.0	6.4	5.8	4.0	2.6	4.4
	100.0	13.6	31.8	45.5	36.4	13.6	27.3	18.2	59.1	31.8	40.9	50.0	27.3	40.9	40.9	54.5	22.7	27.3	13.6	18.2
Base: Total Answering	469	75*	148	234	165	36*	249	52*	262	176	184	336	82*	301	214	176	81*	144	113	86*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	16.0*	31.6	49.9	35.2	7.7*	53.1	11.1*	55.9	37.5	39.2	71.6	17.5*	64.2	45.6	37.5	17.3*	30.7	24.1	18.3*
Once A Week Or More (Net)	445	73	139	222	155	32	240	51	248	166	174	317	80	287	203	165	76	137	108	80
	94.9	97.3	93.9	94.9	93.9	88.9	96.4	98.1	94.7	94.3	94.6	94.3	97.6	95.3	94.9	93.8	93.8	95.1	95.6	93.0
	100.0	16.4	31.2	49.9	34.8	7.2	53.9E	11.5	55.7	37.3	39.1	71.2	18.0	64.5	45.6	37.1	17.1	30.8	24.3	18.0
More than once a day (10)	255	38	78	135	96	12	143	28	145	91	96	182	42	161	112	88	43	68	64	51
	54.4	50.7	52.7	57.7	58.2	33.3	57.4	53.8	55.3	51.7	52.2	54.2	51.2	53.5	52.3	50.0	53.1	47.2	56.6	59.3
	100.0	14.9	30.6	52.9	37.6E	4.7	56.1E	11.0	56.9E	35.7E	37.6E	71.4	16.5	63.1	43.9	34.5	16.9	26.7	25.1	20.0
Once a day (7)	105	21	35	45	35	14	51	11	54	39	42	73	21	65	47	39	17	32	25	18
	22.4	28.0	23.6	19.2	21.2	38.9	20.5	21.2	20.6	22.2	22.8	21.7	25.6	21.6	22.0	22.2	21.0	22.2	22.1	20.9
	100.0	20.0	33.3	42.9	33.3	13.3D	48.6	10.5	51.4	37.1	40.0	69.5	20.0	61.9	44.8	37.1	16.2	30.5	23.8	17.1
						FH IJ														
A few times a week (3.5)	70	11	20	36	18	5	42	10	39	29	30	52	10	51	36	33	14	33	12	10
	14.9	14.7	13.5	15.4	10.9	13.9	16.9	19.2	14.9	16.5	16.3	15.5	12.2	16.9	16.8	18.8	17.3	22.9	10.6	11.6
	100.0	15.7	28.6	51.4	25.7	7.1	60.0	14.3	55.7	41.4	42.9	74.3	14.3	72.9	51.4	47.1	20.0	47.1R	17.1	14.3

S

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 42
Q.29 Frequency Household Does Hand Dishwashing In Sink

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
											HAS A SUR- FACE	HAS A SUB- SURFC	DISP. GRAY- WATER	WATER TABLE FRUIT	NON- WATER					
											GRAY- WATER SYSTEM	GRAY- WATER SYSTEM	DIR- ECTLY	GARDN	-ING					
	2 OR TOTAL	LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	(K)	(L)	(M)	(N)	(O)	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	469	75*	148	234	165	36*	249	52*	262	176	184	336	82*	301	214	176	81*	144	113	86*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	16.0*	31.6	49.9	35.2	7.7*	53.1	11.1*	55.9	37.5	39.2	71.6	17.5*	64.2	45.6	37.5	17.3*	30.7	24.1	18.3*
Once a week (1)	15	3	6	6	6	1	4	2	10	7	6	10	7	10	8	5	2	4	7	1
	3.2	4.0	4.1	2.6	3.6	2.8	1.6	3.8	3.8	4.0	3.3	3.0	8.5	3.3	3.7	2.8	2.5	2.8	6.2	1.2
	100.0	20.0	40.0	40.0	40.0	6.7	26.7	13.3	66.7	46.7	40.0	66.7	46.7K	66.7	53.3	33.3	13.3	26.7	46.7	6.7
													M							
A few times a month (0.65)	8	-	3	4	3	2	4	1	4	5	5	5	-	4	3	4	-	3	3	2
	1.7	-	2.0	1.7	1.8	5.6	1.6	1.9	1.5	2.8	2.7	1.5	-	1.3	1.4	2.3	-	2.1	2.7	2.3
	100.0	-	37.5	50.0	37.5	25.0	50.0	12.5	50.0	62.5	62.5	62.5	-	50.0	37.5	50.0	-	37.5	37.5	25.0
Once a month (0.25)	3	-	3	-	1	-	2	-	1	2	2	3	1	2	1	2	1	2	-	-
	0.6	-	2.0	-	0.6	-	0.8	-	0.4	1.1	1.1	0.9	1.2	0.7	0.5	1.1	1.2	1.4	-	-
	100.0	-	100.0C	-	33.3	-	66.7	-	33.3	66.7	66.7	100.0	33.3	66.7	33.3	66.7	33.3	66.7	-	-
Less often than once a month (0.1)	7	2	2	3	2	-	1	-	5	-	2	6	1	4	4	2	2	2	-	2
	1.5	2.7	1.4	1.3	1.2	-	0.4	-	1.9	-	1.1	1.8	1.2	1.3	1.9	1.1	2.5	1.4	-	2.3
	100.0	28.6	28.6	42.9	28.6	-	14.3	-	71.4	-	28.6	85.7	14.3	57.1	57.1	28.6	28.6	28.6	-	28.6
Never (0)	6	-	1	5	4	2	2	-	4	3	1	5	-	4	3	3	2	-	2	2
	1.3	-	0.7	2.1	2.4	5.6	0.8	-	1.5	1.7	0.5	1.5	-	1.3	1.4	1.7	2.5	-	1.8	2.3
	100.0	-	16.7	83.3	66.7	33.3F	33.3	-	66.7	50.0	16.7	83.3	-	66.7	50.0	50.0	33.3	-	33.3	33.3
						J														
Sigma	469	75	148	234	165	36	249	52	262	176	184	336	82	301	214	176	81	144	113	86
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	16.0	31.6	49.9	35.2	7.7	53.1	11.1	55.9	37.5	39.2	71.6	17.5	64.2	45.6	37.5	17.3	30.7	24.1	18.3
Mean Base (Including Never)	469	75	148	234	165	36	249	52	262	176	184	336	82	301	214	176	81	144	113	86

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 42
Q.29 Frequency Household Does Hand Dishwashing In Sink

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER											SOURCES OF GRAYWATER REUSE				GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
												HAS A SUR- FACE	HAS A SUB- SURFC	DISP. GRAY-	WATER									
												GRAY-	GRAY-	WATER	TABLE	NON-								
												WATER	WATER	DIR-	FRUIT	WATER								
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	ECTLY	GARDN	-ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.				
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)					
Base: Total Answering	469	75*	148	234	165	36*	249	52*	262	176	184	336	82*	301	214	176	81*	144	113	86*				
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*				
	100.0	16.0*	31.6	49.9	35.2	7.7*	53.1	11.1*	55.9	37.5	39.2	71.6	17.5*	64.2	45.6	37.5	17.3*	30.7	24.1	18.3*				
Mean (Including Never)	7.57	7.58	7.46	7.69	7.74	6.61	7.80E	7.59	7.55	7.36	7.44	7.52	7.43	7.50	7.41	7.25	7.41	7.13	7.66	7.83				
Std. Deviation	3.14	2.97	3.23	3.15	3.19	3.29	2.97	3.03	3.22	3.25	3.18	3.19	3.20	3.16	3.22	3.26	3.27	3.20	3.20	3.13				
Std. Error	0.15	0.34	0.27	0.21	0.25	0.55	0.19	0.42	0.20	0.24	0.23	0.17	0.35	0.18	0.22	0.25	0.36	0.27	0.30	0.34				
Mean Base (Excluding Never)	463	75	147	229	161	34	247E	52	258	173	183E	331	82	297	211	173	79	144	111	84				
Mean (Excluding Never)	7.67	7.58	7.51	7.86	7.93	6.99	7.86	7.59	7.67	7.49	7.48	7.64	7.43	7.60	7.51	7.38	7.60	7.13	7.80	8.02q				
Std. Deviation	3.04	2.97	3.18	2.97	2.98	2.94	2.90	3.03	3.10	3.12	3.14	3.08	3.20	3.06	3.12	3.14	3.09	3.20	3.05	2.92				
Std. Error	0.14	0.34	0.26	0.20	0.24	0.50	0.18	0.42	0.19	0.24	0.23	0.17	0.35	0.18	0.21	0.24	0.35	0.27	0.29	0.32				

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 43
Q.29 Frequency Household Uses An Automatic Dishwasher

	SOURCES OF GRAYWATER REUSE											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			BATH/ SHOWER	GARB/ DISPOSAL	KITCH SINK	DISH- WASH/ R	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING	OF GRAYWATER REUSED				
	TOTAL	2 OR LESS	3-9													10+	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
No answer	71	10	19	36	26	11	32	6	44	22	26	42	12	35	32	36	11	19	19	11
	14.5	12.8	12.3	14.8	15.0	28.2	12.5	10.7	16.0	12.0	13.5	12.1	13.6	11.3	14.3	19.1	12.8	12.7	16.4	12.2
	100.0	14.1	26.8	50.7	36.6	15.5F	45.1	8.5	62.0	31.0	36.6	59.2	16.9	49.3	45.1	50.7	15.5	26.8	26.8	15.5
						GIJ														
Base: Total Answering	420	68*	136	208	147	28**	223	50*	231	161	167	305	76*	275	191	152	75*	131	97*	79*
	100.0	100.0*	100.0	100.0	100.0	100.0**	100	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*
	100.0	16.2*	32.4	49.5	35.0	6.7**	53.1	11.9*	55.0	38.3	39.8	72.6	18.1*	65.5	45.5	36.2	17.9*	31.2	23.1*	18.8*
Once A Week Or More (Net)	187	25	61	96	61	13	87	35	108	67	76	132	34	121	75	65	30	63	35	39
	44.5	36.8	44.9	46.2	41.5	46.4	39.0	70.0	46.8	41.6	45.5	43.3	44.7	44.0	39.3	42.8	40.0	48.1	36.1	49.4
	100.0	13.4	32.6	51.3	32.6	7.0	46.5	18.7D	57.8	35.8	40.6	70.6	18.2	64.7	40.1	34.8	16.0	33.7	18.7	20.9
								FHIJ												
More than once a day (10)	15	3	3	9	6	-	3	4	6	6	4	12	3	11	3	6	3	5	2	2
	3.6	4.4	2.2	4.3	4.1	-	1.3	8.0	2.6	3.7	2.4	3.9	3.9	4.0	1.6	3.9	4.0	3.8	2.1	2.5
	100.0	20.0	20.0	60.0	40.0	-	20.0	26.7F	40.0	40.0	26.7	80.0	20.0	73.3	20.0	40.0	20.0	33.3	13.3	13.3
Once a day (7)	50	7	18	23	15	3	17	9	30	20	21	34	12	29	18	17	5	16	10	13
	11.9	10.3	13.2	11.1	10.2	10.7	7.6	18.0	13.0	12.4	12.6	11.1	15.8	10.5	9.4	11.2	6.7	12.2	10.3	16.5
	100.0	14.0	36.0	46.0	30.0	6.0	34.0	18.0F	60.0	40.0	42.0	68.0	24.0	58.0	36.0	34.0	10.0	32.0	20.0	26.0
A few times a week (3.5)	96	11	29	53	34	9	52	17	60	34	40	68	17	63	45	32	18	32	16	21
	22.9	16.2	21.3	25.5	23.1	32.1	23.3	34.0	26.0	21.1	24.0	22.3	22.4	22.9	23.6	21.1	24.0	24.4	16.5	26.6
	100.0	11.5	30.2	55.2	35.4	9.4	54.2	17.7	62.5	35.4	41.7	70.8	17.7	65.6	46.9	33.3	18.8	33.3	16.7	21.9
Once a week (1)	26	4	11	11	6	1	15	5	12	7	11	18	2	18	9	10	4	10	7	3
	6.2	5.9	8.1	5.3	4.1	3.6	6.7	10.0	5.2	4.3	6.6	5.9	2.6	6.5	4.7	6.6	5.3	7.6	7.2	3.8
	100.0	15.4	42.3	42.3	23.1	3.8	57.7	19.2	46.2	26.9	42.3	69.2	7.7	69.2	34.6	38.5	15.4	38.5	26.9	11.5

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 43
Q.29 Frequency Household Uses An Automatic Dishwasher

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER DIR- ECTLY								
				BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE			WATER TABLE FRUIT GARDN	NON- WATER -ING						
	TOTAL	2 OR LESS	3-9	10+												<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	420	68*	136	208	147	28**	223	50*	231	161	167	305	76*	275	191	152	75*	131	97*	79*
	100.0	100.0*	100.0	100.0	100.0	100.0**	100	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*
	100.0	16.2*	32.4	49.5	35.0	6.7**	53.1	11.9*	55.0	38.3	39.8	72.6	18.1*	65.5	45.5	36.2	17.9*	31.2	23.1*	18.8*
A few times a month (0.65)	8	1	3	4	2	-	6	-	3	3	3	3	1	7	4	4	5	-	3	-
	1.9	1.5	2.2	1.9	1.4	-	2.7	-	1.3	1.9	1.8	1.0	1.3	2.5	2.1	2.6	6.7	-	3.1	-
	100.0	12.5	37.5	50.0	25.0	-	75.0	-	37.5	37.5	37.5	37.5	12.5	87.5	50.0	50.0	62.5qs	-	37.5q	-
Once a month (0.25)	5	2	1	1	3	-	4	-	3	3	1	4	1	3	2	3	1	3	-	1
	1.2	2.9	0.7	0.5	2.0	-	1.8	-	1.3	1.9	0.6	1.3	1.3	1.1	1.0	2.0	1.3	2.3	-	1.3
	100.0	40.0	20.0	20.0	60.0	-	80.0	-	60.0	60.0	20.0	80.0	20.0	60.0	40.0	60.0	20.0	60.0	-	20.0
Less often than once a month (0.1)	13	2	2	9	3	4	5	1	5	5	6	9	1	9	4	8	6	3	3	-
	3.1	2.9	1.5	4.3	2.0	14.3	2.2	2.0	2.2	3.1	3.6	3.0	1.3	3.3	2.1	5.3	8.0	2.3	3.1	-
	100.0	15.4	15.4	69.2	23.1	30.8	38.5	7.7	38.5	38.5	46.2	69.2	7.7	69.2	30.8	61.5	46.2s	23.1	23.1	-
Never (0)	207	38	69	98	78	11	121	14	112	83	81	157	39	135	106	72	33	62	56	39
	49.3	55.9	50.7	47.1	53.1	39.3	54.3	28.0	48.5	51.6	48.5	51.5	51.3	49.1	55.5	47.4	44.0	47.3	57.7	49.4
	100.0	18.4	33.3	47.3	37.7g	5.3	58.5g	6.8	54.1g	40.1g	39.1g	75.8	18.8	65.2	51.2	34.8	15.9	30.0	27.1	18.8
Sigma	420	68	136	208	147	28	223	50	231	161	167	305	76	275	191	152	75	131	97	79
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	16.2	32.4	49.5	35.0	6.7	53.1	11.9	55.0	38.3	39.8	72.6	18.1	65.5	45.5	36.2	17.9	31.2	23.1	18.8
Mean Base (Including Never)	420	68	136	208	147	28	223	50	231	161	167	305	76	275	191	152	75	131	97	79
Mean (Including Never)	2.07	1.81	1.99	2.17	1.99	1.92	1.58	3.35D FHIJ	2.14F	2.04	2.04	2.03	2.32	2.03	1.71	2.01	1.81	2.18	1.60	2.38
Std. Deviation	2.83	2.89	2.74	2.87	2.84	2.39	2.36	3.17	2.76	2.89	2.73	2.85	3.03	2.82	2.50	2.85	2.66	2.86	2.59	2.89
Std. Error	0.14	0.35	0.23	0.20	0.23	0.45	0.16	0.45	0.18	0.23	0.21	0.16	0.35	0.17	0.18	0.23	0.31	0.25	0.26	0.33

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 43
Q.29 Frequency Household Uses An Automatic Dishwasher

												GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
												HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER ECTLY	WATER TABLE FRUIT GARDN	NON-VEGE- -ING					
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE																
					GARBG			WASH- CAR		CLEAN											
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	WASH- ING	-ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	WATER DIR- ECTLY	FRUIT GARDN	NON-VEGE- -ING	<10 GALS.	10-49 GALS.	199 GALS.	200+ GALS.	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	420	68*	136	208	147	28**	223	50*	231	161	167	305	76*	275	191	152	75*	131	97*	79*	
	100.0	100.0*	100.0	100.0	100.0	100.0**	100	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*	
	100.0	16.2*	32.4	49.5	35.0	6.7**	53.1	11.9*	55.0	38.3	39.8	72.6	18.1*	65.5	45.5	36.2	17.9*	31.2	23.1*	18.8*	
Mean Base (Excluding Never)	213	30	67	110	69	17	102	36DF HIJ	119	78	86	148	37	140	85	80	42	69	41	40	
Mean (Excluding Never)	4.08	4.09	4.04	4.10	4.24F	3.17	3.45	4.66F	4.16F	4.22F	3.96	4.17	4.77	3.98	3.84	3.81	3.24	4.13	3.79	4.69P	
Std. Deviation	2.75	3.10	2.62	2.77	2.77	2.34	2.39	2.80	2.53	2.83	2.61	2.78	2.67	2.80	2.42	2.92	2.84	2.73	2.77	2.35	
Std. Error	0.19	0.57	0.32	0.26	0.33	0.57	0.24	0.47	0.23	0.32	0.28	0.23	0.44	0.24	0.26	0.33	0.44	0.33	0.43	0.37	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 44
Q.29 Frequency Household Uses A Laundry/Washing Machine

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED					
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A HAS A										
											SUR- FACE			SUB- SURFC		DISP. GRAY- WATER					
	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	WATER DIR- ECTLY	TABLE FRUIT GARDN	NON- WATER -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.		
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*	
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*	
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*	
No answer	24	5	7	11	9	5	12	4	9	8	11	12	3	16	11	13	6	9	3	3	
	4.9	6.4	4.5	4.5	5.2	12.8	4.7	7.1	3.3	4.4	5.7	3.5	3.4	5.2	4.9	6.9	7.0	6.0	2.6	3.3	
	100.0	20.8	29.2	45.8	37.5	20.8F	50.0	16.7	37.5	33.3	45.8	50.0	12.5	66.7	45.8	54.2	25.0	37.5	12.5	12.5	
						HI															
Base: Total Answering	467	73*	148	233	164	34*	243	52*	266	175	182	335	85*	294	212	175	80*	141	113	87*	
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*	
	100.0	15.6*	31.7	49.9	35.1	7.3*	52.0	11.1*	57.0	37.5	39.0	71.7	18.2*	63.0	45.4	37.5	17.1*	30.2	24.2	18.6*	
Once A Week Or More (Net)	410	68	130	202	138	30	208	50	245	151	166	294	79	257	183	149	66	116	104	80	
	87.8	93.2	87.8	86.7	84.1	88.2	85.6	96.2	92.1	86.3	91.2	87.8	92.9	87.4	86.3	85.1	82.5	82.3	92.0	92.0	
	100.0	16.6	31.7	49.3	33.7	7.3	50.7	12.2D	59.8D	36.8	40.5D	71.7	19.3	62.7	44.6	36.3	16.1	28.3	25.4P	19.5Q	
								F	FI										Q		
More than once a day (10)	49	9	15	24	14	2	23	6	30	18	17	33	15	35	20	15	6	12	9	14	
	10.5	12.3	10.1	10.3	8.5	5.9	9.5	11.5	11.3	10.3	9.3	9.9	17.6	11.9	9.4	8.6	7.5	8.5	8.0	16.1	
	100.0	18.4	30.6	49.0	28.6	4.1	46.9	12.2	61.2	36.7	34.7	67.3	30.6K	71.4	40.8	30.6	12.2	24.5	18.4	28.6	
Once a day (7)	43	10	14	18	16	2	21	3	26	14	12	33	10	31	17	10	5	12	10	12	
	9.2	13.7	9.5	7.7	9.8	5.9	8.6	5.8	9.8	8.0	6.6	9.9	11.8	10.5	8.0	5.7	6.3	8.5	8.8	13.8	
	100.0	23.3	32.6	41.9	37.2	4.7	48.8	7.0	60.5	32.6	27.9	76.7	23.3	72.1	39.5	23.3	11.6	27.9	23.3	27.9	
A few times a week (3.5)	224	30	79	111	75	16	114	33	139	83	101	166	42	135	106	85	32	67	62	40	
	48.0	41.1	53.4	47.6	45.7	47.1	46.9	63.5	52.3	47.4	55.5	49.6	49.4	45.9	50.0	48.6	40.0	47.5	54.9	46.0	
	100.0	13.4	35.3	49.6	33.5	7.1	50.9	14.7D	62.1	37.1	45.1	74.1	18.8	60.3	47.3	37.9	14.3	29.9	27.7P	17.9	
								FI													

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 44
Q.29 Frequency Household Uses A Laundry/Washing Machine

	SOURCES OF GRAYWATER REUSE											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- VEGE- TABLE -ING					
	2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	(K)	(L)	(M)	(N)	(O)	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)						(P)	(Q)	(R)	(S)	
Base: Total Answering	467	73*	148	233	164	34*	243	52*	266	175	182	335	85*	294	212	175	80*	141	113	87*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*
	100.0	15.6*	31.7	49.9	35.1	7.3*	52.0	11.1*	57.0	37.5	39.0	71.7	18.2*	63.0	45.4	37.5	17.1*	30.2	24.2	18.6*
Once a week (1)	94	19	22	49	33	10	50	8	50	36	36	62	12	56	40	39	23	25	23	14
	20.1	26.0	14.9	21.0	20.1	29.4	20.6	15.4	18.8	20.6	19.8	18.5	14.1	19.0	18.9	22.3	28.8	17.7	20.4	16.1
	100.0	20.28	23.4	52.1	35.1	10.6	53.2	8.5	53.2	38.3	38.3	66.0	12.8	59.6	42.6	41.5	24.5	26.6	24.5	14.9
A few times a month (0.65)	23	2	3	16	14	1	13	1	13	8	4	16	3	14	11	10	6	7	6	3
	4.9	2.7	2.0	6.9	8.5	2.9	5.3	1.9	4.9	4.6	2.2	4.8	3.5	4.8	5.2	5.7	7.5	5.0	5.3	3.4
	100.0	8.7	13.0	69.68	60.9J	4.3	56.5	4.3	56.5	34.8	17.4	69.6	13.0	60.9	47.8	43.5	26.1	30.4	26.1	13.0
Once a month (0.25)	7	-	3	4	3	-	5	-	2	4	3	6	1	5	5	2	-	3	2	2
	1.5	-	2.0	1.7	1.8	-	2.1	-	0.8	2.3	1.6	1.8	1.2	1.7	2.4	1.1	-	2.1	1.8	2.3
	100.0	-	42.9	57.1	42.9	-	71.4	-	28.6	57.1	42.9	85.7	14.3	71.4	71.4	28.6	-	42.9	28.6	28.6
Less often than once a month (0.1)	6	-	2	4	1	1	2	1	1	3	3	6	1	6	1	4	2	4	-	-
	1.3	-	1.4	1.7	0.6	2.9	0.8	1.9	0.4	1.7	1.6	1.8	1.2	2.0	0.5	2.3	2.5	2.8	-	-
	100.0	-	33.3	66.7	16.7	16.7	33.3	16.7	16.7	50.0	50.0	100.0	16.7	100.0	16.7	66.7	33.3	66.7	-	-
Never (0)	21	3	10	7	8	2	15	-	5	9	6	13	1	12	12	10	6	11	1	2
	4.5	4.1	6.8	3.0	4.9	5.9	6.2	-	1.9	5.1	3.3	3.9	1.2	4.1	5.7	5.7	7.5	7.8	0.9	2.3
	100.0	14.3	47.6	33.3	38.1	9.5	71.4H	-	23.8	42.9	28.6	61.9	4.8	57.1	57.1	47.6	28.6R	52.4R	4.8	9.5
Sigma	467	73	148	233	164	34	243	52	266	175	182	335	85	294	212	175	80	141	113	87
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	15.6	31.7	49.9	35.1	7.3	52.0	11.1	57.0	37.5	39.0	71.7	18.2	63.0	45.4	37.5	17.1	30.2	24.2	18.6
Mean Base (Including Never)	467	73	148	233	164	34	243	52	266	175	182	335	85	294	212	175	80	141	113	87
Mean (Including Never)	3.61	3.91	3.71	3.50	3.40	2.96	3.44	3.95	3.86	3.49	3.56	3.63	4.49K	3.76	3.48	3.22	2.93	3.33	3.58	4.37PQR
Std. Deviation	2.84	3.03	2.78	2.82	2.77	2.50	2.81	2.62	2.79	2.85	2.64	2.79	3.10	2.96	2.76	2.69	2.70	2.77	2.55	3.11

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 44
Q.29 Frequency Household Uses A Laundry/Washing Machine

	SOURCES OF GRAYWATER REUSE											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			BATH/SHOWR	GARBG		DISH-WASHR	WASH-ING MACH.	CAR WASH-ING	CLEAN-ING HOUSE	SUR-FACE WATER SYSTM	SUB-SURFC WATER SYSTM	DISP-GRAY-WATER DIR-ECTLY	WATER VEGE-TABLE FRUIT GARDN	NON-WATER-ING	VOLUME OF GRAYWATER REUSED				
	TOTAL	2 OR LESS	3-9		10+	DIS-POSAL										KITCH SINK	<10 GALS.	10-49 GALS.	50-199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	467	73*	148	233	164	34*	243	52*	266	175	182	335	85*	294	212	175	80*	141	113	87*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.6*	31.7	49.9	35.1	7.3*	52.0	11.1*	57.0	37.5	39.0	71.7	18.2*	63.0	45.4	37.5	17.1*	30.2	24.2	18.6*
Std. Error	0.13	0.35	0.23	0.18	0.22	0.43	0.18	0.36	0.17	0.22	0.20	0.15	0.34	0.17	0.19	0.20	0.30	0.23	0.24	0.33
Mean Base (Excluding Never)	446	70	138	226	156	32	228	52	261F	166	176	322	84	282	200	165	74	130	112PQ	85
Mean (Excluding Never)	3.78	4.08	3.98	3.61	3.57	3.15	3.67	3.95	3.94	3.68	3.68	3.78	4.54K	3.92	3.69	3.42	3.16	3.61	3.61	4.48PQR
Std. Deviation	2.80	2.98	2.69	2.79	2.72	2.46	2.75	2.62	2.76	2.80	2.60	2.75	3.08	2.92	2.70	2.65	2.67	2.70	2.54	3.07
Std. Error	0.13	0.36	0.23	0.19	0.22	0.43	0.18	0.36	0.17	0.22	0.20	0.15	0.34	0.17	0.19	0.21	0.31	0.24	0.24	0.33

Proportions/M:ans: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 45
Q.29 Frequency Household Does Car Washing (At Your Home)

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER			VOLUME OF GRAYWATER REUSED			
												HAS A	HAS A	DISP.	WATER	VEGE-					
												SUR- FACE	SURFC	GRAY-	TABLE	NON-					
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTEM	GRAY- WATER SYSTEM	WATER DIR- ECTLY	FRUIT GARDN	WATER -ING		<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188		86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0		100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3		17.5*	30.5	23.6	18.3*
No answer	78	11	21	44	33	12	35	10	41	22	35	50	13	48	32	31		12	28	16	10
	15.9	14.1	13.5	18.0	19.1	30.8	13.7	17.9	14.9	12.0	18.1	14.4	14.8	15.5	14.3	16.5		14.0	18.7	13.8	11.1
	100.0	14.1	26.9	56.4	42.3	15.4F	44.9	12.8	52.6	28.2	44.9	64.1	16.7	61.5	41.0	39.7		15.4	35.9	20.5	12.8
						HI															
Base: Total Answering	413	67*	134	200	140	27**	220	46*	234	161	158	297	75*	262	191	157		74*	122	100	80*
	100.0	100.0*	100.0	100.0	100.0	100.0**	100	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0		100.0*	100.0	100.0	100.0*
	100.0	16.2*	32.4	48.4	33.9	6.5**	53.3	11.1*	56.7	39.0	38.3	71.9	18.2*	63.4	46.2	38.0		17.9*	29.5	24.2	19.4*
Once A Week Or More (Net)	78	9	29	39	24	3	45	9	41	41	34	55	18	51	35	35		15	25	19	11
	18.9	13.4	21.6	19.5	17.1	11.1	20.5	19.6	17.5	25.5	21.5	18.5	24.0	19.5	18.3	22.3		20.3	20.5	19.0	13.8
	100.0	11.5	37.2	50.0	30.8	3.8	57.7	11.5	52.6	52.6	43.6	70.5	23.1	65.4	44.9	44.9		19.2	32.1	24.4	14.1
More than once a day (10)	7	1	3	3	5	-	5	3	5	4	4	2	3	3	3	5		2	2	-	2
	1.7	1.5	2.2	1.5	3.6	-	2.3	6.5	2.1	2.5	2.5	0.7	4.0	1.1	1.6	3.2		2.7	1.6	-	2.5
	100.0	14.3	42.9	42.9	71.4	-	71.4	42.9	71.4	57.1	57.1	28.6	42.9K	42.9	42.9	71.4		28.6	28.6	-	28.6
Once a day (7)	5	-	1	4	3	-	2	1	3	2	1	3	-	3	2	3		-	3	-	1
	1.2	-	0.7	2.0	2.1	-	0.9	2.2	1.3	1.2	0.6	1.0	-	1.1	1.0	1.9		-	2.5	-	1.3
	100.0	-	20.0	80.0	60.0	-	40.0	20.0	60.0	40.0	20.0	60.0	-	60.0	40.0	60.0		-	60.0	-	20.0
A few times a week (3.5)	19	1	8	9	6	2	11	3	7	8	8	16	4	13	10	10		4	6	6	1
	4.6	1.5	6.0	4.5	4.3	7.4	5.0	6.5	3.0	5.0	5.1	5.4	5.3	5.0	5.2	6.4		5.4	4.9	6.0	1.3
	100.0	5.3	42.1	47.4	31.6	10.5	57.9	15.8	36.8	42.1	42.1	84.2	21.1	68.4	52.6	52.6		21.1	31.6	31.6	5.3
Once a week (1)	47	7	17	23	10	1	27	2	26	27	21	34	11	32	20	17		9	14	13	7
	11.4	10.4	12.7	11.5	7.1	3.7	12.3	4.3	11.1	16.8	13.3	11.4	14.7	12.2	10.5	10.8		12.2	11.5	13.0	8.8
	100.0	14.9	36.2	48.9	21.3	2.1	57.4	4.3	55.3	57.4D	44.7	72.3	23.4	68.1	42.6	36.2		19.1	29.8	27.7	14.9

G

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 45
Q.29 Frequency Household Does Car Washing (At Your Home)

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			BATH/SHOWER	GARBG DISPOSAL	KITCH SINK	DISH-WASHR	WASH-ING MACH.	CAR WASH-ING	CLEAN-ING HOUSE	HAS A SURFACE GRAY-WATER SYSTM	HAS A SUB-SURFC GRAY-WATER SYSTM	DISP. GRAY-WATER DIR-ECTLY	WATER TABLE FRUIT GARDN	VEGE- NON-WATER-ING		OF GRAYWATER REUSED			
	2 OR LESS	3-9	10+														<10 GALS.	10-49 GALS.	50-199 GALS.	200+ GALS.
	TOTAL	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Answering	413	67*	134	200	140	27**	220	46*	234	161	158	297	75*	262	191	157	74*	122	100	80*
	100.0	100.0*	100.0	100.0	100.0	100.0**	100	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	16.2*	32.4	48.4	33.9	6.5**	53.3	11.1*	56.7	39.0	38.3	71.9	18.2*	63.4	46.2	38.0	17.9*	29.5	24.2	19.4*
A few times a month (0.65)	71	12	20	36	18	5	40	8	45	33	28	51	17	50	27	27	13	21	15	12
	17.2	17.9	14.9	18.0	12.9	18.5	18.2	17.4	19.2	20.5	17.7	17.2	22.7	19.1	14.1	17.2	17.6	17.2	15.0	15.0
	100.0	16.9	28.2	50.7	25.4	7.0	56.3	11.3	63.4	46.5	39.4	71.8	23.9	70.4	38.0	38.0	18.3	29.6	21.1	16.9
Once a month (0.25)	65	14	17	31	24	7	32	7	36	28	27	51	14	36	31	25	8	21	17	15
	15.7	20.9	12.7	15.5	17.1	25.9	14.5	15.2	15.4	17.4	17.1	17.2	18.7	13.7	16.2	15.9	10.8	17.2	17.0	18.8
	100.0	21.5	26.2	47.7	36.9	10.8	49.2	10.8	55.4	43.1	41.5	78.5	21.5	55.4	47.7	38.5	12.3	32.3	26.2	23.1
Less often than once a month (0.1)	125	21	42	58	45	6	67	15	74	54	53	89	14	81	66	42	19	37	35	23
	30.3	31.3	31.3	29.0	32.1	22.2	30.5	32.6	31.6	33.5	33.5	30.0	18.7	30.9	34.6	26.8	25.7	30.3	35.0	28.8
	100.0	16.8	33.6	46.4	36.0	4.8	53.6	12.0	59.2	43.2	42.4	71.2	11.2	64.8L	52.8	33.6	15.2	29.6	28.0	18.4
Never (0)	74	11	26	36	29	6	36	7	38	5	16	51	12	44	32	28	19	18	14	19
	17.9	16.4	19.4	18.0	20.7	22.2	16.4	15.2	16.2	3.1	10.1	17.2	16.0	16.8	16.8	17.8	25.7	14.8	14.0	23.8
	100.0	14.9	35.1	48.6	39.21J	8.1	48.61	9.51	51.41	6.8	21.61	68.9	16.2	59.5	43.2	37.8	25.7	24.3	18.9	25.7
Sigma	413	67	134	200	140	27	220	46	234	161	158	297	75	262	191	157	74	122	100	80
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	16.2	32.4	48.4	33.9	6.5	53.3	11.1	56.7	39.0	38.3	71.9	18.2	63.4	46.2	38.0	17.9	29.5	24.2	19.4
Mean Base (Including Never)	413	67	134	200	140	27	220	46	234	161	158	297	75	262	191	157	74	122	100	80
Mean (Including Never)	0.71	0.51	0.77	0.75	0.89	0.50	0.77	1.26	0.71	0.89	0.80	0.63	0.95	0.68	0.69	0.96	0.75	0.81	0.51	0.64
Std. Deviation	1.60	1.28	1.72	1.64	2.13	0.90	1.72	2.66	1.68	1.79	1.75	1.28	2.02	1.44	1.56	2.05	1.75	1.74	0.83	1.75
Std. Error	0.08	0.16	0.15	0.12	0.18	0.17	0.12	0.39	0.11	0.14	0.14	0.07	0.23	0.09	0.11	0.16	0.20	0.16	0.08	0.20

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 45
Q.29 Frequency Household Does Car Washing (At Your Home)

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN						
				BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE										
	2 OR LESS	3-9	10+																	
	TOTAL	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Answering	413	67*	134	200	140	27**	220	46*	234	161	158	297	75*	262	191	157	74*	122	100	80*
	100.0	100.0*	100.0	100.0	100.0	100.0**	100	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	16.2*	32.4	48.4	33.9	6.5**	53.3	11.1*	56.7	39.0	38.3	71.9	18.2*	63.4	46.2	38.0	17.9*	29.5	24.2	19.4*
Mean Base (Excluding Never)	339	56	108	164	111	21	184	39	196	156D GHJ	142D	246	63	218	159	129	55	104	86	61
Mean (Excluding Never)	0.87	0.61	0.96	0.91	1.12	0.65	0.93	1.49	0.85	0.92	0.89	0.76	1.13	0.82	0.82	1.17	1.01	0.95	0.60	0.84
Std. Deviation	1.73	1.38	1.87	1.77	2.34	0.98	1.84	2.84	1.81	1.81	1.83	1.37	2.16	1.54	1.68	2.21	1.96	1.85	0.86	1.96
Std. Error	0.09	0.18	0.18	0.14	0.22	0.21	0.14	0.45	0.13	0.15	0.15	0.09	0.27	0.10	0.13	0.19	0.26	0.18	0.09	0.25

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 46
Q.29 Frequency Household Does House Cleaning - Using Water Combined With Cleaning Products

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			BATH/SHOWR	GARBG DIS-POSAL	KITCH SINK	DISH-WASHR	WASH-ING MACH.	CAR WASH-ING	CLEAN-ING HOUSE	HAS A SURFACE GRAY-WATER SYSTM	HAS A SUB-SURFC GRAY-WATER SYSTM	DISP. GRAY-WATER DIR-ECTLY	WATER TABLE FRUIT GARDN	NON-VEGE-TABLE WATER -ING	VOLUME OF GRAYWATER REUSED				
	2 OR LESS	3-9	10+													<10 GALS.	10-49 GALS.	50-199 GALS.	200+ GALS.	
	TOTAL	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
No answer	17	3	6	7	5	4	10	1	10	5	3	9	-	7	7	6	3	3	3	2
	3.5	3.8	3.9	2.9	2.9	10.3	3.9	1.8	3.6	2.7	1.6	2.6	-	2.3	3.1	3.2	3.5	2.0	2.6	2.2
	100.0	17.6	35.3	41.2	29.4	23.5D	58.8	5.9	58.8	29.4	17.6	52.9	-	41.2	41.2	35.3	17.6	17.6	17.6	11.8
						IJ														
Base: Total Answering	474	75*	149	237	168	35*	245	55*	265	178	190	338	88*	303	216	182	83*	147	113	88*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.8*	31.4	50.0	35.4	7.4*	51.7	11.6*	55.9	37.6	40.1	71.3	18.6*	63.9	45.6	38.4	17.5*	31.0	23.8	18.6*
Once A Week Or More (Net)	311	52	100	150	109	24	149	37	171	115	135	221	62	203	139	124	52	108	64	58
	65.6	69.3	67.1	63.3	64.9	68.6	60.8	67.3	64.5	64.6	71.1	65.4	70.5	67.0	64.4	68.1	62.7	73.5	56.6	65.9
	100.0	16.7	32.2	48.2	35.0	7.7	47.9	11.9	55.0	37.0	43.4F	71.1	19.9	65.3	44.7	39.9	16.7	34.7R	20.6	18.6
More than once a day (10)	41	9	18	14	15	2	13	7	25	16	19	28	12	26	14	17	7	12	8	9
	8.6	12.0	12.1	5.9	8.9	5.7	5.3	12.7	9.4	9.0	10.0	8.3	13.6	8.6	6.5	9.3	8.4	8.2	7.1	10.2
	100.0	22.0	43.9C	34.1	36.6	4.9	31.7	17.1F	61.0	39.0	46.3	68.3	29.3	63.4	34.1	41.5	17.1	29.3	19.5	22.0
Once a day (7)	38	7	9	22	14	4	25	6	18	22	20	29	8	28	22	20	7	8	9	8
	8.0	9.3	6.0	9.3	8.3	11.4	10.2	10.9	6.8	12.4	10.5	8.6	9.1	9.2	10.2	11.0	8.4	5.4	8.0	9.1
	100.0	18.4	23.7	57.9	36.8	10.5	65.8	15.8	47.4	57.9H	52.6	76.3	21.1	73.7	57.9	52.6	18.4	21.1	23.7	21.1
A few times a week (3.5)	117	15	38	57	38	9	60	13	69	40	53	78	21	79	52	48	16	47	24	20
	24.7	20.0	25.5	24.1	22.6	25.7	24.5	23.6	26.0	22.5	27.9	23.1	23.9	26.1	24.1	26.4	19.3	32.0	21.2	22.7
	100.0	12.8	32.5	48.7	32.5	7.7	51.3	11.1	59.0	34.2	45.3	66.7	17.9	67.5	44.4	41.0	13.7	40.2P	20.5	17.1
Once a week (1)	115	21	35	57	42	9	51	11	59	37	43	86	21	70	51	39	22	41	23	21
	24.3	28.0	23.5	24.1	25.0	25.7	20.8	20.0	22.3	20.8	22.6	25.4	23.9	23.1	23.6	21.4	26.5	27.9	20.4	23.9
	100.0	18.3	30.4	49.6	36.5	7.8	44.3	9.6	51.3	32.2	37.4	74.8	18.3	60.9	44.3	33.9	19.1	35.7	20.0	18.3

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 46
Q.29 Frequency Household Does House Cleaning - Using Water Combined With Cleaning Products

											GRAYWATER SYSTEM			USES OF GRAYWATER						
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE							HAS A	HAS A	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- VEGE- ING	VOLUME OF GRAYWATER REUSED				
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTEM				GRAY- WATER SYSTEM	WATER DIR- ECTLY	TABLE FRUIT GARDN	NON- VEGE- ING	<10 GALS.
													(A)	(B)	(C)					
Base: Total Answering	474	75*	149	237	168	35*	245	55*	265	178	190	338	88*	303	216	182	83*	147	113	88*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.8*	31.4	50.0	35.4	7.4*	51.7	11.6*	55.9	37.6	40.1	71.3	18.6*	63.9	45.6	38.4	17.5*	31.0	23.8	18.6*
A few times a month (0.65)	80	10	29	38	26	4	41	8	45	33	34	52	13	50	35	30	15	18	26	13
	16.9	13.3	19.5	16.0	15.5	11.4	16.7	14.5	17.0	18.5	17.9	15.4	14.8	16.5	16.2	16.5	18.1	12.2	23.0	14.8
	100.0	12.5	36.3	47.5	32.5	5.0	51.3	10.0	56.3	41.3	42.5	65.0	16.3	62.5	43.8	37.5	18.8	22.5	32.5q	16.3
Once a month (0.25)	21	3	3	14	10	3	14	2	14	10	11	14	5	11	9	6	3	6	7	3
	4.4	4.0	2.0	5.9	6.0	8.6	5.7	3.6	5.3	5.6	5.8	4.1	5.7	3.6	4.2	3.3	3.6	4.1	6.2	3.4
	100.0	14.3	14.3	66.7	47.6	14.3	66.7	9.5	66.7	47.6	52.4	66.7	23.8	52.4	42.9	28.6	14.3	28.6	33.3	14.3
Less often than once a month (0.1)	27	5	8	14	9	2	15	3	16	9	7	23	3	17	14	8	5	4	8	7
	5.7	6.7	5.4	5.9	5.4	5.7	6.1	5.5	6.0	5.1	3.7	6.8	3.4	5.6	6.5	4.4	6.0	2.7	7.1	8.0
	100.0	18.5	29.6	51.9	33.3	7.4	55.6	11.1	59.3	33.3	25.9	85.2	11.1	63.0	51.9	29.6	18.5	14.8	29.6	25.9
Never (0)	35	5	9	21	14	2	26	5	19	11	3	28	5	22	19	14	8	11	8	7
	7.4	6.7	6.0	8.9	8.3	5.7	10.6	9.1	7.2	6.2	1.6	8.3	5.7	7.3	8.8	7.7	9.6	7.5	7.1	8.0
	100.0	14.3	25.7	60.0	40.0J	5.7	74.3J	14.3J	54.3J	31.4J	8.6	80.0	14.3	62.9	54.3	40.0	22.9	31.4	22.9	20.0
Sigma	474	75	149	237	168	35	245	55	265	178	190	338	88	303	216	182	83	147	113	88
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	15.8	31.4	50.0	35.4	7.4	51.7	11.6	55.9	37.6	40.1	71.3	18.6	63.9	45.6	38.4	17.5	31.0	23.8	18.6
Mean Base (Including Never)	474	75	149	237	168	35	245	55	265	178	190	338	88	303	216	182	83	147	113	88
Mean (Including Never)	2.66	2.94	2.90	2.45	2.64	2.63	2.44	3.17	2.68	2.90	3.07F	2.61	3.19	2.77	2.56	2.96	2.51	2.69	2.38	2.81
Std. Deviation	2.98	3.30	3.19	2.78	3.03	2.84	2.77	3.37	3.01	3.12	3.08	2.98	3.36	2.99	2.86	3.09	3.02	2.81	2.88	3.16
Std. Error	0.14	0.38	0.26	0.18	0.23	0.48	0.18	0.45	0.19	0.23	0.22	0.16	0.36	0.17	0.19	0.23	0.33	0.23	0.27	0.34

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 46
Q.29 Frequency Household Does House Cleaning - Using Water Combined With Cleaning Products

												GRAYWATER SYSTEM			USES OF GRAYWATER							
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							HAS A	HAS A			VOLUME OF GRAYWATER REUSED						
												SUR- FACE	SUB- SURFC	DISP. GRAY-	WATER							
												GRAY- WATER	GRAY- WATER	WATER DIR-	TABLE FRUIT	NON- VEGE- -ING						
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	SYSTM	SYSTM	ECTLY	GARDN		<10 GALS.	10-49 GALS.	199 GALS.	200+ GALS.		
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)			
Base: Total Answering	474	75*	149	237	168	35*	245	55*	265	178	190	338	88*	303	216	182	83*	147	113	88*		
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*		
	100.0	15.8*	31.4	50.0	35.4	7.4*	51.7	11.6*	55.9	37.6	40.1	71.3	18.6*	63.9	45.6	38.4	17.5*	31.0	23.8	18.6*		
Mean Base (Excluding Never)	439	70	140	216	154	33	219	50	246	167	187DF	310	83	281	197	168	75	136	105	81		
											GHI											
Mean (Excluding Never)	2.87	3.15	3.08	2.69	2.88	2.79	2.73	3.49	2.89	3.09	3.12	2.84	3.38	2.99	2.81	3.21	2.77	2.91	2.57	3.05		
Std. Deviation	2.99	3.32	3.20	2.81	3.06	2.85	2.79	3.38	3.03	3.13	3.08	3.00	3.36	3.00	2.88	3.09	3.06	2.81	2.91	3.18		
Std. Error	0.14	0.40	0.27	0.19	0.25	0.50	0.19	0.48	0.19	0.24	0.23	0.17	0.37	0.18	0.21	0.24	0.35	0.24	0.28	0.35		

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 47
Q.30 Which Of The Following Products, If Any, Are Discharged Into The
Graywater That Is Reused?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	TOTAL				BATH/ SHOWR	GARBG	KITCH SINK	DISH-	WASH- MACH.	CAR	CLEAN -ING HOUSE	HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER VEGE- TABLE FRUIT GARDN	NON- WATER -ING					
		2 OR LESS	3-9	10+		DIS- POSAL		WASHR		WASH- ING		WASH- ING	WATER	WATER	WATER	TABLE	NON- WATER				
		(A)	(B)	(C)		(D)		(E)		(F)		(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	<10 GALS.
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*	
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*	
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*	
No answer	28	9	8	11	5	1	5	-	5	5	6	7	3	18	8	9	6	8	2	3	
	5.7	11.5	5.2	4.5	2.9	2.6	2.0	-	1.8	2.7	3.1	2.0	3.4	5.8	3.6	4.8	7.0	5.3	1.7	3.3	
	100.0	32.1C	28.6	39.3	17.9	3.6	17.9	-	17.9	17.9	21.4	25.0	10.7	64.3K	28.6	32.1	21.4	28.6	7.1	10.7	
Base: Total Answering	463	69*	147	233	168	38*	250	56*	270	178	187	340	85*	292	215	179	80*	142	114	87*	
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*	
	100.0	14.9*	31.7	50.3	36.3	8.2*	54.0	12.1*	58.3	38.4	40.4	73.4	18.4*	63.1	46.4	38.7	17.3*	30.7	24.6	18.8*	
<u>Laundry Products (Net)</u>	319	46	102	160	107	23	152	49	250	126	120	247	71	200	144	109	32	83	90	78	
	68.9	66.7	69.4	68.7	63.7	60.5	60.8	87.5	92.6	70.8	64.2	72.6	83.5	68.5	67.0	60.9	40.0	58.5	78.9	89.7	
	100.0	14.4	32.0	50.2	33.5	7.2	47.6	15.4D	78.4D	39.5F	37.6	77.4	22.3K	62.7	45.1	34.2	10.0	26.0P	28.2P	24.5PQR	
								EFIJ	EFIJ				M					Q			
Bleach	184	32	56	92	64	14	87	27	141	75	79	144	54	115	81	59	17	44	50	53	
	39.7	46.4	38.1	39.5	38.1	36.8	34.8	48.2	52.2	42.1	42.2	42.4	63.5	39.4	37.7	33.0	21.3	31.0	43.9	60.9	
	100.0	17.4	30.4	50.0	34.8	7.6	47.3	14.7	76.6D	40.8	42.9	78.3	29.3K	62.5	44.0	32.1	9.2	23.9	27.2P	28.8PQR	
								FIJ					M					Q			
Fabric softener	121	17	37	65	36	5	55	18	98	47	44	87	31	74	63	35	13	25	43	24	
	26.1	24.6	25.2	27.9	21.4	13.2	22.0	32.1	36.3	26.4	23.5	25.6	36.5	25.3	29.3	19.6	16.3	17.6	37.7	27.6	
	100.0	14.0	30.6	53.7	29.8	4.1	45.5	14.9E	81.0D	38.8	36.4	71.9	25.6K	61.2	52.1D	28.9	10.7	20.7	35.5P	19.8	
								EFIJ					M					Q			
Laundry boosters	27	2	3	19	9	-	14	6	22	13	13	18	5	18	14	10	3	5	8	9	
	5.8	2.9	2.0	8.2	5.4	-	5.6	10.7	8.1	7.3	7.0	5.3	5.9	6.2	6.5	5.6	3.8	3.5	7.0	10.3	
	100.0	7.4	11.1	70.4B	33.3	-	51.9	22.2E	81.5	48.1	48.1	66.7	18.5	66.7	51.9	37.0	11.1	18.5	29.6	33.3Q	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 47
Q.30 Which Of The Following Products, If Any, Are Discharged Into The
Graywater That Is Reused?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM		USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED					
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING	50- OF GRAYWATER REUSED			
																	<10 GALS.	10-49 GALS.	199 GALS.	200+ GALS.
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	463	69*	147	233	168	38*	250	56*	270	178	187	340	85*	292	215	179	80*	142	114	87*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	14.9*	31.7	50.3	36.3	8.2*	54.0	12.1*	58.3	38.4	40.4	73.4	18.4*	63.1	46.4	38.7	17.3*	30.7	24.6	18.8*
Laundry detergent	289	41	91	146	96	19	134	46	237	112	101	227	67	180	129	90	24	73	84	74
	62.4	59.4	61.9	62.7	57.1	50.0	53.6	82.1	87.8	62.9	54.0	66.8	78.8	61.6	60.0	50.3	30.0	51.4	73.7	85.1
	100.0	14.2	31.5	50.5	33.2	6.6	46.4	15.9D	82.0D	38.8	34.9	78.5	23.2K	62.3	44.6	31.1	8.3	25.3P	29.1P	25.6PQ
								EFIJ	EFIJ				M					Q		
Laundry presoaks	40	8	15	17	14	1	21	5	32	16	22	29	13	21	18	13	6	11	13	7
	8.6	11.6	10.2	7.3	8.3	2.6	8.4	8.9	11.9	9.0	11.8	8.5	15.3	7.2	8.4	7.3	7.5	7.7	11.4	8.0
	100.0	20.0	37.5	42.5	35.0	2.5	52.5	12.5	80.0	40.0	55.0	72.5	32.5M	52.5	45.0	32.5	15.0	27.5	32.5	17.5
Laundry prewashes/stain remover	87	9	33	42	29	5	45	10	76	34	37	67	26	59	38	26	7	19	26	27
	18.8	13.0	22.4	18.0	17.3	13.2	18.0	17.9	28.1	19.1	19.8	19.7	30.6	20.2	17.7	14.5	8.8	13.4	22.8	31.0
	100.0	10.3	37.9	48.3	33.3	5.7	51.7	11.5	87.4D	39.1	42.5	77.0	29.9K	67.8	43.7	29.9	8.0	21.8	29.9P	31.0PQ
								FIJ					M							
Household Cleaners (Net)	235	37	68	123	99	23	146	31	127	117	133	168	46	148	117	100	45	81	50	46
	50.8	53.6	46.3	52.8	58.9	60.5	58.4	55.4	47.0	65.7	71.1	49.4	54.1	50.7	54.4	55.9	56.3	57.0	43.9	52.9
	100.0	15.7	28.9	52.3	42.1H	9.8	62.1H	13.2	54.0	49.8H	56.6D	71.5	19.6	63.0	49.8	42.6	19.1	34.5R	21.3	19.6
											FGH									
All purpose household cleaners	106	17	29	58	41	12	71	13	62	58	80	70	25	70	61	49	20	38	25	18
	22.9	24.6	19.7	24.9	24.4	31.6	28.4	23.2	23.0	32.6	42.8	20.6	29.4	24.0	28.4	27.4	25.0	26.8	21.9	20.7
	100.0	16.0	27.4	54.7	38.7	11.3	67.0	12.3	58.5	54.7H	75.5D	66.0	23.6	66.0	57.5	46.2	18.9	35.8	23.6	17.0
											FGHI									
Ammonia	38	7	10	19	16	4	23	5	19	14	20	26	11	23	16	17	8	11	11	4
	8.2	10.1	6.8	8.2	9.5	10.5	9.2	8.9	7.0	7.9	10.7	7.6	12.9	7.9	7.4	9.5	10.0	7.7	9.6	4.6
	100.0	18.4	26.3	50.0	42.1	10.5	60.5	13.2	50.0	36.8	52.6	68.4	28.9	60.5	42.1	44.7	21.1	28.9	28.9	10.5

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 47
Q.30 Which Of The Following Products, If Any, Are Discharged Into The
Graywater That Is Reused?

											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
											HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER DIR- ECTLY	DISP. GRAY- WATER	WATER	NON- -ING					
	SOURCES OF GRAYWATER REUSE																			
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			BATH/ DIS- POSAL	GARBG KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	GRAY- WATER DIR- ECTLY	TABLE FRUIT GARDN	NON- -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.		
	TOTAL	2 OR LESS	3-9	10+	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	463	69*	147	233	168	38*	250	56*	270	178	187	340	85*	292	215	179	80*	142	114	87*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	14.9*	31.7	50.3	36.3	8.2*	54.0	12.1*	58.3	38.4	40.4	73.4	18.4*	63.1	46.4	38.7	17.3*	30.7	24.6	18.8*
Baking soda	101	10	31	58	48	7	77	17	54	53	59	76	17	60	58	46	18	35	24	18
	21.8	14.5	21.1	24.9	28.6	18.4	30.8	30.4	20.0	29.8	31.6	22.4	20.0	20.5	27.0	25.7	22.5	24.6	21.1	20.7
	100.0	9.9	30.7	57.4	47.5H	6.9	76.2H	16.8	53.5	52.5H	58.4H	75.2	16.8	59.4	57.4	45.5	17.8	34.7	23.8	17.8
Borax	30	3	7	19	10	4	16	5	19	16	16	25	6	20	12	11	4	8	7	9
	6.5	4.3	4.8	8.2	6.0	10.5	6.4	8.9	7.0	9.0	8.6	7.4	7.1	6.8	5.6	6.1	5.0	5.6	6.1	10.3
	100.0	10.0	23.3	63.3	33.3	13.3	53.3	16.7	63.3	53.3	53.3	83.3	20.0	66.7	40.0	36.7	13.3	26.7	23.3	30.0
Carpet cleaners	14	2	4	7	7	1	11	2	6	10	9	7	3	7	8	8	2	5	4	2
	3.0	2.9	2.7	3.0	4.2	2.6	4.4	3.6	2.2	5.6	4.8	2.1	3.5	2.4	3.7	4.5	2.5	3.5	3.5	2.3
	100.0	14.3	28.6	50.0	50.0	7.1	78.6	14.3	42.9	71.4	64.3	50.0	21.4	50.0	57.1	57.1	14.3	35.7	28.6	14.3
Disinfectant cleaners	61	8	18	32	29	6	46	13	33	35	42	43	18	40	34	30	11	25	8	14
	13.2	11.6	12.2	13.7	17.3	15.8	18.4	23.2	12.2	19.7	22.5	12.6	21.2	13.7	15.8	16.8	13.8	17.6	7.0	16.1
	100.0	13.1	29.5	52.5	47.5	9.8	75.4	21.3H	54.1	57.4H	68.9H	70.5	29.5K	65.6	55.7	49.2	18.0	41.0R	13.1	23.0R
Floor/furniture cleaners	38	5	17	15	15	3	22	3	20	22	26	23	14	26	20	18	8	14	7	5
	8.2	7.2	11.6	6.4	8.9	7.9	8.8	5.4	7.4	12.4	13.9	6.8	16.5	8.9	9.3	10.1	10.0	9.9	6.1	5.7
	100.0	13.2	44.7	39.5	39.5	7.9	57.9	7.9	52.6	57.9	68.4H	60.5	36.8K	68.4	52.6	47.4	21.1	36.8	18.4	13.2
													M							
Multi-surface cleaners	49	10	17	21	21	10	33	5	23	22	34	32	15	33	23	25	12	18	6	10
	10.6	14.5	11.6	9.0	12.5	26.3	13.2	8.9	8.5	12.4	18.2	9.4	17.6	11.3	10.7	14.0	15.0	12.7	5.3	11.5
	100.0	20.4	34.7	42.9	42.9	20.4D	67.3	10.2	46.9	44.9	69.4H	65.3	30.6K	67.3	46.9	51.0	24.5R	36.7R	12.2	20.4
						FGHI														

FGHI

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 47
Q.30 Which Of The Following Products, If Any, Are Discharged Into The
Graywater That Is Reused?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE								GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG		DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER DIR- ECTLY	DISP. GRAY- WATER	TABLE FRUIT GARDN	NON- WATER -ING	50- OF GRAYWATER REUSED			
						DIS- POSAL	KITCH SINK										<10 GALS.	10-49 GALS.	199 GALS.	200+ GALS.
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	463	69*	147	233	168	38*	250	56*	270	178	187	340	85*	292	215	179	80*	142	114	87*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	14.9*	31.7	50.3	36.3	8.2*	54.0	12.1*	58.3	38.4	40.4	73.4	18.4*	63.1	46.4	38.7	17.3*	30.7	24.6	18.8*
Tub/tile/sink cleaners	66	15	18	31	34	5	36	11	36	30	42	43	24	37	38	27	10	17	15	19
	14.3	21.7	12.2	13.3	20.2	13.2	14.4	19.6	13.3	16.9	22.5	12.6	28.2	12.7	17.7	15.1	12.5	12.0	13.2	21.8
	100.0	22.7	27.3	47.0	51.5	7.6	54.5	16.7	54.5	45.5	63.6F H	65.2	36.4K M	56.1	57.6	40.9	15.2	25.8	22.7	28.8Q
Dish Washing (Net)	287	45	81	154	118	32	218	39	153	135	137	207	62	172	156	119	54	96	69	52
	62.0	65.2	55.1	66.1	70.2	84.2	87.2	69.6	56.7	75.8	73.3	60.9	72.9	58.9	72.6	66.5	67.5	67.6	60.5	59.8
	100.0	15.7	28.2	53.7B	41.1H	11.1H	76.0D GHIJ	13.6	53.3	47.0H	47.7H	72.1	21.6K M	59.9	54.4	41.5	18.8	33.4	24.0	18.1
Hand dish washing liquid	277	44	77	149	113	31	215	33	144	130	131	200	57	168	151	114	54	93	68	47
	59.8	63.8	52.4	63.9	67.3	81.6	86.0	58.9	53.3	73.0	70.1	58.8	67.1	57.5	70.2	63.7	67.5	65.5	59.6	54.0
	100.0	15.9	27.8	53.8B	40.8H	11.2G H	77.6D GHIJ	11.9	52.0	46.9G H	47.3H	72.2	20.6	60.6	54.5	41.2	19.5	33.6	24.5	17.0
Automatic dishwasher detergent	38	4	11	22	15	6	18	22	26	17	17	26	16	18	16	12	5	8	4	17
	8.2	5.8	7.5	9.4	8.9	15.8	7.2	39.3	9.6	9.6	9.1	7.6	18.8	6.2	7.4	6.7	6.3	5.6	3.5	19.5
	100.0	10.5	28.9	57.9	39.5	15.8	47.4	57.9D EFHIJ	68.4	44.7	44.7	68.4	42.1K M	47.4	42.1	31.6	13.2	21.1	10.5	44.7PQR
Rinse agents for dishwashers	17	1	5	11	9	2	8	12	14	6	9	14	9	6	5	4	1	3	2	9
	3.7	1.4	3.4	4.7	5.4	5.3	3.2	21.4	5.2	3.4	4.8	4.1	10.6	2.1	2.3	2.2	1.3	2.1	1.8	10.3
	100.0	5.9	29.4	64.7	52.9	11.8	47.1	70.6D EFHIJ	82.4	35.3	52.9	82.4	52.9K M	35.3	29.4	23.5	5.9	17.6	11.8	52.9PQR

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 47
Q.30 Which Of The Following Products, If Any, Are Discharged Into The
Graywater That Is Reused?

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			BATH/SHOWR	GARBG DIS-POSAL	KITCH SINK	WASH-DISH WASHR	WASH-ING MACH.	CAR WASH-ING	CLEAN-ING HOUSE	HAS A FACE GRAY-WATER SYSTM	HAS A SUB-SURFC GRAY-WATER SYSTM	DISP. GRAY-WATER DIR-ECTLY	WATER TABLE FRUIT GARDN	NON-WATER -ING	VOLUME OF GRAYWATER REUSED				
	TOTAL	2 OR LESS	3-9													10+	<10 GALS.	10-49 GALS.	50-199 GALS.	200+ GALS.
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	463	69*	147	233	168	38*	250	56*	270	178	187	340	85*	292	215	179	80*	142	114	87*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	14.9*	31.7	50.3	36.3	8.2*	54.0	12.1*	58.3	38.4	40.4	73.4	18.4*	63.1	46.4	38.7	17.3*	30.7	24.6	18.8*
Film and spot remover	7	-	5	2	1	-	3	1	5	4	3	5	4	2	2	2	1	2	2	2
	1.5	-	3.4	0.9	0.6	-	1.2	1.8	1.9	2.2	1.6	1.5	4.7	0.7	0.9	1.1	1.3	1.4	1.8	2.3
	100.0	-	71.4	28.6	14.3	-	42.9	14.3	71.4	57.1	42.9	71.4	57.1M	28.6	28.6	28.6	14.3	28.6	28.6	28.6
Hand/Body soap	235	37	69	122	135	26	159	31	122	96	109	163	54	129	126	107	39	74	58	48
	50.8	53.6	46.9	52.4	80.4	68.4	63.6	55.4	45.2	53.9	58.3	47.9	63.5	44.2	58.6	59.8	48.8	52.1	50.9	55.2
	100.0	15.7	29.4	51.9	57.4F	11.1H	67.7H	13.2	51.9	40.9	46.4H	69.4	23.0K	54.9	53.6	45.5	16.6	31.5	24.7	20.4
					GHIJ		I						M							
Car washing liquid	89	15	22	52	31	7	54	13	53	68	57	69	20	55	50	37	17	26	22	16
	19.2	21.7	15.0	22.3	18.5	18.4	21.6	23.2	19.6	38.2	30.5	20.3	23.5	18.8	23.3	20.7	21.3	18.3	19.3	18.4
	100.0	16.9	24.7	58.4	34.8	7.9	60.7	14.6	59.6	76.4D	64.0D	77.5	22.5	61.8	56.2	41.6	19.1	29.2	24.7	18.0
										EFGH	FH									
Drain opening liquid	18	-	5	13	6	1	11	3	11	11	12	11	7	11	8	8	3	6	2	3
	3.9	-	3.4	5.6	3.6	2.6	4.4	5.4	4.1	6.2	6.4	3.2	8.2	3.8	3.7	4.5	3.8	4.2	1.8	3.4
	100.0	-	27.8	72.2A	33.3	5.6	61.1	16.7	61.1	61.1	66.7	61.1	38.9K	61.1	44.4	44.4	16.7	33.3	11.1	16.7
Packaged water softeners	7	-	5	2	1	2	5	1	2	2	3	5	2	4	3	5	2	3	-	1
	1.5	-	3.4	0.9	0.6	5.3	2.0	1.8	0.7	1.1	1.6	1.5	2.4	1.4	1.4	2.8	2.5	2.1	-	1.1
	100.0	-	71.4	28.6	14.3	28.6D	71.4	14.3	28.6	28.6	42.9	71.4	28.6	57.1	42.9	71.4	28.6	42.9	-	14.3
						H														
Sigma	1939	287	585	1014	780	171	1164	302	1255	891	965	1410	498	1176	974	753	285	563	489	436
	418.8	415.9	398.0	435.2	464.3	450.0	465.6	539.3	464.8	500.6	516.0	414.7	585.9	402.7	453.0	420.7	356.3	396.5	428.9	501.1
	100.0	14.8	30.2	52.3	40.2	8.8	60.0	15.6	64.7	46.0	49.8	72.7	25.7	60.6	50.2	38.8	14.7	29.0	25.2	22.5

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 48
Q.31 Approximately How Much Bleach Is Used Per Usage Occasion?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										SOURCES OF GRAYWATER REUSE					GRAYWATER SYSTEM HAS A HAS A			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTEM	GRAY- WATER SYSTEM	DISP. DIR- ECTLY	WATER TABLE GARDN	NON- ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.				
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)					
Base: Bleach Is Discharged Into The Graywater That Is Reused	184 100.0 100.0	32* 100.0 17.4*	56* 100.0 30.4*	92* 100.0 50.0*	64* 100.0 34.8*	14** 100.0 7.6**	87* 100.0 47.3*	27** 100.0 14.7**	141 100 76.6	75* 100.0 40.8*	79* 100.0 42.9*	144 100.0 78.3	54* 100.0 29.3*	115 100.0 62.5	81* 100.0 44.0*	59* 100.0 32.1*	17** 100.0 9.2**	44* 100.0 23.9*	50* 100.0 27.2*	53* 100.0 28.8*				
No answer	5 2.7 100.0	1 3.1 20.0	1 1.8 20.0	3 3.3 60.0	1 1.6 20.0	1 7.1 20.0	3 3.4 60.0	- - -	3 2.1 60.0	- - -	1 1.3 20.0	4 2.8 80.0	- - -	3 2.6 60.0	2 2.5 40.0	2 3.4 40.0	- - -	2 4.5 40.0	- - -	2 3.8 40.0				
Base: Total Answering	179 100.0 100.0	31* 100.0 17.3*	55* 100.0 30.7*	89* 100.0 49.7*	63* 100.0 35.2*	13** 100.0 7.3**	84* 100.0 46.9*	27** 100.0 15.1**	138 100 77.1	75* 100.0 41.9*	78* 100.0 43.6*	140 100.0 78.2	54* 100.0 30.2*	112 100.0 62.6	79* 100.0 44.1*	57* 100.0 31.8*	17** 100.0 9.5**	42* 100.0 23.5*	50* 100.0 27.9*	51* 100.0 28.5*				
1 teaspoon (0.02)	9 5.0 100.0	2 6.5 22.2	3 5.5 33.3	4 4.5 44.4	2 3.2 22.2	- - -	4 4.8 44.4	1 3.7 11.1	6 4.3 66.7	3 4.0 33.3	4 5.1 44.4	6 4.3 66.7	2 3.7 22.2	5 4.5 55.6	3 3.8 33.3	3 5.3 33.3	3 17.6 33.3	1 2.4 11.1	4 8.0 44.4	1 2.0 11.1				
1 tablespoon (0.06)	20 11.2 100.0	2 6.5 10.0	8 14.5 40.0	9 10.1 45.0	8 12.7 40.0	2 15.4 10.0	10 11.9 50.0	4 14.8 20.0	13 9.4 65.0	9 12.0 45.0	8 10.3 40.0	18 12.9 90.0	5 9.3 25.0	15 13.4 75.0	8 10.1 40.0	10 17.5 50.0	3 17.6 15.0	8 19.0 40.0	3 6.0 15.0	4 7.8 20.0				
1/4 cup (0.25)	70 39.1 100.0	9 29.0 12.9	18 32.7 25.7	42 47.2 60.0	26 41.3 37.1	7 53.8 10.0	39 46.4 55.7	12 44.4 17.1	52 37.7 74.3	38 50.7 54.3	36 46.2 51.4	53 37.9 75.7	16 29.6 22.9	45 40.2 64.3	32 40.5 45.7	28 49.1 40.0	5 29.4 7.1	20 47.6 28.6	18 36.0 25.7	19 37.3 27.1				
1/2 cup (0.5)	43 24.0 100.0	9 29.0 20.9	10 18.2 23.3	23 25.8 53.5	13 20.6 30.2	3 23.1 7.0	18 21.4 41.9	9 33.3 20.9	36 26.1 83.7	14 18.7 32.6	16 20.5 37.2	37 26.4 86.0	15 27.8 34.9	26 23.2 60.5	17 21.5 39.5	8 14.0 18.6	4 23.5 9.3	9 21.4 20.9	10 20.0 23.3	12 23.5 27.9				
1 cup or more (1)	37 20.7 100.0	9 29.0 24.3c	16 29.1 43.2c	11 12.4 29.7	14 22.2 37.8	1 7.7 2.7	13 15.5 35.1	1 3.7 2.7	31 22.5 83.8	11 14.7 29.7	14 17.9 37.8	26 18.6 70.3	16 29.6 43.2	21 18.8 56.8	19 24.1 51.4	8 14.0 21.6	2 11.8 5.4	4 9.5 10.8	15 30.0 40.5q	15 29.4 40.5q				

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 48
Q.31 Approximately How Much Bleach Is Used Per Usage Occasion?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE								GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
												HAS A SUR- FACE	HAS A SUB- SURFC	DISP. GRAY- WATER	WATER VEGE- TABLE	NON- FRUIT GARDN				
												WATER	WATER	DIR- ECTLY						
	2 OR TOTAL	LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM				<10 GALS.	10-49 GALS.	199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Base: Total Answering	179	31*	55*	89*	63*	13**	84*	27**	138	75*	78*	140	54*	112	79*	57*	17**	42*	50*	51*
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	17.3*	30.7*	49.7*	35.2*	7.3**	46.9*	15.1**	77.1	41.9*	43.6*	78.2	30.2*	62.6	44.1*	31.8*	9.5**	23.5*	27.9*	28.5*
Sigma	179	31	55	89	63	13	84	27	138	75	78	140	54	112	79	57	17	42	50	51
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	17.3	30.7	49.7	35.2	7.3	46.9	15.1	77.1	41.9	43.6	78.2	30.2	62.6	44.1	31.8	9.5	23.5	27.9	28.5
Mean Base	179	31	55	89	63	13	84	27	138	75	78	140	54	112	79	57	17	42	50	51
Mean Number Of Cups	0.43	0.51C	0.47	0.38	0.44	0.34	0.39	0.32	0.46	0.37	0.40	0.42	0.52	0.41	0.460	0.34	0.32	0.33	0.50Q	0.51Q
Std. Deviation	0.32	0.35	0.37	0.28	0.33	0.25	0.30	0.21	0.33	0.29	0.31	0.32	0.35	0.32	0.34	0.30	0.31	0.26	0.36	0.34
Std. Error	0.02	0.06	0.05	0.03	0.04	0.07	0.03	0.04	0.03	0.03	0.04	0.03	0.05	0.03	0.04	0.04	0.08	0.04	0.05	0.05

Proportions/Means: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 49
Q.31 Approximately How Much Fabric Softener Is Used Per Usage Occasion?

	SOURCES OF GRAYWATER REUSE											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			GARBG			WASH- CAR CLEAN			HAS A	HAS A	DISP.	GRAY-	WATER	NON-					
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	WASH- ING	-ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	WATER DIR- ECTLY	TABLE FRUIT GARDN	WATER -ING				
																	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Fabric Softener Is Discharged Into The Graywater That Is Reused	121	17**	37*	65*	36*	5**	55*	18**	98*	47*	44*	87*	31*	74*	63*	35*	13**	25**	43*	24**
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0*	100.0*	100.0*	100.0*	100.0*	100.0*	100.0*	100.0**	100**	100*	100.0**
	100.0	14.0**	30.6*	53.7*	29.8*	4.1**	45.5*	14.9**	81.0*	38.8*	36.4*	71.9*	25.6*	61.2*	52.1*	28.9*	10.7**	20.7**	35.5*	19.8**
No answer	9	1	1	7	1	1	3	1	7	3	3	6	2	5	4	3	-	2	1	4
	7.4	5.9	2.7	10.8	2.8	20.0	5.5	5.6	7.1	6.4	6.8	6.9	6.5	6.8	6.3	8.6	-	8.0	2.3	16.7
	100.0	11.1	11.1	77.8	11.1	11.1	33.3	11.1	77.8	33.3	33.3	66.7	22.2	55.6	44.4	33.3	-	22.2	11.1	44.4
Base: Total Answering	112	16**	36*	58*	35*	4**	52*	17**	91*	44*	41*	81*	29**	69*	59*	32*	13**	23**	42*	20**
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0*	100.0*	100.0*	100.0**	100*	100.0*	100.0*	100.0**	100**	100*	100.0**
	100.0	14.3**	32.1*	51.8*	31.3*	3.6**	46.4*	15.2**	81.3*	39.3*	36.6*	72.3*	25.9**	61.6*	52.7*	28.6*	11.6**	20.5**	37.5*	17.9**
1 teaspoon (0.02)	9	-	2	6	2	-	4	1	8	6	4	6	2	6	2	4	3	2	2	2
	8.0	-	5.6	10.3	5.7	-	7.7	5.9	8.8	13.6	9.8	7.4	6.9	8.7	3.4	12.5	23.1	8.7	4.8	10.0
	100.0	-	22.2	66.7	22.2	-	44.4	11.1	88.9	66.7	44.4	66.7	22.2	66.7	22.2	44.4	33.3	22.2	22.2	22.2
1 tablespoon (0.06)	25	4	9	12	8	1	12	4	23	9	9	20	6	17	16	3	3	5	7	5
	22.3	25.0	25.0	20.7	22.9	25.0	23.1	23.5	25.3	20.5	22.0	24.7	20.7	24.6	27.1	9.4	23.1	21.7	16.7	25.0
	100.0	16.0	36.0	48.0	32.0	4.0	48.0	16.0	92.0	36.0	36.0	80.0	24.0	68.0	64.0	12.0	12.0	20.0	28.0	20.0
1/4 cup (0.25)	61	7	22	32	17	3	26	11	48	21	21	46	16	36	31	19	5	15	24	11
	54.5	43.8	61.1	55.2	48.6	75.0	50.0	64.7	52.7	47.7	51.2	56.8	55.2	52.2	52.5	59.4	38.5	65.2	57.1	55.0
	100.0	11.5	36.1	52.5	27.9	4.9	42.6	18.0	78.7	34.4	34.4	75.4	26.2	59.0	50.8	31.1	8.2	24.6	39.3	18.0
1/2 cup (0.5)	12	3	1	7	4	-	7	1	10	6	4	7	2	8	7	3	1	-	6	2
	10.7	18.8	2.8	12.1	11.4	-	13.5	5.9	11.0	13.6	9.8	8.6	6.9	11.6	11.9	9.4	7.7	-	14.3	10.0
	100.0	25.0	8.3	58.3	33.3	-	58.3	8.3	83.3	50.0	33.3	58.3	16.7	66.7	58.3	25.0	8.3	-	50.0	16.7
1 cup or more (1)	5	2	2	1	4	-	3	-	2	2	3	2	3	2	3	3	1	1	3	-
	4.5	12.5	5.6	1.7	11.4	-	5.8	-	2.2	4.5	7.3	2.5	10.3	2.9	5.1	9.4	7.7	4.3	7.1	-
	100.0	40.0	40.0	20.0	80.0H	-	60.0	-	40.0	40.0	60.0	40.0	60.0	40.0	60.0	60.0	20.0	20.0	60.0	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 49
Q.31 Approximately How Much Fabric Softener Is Used Per Usage Occasion?

NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER											GRAYWATER SYSTEM					USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
TOTAL				SOURCES OF GRAYWATER REUSE							HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER VEGE- TABLE FRUIT GARDN	NON- WATER -ING						
	2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	GRAY- WATER DIR- ECTLY	WATER VEGE- TABLE FRUIT GARDN	NON- WATER -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.		
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
112	16**	36*	58*	35*	4**	52*	17**	91*	44*	41*	81*	29**	69*	59*	32*	13**	23**	42*	20**		
100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0*	100.0*	100.0*	100.0**	100*	100.0*	100.0*	100.0**	100**	100*	100.0**		
100.0	14.3**	32.1*	51.8*	31.3*	3.6**	46.4*	15.2**	81.3*	39.3*	36.6*	72.3*	25.9**	61.6*	52.7*	28.6*	11.6**	20.5**	37.5*	17.9**		
112	16	36	58	35	4	52	17	91	44	41	81	29	69	59	32	13	23	42	20		
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0		
100.0	14.3	32.1	51.8	31.3	3.6	46.4	15.2	81.3	39.3	36.6	72.3	25.9	61.6	52.7	28.6	11.6	20.5	37.5	17.9		
112	16	36	58	35	4	52	17	91	44	41	81	29	69	59	32	13	23	42	20		
0.25	0.34	0.24	0.23	0.31	0.20	0.27	0.21	0.23	0.25	0.27	0.23	0.29	0.23	0.26	0.30	0.23	0.22	0.30	0.20		
0.21	0.30	0.21	0.17	0.29	0.09	0.23	0.12	0.18	0.22	0.25	0.18	0.27	0.19	0.22	0.26	0.27	0.19	0.24	0.14		
0.02	0.07	0.04	0.02	0.05	0.05	0.03	0.03	0.02	0.03	0.04	0.02	0.05	0.02	0.03	0.05	0.08	0.04	0.04	0.03		

Proportions/Means: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 50
Q.31 Approximately How Many Laundry Boosters Are Used Per Usage Occasion?

	SOURCES OF GRAYWATER REUSE											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER											HAS A SUR- FACE	HAS A SUB- SURFC	DISP. GRAY- WATER							
					GARBG		WASH- CAR		CLEAN												
					BATH/ DIS- KITCH DISH- ING WASH- CAR CLEAN	GRAY- GRAY- WATER	TABLE NON-														
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	WASH- ING	-ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	DIR- ECTLY	FRUIT GARDN	WATER -ING	<10 GALS.	10-49 GALS.	199 GALS.	200+ GALS.	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Laundry Boosters Are Discharged Into The Graywater That Is Reused	27	2**	3**	19**	9**	-**	14**	6**	22**	13**	13**	18**	5**	18**	14**	10**	3**	5**	8**	9**	
	100.0	100.0**	100**	100**	100**	-**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	
	100.0	7.4**	11.1**	70.4**	33.3**	-**	51.9**	22.2**	81.5**	48.1**	48.1**	66.7**	18.5**	66.7**	51.9**	37.0**	11.1**	18.5**	29.6**	33.3**	
No answer	1	-	-	-	1	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	
	3.7	-	-	-	11.1	-	-	-	4.5	-	-	5.6	-	5.6	-	10.0	-	-	-	-	
	100.0	-	-	-	100.0	-	-	-	100.0	-	-	100.0	-	100.0	-	100.0	-	-	-	-	
Base: Total Answering	26	2**	3**	19**	8**	-**	14**	6**	21**	13**	13**	17**	5**	17**	14**	9**	3**	5**	8**	9**	
	100.0	100.0**	100**	100**	100**	-**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	
	100.0	7.7**	11.5**	73.1**	30.8**	-**	53.8**	23.1**	80.8**	50.0**	50.0**	65.4**	19.2**	65.4**	53.8**	34.6**	11.5**	19.2**	30.8**	34.6**	
1 teaspoon (0.02)	4	1	1	2	-	-	3	1	2	1	2	2	1	2	1	1	2	1	-	1	
	15.4	50.0	33.3	10.5	-	-	21.4	16.7	9.5	7.7	15.4	11.8	20.0	11.8	7.1	11.1	66.7	20.0	-	11.1	
	100.0	25.0	25.0	50.0	-	-	75.0	25.0	50.0	25.0	50.0	50.0	25.0	50.0	25.0	50.0	25.0	50.0	-	25.0	
1/2 tablespoon (0.06)	7	-	1	5	1	-	3	2	6	4	4	7	1	5	4	1	-	1	2	3	
	26.9	-	33.3	26.3	12.5	-	21.4	33.3	28.6	30.8	30.8	41.2	20.0	29.4	28.6	11.1	-	20.0	25.0	33.3	
	100.0	-	14.3	71.4	14.3	-	42.9	28.6	85.7	57.1	57.1	100.0	14.3	71.4	57.1	14.3	-	14.3	28.6	42.9	
1/4 cup (0.25)	7	1	1	5	2	-	3	2	6	1	1	4	1	6	3	3	1	2	3	1	
	26.9	50.0	33.3	26.3	25.0	-	21.4	33.3	28.6	7.7	7.7	23.5	20.0	35.3	21.4	33.3	33.3	40.0	37.5	11.1	
	100.0	14.3	14.3	71.4	28.6	-	42.9	28.6	85.7	14.3	14.3	57.1	14.3	85.7	42.9	42.9	14.3	28.6	42.9	14.3	
1/2 cup (0.5)	8	-	-	7	5	-	5	1	7	7	6	4	2	4	6	4	-	1	3	4	
	30.8	-	-	36.8	62.5	-	35.7	16.7	33.3	53.8	46.2	23.5	40.0	23.5	42.9	44.4	-	20.0	37.5	44.4	
	100.0	-	-	87.5	62.5	-	62.5	12.5	87.5	87.5	75.0	50.0	25.0	50.0	75.0	50.0	-	12.5	37.5	50.0	
1 cup or more (1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

** very small base (under 30) ineligible for sig testing

Table 50
Q.31 Approximately How Many Laundry Boosters Are Used Per Usage Occasion?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER			VOLUME OF GRAYWATER REUSED			
											HAS A SUR-	HAS A SUB-	DISP. WATER	FACE GRAY-	SURFC GRAY-	GRAY- VEGE-				
											WATER SYSTEM	WATER SYSTEM	DIR- ECTLY	TABLE GARDN	NON- ING					
	2 OR TOTAL LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- SYSTEM	GRAY- SYSTEM	WATER DIR-	TABLE GARDN	NON- ING		<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)		(P)	(Q)	(R)	(S)
Base: Total Answering	26	2**	3**	19**	8**	-**	14**	6**	21**	13**	13**	17**	5**	17**	14**	9**	3**	5**	8**	9**
	100.0	100.0**	100**	100**	100**	-**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**
	100.0	7.7**	11.5**	73.1**	30.8**	-**	53.8**	23.1**	80.8**	50.0**	50.0**	65.4**	19.2**	65.4**	53.8**	34.6**	11.5**	19.2**	30.8**	34.6**
Sigma	26	2	3	19	8	-	14	6	21	13	13	17	5	17	14	9	3	5	8	9
	100.0	100.0	100.0	100.0	100.0	-	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	7.7	11.5	73.1	30.8	-	53.8	23.1	80.8	50.0	50.0	65.4	19.2	65.4	53.8	34.6	11.5	19.2	30.8	34.6
Mean Base	26	2	3	19	8	-	14	6	21	13	13	17	5	17	14	9	3	5	8	9
Mean Number Of Cups	0.24	0.14	0.11	0.27	0.38	-	0.25	0.19	0.26	0.31	0.27	0.20	0.27	0.23	0.29	0.31	0.10	0.22	0.30	0.27
Std. Deviation	0.20	0.16	0.12	0.20	0.17	-	0.21	0.18	0.19	0.22	0.23	0.19	0.23	0.18	0.21	0.19	0.13	0.19	0.19	0.23
Std. Error	0.04	0.12	0.07	0.05	0.06	-	0.06	0.07	0.04	0.06	0.06	0.05	0.10	0.04	0.06	0.06	0.08	0.09	0.07	0.08

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
 ** very small base (under 30) ineligible for sig testing

Table 51
Q.31 Approximately How Much Laundry Detergent Is Used Per Usage Occasion?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE								GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
													HAS A SUR- FACE WATER SYSTM	HAS A SUB- SURFC WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING					
					BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	WATER DIR- ECTLY	TABLE FRUIT GARDN	NON- WATER -ING						
	TOTAL	2 OR LESS	3-9	10+	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)		<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.	
	(A)	(B)	(C)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)		(P)	(Q)	(R)	(S)	
Base: Laundry Detergent Is Discharged Into The Graywater That Is Reused	289 100.0 100.0	41* 100.0 14.2*	91* 100.0 31.5*	146 100.0 50.5	96* 100.0 33.2*	19** 100.0 6.6**	134 100.0 46.4	46* 100.0 15.9*	237 100.0 82.0	112 100.0 38.8	101 100.0 34.9	227 100.0 78.5	67* 100.0 23.2*	180 100.0 62.3	129 100.0 44.6	90* 100.0 31.1*	24** 100.0 8.3**	73* 100.0 25.3*	84* 100.0 29.1*	74* 100.0 25.6*		
No answer	28 9.7 100.0	5 12.2 17.9	10 11.0 35.7	11 7.5 39.3	8 8.3 28.6	3 15.8 10.7	15 11.2 53.6	3 6.5 10.7	19 8.0 67.9	9 8.0 32.1	9 8.9 32.1	22 9.7 78.6	4 6.0 14.3	15 8.3 53.6	12 9.3 42.9	9 10.0 32.1	4 16.7 14.3	8 11.0 28.6	7 8.3 25.0	3 4.1 10.7		
Base: Total Answering	261 100.0 100.0	36* 100.0 13.8*	81* 100.0 31.0*	135 100.0 51.7	88* 100.0 33.7*	16** 100.0 6.1**	119 100.0 45.6	43* 100.0 16.5*	218 100.0 83.5	103 100.0 39.5	92* 100.0 35.2*	205 100.0 78.5	63* 100.0 24.1*	165 100.0 63.2	117 100.0 44.8	81* 100.0 31.0*	20** 100.0 7.7**	65* 100.0 24.9*	77* 100.0 29.5*	71* 100.0 27.2*		
1 teaspoon (0.02)	3 1.1 100.0	- 2.5 66.7	2 0.7 33.3	1 1.1 33.3	1 1.1 33.3	- 1.7 66.7	2 2.3 33.3	1 0.5 33.3	1 1.0 33.3	1 1.0 33.3	- 1.0 66.7	2 3.2 66.7M	2 - 66.7	- 1.7 66.7	2 - 66.7	- 5.0 33.3	1 - 33.3	- 2.6 66.7	2 - 66.7	- - -		
1 tablespoon (0.06)	15 5.7 100.0	2 5.6 13.3	2 2.5 13.3	10 7.4 66.7	5 5.7 33.3	5 31.3 33.3	9 7.6 60.0	3 7.0 20.0	10 4.6 66.7	4 3.9 26.7	8 8.7 53.3	11 5.4 73.3	1 1.6 6.7	13 7.9 86.7	5 4.3 33.3	7 8.6 46.7	7 35.0 46.7	1 1.5 6.7	2 2.6 13.3	4 5.6 26.7		
1/4 cup (0.25)	95 36.4 100.0	8 22.2 8.4	32 39.5 33.7	54 40.0 56.8	35 39.8 36.8	5 31.3 5.3	49 41.2 51.6	18 41.9 18.9	80 36.7 84.2	43 41.7 45.3	36 39.1 37.9	77 37.6 81.1	20 31.7 21.1	65 39.4 68.4	37 31.6 38.9	40 49.4 42.1N	5 25.0 5.3	34 52.3 35.8S	29 37.7 30.5	20 28.2 21.1		
1/2 cup (0.5)	97 37.2 100.0	16 44.4 16.5	28 34.6 28.9	48 35.6 49.5	28 31.8 28.9	5 31.3 5.2	39 32.8 40.2	15 34.9 15.5	82 37.6 84.5	31 30.1 32.0	29 31.5 29.9	75 36.6 77.3	26 41.3 26.8	62 37.6 63.9	45 38.5 46.40	19 23.5 19.6	5 25.0 5.2	16 24.6 16.5	31 40.3 32.0	30 42.3 30.9Q		
1 cup or more (1)	51 19.5 100.0	10 27.8 19.6	17 21.0 33.3	22 16.3 43.1	19 21.6 37.3	1 6.3 2.0	20 16.8 39.2	6 14.0 11.8	45 20.6 88.2	24 23.3 47.1	19 20.7 37.3	40 19.5 78.4	14 22.2 27.5	25 15.2 49.0	28 23.9 54.9	15 18.5 29.4	2 10.0 3.9	14 21.5 27.5	13 16.9 25.5	17 23.9 33.3		

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 51
Q.31 Approximately How Much Laundry Detergent Is Used Per Usage Occasion?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM HAS A HAS A			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	2 OR TOTAL	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	SUR- FACE	SUB- SURFC	DISP. GRAY- WATER DIR- ECTLY	TABLE FRUIT GARDN	NON- VEGE- -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	261	36*	81*	135	88*	16**	119	43*	218	103	92*	205	63*	165	117	81*	20**	65*	77*	71*
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	13.8*	31.0*	51.7	33.7*	6.1**	45.6	16.5*	83.5	39.5	35.2*	78.5	24.1*	63.2	44.8	31.0*	7.7**	24.9*	29.5*	27.2*
Sigma	261	36	81	135	88	16	119	43	218	103	92	205	63	165	117	81	20	65	77	71
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	13.8	31.0	51.7	33.7	6.1	45.6	16.5	83.5	39.5	35.2	78.5	24.1	63.2	44.8	31.0	7.7	24.9	29.5	27.2
Mean Base	261	36	81	135	88	16	119	43	218	103	92	205	63	165	117	81	20	65	77	71
Mean Number Of Cups	0.48	0.56C	0.48	0.45	0.48	0.32	0.44	0.42	0.49	0.49	0.47	0.48	0.51	0.44	0.51	0.43	0.31	0.47	0.47	0.52
Std. Deviation	0.29	0.31	0.30	0.28	0.31	0.26	0.29	0.28	0.29	0.31	0.30	0.29	0.30	0.27	0.30	0.30	0.30	0.30	0.28	0.30
Std. Error	0.02	0.05	0.03	0.02	0.03	0.06	0.03	0.04	0.02	0.03	0.03	0.02	0.04	0.02	0.03	0.03	0.07	0.04	0.03	0.04

Proportions/Means: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 52
Q.31 Approximately How Many Laundry Presoaks Are Used Per Usage Occasion?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER											SOURCES OF GRAYWATER REUSE				GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
												HAS A	HAS A	DISP.	WATER									
												SUR-	SUB-	GRAY-	VEGE-									
	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTEM	GRAY- WATER SYSTEM	DIR- ECTLY	FRUIT GARDN	TABLE -ING	NON-	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.				
TOTAL	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)					
Base: Laundry Presoaks Are Discharged Into The Graywater That Is Reused	40 100.0 100.0	8** 100.0** 20.0**	15** 100** 37.5**	17** 100** 42.5**	14** 100** 35.0**	1** 100** 2.5**	21** 100** 52.5**	5** 100** 12.5**	32* 100* 80.0*	16** 100.0** 40.0**	22** 100** 55.0**	29** 100** 72.5**	13** 100** 32.5**	21** 100** 52.5**	18** 100** 45.0**	13** 100** 32.5**	6** 100** 15.0**	11** 100** 27.5**	13** 100** 32.5**	7** 100** 17.5**				
No answer	6 15.0 100.0	1 12.5 16.7	3 20.0 50.0	2 11.8 33.3	2 14.3 33.3	- 14.3 50.0	3 - -	- 12.5 66.7	4 12.5 33.3	2 13.6 50.0	3 17.2 83.3	5 15.4 33.3	2 23.8 83.3	5 11.1 33.3	2 7.7 16.7	1 - -	- 27.3 50.0	3 15.4 33.3	2 - -	- -				
Base: Total Answering	34 100.0 100.0	7** 100.0** 20.6**	12** 100** 35.3**	15** 100** 44.1**	12** 100** 35.3**	1** 100** 2.9**	18** 100** 52.9**	5** 100** 14.7**	28** 100** 82.4**	14** 100** 41.2**	19** 100** 55.9**	24** 100** 70.6**	11** 100** 32.4**	16** 100** 47.1**	16** 100** 47.1**	12** 100** 35.3**	6** 100** 17.6**	8** 100** 23.5**	11** 100** 32.4**	7** 100** 20.6**				
1 teaspoon (0.02)	9 26.5 100.0	1 14.3 11.1	6 50.0 66.7	2 13.3 22.2	1 8.3 11.1	1 100.0 11.1	5 27.8 55.6	2 40.0 22.2	6 21.4 66.7	5 35.7 55.6	6 31.6 66.7	8 33.3 88.9	3 27.3 33.3	3 18.8 33.3	4 25.0 44.4	2 16.7 22.2	3 50.0 33.3	2 25.0 22.2	3 27.3 33.3	1 14.3 11.1				
1 tablespoon (0.06)	10 29.4 100.0	2 28.6 20.0	2 16.7 20.0	6 40.0 60.0	4 33.3 40.0	- - -	5 27.8 50.0	1 20.0 10.0	7 25.0 70.0	2 14.3 20.0	4 21.1 40.0	6 25.0 60.0	2 18.2 20.0	4 25.0 40.0	5 31.3 50.0	4 33.3 40.0	2 33.3 20.0	3 37.5 30.0	4 36.4 40.0	1 14.3 10.0				
1/4 cup (0.25)	10 29.4 100.0	2 28.6 20.0	3 25.0 30.0	5 33.3 50.0	2 16.7 20.0	- - -	4 22.2 40.0	1 20.0 10.0	10 28.6 100.0	4 26.3 40.0	5 29.2 50.0	7 27.3 70.0	3 37.5 30.0	6 18.8 60.0	3 33.3 30.0	4 16.7 40.0	1 25.0 10.0	2 18.2 20.0	2 42.9 20.0	3 30.0				
1/2 cup (0.5)	3 8.8 100.0	1 14.3 33.3	- - -	2 13.3 66.7	3 25.0 100.0	- - -	3 16.7 100.0	1 20.0 33.3	3 10.7 100.0	2 14.3 66.7	2 10.5 66.7	2 8.3 66.7	1 9.1 33.3	3 18.8 100.0	2 12.5 66.7	1 8.3 33.3	- 12.5 -	1 9.1 33.3	1 14.3 33.3	1 -				
1 cup or more (1)	2 5.9 100.0	1 14.3 50.0	1 8.3 50.0	- - -	2 16.7 100.0	- - -	1 5.6 50.0	- 7.1 100.0	2 7.1 50.0	1 10.5 100.0	2 4.2 50.0	2 18.2 100.0	- 12.5 100.0	2 8.3 50.0	1 - -	- - -	- - -	- 9.1 50.0	1 14.3 50.0	1 -				

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 52
Q.31 Approximately How Many Laundry Presoaks Are Used Per Usage Occasion?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER			VOLUME OF GRAYWATER REUSED			
											HAS A SUR- FACE	HAS A SUB- SURFC	DISP. GRAY- WATER	WATER TABLE	NON- VEGE-					
											GRAY- WATER	GRAY- WATER	DIR- ECTLY	FRUIT GARDN	WATER -ING					
	2 OR TOTAL	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTEM	GRAY- WATER SYSTEM	DIR- ECTLY	FRUIT GARDN	WATER -ING		<10 GALS.	10-49 GALS.	199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)		(P)	(Q)	(R)	(S)
Base: Total Answering	34	7**	12**	15**	12**	1**	18**	5**	28**	14**	19**	24**	11**	16**	16**	12**	6**	8**	11**	7**
	100.0	100.0**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**
	100.0	20.6**	35.3**	44.1**	35.3**	2.9**	52.9**	14.7**	82.4**	41.2**	55.9**	70.6**	32.4**	47.1**	47.1**	35.3**	17.6**	23.5**	32.4**	20.6**
Sigma	34	7	12	15	12	1	18	5	28	14	19	24	11	16	16	12	6	8	11	7
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	20.6	35.3	44.1	35.3	2.9	52.9	14.7	82.4	41.2	55.9	70.6	32.4	47.1	47.1	35.3	17.6	23.5	32.4	20.6
Mean Base	34	7	12	15	12	1	18	5	28	14	19	24	11	16	16	12	6	8	11	7
Mean Number Of Cups	0.20	0.31	0.17	0.18	0.35	0.02	0.22	0.17	0.23	0.23	0.24	0.18	0.31	0.21	0.26	0.23	0.07	0.15	0.21	0.33
Std. Deviation	0.25	0.35	0.28	0.16	0.35	-	0.26	0.21	0.26	0.28	0.31	0.23	0.37	0.18	0.33	0.28	0.09	0.17	0.30	0.33
Std. Error	0.04	0.13	0.08	0.04	0.10	-	0.06	0.09	0.05	0.07	0.07	0.05	0.11	0.04	0.08	0.08	0.04	0.06	0.09	0.13

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 53
Q.31 Approximately How Many Laundry Prewashes/Stain Removers Are Used Per Usage Occasion?

	SOURCES OF GRAYWATER REUSE											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			GARBG			WASH- CAR			CLEAN	HAS A SUR- FACE	HAS A SUB- SURFC	DISP. GRAY- WATER	WATER TABLE	NON- VEGE-						
	2 OR	3-9	10+	BATH/ DIS-	KITCH	DISH-	WASH-	CAR	CLEAN	-ING	-ING	WATER	GRAY-	GRAY-	WATER	FRUIT	WATER	<10	10-49	199	200+
	TOTAL	LESS		SHWR	POSAL	SINK	WASHR	MACH.	-ING	HOUSE	SYSTM	SYSTM	ECTLY	GARDN	-ING	GALS.	GALS.	GALS.	GALS.		
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Laundry Prewashes/Stain Removers Are Discharged Into The Graywater That Is Reused	87	9**	33*	42*	29**	5**	45*	10**	76*	34*	37*	67*	26**	59*	38*	26**	7**	19**	26**	27**	
	100.0	100.0**	100*100.0*	100.0**	100**	100**	100.0**	100*100.0*	100.0**	100.0*	100.0*	100.0*	100.0**	100*100.0*	100.0**	100**	100**	100**	100**	100**	
	100.0	10.3**	37.9*	48.3*	33.3**	5.7**	51.7*	11.5**	87.4*	39.1*	42.5*	77.0*	29.9**	67.8*	43.7*	29.9**	8.0**	21.8**	29.9**	31.0**	
No answer	10	-	3	6	4	1	8	1	7	4	5	6	2	5	5	2	1	3	2	2	
	11.5	-	9.1	14.3	13.8	20.0	17.8	10.0	9.2	11.8	13.5	9.0	7.7	8.5	13.2	7.7	14.3	15.8	7.7	7.4	
	100.0	-	30.0	60.0	40.0	10.0	80.0	10.0	70.0	40.0	50.0	60.0	20.0	50.0	50.0	20.0	10.0	30.0	20.0	20.0	
Base: Total Answering	77	9**	30*	36*	25**	4**	37*	9**	69*	30*	32*	61*	24**	54*	33*	24**	6**	16**	24**	25**	
	100.0	100.0**	100*100.0*	100.0**	100**	100**	100.0**	100*100.0*	100.0**	100.0*	100.0*	100.0*	100.0**	100*100.0*	100.0**	100**	100**	100**	100**	100**	
	100.0	11.7**	39.0*	46.8*	32.5**	5.2**	48.1*	11.7**	89.6*	39.0*	41.6*	79.2*	31.2**	70.1*	42.9*	31.2**	7.8**	20.8**	31.2**	32.5**	
1 teaspoon (0.02)	35	3	14	17	6	2	14	1	31	13	10	29	10	24	12	11	6	7	10	9	
	45.5	33.3	46.7	47.2	24.0	50.0	37.8	11.1	44.9	43.3	31.3	47.5	41.7	44.4	36.4	45.8	100.0	43.8	41.7	36.0	
	100.0	8.6	40.0	48.6	17.1	5.7	40.0	2.9	88.6	37.1	28.6	82.9	28.6	68.6	34.3	31.4	17.1	20.0	28.6	25.7	
1 tablespoon (0.06)	31	3	12	16	13	2	16	7	29	13	15	26	9	22	15	8	-	9	9	11	
	40.3	33.3	40.0	44.4	52.0	50.0	43.2	77.8	42.0	43.3	46.9	42.6	37.5	40.7	45.5	33.3	-	56.3	37.5	44.0	
	100.0	9.7	38.7	51.6	41.9	6.5	51.6	22.6	93.5	41.9	48.4	83.9	29.0	71.0	48.4	25.8	-	29.0	29.0	35.5	
1/4 cup (0.25)	10	2	4	3	5	-	6	-	8	4	7	5	5	7	6	5	-	-	4	5	
	13.0	22.2	13.3	8.3	20.0	-	16.2	-	11.6	13.3	21.9	8.2	20.8	13.0	18.2	20.8	-	-	16.7	20.0	
	100.0	20.0	40.0	30.0	50.0	-	60.0	-	80.0	40.0	70.0	50.0	50.0	70.0	60.0	50.0	-	-	40.0	50.0	
1/2 cup (0.5)	1	1	-	-	1	-	1	1	1	-	-	1	-	1	-	-	-	-	1	-	
	1.3	11.1	-	-	4.0	-	2.7	11.1	1.4	-	-	1.6	-	1.9	-	-	-	-	4.2	-	
	100.0	100.0	-	-	100.0	-	100.0	100.0	100.0	-	-	100.0	-	100.0	-	-	-	-	100.0	-	
1 cup or more (1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 53
Q.31 Approximately How Many Laundry Prewashes/Stain Removers Are Used Per Usage Occasion?

NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE								GRAYWATER SYSTEM			USES OF GRAYWATER			VOLUME OF GRAYWATER REUSED			
												HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- VEGE- -ING					
TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	50- 199 GALS.	200+ GALS.		
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)											
77	9**	30*	36*	25**	4**	37*	9**	69*	30*	32*	61*	24**	54*	33*	24**	6**	16**	24**	25**		
100.0	100.0**	100*	100.0*	100.0**	100**	100*	100.0**	100*	100.0*	100.0*	100.0*	100.0**	100*	100.0*	100.0**	100**	100**	100**	100**		
100.0	11.7**	39.0*	46.8*	32.5**	5.2**	48.1*	11.7**	89.6*	39.0*	41.6*	79.2*	31.2**	70.1*	42.9*	31.2**	7.8**	20.8**	31.2**	32.5**		
77	9	30	36	25	4	37	9	69	30	32	61	24	54	33	24	6	16	24	25		
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0		
100.0	11.7	39.0	46.8	32.5	5.2	48.1	11.7	89.6	39.0	41.6	79.2	31.2	70.1	42.9	31.2	7.8	20.8	31.2	32.5		
77	9	30	36	25	4	37	9	69	30	32	61	24	54	33	24	6	16	24	25		
0.07	0.14	0.07	0.06	0.11	0.04	0.09	0.10	0.07	0.07	0.09	0.06	0.08	0.08	0.08	0.08	0.02	0.04	0.09	0.08		
0.09	0.16	0.08	0.06	0.12	0.02	0.11	0.15	0.09	0.08	0.09	0.08	0.09	0.09	0.08	0.09	0.00	0.02	0.12	0.09		
0.01	0.05	0.01	0.01	0.02	0.01	0.02	0.05	0.01	0.01	0.02	0.01	0.02	0.01	0.01	0.02	0.00	0.01	0.02	0.02		

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 54
Q.31 Approximately How Many All Purpose Household Cleaners Are Used Per Usage Occasion?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM HAS A HAS A			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	TOTAL																			
		2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	SUR- FACE GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	VEGE- TABLE FRUIT GARDN	NON- WATER -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: All Purpose Household Cleaners Are Discharged Into The Graywater That Is Reused	106	17**	29**	58*	41*	12**	71*	13**	62*	58*	80*	70*	25**	70*	61*	49*	20**	38*	25**	18**
	100.0	100.0**	100**	100*	100.0*	100.0**	100*	100.0**	100*	100.0*	100.0*	100.0*	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100**
	100.0	16.0**	27.4**	54.7*	38.7*	11.3**	67.0*	12.3**	58.5*	54.7*	75.5*	66.0*	23.6**	66.0*	57.5*	46.2*	18.9**	35.8*	23.6**	17.0**
No answer	12	1	5	6	3	1	9	2	3	6	10	8	2	8	8	8	2	6	2	1
	11.3	5.9	17.2	10.3	7.3	8.3	12.7	15.4	4.8	10.3	12.5	11.4	8.0	11.4	13.1	16.3	10.0	15.8	8.0	5.6
	100.0	8.3	41.7	50.0	25.0	8.3	75.0	16.7	25.0	50.0	83.3	66.7	16.7	66.7	66.7	66.7	16.7	50.0	16.7	8.3
Base: Total Answering	94	16**	24**	52*	38*	11**	62*	11**	59*	52*	70*	62*	23**	62*	53*	41*	18**	32*	23**	17**
	100.0	100.0**	100**	100*	100.0*	100.0**	100*	100.0**	100*	100.0*	100.0*	100.0*	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100**
	100.0	17.0**	25.5**	55.3*	40.4*	11.7**	66.0*	11.7**	62.8*	55.3*	74.5*	66.0*	24.5**	66.0*	56.4*	43.6*	19.1**	34.0*	24.5**	18.1**
1 teaspoon (0.02)	5	1	1	2	2	1	2	3	2	4	3	2	2	3	3	2	2	1	1	1
	5.3	6.3	4.2	3.8	5.3	9.1	3.2	27.3	3.4	7.7	4.3	3.2	8.7	4.8	5.7	4.9	11.1	3.1	4.3	5.9
	100.0	20.0	20.0	40.0	40.0	20.0	40.0	60.0	40.0	80.0	60.0	40.0	40.0	60.0	60.0	40.0	40.0	20.0	20.0	20.0
1 tablespoon (0.06)	29	3	8	18	12	3	20	2	21	16	19	23	3	19	19	13	8	9	6	4
	30.9	18.8	33.3	34.6	31.6	27.3	32.3	18.2	35.6	30.8	27.1	37.1	13.0	30.6	35.8	31.7	44.4	28.1	26.1	23.5
	100.0	10.3	27.6	62.1	41.4	10.3	69.0	6.9	72.4	55.2	65.5	79.3	10.3	65.5	65.5	44.8	27.6	31.0	20.7	13.8
1/4 cup (0.25)	44	7	12	25	17	7	30	6	25	25	36	27	13	29	22	18	7	17	10	9
	46.8	43.8	50.0	48.1	44.7	63.6	48.4	54.5	42.4	48.1	51.4	43.5	56.5	46.8	41.5	43.9	38.9	53.1	43.5	52.9
	100.0	15.9	27.3	56.8	38.6	15.9	68.2	13.6	56.8	56.8	81.8	61.4	29.5	65.9	50.0	40.9	15.9	38.6	22.7	20.5
1/2 cup (0.5)	13	3	2	7	5	-	7	-	9	5	9	8	3	10	7	5	1	4	4	3
	13.8	18.8	8.3	13.5	13.2	-	11.3	-	15.3	9.6	12.9	12.9	13.0	16.1	13.2	12.2	5.6	12.5	17.4	17.6
	100.0	23.1	15.4	53.8	38.5	-	53.8	-	69.2	38.5	69.2	61.5	23.1	76.9	53.8	38.5	7.7	30.8	30.8	23.1
1 cup or more (1)	3	2	1	-	2	-	3	-	2	2	3	2	2	1	2	3	-	1	2	-
	3.2	12.5	4.2	-	5.3	-	4.8	-	3.4	3.8	4.3	3.2	8.7	1.6	3.8	7.3	-	3.1	8.7	-
	100.0	66.7	33.3	-	66.7	-	100.0	-	66.7	66.7	100.0	66.7	66.7	33.3	66.7	100.0	-	33.3	66.7	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 54
Q.31 Approximately How Many All Purpose Household Cleaners Are Used Per Usage Occasion?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE								GRAYWATER SYSTEM		USES OF GRAYWATER			VOLUME OF GRAYWATER REUSED			
												HAS A	HAS A							
												SUR-	SUB-	DISP.	WATER					
	2 OR TOTAL LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTEM	GRAY- WATER SYSTEM	GRAY- WATER DIR- ECTLY	VEGE- TABLE NON-	FRUIT GARDN	WATER -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	94	16**	24**	52*	38*	11**	62*	11**	59*	52*	70*	62*	23**	62*	53*	41*	18**	32*	23**	17**
	100.0	100.0**	100**	100*100.0	100.0**	100*100.0	100.0**	100*100.0	100.0**	100*100.0	100.0**	100.0	100.0**	100*100.0	100.0**	100*100.0	100.0**	100*100.0	100.0**	100**
	100.0	17.0**	25.5**	55.3*	40.4*	11.7**	66.0*	11.7**	62.8*	55.3*	74.5*	66.0*	24.5**	66.0*	56.4*	43.6*	19.1**	34.0*	24.5**	18.1**
Sigma	94	16	24	52	38	11	62	11	59	52	70	62	23	62	53	41	18	32	23	17
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	17.0	25.5	55.3	40.4	11.7	66.0	11.7	62.8	55.3	74.5	66.0	24.5	66.0	56.4	43.6	19.1	34.0	24.5	18.1
Mean Base	94	16	24	52	38	11	62	11	59	52	70	62	23	62	53	41	18	32	23	17
Mean Number Of Cups	0.24	0.34	0.23	0.21	0.25	0.18	0.25	0.15	0.24	0.23	0.25	0.23	0.30	0.23	0.23	0.26	0.15	0.24	0.30	0.24
Std. Deviation	0.20	0.30	0.21	0.15	0.23	0.10	0.22	0.11	0.21	0.21	0.21	0.20	0.26	0.18	0.21	0.25	0.13	0.20	0.27	0.15
Std. Error	0.02	0.07	0.04	0.02	0.04	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.05	0.02	0.03	0.04	0.03	0.03	0.06	0.04

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 55
Q.31 Approximately How Much Ammonia Is Used Per Usage Occasion?

	SOURCES OF GRAYWATER REUSE											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER											HAS A HAS A									
												SUR- SUB- DISP.			WATER						
	2 OR	3-9	10+	BATH/ DIS- KITCH DASH- WASH- CAR CLEAN GRAY- GRAY- WATER TABLE NON-	SHOWR POSAL SINK WASHR MACH. ING	-ING	HOUSE	SYSTM	SYSTM	ECTLY	FRUIT WATER	<10	10-49	199	200+						
TOTAL	LESS			(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Ammonia Is Discharged Into The Graywater That Is Reused	38	7**	10**	19**	16**	4**	23**	5**	19**	14**	20**	26**	11**	23**	16**	17**	8**	11**	11**	4**	
	100.0	100.0**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	
	100.0	18.4**	26.3**	50.0**	42.1**	10.5**	60.5**	13.2**	50.0**	36.8**	52.6**	68.4**	28.9**	60.5**	42.1**	44.7**	21.1**	28.9**	28.9**	10.5**	
No answer	5	1	1	3	-	-	2	-	1	1	1	2	2	3	-	2	2	-	-	-	
	13.2	14.3	10.0	15.8	-	-	8.7	-	5.3	7.1	5.0	7.7	18.2	13.0	-	11.8	25.0	-	-	-	
	100.0	20.0	20.0	60.0	-	-	40.0	-	20.0	20.0	20.0	40.0	40.0	60.0	-	40.0	40.0	-	-	-	
Base: Total Answering	33	6**	9**	16**	16**	4**	21**	5**	18**	13**	19**	24**	9**	20**	16**	15**	6**	11**	11**	4**	
	100.0	100.0**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	
	100.0	18.2**	27.3**	48.5**	48.5**	12.1**	63.6**	15.2**	54.5**	39.4**	57.6**	72.7**	27.3**	60.6**	48.5**	45.5**	18.2**	33.3**	33.3**	12.1**	
1 teaspoon (0.02)	7	2	2	2	3	1	3	1	5	3	4	5	3	3	3	2	3	2	2	-	
	21.2	33.3	22.2	12.5	18.8	25.0	14.3	20.0	27.8	23.1	21.1	20.8	33.3	15.0	18.8	13.3	50.0	18.2	18.2	-	
	100.0	28.6	28.6	28.6	42.9	14.3	42.9	14.3	71.4	42.9	57.1	71.4	42.9	42.9	42.9	28.6	42.9	28.6	28.6	-	
1 tablespoon (0.06)	5	-	2	3	2	-	4	-	3	1	3	3	1	3	-	2	1	1	2	1	
	15.2	-	22.2	18.8	12.5	-	19.0	-	16.7	7.7	15.8	12.5	11.1	15.0	-	13.3	16.7	9.1	18.2	25.0	
	100.0	-	40.0	60.0	40.0	-	80.0	-	60.0	20.0	60.0	60.0	20.0	60.0	-	40.0	20.0	20.0	40.0	20.0	
1/4 cup (0.25)	18	3	5	9	9	2	12	4	9	6	9	14	4	13	11	8	2	7	5	3	
	54.5	50.0	55.6	56.3	56.3	50.0	57.1	80.0	50.0	46.2	47.4	58.3	44.4	65.0	68.8	53.3	33.3	63.6	45.5	75.0	
	100.0	16.7	27.8	50.0	50.0	11.1	66.7	22.2	50.0	33.3	50.0	77.8	22.2	72.2	61.1	44.4	11.1	38.9	27.8	16.7	
1/2 cup (0.5)	1	-	-	1	-	1	1	-	-	1	1	1	-	1	-	1	-	1	-	-	
	3.0	-	-	6.3	-	25.0	4.8	-	-	7.7	5.3	4.2	-	5.0	-	6.7	-	9.1	-	-	
	100.0	-	-	100.0	-	100.0	100.0	-	-	100.0	100.0	100.0	-	100.0	-	100.0	-	100.0	-	-	
1 cup or more (1)	2	1	-	1	2	-	1	-	1	2	2	1	1	-	2	2	-	-	2	-	
	6.1	16.7	-	6.3	12.5	-	4.8	-	5.6	15.4	10.5	4.2	11.1	-	12.5	13.3	-	-	18.2	-	
	100.0	50.0	-	50.0	100.0	-	50.0	-	50.0	100.0	100.0	50.0	50.0	-	100.0	100.0	-	-	100.0	-	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
** very small base (under 30) ineligible for sig testing

Table 55
Q.31 Approximately How Much Ammonia Is Used Per Usage Occasion?

TOTAL	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER VEGE- TABLE FRUIT GARDN	NON- WATER -ING	VOLUME OF GRAYWATER REUSED			
																<10 GALS.	10-49 GALS.	199 GALS.	200+ GALS.
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
33	6**	9**	16**	16**	4**	21**	5**	18**	13**	19**	24**	9**	20**	16**	15**	6**	11**	11**	4**
100.0	100.0**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**
100.0	18.2**	27.3**	48.5**	48.5**	12.1**	63.6**	15.2**	54.5**	39.4**	57.6**	72.7**	27.3**	60.6**	48.5**	45.5**	18.2**	33.3**	33.3**	12.1**
33	6	9	16	16	4	21	5	18	13	19	24	9	20	16	15	6	11	11	4
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
100.0	18.2	27.3	48.5	48.5	12.1	63.6	15.2	54.5	39.4	57.6	72.7	27.3	60.6	48.5	45.5	18.2	33.3	33.3	12.1
33	6	9	16	16	4	21	5	18	13	19	24	9	20	16	15	6	11	11	4
0.23	0.30	0.16	0.25	0.28	0.25	0.23	0.20	0.20	0.32	0.26	0.22	0.24	0.20	0.30	0.31	0.10	0.21	0.31	0.20
0.23	0.36	0.11	0.24	0.30	0.20	0.21	0.10	0.23	0.33	0.29	0.21	0.31	0.12	0.29	0.31	0.11	0.14	0.36	0.09
0.04	0.15	0.04	0.06	0.07	0.10	0.05	0.05	0.05	0.09	0.07	0.04	0.10	0.03	0.07	0.08	0.05	0.04	0.11	0.05

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
 ** very small base (under 30) ineligible for sig testing

Table 56
Q.31 Approximately How Much Baking Soda Is Used Per Usage Occasion?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE								GRAYWATER SYSTEM			USES OF GRAYWATER			VOLUME OF GRAYWATER REUSED			
	TOTAL												HAS A	SUR-	SUB-	DISP.	WATER				
		2 OR LESS	3-9	10+	GARBG				WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTEM	GRAY- WATER SYSTEM	WATER DIR- ECTLY	TABLE FRUIT GARDN	NON- ING					
					BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR									<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Baking Soda Is Discharged Into The Graywater That Is Reused	101 100.0 100.0	10** 100.0** 9.9**	31* 100*100.0* 30.7*	58* 100.0*100.0* 57.4*	48* 100.0*100.0* 47.5*	7** 100.0** 6.9**	77* 100.0** 76.2*	17** 100.0** 16.8**	54* 100.0*100.0* 53.5*	53* 100.0*100.0* 52.5*	59* 100.0*100.0* 58.4*	76* 100.0*100.0* 75.2*	17** 100.0** 16.8**	60* 100.0*100.0* 59.4*	58* 100.0*100.0* 57.4*	46* 100.0*100.0* 45.5*	18** 100.0** 17.8**	35* 100.0*100.0* 34.7*	24** 100.0** 23.8**	18** 100** 17.8**	
No answer	12 11.9 100.0	4 40.0 33.3	1 3.2 8.3	7 12.1 58.3	5 10.4 41.7	- - -	10 13.0 83.3	2 11.8 16.7	6 11.1 50.0	7 13.2 58.3	7 11.9 58.3	9 11.8 75.0	- - -	8 13.3 66.7	7 12.1 58.3	5 10.9 41.7	1 5.6 8.3	3 8.6 25.0	4 16.7 33.3	2 11.1 16.7	
Base: Total Answering	89 100.0 100.0	6** 100.0** 6.7**	30* 100*100.0* 33.7*	51* 100.0*100.0* 57.3*	43* 100.0*100.0* 48.3*	7** 100.0** 7.9**	67* 100.0** 75.3*	15** 100.0** 16.9**	48* 100.0*100.0* 53.9*	46* 100.0*100.0* 51.7*	52* 100.0*100.0* 58.4*	67* 100.0*100.0* 75.3*	17** 100.0** 19.1**	52* 100.0*100.0* 58.4*	51* 100.0*100.0* 57.3*	41* 100.0*100.0* 46.1*	17** 100.0** 19.1**	32* 100.0*100.0* 36.0*	20** 100.0** 22.5**	16** 100** 18.0**	
1 teaspoon (0.02)	8 9.0 100.0	1 16.7 12.5	3 10.0 37.5	4 7.8 50.0	5 11.6 62.5	2 28.6 25.0	5 7.5 62.5	2 13.3 25.0	3 6.3 37.5	2 4.3 25.0	4 7.7 50.0	4 6.0 50.0	1 5.9 12.5	2 3.8 25.0	3 5.9 37.5	5 12.2 62.5	3 17.6 37.5	- - -	2 10.0 25.0	2 12.5 25.0	
1 tablespoon (0.06)	35 39.3 100.0	3 50.0 8.6	10 33.3 28.6	22 43.1 62.9	14 32.6 40.0	2 28.6 5.7	29 43.3 82.9	5 33.3 14.3	17 35.4 48.6	21 45.7 60.0	21 40.4 60.0	25 37.3 71.4	7 41.2 20.0	23 44.2 65.7	20 39.2 57.1	16 39.0 45.7	9 52.9 25.7	14 43.8 40.0	4 20.0 11.4	6 37.5 17.1	
1/4 cup (0.25)	33 37.1 100.0	2 33.3 6.1	10 33.3 30.3	20 39.2 60.6	16 37.2 48.5	3 42.9 9.1	22 32.8 66.7	6 40.0 18.2	18 37.5 54.5	16 34.8 48.5	18 34.6 54.5	30 44.8 90.9	4 23.5 12.1	22 42.3 66.7	19 37.3 57.6	15 36.6 45.5	4 23.5 12.1	16 50.0 48.5	8 40.0 24.2	4 25.0 12.1	
1/2 cup (0.5)	9 10.1 100.0	- - -	4 13.3 44.4	4 7.8 44.4	5 11.6 55.6	- - -	7 10.4 77.8	1 6.7 11.1	7 14.6 77.8	4 8.7 44.4	6 11.5 66.7	5 7.5 55.6	4 23.5 44.4	4 7.7 44.4	7 13.7 77.8	2 4.9 22.2	- - -	- - -	6 30.0 66.7	3 18.8 33.3	
1 cup or more (1)	4 4.5 100.0	- - -	3 10.0 75.0	1 2.0 25.0	3 7.0 75.0	- - -	4 6.0 100.0	1 6.7 25.0	3 6.3 75.0	3 6.5 75.0	3 5.8 75.0	3 4.5 75.0	1 5.9 25.0	1 1.9 25.0	2 3.9 50.0	3 7.3 75.0	1 5.9 25.0	2 6.3 50.0	- - -	1 6.3 25.0	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 56
Q.31 Approximately How Much Baking Soda Is Used Per Usage Occasion?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE								GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
												HAS A	HAS A	DISP.	WATER					
												SUR-	SUB-	GRAY-	GRAY-	VEGE-				
	2 OR	3-9	10+	BATH/	DIS-	KITCH	DISH-	ING	WASH-	CAR	CLEAN	GRAY-	GRAY-	WATER	TABLE	NON-	<10	10-49	199	200+
TOTAL	LESS			SHOWR	POSAL	SINK	WASHR	MACH.	ING	HOUSE	SYSTM	SYSTM	ECTLY	GARDN	-ING		GALS.	GALS.	GALS.	GALS.
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Answering	89	6**	30*	51*	43*	7**	67*	15**	48*	46*	52*	67*	17**	52*	51*	41*	17**	32*	20**	16**
	100.0	100.0**	100*	100.0*	100.0*	100.0**	100*	100.0**	100*	100.0*	100.0*	100.0*	100.0**	100*	100.0*	100.0**	100*	100.0**	100*	100**
	100.0	6.7**	33.7*	57.3*	48.3*	7.9**	75.3*	16.9**	53.9*	51.7*	58.4*	75.3*	19.1**	58.4*	57.3*	46.1*	19.1**	36.0*	22.5**	18.0**
Sigma	89	6	30	51	43	7	67	15	48	46	52	67	17	52	51	41	17	32	20	16
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	6.7	33.7	57.3	48.3	7.9	75.3	16.9	53.9	51.7	58.4	75.3	19.1	58.4	57.3	46.1	19.1	36.0	22.5	18.0
Mean Base	89	6	30	51	43	7	67	15	48	46	52	67	17	52	51	41	17	32	20	16
Mean Number Of Cups	0.21	0.12	0.27	0.18	0.24	0.13	0.22	0.22	0.25	0.22	0.23	0.22	0.26	0.19	0.23	0.21	0.15	0.21	0.26	0.24
Std. Deviation	0.22	0.10	0.29	0.18	0.26	0.11	0.24	0.25	0.25	0.25	0.24	0.21	0.26	0.18	0.22	0.26	0.24	0.23	0.18	0.27
Std. Error	0.02	0.04	0.05	0.03	0.04	0.04	0.03	0.07	0.04	0.04	0.03	0.03	0.06	0.02	0.03	0.04	0.06	0.04	0.04	0.07

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 57
Q.31 Approximately How Much Borax Is Used Per Usage Occasion?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE								GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	TOTAL	2 OR LESS	3-9	10+	GARBG								FACE GRAY- WATER SYSTM	SUR- FACE GRAY- WATER SYSTM	DISP- GRAY- WATER DIR- ECTLY	VEGE- TABLE FRUIT GARDN	NON- WATER -ING	50-			
					BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	<10 GALS.						10-49 GALS.	199 GALS.	200+ GALS.	
																					(A)
Base: Borax Is Discharged Into The Graywater That Is Reused	30	3**	7**	19**	10**	4**	16**	5**	19**	16**	16**	25**	6**	20**	12**	11**	4**	8**	7**	9**	
	100.0	100.0**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	
	100.0	10.0**	23.3**	63.3**	33.3**	13.3**	53.3**	16.7**	63.3**	53.3**	53.3**	83.3**	20.0**	66.7**	40.0**	36.7**	13.3**	26.7**	23.3**	30.0**	
No answer	3	-	-	2	2	-	1	-	2	1	1	3	-	2	1	2	-	-	1	2	
	10.0	-	-	10.5	20.0	-	6.3	-	10.5	6.3	6.3	12.0	-	10.0	8.3	18.2	-	-	14.3	22.2	
	100.0	-	-	66.7	66.7	-	33.3	-	66.7	33.3	33.3	100.0	-	66.7	33.3	66.7	-	-	33.3	66.7	
Base: Total Answering	27	3**	7**	17**	8**	4**	15**	5**	17**	15**	15**	22**	6**	18**	11**	9**	4**	8**	6**	7**	
	100.0	100.0**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	
	100.0	11.1**	25.9**	63.0**	29.6**	14.8**	55.6**	18.5**	63.0**	55.6**	55.6**	81.5**	22.2**	66.7**	40.7**	33.3**	14.8**	29.6**	22.2**	25.9**	
1 teaspoon (0.02)	4	-	2	2	2	-	3	1	3	3	3	2	1	2	2	3	1	1	1	1	
	14.8	-	28.6	11.8	25.0	-	20.0	20.0	17.6	20.0	20.0	9.1	16.7	11.1	18.2	33.3	25.0	12.5	16.7	14.3	
	100.0	-	50.0	50.0	50.0	-	75.0	25.0	75.0	75.0	75.0	50.0	25.0	50.0	50.0	75.0	25.0	25.0	25.0	25.0	
1 tablespoon (0.06)	6	-	1	5	3	2	5	1	2	2	3	6	2	4	4	2	-	3	1	1	
	22.2	-	14.3	29.4	37.5	50.0	33.3	20.0	11.8	13.3	20.0	27.3	33.3	22.2	36.4	22.2	-	37.5	16.7	14.3	
	100.0	-	16.7	83.3	50.0	33.3	83.3	16.7	33.3	33.3	50.0	100.0	33.3	66.7	66.7	33.3	-	50.0	16.7	16.7	
1/4 cup (0.25)	12	2	3	7	2	2	6	2	9	6	6	10	1	8	5	2	2	3	3	3	
	44.4	66.7	42.9	41.2	25.0	50.0	40.0	40.0	52.9	40.0	40.0	45.5	16.7	44.4	45.5	22.2	50.0	37.5	50.0	42.9	
	100.0	16.7	25.0	58.3	16.7	16.7	50.0	16.7	75.0	50.0	50.0	83.3	8.3	66.7	41.7	16.7	16.7	25.0	25.0	25.0	
1/2 cup (0.5)	5	1	1	3	1	-	1	1	3	4	3	4	2	4	-	2	1	1	1	2	
	18.5	33.3	14.3	17.6	12.5	-	6.7	20.0	17.6	26.7	20.0	18.2	33.3	22.2	-	22.2	25.0	12.5	16.7	28.6	
	100.0	20.0	20.0	60.0	20.0	-	20.0	20.0	60.0	80.0	60.0	80.0	40.0	80.0	-	40.0	20.0	20.0	20.0	40.0	
1 cup or more (1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
** very small base (under 30) ineligible for sig testing

Table 57
Q.31 Approximately How Much Borax Is Used Per Usage Occasion?

TOTAL	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE								GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG			WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER VEGE- TABLE FRUIT GARDN	NON- WATER -ING	VOLUME					
					DIS- POSAL	KITCH SINK	DISH- WASHR									<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.		
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)			
27	3**	7**	17**	8**	4**	15**	5**	17**	15**	22**	6**	18**	11**	9**	4**	8**	6**	7**			
100.0	100.0**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**			
100.0	11.1**	25.9**	63.0**	29.6**	14.8**	55.6**	18.5**	63.0**	55.6**	81.5**	22.2**	66.7**	40.7**	33.3**	14.8**	29.6**	22.2**	25.9**			
27	3	7	17	8	4	15	5	17	15	22	6	18	11	9	4	8	6	7			
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0			
100.0	11.1	25.9	63.0	29.6	14.8	55.6	18.5	63.0	55.6	81.5	22.2	66.7	40.7	33.3	14.8	29.6	22.2	25.9			
27	3	7	17	8	4	15	5	17	15	22	6	18	11	9	4	8	6	7			
0.22	0.33	0.19	0.21	0.15	0.16	0.16	0.22	0.23	0.25	0.22	0.22	0.23	0.24	0.14	0.19	0.25	0.18	0.22			
0.17	0.14	0.17	0.17	0.17	0.11	0.14	0.19	0.16	0.19	0.18	0.16	0.22	0.17	0.11	0.20	0.20	0.16	0.17			
0.03	0.08	0.07	0.04	0.06	0.05	0.04	0.09	0.04	0.05	0.05	0.03	0.09	0.04	0.03	0.07	0.10	0.06	0.07			

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
 ** very small base (under 30) ineligible for sig testing

Table 58
Q.31 Approximately How Much Carpet Cleaner Is Used Per Usage Occasion?

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SUR- FACE	HAS A SUB- SURFC	DISP. GRAY- WATER	VEGE- TABLE	NON- FRUIT					
				GARBG	BATH/ DIS- SHWR	POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	DIR- ECTLY	GARDN	WATER -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	TOTAL	2 OR LESS	3-9	10+	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Carpet Cleaner Is Discharged Into The Graywater That Is Reused	14	2**	4**	7**	7**	1**	11**	2**	6**	10**	9**	7**	3**	7**	8**	8**	2**	5**	4**	2**
	100.0	100.0**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**
	100.0	14.3**	28.6**	50.0**	50.0**	7.1**	78.6**	14.3**	42.9**	71.4**	64.3**	50.0**	21.4**	50.0**	57.1**	57.1**	14.3**	35.7**	28.6**	14.3**
No answer	1	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	7.1	-	-	14.3	-	-	9.1	-	-	-	-	-	-	14.3	-	-	-	-	-	-
	100.0	-	-	100.0	-	-	100.0	-	-	-	-	-	-	100.0	-	-	-	-	-	-
Base: Total Answering	13	2**	4**	6**	7**	1**	10**	2**	6**	10**	9**	7**	3**	6**	8**	8**	2**	5**	4**	2**
	100.0	100.0**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**
	100.0	15.4**	30.8**	46.2**	53.8**	7.7**	76.9**	15.4**	46.2**	76.9**	69.2**	53.8**	23.1**	46.2**	61.5**	61.5**	15.4**	38.5**	30.8**	15.4**
1 teaspoon (0.02)	2	1	1	-	-	-	-	1	-	1	1	-	2	1	-	-	2	-	-	-
	15.4	50.0	25.0	-	-	-	-	50.0	-	10.0	11.1	-	66.7	16.7	-	-	100.0	-	-	-
	100.0	50.0	50.0	-	-	-	-	50.0	-	50.0	50.0	-	100.0	50.0	-	-	100.0	-	-	-
1 tablespoon (0.06)	3	-	2	1	2	1	3	-	1	3	2	3	-	2	3	3	-	2	1	-
	23.1	-	50.0	16.7	28.6	100.0	30.0	-	16.7	30.0	22.2	42.9	-	33.3	37.5	37.5	-	40.0	25.0	-
	100.0	-	66.7	33.3	66.7	33.3	100.0	-	33.3	100.0	66.7	100.0	-	66.7	100.0	100.0	-	66.7	33.3	-
1/4 cup (0.25)	4	1	-	2	3	-	4	1	2	3	3	2	1	1	2	3	-	1	2	1
	30.8	50.0	-	33.3	42.9	-	40.0	50.0	33.3	30.0	33.3	28.6	33.3	16.7	25.0	37.5	-	20.0	50.0	50.0
	100.0	25.0	-	50.0	75.0	-	100.0	25.0	50.0	75.0	75.0	50.0	25.0	25.0	50.0	75.0	-	25.0	50.0	25.0
1/2 cup (0.5)	1	-	-	1	1	-	1	-	1	1	1	-	-	-	1	-	-	-	-	1
	7.7	-	-	16.7	14.3	-	10.0	-	16.7	10.0	11.1	-	-	-	12.5	-	-	-	-	50.0
	100.0	-	-	100.0	100.0	-	100.0	-	100.0	100.0	100.0	-	-	-	100.0	-	-	-	-	100.0
1 cup or more (1)	3	-	1	2	1	-	2	-	2	2	2	2	-	2	2	2	-	2	1	-
	23.1	-	25.0	33.3	14.3	-	20.0	-	33.3	20.0	22.2	28.6	-	33.3	25.0	25.0	-	40.0	25.0	-
	100.0	-	33.3	66.7	33.3	-	66.7	-	66.7	66.7	66.7	66.7	-	66.7	66.7	66.7	-	66.7	33.3	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
** very small base (under 30) ineligible for sig testing

Table 58
Q.31 Approximately How Much Carpet Cleaner Is Used Per Usage Occasion?

NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER											GRAYWATER SYSTEM					USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
			SOURCES OF GRAYWATER REUSE								HAS A SUR- FACE WATER SYSTM	HAS A SUB- SURFC GRAY- SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	VEGE- NON- -ING							
2 OR TOTAL LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	GRAY- WATER DIR- ECTLY	TABLE FRUIT GARDN	NON- -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.				
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)				
13	2**	4**	6**	7**	1**	10**	2**	6**	10**	9**	7**	3**	6**	8**	8**	2**	5**	4**	2**			
100.0	100.0**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**			
100.0	15.4**	30.8**	46.2**	53.8**	7.7**	76.9**	15.4**	46.2**	76.9**	69.2**	53.8**	23.1**	46.2**	61.5**	61.5**	15.4**	38.5**	30.8**	15.4**			
13	2	4	6	7	1	10	2	6	10	9	7	3	6	8	8	2	5	4	2			
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0			
100.0	15.4	30.8	46.2	53.8	7.7	76.9	15.4	46.2	76.9	69.2	53.8	23.1	46.2	61.5	61.5	15.4	38.5	30.8	15.4			
13	2	4	6	7	1	10	2	6	10	9	7	3	6	8	8	2	5	4	2			
0.36	0.14	0.28	0.51	0.34	0.06	0.37	0.14	0.51	0.34	0.38	0.38	0.10	0.40	0.40	0.37	0.02	0.47	0.39	0.38			
0.39	0.16	0.48	0.40	0.33	-	0.36	0.16	0.40	0.37	0.38	0.43	0.13	0.47	0.40	0.40	0.00	0.49	0.42	0.18			
0.11	0.12	0.24	0.17	0.12	-	0.11	0.12	0.17	0.12	0.13	0.16	0.08	0.19	0.14	0.14	0.00	0.22	0.21	0.13			

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
** very small base (under 30) ineligible for sig testing

Table 59
Q.31 Approximately How Much Disinfectant Cleaner Is Used Per Usage Occasion?

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A HAS A									
	2 OR	3-9	10+	BATH/ DIS- SHOWR POSAL	GARBG KITCH DISH- WASHR	WASH- CAR ING WASH- MACH. ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	SUR- FACE GRAY-	SURFC GRAY-	DISP. WATER DIR-	WATER TABLE FRUIT GARDN	VEGE- -ING	NON- -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.		
TOTAL	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Disinfectant Cleaner Is Discharged Into The Graywater That Is Reused	61 100.0 100.0	8** 100.0** 13.1**	18** 100** 29.5**	32* 100*100.0** 52.5*	29** 100** 47.5**	6** 100** 9.8**	46* 100*100.0** 75.4*	13** 100** 21.3**	33* 100.0** 54.1*	35* 100*100.0** 68.9*	42* 100.0** 70.5*	43* 100.0** 29.5**	18** 100.0** 65.6*	40* 100*100.0** 55.7*	34* 100.0** 55.7*	30* 100.0** 49.2*	11** 100.0** 18.0**	25** 100** 41.0**	8** 100** 13.1**	14** 100** 23.0**
No answer	16 26.2 100.0	1 12.5 6.3	4 22.2 25.0	9 28.1 56.3	4 13.8 25.0	- - -	12 26.1 75.0	3 23.1 18.8	11 33.3 68.8	9 25.7 56.3	10 23.8 62.5	10 22.2 25.0	4 27.5 68.8	11 26.5 56.3	9 23.3 43.8	7 27.3 18.8	3 32.0 50.0	8 12.5 6.3	1 21.4 18.8	3
Base: Total Answering	45 100.0 100.0	7** 100.0** 15.6**	14** 100** 31.1**	23** 100** 51.1**	25** 100** 55.6**	6** 100** 13.3**	34* 100*100.0** 75.6*	10** 100** 22.2**	22** 100** 48.9**	26** 100** 57.8**	32* 100.0** 71.1*	33* 100.0** 73.3*	14** 100.0** 31.1**	29** 100** 64.4**	25** 100** 55.6**	23** 100** 51.1**	8** 100** 17.8**	17** 100** 37.8**	7** 100** 15.6**	11** 100** 24.4**
1 teaspoon (0.02)	4 8.9 100.0	1 14.3 25.0	2 14.3 50.0	1 4.3 25.0	2 8.0 50.0	- - -	3 8.8 75.0	1 10.0 25.0	1 4.5 25.0	1 3.8 25.0	3 9.4 75.0	3 9.1 25.0	1 7.1 25.0	1 3.4 25.0	- - -	2 8.7 50.0	2 25.0 50.0	- - -	1 14.3 25.0	1 9.1
1 tablespoon (0.06)	15 33.3 100.0	4 57.1 26.7	5 35.7 33.3	6 26.1 40.0	8 32.0 53.3	1 16.7 6.7	8 23.5 53.3	3 30.0 20.0	5 22.7 33.3	8 30.8 53.3	8 25.0 53.3	11 33.3 73.3	3 21.4 20.0	14 48.3 93.3	9 36.0 60.0	7 30.4 46.7	4 50.0 26.7	8 47.1 53.3	- - -	3 27.3 20.0
1/4 cup (0.25)	17 37.8 100.0	1 14.3 5.9	6 42.9 35.3	9 39.1 52.9	12 48.0 70.6	3 50.0 17.6	16 47.1 94.1	5 50.0 29.4	9 40.9 52.9	8 30.8 47.1	12 37.5 70.6	13 39.4 76.5	7 50.0 41.2	10 34.5 58.8	9 36.0 52.9	9 39.1 52.9	2 25.0 11.8	6 35.3 35.3	5 71.4 29.4	4 36.4 23.5
1/2 cup (0.5)	8 17.8 100.0	1 14.3 12.5	1 7.1 12.5	6 26.1 75.0	3 12.0 37.5	2 33.3 25.0	6 17.6 75.0	1 10.0 12.5	6 27.3 75.0	8 30.8 100.0	8 25.0 100.0	5 15.2 62.5	3 21.4 37.5	3 10.3 37.5	6 24.0 75.0	5 21.7 62.5	- - -	2 11.8 25.0	1 14.3 12.5	3 27.3 37.5
1 cup or more (1)	1 2.2 100.0	- - -	- - -	1 4.3 100.0	- - -	- - -	1 2.9 100.0	- - -	1 4.5 100.0	1 3.8 100.0	1 3.1 100.0	1 3.0 100.0	- - -	1 3.4 100.0	1 4.0 100.0	- - -	- - -	1 5.9 100.0	- - -	- -

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 59
Q.31 Approximately How Much Disinfectant Cleaner Is Used Per Usage Occasion?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE								GRAYWATER SYSTEM		USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
												HAS A	HAS A							
												SUR- FACE	SUB- SURFC	DISP. GRAY-	WATER VEGE-					
	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	WATER DIR- ECTLY	FRUIT GARDN	NON- ING	<10 GALS.	10-49 GALS.	199 GALS.	200+ GALS.	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	45	7**	14**	23**	25**	6**	34*	10**	22**	26**	32*	33*	14**	29**	25**	23**	8**	17**	7**	11**
	100.0	100.0**	100**	100**	100**	100**	100*	100.0**	100**	100**	100*	100.0**	100.0**	100**	100**	100**	100**	100**	100**	100**
	100.0	15.6**	31.1**	51.1**	55.6**	13.3**	75.6*	22.2**	48.9**	57.8**	71.1*	73.3*	31.1**	64.4**	55.6**	51.1**	17.8**	37.8**	15.6**	24.4**
Sigma	45	7	14	23	25	6	34	10	22	26	32	33	14	29	25	23	8	17	7	11
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	15.6	31.1	51.1	55.6	13.3	75.6	22.2	48.9	57.8	71.1	73.3	31.1	64.4	55.6	51.1	17.8	37.8	15.6	24.4
Mean Base	45	7	14	23	25	6	34	10	22	26	32	33	14	29	25	23	8	17	7	11
Mean Number Of Cups	0.23	0.14	0.17	0.29	0.20	0.30	0.25	0.19	0.30	0.29	0.27	0.23	0.25	0.20	0.27	0.23	0.10	0.23	0.25	0.25
Std. Deviation	0.20	0.17	0.14	0.23	0.15	0.17	0.20	0.15	0.23	0.23	0.22	0.21	0.16	0.21	0.23	0.17	0.10	0.25	0.14	0.19
Std. Error	0.03	0.07	0.04	0.05	0.03	0.07	0.04	0.05	0.05	0.05	0.04	0.04	0.04	0.04	0.05	0.04	0.03	0.06	0.05	0.06

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 60
Q.31 Approximately How Much Floor/Furniture Cleaner Is Used Per Usage Occasion?

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SUR- FACE	HAS A SUB- SURFC	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING					
	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM								
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Floor/Furniture Cleaner Is Discharged Into The Graywater That Is Reused	38	5**	17**	15**	15**	3**	22**	3**	20**	22**	26**	23**	14**	26**	20**	18**	8**	14**	7**	5**
	100.0	100.0**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**
	100.0	13.2**	44.7**	39.5**	39.5**	7.9**	57.9**	7.9**	52.6**	57.9**	68.4**	60.5**	36.8**	68.4**	52.6**	47.4**	21.1**	36.8**	18.4**	13.2**
No answer	6	1	3	2	1	1	5	1	4	4	3	2	-	4	3	3	1	3	-	-
	15.8	20.0	17.6	13.3	6.7	33.3	22.7	33.3	20.0	18.2	11.5	8.7	-	15.4	15.0	16.7	12.5	21.4	-	-
	100.0	16.7	50.0	33.3	16.7	16.7	83.3	16.7	66.7	66.7	50.0	33.3	-	66.7	50.0	50.0	16.7	50.0	-	-
Base: Total Answering	32	4**	14**	13**	14**	2**	17**	2**	16**	18**	23**	21**	14**	22**	17**	15**	7**	11**	7**	5**
	100.0	100.0**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**
	100.0	12.5**	43.8**	40.6**	43.8**	6.3**	53.1**	6.3**	50.0**	56.3**	71.9**	65.6**	43.8**	68.8**	53.1**	46.9**	21.9**	34.4**	21.9**	15.6**
1 teaspoon (0.02)	6	1	4	1	3	-	4	1	1	3	5	5	2	5	3	4	2	3	1	-
	18.8	25.0	28.6	7.7	21.4	-	23.5	50.0	6.3	16.7	21.7	23.8	14.3	22.7	17.6	26.7	28.6	27.3	14.3	-
	100.0	16.7	66.7	16.7	50.0	-	66.7	16.7	16.7	50.0	83.3	83.3	33.3	83.3	50.0	66.7	33.3	50.0	16.7	-
1 tablespoon (0.06)	2	-	2	-	-	1	1	-	1	1	1	1	1	1	1	1	-	1	-	1
	6.3	-	14.3	-	-	50.0	5.9	-	6.3	5.6	4.3	4.8	7.1	4.5	5.9	6.7	-	9.1	-	20.0
	100.0	-	100.0	-	-	50.0	50.0	-	50.0	50.0	50.0	50.0	50.0	50.0	50.0	50.0	-	50.0	-	50.0
1/4 cup (0.25)	12	1	5	5	5	1	6	-	6	5	9	7	6	7	10	5	2	4	4	2
	37.5	25.0	35.7	38.5	35.7	50.0	35.3	-	37.5	27.8	39.1	33.3	42.9	31.8	58.8	33.3	28.6	36.4	57.1	40.0
	100.0	8.3	41.7	41.7	41.7	8.3	50.0	-	50.0	41.7	75.0	58.3	50.0	58.3	83.3	41.7	16.7	33.3	33.3	16.7
1/2 cup (0.5)	11	2	3	6	6	-	6	1	7	8	7	7	5	8	3	4	3	3	1	2
	34.4	50.0	21.4	46.2	42.9	-	35.3	50.0	43.8	44.4	30.4	33.3	35.7	36.4	17.6	26.7	42.9	27.3	14.3	40.0
	100.0	18.2	27.3	54.5	54.5	-	54.5	9.1	63.6	72.7	63.6	63.6	45.5	72.7	27.3	36.4	27.3	27.3	9.1	18.2
1 cup or more (1)	1	-	-	1	-	-	-	-	1	1	1	1	-	1	-	1	-	-	1	-
	3.1	-	-	7.7	-	-	-	-	6.3	5.6	4.3	4.8	-	4.5	-	6.7	-	-	14.3	-
	100.0	-	-	100.0	-	-	-	-	100.0	100.0	100.0	100.0	-	100.0	-	100.0	-	-	100.0	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
** very small base (under 30) ineligible for sig testing

Table 60
Q.31 Approximately How Much Floor/Furniture Cleaner Is Used Per Usage Occasion?

TOTAL	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM		USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED					
	2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A	HAS A	DISP.	WATER	VEGE- TABLE FRUIT GARDN	NON- ING	OF GRAYWATER REUSED			
											GRAY- WATER SYSTM	GRAY- WATER SYSTM	GRAY- WATER DIR- ECTLY	<10 GALS.			10-49 GALS.	50- 199 GALS.	200+ GALS.	
											(A)	(B)	(C)							(D)
32	4**	14**	13**	14**	2**	17**	2**	16**	18**	23**	21**	14**	22**	17**	15**	7**	11**	7**	5**	
100.0	100.0**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	
100.0	12.5**	43.8**	40.6**	43.8**	6.3**	53.1**	6.3**	50.0**	56.3**	71.9**	65.6**	43.8**	68.8**	53.1**	46.9**	21.9**	34.4**	21.9**	15.6**	
32	4	14	13	14	2	17	2	16	18	23	21	14	22	17	15	7	11	7	5	
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
100.0	12.5	43.8	40.6	43.8	6.3	53.1	6.3	50.0	56.3	71.9	65.6	43.8	68.8	53.1	46.9	21.9	34.4	21.9	15.6	
32	4	14	13	14	2	17	2	16	18	23	21	14	22	17	15	7	11	7	5	
0.30	0.32	0.21	0.41	0.31	0.16	0.27	0.26	0.38	0.35	0.30	0.31	0.29	0.31	0.24	0.29	0.29	0.24	0.36	0.31	
0.22	0.23	0.19	0.24	0.19	0.13	0.20	0.34	0.23	0.25	0.24	0.25	0.18	0.25	0.15	0.27	0.22	0.20	0.31	0.19	
0.04	0.12	0.05	0.07	0.05	0.09	0.05	0.24	0.06	0.06	0.05	0.05	0.05	0.05	0.04	0.07	0.08	0.06	0.12	0.08	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
 ** very small base (under 30) ineligible for sig testing

Table 61
Q.31 Approximately How Much Multi-Surface Cleaner Is Used Per Usage Occasion?

	SOURCES OF GRAYWATER REUSE											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			GARBG			WASH- CAR			CLEAN	HAS A SUR- FACE	HAS A SUB- SURFC	DISP. GRAY- WATER	WATER VEGE- TABLE NON-	OF GRAYWATER REUSED						
	2 OR	3-9	10+	BATH/ DIS- SHOWR	POSAL	KITCH SINK	DISH- WASHR	ING MACH.	WASH- ING	-ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	DIR- ECTLY	FRUIT GARDN	WATER -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.		
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Multi-Surface Cleaner Is Discharged Into The Graywater That Is Reused	49	10**	17**	21**	21**	10**	33*	5**	23**	22**	34*	32*	15**	33*	23**	25**	12**	18**	6**	10**	
	100.0	100.0**	100**	100**	100**	100**	100**	100.0**	100**	100**	100**	100.0**	100.0**	100**	100.0**	100**	100**	100**	100**	100**	
	100.0	20.4**	34.7**	42.9**	42.9**	20.4**	67.3*	10.2**	46.9**	44.9**	69.4*	65.3*	30.6**	67.3*	46.9**	51.0**	24.5**	36.7**	12.2**	20.4**	
No answer	15	4	5	6	5	6	11	2	5	5	8	8	4	11	3	9	5	6	1	2	
	30.6	40.0	29.4	28.6	23.8	60.0	33.3	40.0	21.7	22.7	23.5	25.0	26.7	33.3	13.0	36.0	41.7	33.3	16.7	20.0	
	100.0	26.7	33.3	40.0	33.3	40.0	73.3	13.3	33.3	33.3	53.3	53.3	26.7	73.3	20.0	60.0	33.3	40.0	6.7	13.3	
Base: Total Answering	34	6**	12**	15**	16**	4**	22**	3**	18**	17**	26**	24**	11**	22**	20**	16**	7**	12**	5**	8**	
	100.0	100.0**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	
	100.0	17.6**	35.3**	44.1**	47.1**	11.8**	64.7**	8.8**	52.9**	50.0**	76.5**	70.6**	32.4**	64.7**	58.8**	47.1**	20.6**	35.3**	14.7**	23.5**	
1 teaspoon (0.02)	5	2	3	-	2	-	2	2	1	2	3	4	2	4	2	3	2	2	-	1	
	14.7	33.3	25.0	-	12.5	-	9.1	66.7	5.6	11.8	11.5	16.7	18.2	18.2	10.0	18.8	28.6	16.7	-	12.5	
	100.0	40.0	60.0	-	40.0	-	40.0	40.0	20.0	40.0	60.0	80.0	40.0	80.0	40.0	60.0	40.0	40.0	-	20.0	
1 tablespoon (0.06)	14	3	5	5	6	1	8	-	8	6	10	11	3	8	10	7	2	7	3	2	
	41.2	50.0	41.7	33.3	37.5	25.0	36.4	-	44.4	35.3	38.5	45.8	27.3	36.4	50.0	43.8	28.6	58.3	60.0	25.0	
	100.0	21.4	35.7	35.7	42.9	7.1	57.1	-	57.1	42.9	71.4	78.6	21.4	57.1	71.4	50.0	14.3	50.0	21.4	14.3	
1/4 cup (0.25)	11	1	4	6	8	2	9	1	7	6	9	6	6	6	6	4	3	-	2	5	
	32.4	16.7	33.3	40.0	50.0	50.0	40.9	33.3	38.9	35.3	34.6	25.0	54.5	27.3	30.0	25.0	42.9	-	40.0	62.5	
	100.0	9.1	36.4	54.5	72.7	18.2	81.8	9.1	63.6	54.5	81.8	54.5	54.5	54.5	54.5	36.4	27.3	-	18.2	45.5	
1/2 cup (0.5)	4	-	-	4	-	1	3	-	2	3	4	3	-	4	2	2	-	3	-	-	
	11.8	-	-	26.7	-	25.0	13.6	-	11.1	17.6	15.4	12.5	-	18.2	10.0	12.5	-	25.0	-	-	
	100.0	-	-	100.0	-	25.0	75.0	-	50.0	75.0	100.0	75.0	-	100.0	50.0	50.0	-	75.0	-	-	
1 cup or more (1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 61
Q.31 Approximately How Much Multi-Surface Cleaner Is Used Per Usage Occasion?

TOTAL	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE								GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A SUR- FACE GRAY- WATER SYSTEM	HAS A SUB- SURFC GRAY- WATER SYSTEM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	VEGE- NON- ING	VOLUME OF GRAYWATER REUSED					
																<10 GALS.	1Q-49 GALS.	199 GALS.	200+ GALS.		
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)			
34	6**	12**	15**	16**	4**	22**	3**	18**	17**	26**	24**	11**	22**	20**	16**	7**	12**	5**	8**		
100.0	100.0**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**		
100.0	17.6**	35.3**	44.1**	47.1**	11.8**	64.7**	8.8**	52.9**	50.0**	76.5**	70.6**	32.4**	64.7**	58.8**	47.1**	20.6**	35.3**	14.7**	23.5**		
34	6	12	15	16	4	22	3	18	17	26	24	11	22	20	16	7	12	5	8		
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0		
100.0	17.6	35.3	44.1	47.1	11.8	64.7	8.8	52.9	50.0	76.5	70.6	32.4	64.7	58.8	47.1	20.6	35.3	14.7	23.5		
34	6	12	15	16	4	22	3	18	17	26	24	11	22	20	16	7	12	5	8		
0.17	0.08	0.11	0.25	0.15	0.26	0.19	0.10	0.18	0.20	0.19	0.16	0.16	0.18	0.16	0.16	0.13	0.16	0.14	0.17		
0.15	0.09	0.10	0.18	0.10	0.18	0.16	0.13	0.15	0.17	0.16	0.16	0.11	0.18	0.15	0.16	0.11	0.20	0.10	0.11		
0.03	0.04	0.03	0.05	0.03	0.09	0.03	0.08	0.04	0.04	0.03	0.03	0.03	0.04	0.03	0.04	0.04	0.06	0.05	0.04		

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 62
Q.31 Approximately How Much Tub/Tile/Sink Cleaner Is Used Per Usage Occasion?

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SUR- FACE	HAS A SUB- SURFC	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- ING					
	2 OR LESS	3-9	10+	BATH/ SHWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	WATER	VEGE- TABLE	WATER	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Tub/Tile/Sink Cleaner Is Discharged Into The Graywater That Is Reused	66 100.0 100.0	15** 100.0** 22.7**	18** 100** 27.3**	31* 100* 47.0*	34* 100.0* 51.5*	5** 100.0** 7.6**	36* 100* 54.5*	11** 100.0** 16.7**	36* 100* 54.5*	30* 100.0** 45.5*	42* 100.0* 63.6*	43* 100.0* 65.2*	24** 100.0** 36.4**	37* 100* 56.1*	38* 100.0* 57.6*	27** 100.0** 40.9**	10** 100** 15.2**	17** 100** 25.8**	15** 100** 22.7**	19** 100** 28.8**
No answer	6 9.1 100.0	2 13.3 33.3	2 11.1 33.3	1 3.2 16.7	3 8.8 50.0	- - -	3 8.3 50.0	- - -	4 11.1 66.7	3 10.0 50.0	3 7.1 50.0	2 4.7 33.3	1 4.2 16.7	2 5.4 33.3	1 2.6 16.7	3 11.1 50.0	3 30.0 50.0	1 5.9 16.7	1 6.7 16.7	1 5.3 16.7
Base: Total Answering	60 100.0 100.0	13** 100.0** 21.7**	16** 100** 26.7**	30* 100* 50.0*	31* 100.0* 51.7*	5** 100.0** 8.3**	33* 100* 55.0*	11** 100.0** 18.3**	32* 100* 53.3*	27** 100.0** 45.0**	39* 100.0* 65.0*	41* 100.0* 68.3*	23** 100.0** 38.3**	35* 100* 58.3*	37* 100.0* 61.7*	24** 100.0** 40.0**	7** 100** 11.7**	16** 100** 26.7**	14** 100** 23.3**	18** 100** 30.0**
1 teaspoon (0.02)	11 18.3 100.0	2 15.4 18.2	3 18.8 27.3	6 20.0 54.5	6 19.4 54.5	- - -	4 12.1 36.4	5 45.5 45.5	5 15.6 45.5	5 18.5 45.5	6 15.4 54.5	6 14.6 54.5	4 17.4 36.4	6 17.1 54.5	6 16.2 54.5	6 25.0 54.5	2 28.6 18.2	3 18.8 27.3	3 21.4 27.3	3 16.7 27.3
1 tablespoon (0.06)	22 36.7 100.0	2 15.4 9.1	8 50.0 36.4	11 36.7 50.0	8 25.8 36.4	1 20.0 4.5	12 36.4 54.5	1 9.1 4.5	12 37.5 54.5	11 40.7 50.0	19 48.7 86.4	15 36.6 68.2	7 30.4 31.8	13 37.1 59.1	18 48.6 81.8	9 37.5 40.9	2 28.6 9.1	7 43.8 31.8	8 57.1 36.4	5 27.8 22.7
1/4 cup (0.25)	20 33.3 100.0	7 53.8 35.0	5 31.3 25.0	8 26.7 40.0	12 38.7 60.0	4 80.0 20.0	12 36.4 60.0	4 36.4 20.0	9 28.1 45.0	8 29.6 40.0	9 23.1 45.0	15 36.6 75.0	8 34.8 40.0	12 34.3 60.0	8 21.6 40.0	5 20.8 25.0	3 42.9 15.0	4 25.0 20.0	2 14.3 10.0	9 50.0 45.0
1/2 cup (0.5)	7 11.7 100.0	2 15.4 28.6	- - -	5 16.7 71.4	5 16.1 71.4	- - -	5 15.2 71.4	1 9.1 14.3	6 18.8 85.7	3 11.1 42.9	5 12.8 71.4	5 12.2 71.4	4 17.4 57.1	4 11.4 57.1	5 13.5 71.4	4 16.7 57.1	- - -	2 12.5 28.6	1 7.1 14.3	1 5.6 14.3
1 cup or more (1)	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 62
Q.31 Approximately How Much Tub/Tile/Sink Cleaner Is Used Per Usage Occasion?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE								GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
												HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER ECTLY	WATER TABLE DIR- GARDN	VEGE- FRUIT -ING				
	2 OR TOTAL LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE							<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	60	13**	16**	30*	31*	5**	33*	11**	32*	27**	39*	41*	23**	35*	37*	24**	7**	16**	14**	18**
	100.0	100.0**	100**	100*	100.0*	100.0**	100*	100.0**	100*	100.0**	100*	100.0*	100.0**	100*	100.0*	100.0**	100**	100**	100**	100**
	100.0	21.7**	26.7**	50.0*	51.7*	8.3**	55.0*	18.3**	53.3*	45.0**	65.0*	68.3*	38.3**	58.3*	61.7*	40.0**	11.7**	26.7**	23.3**	30.0**
Sigma	60	13	16	30	31	5	33	11	32	27	39	41	23	35	37	24	7	16	14	18
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	21.7	26.7	50.0	51.7	8.3	55.0	18.3	53.3	45.0	65.0	68.3	38.3	58.3	61.7	40.0	11.7	26.7	23.3	30.0
Mean Base	60	13	16	30	31	5	33	11	32	27	39	41	23	35	37	24	7	16	14	18
Mean Number Of Cups	0.17	0.22	0.11	0.18	0.20	0.21	0.19	0.15	0.19	0.16	0.15	0.18	0.20	0.17	0.15	0.16	0.13	0.16	0.11	0.17
Std. Deviation	0.15	0.16	0.10	0.17	0.17	0.08	0.16	0.16	0.18	0.15	0.16	0.15	0.17	0.15	0.16	0.18	0.11	0.16	0.13	0.13
Std. Error	0.02	0.04	0.02	0.03	0.03	0.04	0.03	0.05	0.03	0.03	0.03	0.02	0.04	0.03	0.03	0.04	0.04	0.04	0.04	0.03

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 63
Q.31 Approximately How Much Hand Dish Washing Liquid Is Used Per Usage Occasion?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										SOURCES OF GRAYWATER REUSE					GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL				BATH/ SHOWR	GARBG		DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER VEGE- TABLE FRUIT GARDN	NON- WATER -ING								
		2 OR LESS	3-9	10+		POSAL	KITCH SINK										50-							
																	<10 GALS.	10-49 GALS.	199 GALS.	200+ GALS.				
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)						
Base: Hand Dish Washing Liquid Is Discharged Into The Graywater That Is Reused	277 100.0 100.0	44* 100.0 15.9*	77* 100.0 27.8*	149 100.0 53.8	113 100.0 40.8	31* 100.0 11.2*	215 100.0 77.6	33* 100.0 11.9*	144 100.0 52.0	130 100.0 46.9	131 100.0 47.3	200 100.0 72.2	57* 100.0 20.6*	168 100.0 60.6	151 100.0 54.5	114 100.0 41.2	54* 100.0 19.5*	93* 100.0 33.6*	68* 100.0 24.5*	47* 100.0 17.0*				
No answer	37 13.4 100.0	5 11.4 13.5	11 14.3 29.7	21 14.1 56.8	17 15.0 45.9	8 25.8 21.6	29 13.5 78.4	10 30.3 27.0D	26 18.1 70.3	19 14.6 51.4	19 14.5 51.4	26 13.0 70.3	8 14.0 21.6	20 11.9 54.1	19 12.6 51.4	12 10.5 32.4	8 14.8 21.6	8 8.6 21.6	10 14.7 27.0	8 17.0 21.6				
							FIJ																	
Base: Total Answering	240 100.0 100.0	39* 100.0 16.3*	66* 100.0 27.5*	128 100.0 53.3	96* 100.0 40.0*	23** 100.0 9.6**	186 100.0 77.5	23** 100.0 9.6**	118 100.0 49.2	111 100.0 46.3	112 100.0 46.7	174 100.0 72.5	49* 100.0 20.4*	148 100.0 61.7	132 100.0 55.0	102 100.0 42.5	46* 100.0 19.2*	85* 100.0 35.4*	58* 100.0 24.2*	39* 100.0 16.3*				
1 teaspoon (0.02)	90 37.5 100.0	15 38.5 16.7	23 34.8 25.6	48 37.5 53.3	28 29.2 31.1	10 43.5 11.1	72 38.7 80.0	9 39.1 10.0	43 36.4 47.8	43 38.7 47.8	41 36.6 45.6	67 38.5 74.4	16 32.7 17.8	53 35.8 58.9	49 37.1 54.4	37 36.3 41.1	18 39.1 20.0	33 38.8 36.7	23 39.7 25.6	14 35.9 15.6				
1 tablespoon (0.06)	116 48.3 100.0	18 46.2 15.5	34 51.5 29.3	61 47.7 52.6	51 53.1 44.0	11 47.8 9.5	89 47.8 76.7	10 43.5 8.6	62 52.5 53.4	45 40.5 38.8	50 44.6 43.1	84 48.3 72.4	25 51.0 21.6	73 49.3 62.9	68 51.5 58.6	48 47.1 41.4	18 39.1 15.5	39 45.9 33.6	30 51.7 25.9	21 53.8 18.1				
1/4 cup (0.25)	25 10.4 100.0	4 10.3 16.0	8 12.1 32.0	13 10.2 52.0	12 12.5 48.0	2 8.7 8.0	18 9.7 72.0	3 13.0 12.0	9 7.6 36.0	15 13.5 60.0	16 14.3 64.0	18 10.3 72.0	7 14.3 28.0	17 11.5 68.0	9 6.8 36.0	13 12.7 52.0	8 17.4 32.0	9 10.6 36.0	4 6.9 16.0	3 7.7 12.0				
1/2 cup (0.5)	5 2.1 100.0	2 5.1 40.0	- - -	3 2.3 60.0	3 3.1 60.0	- - -	4 2.2 80.0	- - -	2 1.7 40.0	5 4.5 100.0	3 2.7 60.0	3 1.7 60.0	1 2.0 20.0	2 1.4 40.0	3 2.3 60.0	2 2.0 40.0	1 2.2 20.0	2 2.4 40.0	1 1.7 20.0	1 2.6 20.0				
1 cup or more (1)	4 1.7 100.0	- - -	1 1.5 25.0	3 2.3 75.0	2 2.1 50.0	- - -	3 1.6 75.0	1 4.3 25.0	2 1.7 50.0	3 2.7 75.0	2 1.8 50.0	2 1.1 50.0	- - -	3 2.0 75.0	3 2.3 75.0	2 2.0 50.0	1 2.2 25.0	2 2.4 50.0	- -	- -				

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 63
Q.31 Approximately How Much Hand Dish Washing Liquid Is Used Per Usage Occasion?

TOTAL	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE								GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
												HAS A SUR- FACE WATER SYSTM	HAS A SUB- SURFC GRAY- SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- -ING				
	2 OR LESS	3-9	10+	GARBG BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER	GRAY- WATER	GRAY- WATER	TABLE FRUIT GARDN	NON- -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
240	39*	66*	128	96*	23**	186	23**	118	111	112	174	49*	148	132	102	46*	85*	58*	39*	
100.0	100.0*	100.0*	100.0	100.0*	100.0**	100	100.0**	100	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0*	100.0*	100.0*	
100.0	16.3*	27.5*	53.3	40.0*	9.6**	77.5	9.6**	49.2	46.3	46.7	72.5	20.4*	61.7	55.0	42.5	19.2*	35.4*	24.2*	16.3*	
240	39	66	128	96	23	186	23	118	111	112	174	49	148	132	102	46	85	58	39	
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
100.0	16.3	27.5	53.3	40.0	9.6	77.5	9.6	49.2	46.3	46.7	72.5	20.4	61.7	55.0	42.5	19.2	35.4	24.2	16.3	
240	39	66	128	96	23	186	23	118	111	112	174	49	148	132	102	46	85	58	39	
0.09	0.09	0.08	0.10	0.11	0.06	0.09	0.11	0.08	0.12	0.10	0.08	0.08	0.09	0.09	0.10	0.11	0.10	0.06	0.07	
0.15	0.12	0.13	0.17	0.17	0.06	0.15	0.21	0.15	0.19	0.16	0.13	0.10	0.16	0.16	0.16	0.17	0.17	0.08	0.09	
0.01	0.02	0.02	0.01	0.02	0.01	0.01	0.04	0.01	0.02	0.02	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.01	0.01	

Proportions/Means: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 64
Q.31 Approximately How Much Automatic Dish Washer Detergent Is Used Per Usage Occasion?

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM		USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED					
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SUR- FACE	HAS A SUB- SURFC	DISP. GRAY- WATER	VEGE- TABLE	NON- FRUIT					
				BATH/ DIS- SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	WATER DIR- ECTLY	FRUIT GARDN	WATER -ING					
	TOTAL	2 OR LESS	3-9	10+	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Automatic Dish Washer Detergent Is Discharged Into The Graywater That is Reused	38 100.0 100.0	4** 100.0** 10.5**	11** 100** 28.9**	22** 100** 57.9**	15** 100** 39.5**	6** 100** 15.8**	18** 100** 47.4**	22** 100** 57.9**	26** 100** 68.4**	17** 100** 44.7**	17** 100** 44.7**	26** 100** 68.4**	16** 100** 42.1**	18** 100** 47.4**	16** 100** 42.1**	12** 100** 31.6**	5** 100** 13.2**	8** 100** 21.1**	4** 100** 10.5**	17** 100** 44.7**
No answer	4 10.5 100.0	- 9.1 25.0	1 13.6 75.0	3 6.7 25.0	1 33.3 50.0	2 16.7 75.0	3 4.5 25.0	1 7.7 50.0	2 11.8 50.0	2 23.5 100.0	4 11.5 75.0	- 16.7 75.0	3 12.5 50.0	2 33.3 100.0	4 20.0 25.0	1 12.5 25.0	1 20.0 25.0	- 11.8 50.0	2 - - 50.0	
Base: Total Answering	34 100.0 100.0	4** 100.0** 11.8**	10** 100** 29.4**	19** 100** 55.9**	14** 100** 41.2**	4** 100** 11.8**	15** 100** 44.1**	21** 100** 61.8**	24** 100** 70.6**	15** 100** 44.1**	13** 100** 38.2**	23** 100** 67.6**	16** 100** 47.1**	15** 100** 44.1**	14** 100** 41.2**	8** 100** 23.5**	4** 100** 11.8**	7** 100** 20.6**	4** 100** 11.8**	15** 100** 44.1**
1 teaspoon (0.02)	4 11.8 100.0	- 10.0 25.0	1 10.5 50.0	2 14.3 50.0	2 25.0 50.0	1 20.0 75.0	3 14.3 75.0	3 8.3 75.0	2 13.3 50.0	2 15.4 50.0	2 4.3 25.0	1 12.5 50.0	2 13.3 50.0	2 14.3 50.0	2 12.5 25.0	1 25.0 25.0	- - -	- - -	- 13.3 50.0	2 - -
1 tablespoon (0.06)	12 35.3 100.0	1 25.0 8.3	4 40.0 33.3	7 36.8 58.3	5 35.7 41.7	1 25.0 8.3	4 26.7 33.3	8 38.1 66.7	7 29.2 58.3	8 53.3 66.7	6 46.2 50.0	9 39.1 75.0	6 37.5 50.0	5 33.3 41.7	6 42.9 50.0	4 50.0 33.3	2 50.0 16.7	4 57.1 33.3	2 50.0 16.7	4 26.7 33.3
1/4 cup (0.25)	15 44.1 100.0	2 50.0 13.3	5 50.0 33.3	8 42.1 53.3	5 35.7 33.3	2 50.0 13.3	7 46.7 46.7	8 38.1 53.3	13 54.2 86.7	5 33.3 33.3	5 38.5 66.7	10 43.5 66.7	8 50.0 53.3	6 40.0 40.0	5 35.7 33.3	2 25.0 13.3	1 25.0 6.7	2 28.6 13.3	1 25.0 6.7	8 53.3 53.3
1/2 cup (0.5)	1 2.9 100.0	1 25.0 100.0	- - -	- 7.1 100.0	1 - -	- 6.7 100.0	1 4.8 100.0	1 4.2 100.0	- - -	- - -	1 4.3 100.0	- 6.7 100.0	1 - -	- - -	- - -	- - -	- - -	- - -	1 25.0 100.0	- - -
1 cup or more (1)	2 5.9 100.0	- - -	- 10.5 100.0	2 7.1 50.0	1 - -	- - -	1 4.8 50.0	1 4.2 50.0	- - -	- - -	2 8.7 100.0	- 6.7 50.0	1 7.1 50.0	1 12.5 50.0	- 14.3 50.0	- - -	- - -	- - -	1 6.7 50.0	- - 50.0

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
** very small base (under 30) ineligible for sig testing

Table 64
Q.31 Approximately How Much Automatic Dish Washer Detergent Is Used Per Usage Occasion?

											GRAYWATER SYSTEM			USES OF GRAYWATER						
NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE								HAS A SUR- FACE	HAS A SUB- SURFC	DISP. GRAY- WATER	WATER VEGE- TABLE	VOLUME OF GRAYWATER REUSED					
TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	GRAY- WATER DIR- ECTLY	NON- FRUIT GARDN	WATER -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
34	4**	10**	19**	14**	4**	15**	21**	24**	15**	13**	23**	16**	15**	14**	8**	4**	7**	4**	15**	
100.0	100.0**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	
100.0	11.8**	29.4**	55.9**	41.2**	11.8**	44.1**	61.8**	70.6**	44.1**	38.2**	67.6**	47.1**	44.1**	41.2**	23.5**	11.8**	20.6**	11.8**	44.1**	
34	4	10	19	14	4	15	21	24	15	13	23	16	15	14	8	4	7	4	15	
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
100.0	11.8	29.4	55.9	41.2	11.8	44.1	61.8	70.6	44.1	38.2	67.6	47.1	44.1	41.2	23.5	11.8	20.6	11.8	44.1	
34	4	10	19	14	4	15	21	24	15	13	23	16	15	14	8	4	7	4	15	
0.21	0.26	0.15	0.23	0.22	0.14	0.17	0.19	0.22	0.12	0.13	0.24	0.15	0.22	0.19	0.22	0.10	0.25	0.22	0.22	
0.23	0.18	0.11	0.29	0.26	0.12	0.14	0.22	0.20	0.10	0.10	0.27	0.10	0.25	0.25	0.33	0.10	0.34	0.21	0.24	
0.04	0.09	0.03	0.07	0.07	0.06	0.04	0.05	0.04	0.03	0.03	0.06	0.03	0.07	0.07	0.12	0.05	0.13	0.10	0.06	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
 ** very small base (under 30) ineligible for sig testing

Table 65
Q.31 Approximately How Many Rinse Agents For Dishwashers Are Used Per Usage Occasion?

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SUR- FACE	HAS A SUB- SURFC	DISP. GRAY- WATER	VEGE- TABLE	NON- FRUIT					
	2 OR LESS	3-9	10+	BATH/ SHWR	DISH- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	GRAY- WATER ECTLY	DIR- GARDN	WATER -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
	TOTAL																			
Base: Rinse Agents For Dishwashers Are Discharged Into The Graywater That Is Reused	17	1**	5**	11**	9**	2**	8**	12**	14**	6**	9**	14**	9**	6**	5**	4**	1**	3**	2**	9**
	100.0	100.0**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**
	100.0	5.9**	29.4**	64.7**	52.9**	11.8**	47.1**	70.6**	82.4**	35.3**	52.9**	82.4**	52.9**	35.3**	29.4**	23.5**	5.9**	17.6**	11.8**	52.9**
No answer	3	-	-	3	2	1	2	2	3	2	3	3	-	1	1	2	-	1	-	2
	17.6	-	-	27.3	22.2	50.0	25.0	16.7	21.4	33.3	33.3	21.4	-	16.7	20.0	50.0	-	33.3	-	22.2
	100.0	-	-	100.0	66.7	33.3	66.7	66.7	100.0	66.7	100.0	100.0	-	33.3	33.3	66.7	-	33.3	-	66.7
Base: Total Answering	14	1**	5**	8**	7**	1**	6**	10**	11**	4**	6**	11**	9**	5**	4**	2**	1**	2**	2**	7**
	100.0	100.0**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**
	100.0	7.1**	35.7**	57.1**	50.0**	7.1**	42.9**	71.4**	78.6**	28.6**	42.9**	78.6**	64.3**	35.7**	28.6**	14.3**	7.1**	14.3**	14.3**	50.0**
1 teaspoon (0.02)	9	1	4	4	2	-	3	5	7	2	3	8	6	3	2	-	1	2	2	4
	64.3	100.0	80.0	50.0	28.6	-	50.0	50.0	63.6	50.0	50.0	72.7	66.7	60.0	50.0	-	100.0	100.0	100.0	57.1
	100.0	11.1	44.4	44.4	22.2	-	33.3	55.6	77.8	22.2	33.3	88.9	66.7	33.3	22.2	-	11.1	22.2	22.2	44.4
1 tablespoon (0.06)	2	-	-	2	2	1	2	2	1	1	1	2	1	2	1	1	-	-	-	1
	14.3	-	-	25.0	28.6	100.0	33.3	20.0	9.1	25.0	16.7	18.2	11.1	40.0	25.0	50.0	-	-	-	14.3
	100.0	-	-	100.0	100.0	50.0	100.0	100.0	50.0	50.0	50.0	100.0	50.0	100.0	50.0	50.0	-	-	-	50.0
1/4 cup (0.25)	2	-	1	1	2	-	1	2	2	1	2	-	2	-	1	-	-	-	-	1
	14.3	-	20.0	12.5	28.6	-	16.7	20.0	18.2	25.0	33.3	-	22.2	-	25.0	-	-	-	-	14.3
	100.0	-	50.0	50.0	100.0	-	50.0	100.0	100.0	50.0	100.0	-	100.0	-	50.0	-	-	-	-	50.0
1/2 cup (0.5)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 cup or more (1)	1	-	-	1	1	-	-	1	1	-	-	1	-	-	1	-	-	-	-	1
	7.1	-	-	12.5	14.3	-	-	10.0	9.1	-	-	9.1	-	-	50.0	-	-	-	-	14.3
	100.0	-	-	100.0	100.0	-	-	100.0	100.0	-	-	100.0	-	-	100.0	-	-	-	-	100.0

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
** very small base (under 30) ineligible for sig testing

Table 65
Q.31 Approximately How Many Rinse Agents For Dishwashers Are Used Per Usage Occasion?

NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER											SOURCES OF GRAYWATER REUSE					GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
2 OR LESS			3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	SUR- FACE GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	VEGE- TABLE FRUIT GARDN	NON- WATER -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.				
(A)			(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)				
14	1**	5**	8**	7**	1**	6**	10**	11**	4**	6**	11**	9**	5**	4**	2**	1**	2**	2**	7**					
100.0	100.0**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**				
100.0	7.1**	35.7**	57.1**	50.0**	7.1**	42.9**	71.4**	78.6**	28.6**	42.9**	78.6**	64.3**	35.7**	28.6**	14.3**	7.1**	14.3**	14.3**	50.0**					
14	1	5	8	7	1	6	10	11	4	6	11	9	5	4	2	1	2	2	7					
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0					
100.0	7.1	35.7	57.1	50.0	7.1	42.9	71.4	78.6	28.6	42.9	78.6	64.3	35.7	28.6	14.3	7.1	14.3	14.3	50.0					
14	1	5	8	7	1	6	10	11	4	6	11	9	5	4	2	1	2	2	7					
0.13	0.02	0.07	0.18	0.24	0.06	0.07	0.17	0.15	0.09	0.10	0.12	0.08	0.04	0.09	0.53	0.02	0.02	0.02	0.20					
0.26	-	0.10	0.34	0.35	-	0.09	0.31	0.29	0.11	0.11	0.29	0.10	0.02	0.11	0.66	-	0.00	0.00	0.36					
0.07	-	0.05	0.12	0.13	-	0.04	0.10	0.09	0.05	0.05	0.09	0.03	0.01	0.05	0.47	-	0.00	0.00	0.14					

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
 ** very small base (under 30) ineligible for sig testing

Table 66
Q.31 Approximately How Much Film And Spot Remover Is Used Per Usage Occasion?

		NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED													
		2 OR LESS			10+	GARBG		WASH- CAR		CLEAN	GRAY- GRAY- GRAY-	SUR- SUB- DISP.	FACE SURFC WATER	VEGE- TABLE NON-	FRUIT WATER	<10	10-49	199	200+												
		TOTAL	LESS	3-9		BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR											ING MACH.	WASH- ING	HOUSE	SYSTM	SYSTM	DIR- ECTLY	GARDN	-ING	GALS.	GALS.	GALS.	GALS.
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)											
Base: Film And Spot Remover Is Discharged Into The Graywater That Is Reused	7 100.0 100.0	-** -** -**	5** 100** 71.4**	2** 100** 28.6**	1** 100** 14.3**	-** -** -	3** 100** 42.9**	1** 100** 14.3**	5** 100** 71.4**	4** 100** 57.1**	3** 100** 42.9**	5** 100** 71.4**	4** 100** 57.1**	2** 100** 28.6**	2** 100** 28.6**	2** 100** 28.6**	1** 100** 14.3**	2** 100** 28.6**	2** 100** 28.6**	2** 100** 28.6**											
No answer	1 14.3 100.0	- - -	1 20.0 100.0	- - -	- - -	- - -	- - -	- - -	1 20.0 100.0	1 25.0 100.0	- - -	1 20.0 100.0	1 25.0 100.0	- - -	- - -	1 50.0 100.0	- - -	- - -	1 50.0 100.0	- - -											
Base: Total Answering	6 100.0 100.0	-** -** -	4** 100** 66.7**	2** 100** 33.3**	1** 100** 16.7**	-** -** -	3** 100** 50.0**	1** 100** 16.7**	4** 100** 66.7**	3** 100** 50.0**	3** 100** 50.0**	4** 100** 66.7**	3** 100** 50.0**	2** 100** 33.3**	2** 100** 33.3**	1** 100** 16.7**	1** 100** 16.7**	2** 100** 33.3**	1** 100** 16.7**	2** 100** 33.3**											
1 teaspoon (0.02)	6 100.0 100.0	- - -	4 100.0 66.7	2 100.0 33.3	1 100.0 16.7	- - -	3 100.0 50.0	1 100.0 16.7	4 100.0 66.7	3 100.0 50.0	3 100.0 50.0	4 100.0 66.7	3 100.0 50.0	2 100.0 33.3	2 100.0 33.3	1 100.0 16.7	1 100.0 16.7	2 100.0 33.3	1 100.0 16.7	2 100.0 33.3											
1 tablespoon (0.06)	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -											
1/4 cup (0.25)	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -											
1/2 cup (0.5)	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -											
1 cup or more (1)	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -											

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
** very small base (under 30) ineligible for sig testing

Table 66
Q.31 Approximately How Much Film And Spot Remover Is Used Per Usage Occasion?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	SOURCES OF GRAYWATER REUSE										HAS A SUR-	HAS A SUB-	DISP.	WATER						
	GARBG										FACE	SURFC	GRAY-	VEGE-						
	2 OR	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTEM	GRAY- WATER SYSTEM	DIR- ECTLY	TABLE FRUIT GARDN	NON- ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.	
TOTAL	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	6	***	4**	2**	1**	***	3**	1**	4**	3**	3**	4**	3**	2**	2**	1**	1**	2**	1**	2**
	100.0	***	100**	100**	100**	***	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**
	100.0	***	66.7**	33.3**	16.7**	***	50.0**	16.7**	66.7**	50.0**	50.0**	66.7**	50.0**	33.3**	33.3**	16.7**	16.7**	33.3**	16.7**	33.3**
Sigma	6	-	4	2	1	-	3	1	4	3	3	4	3	2	2	1	1	2	1	2
	100.0	-	100.0	100.0	100.0	-	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	-	66.7	33.3	16.7	-	50.0	16.7	66.7	50.0	50.0	66.7	50.0	33.3	33.3	16.7	16.7	33.3	16.7	33.3
Mean Base	6	-	4	2	1	-	3	1	4	3	3	4	3	2	2	1	1	2	1	2
Mean Number Of Cups	0.02	-	0.02	0.02	0.02	-	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
Std. Deviation	0.00	-	0.00	0.00	-	-	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	-	0.00	-	0.00
Std. Error	0.00	-	0.00	0.00	-	-	0.00	-	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-	-	0.00	-	0.00

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
** very small base (under 30) ineligible for sig testing

Table 67
Q.31 Approximately How Much Hand/Body Soap Is Used Per Usage Occasion?

	SOURCES OF GRAYWATER REUSE											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER											HAS A SURFACE GRAY-WATER SYSTM	HAS A SUB-SURFC GRAY-WATER SYSTM	DISP. WATER DIR-ECTLY	WATER TABLE FRUIT GARDN	NON-VEGE-ING				
					BATH/SHOWR	DIS-POSAL	KITCH SINK	DISH-WASHR	WASH-ING MACH.	CAR WASH-ING	CLEAN-ING HOUSE									
	TOTAL	2 OR LESS	3-9	10+	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Hand/Body Soap Is Discharged Into The Graywater That Is Reused	235	37*	69*	122	135	26**	159	31*	122	96*	109	163	54*	129	126	107	39*	74*	58*	48*
	100.0	100.0*	100.0*	100.0	100.0	100.0**	100	100.0*	100.0	100.0*	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0*	100.0*	100.0*
	100.0	15.7*	29.4*	51.9	57.4	11.1**	67.7	13.2*	51.9	40.9*	46.4	69.4	23.0*	54.9	53.6	45.5	16.6*	31.5*	24.7*	20.4*
No answer	23	2	7	12	16	6	16	6	14	10	11	17	2	9	12	16	4	7	4	5
	9.8	5.4	10.1	9.8	11.9	23.1	10.1	19.4	11.5	10.4	10.1	10.4	3.7	7.0	9.5	15.0	10.3	9.5	6.9	10.4
	100.0	8.7	30.4	52.2	69.6	26.1	69.6	26.1	60.9	43.5	47.8	73.9	8.7	39.1	52.2	69.6	17.4	30.4	17.4	21.7
Base: Total Answering	212	35*	62*	110	119	20**	143	25**	108	86*	98*	146	52*	120	114	91*	35*	67*	54*	43*
	100.0	100.0*	100.0*	100.0	100.0	100.0**	100	100.0**	100	100.0*	100.0*	100.0	100.0*	100.0	100.0	100.0*	100.0*	100.0*	100.0*	100.0*
	100.0	16.5*	29.2*	51.9	56.1	9.4**	67.5	11.8**	50.9	40.6*	46.2*	68.9	24.5*	56.6	53.8	42.9*	16.5*	31.6*	25.5*	20.3*
1 teaspoon (0.02)	81	13	20	45	36	9	59	7	47	32	35	54	22	40	42	32	9	27	26	16
	38.2	37.1	32.3	40.9	30.3	45.0	41.3	28.0	43.5	37.2	35.7	37.0	42.3	33.3	36.8	35.2	25.7	40.3	48.1	37.2
	100.0	16.0	24.7	55.6	44.4	11.1	72.8	8.6	58.0	39.5	43.2	66.7	27.2	49.4	51.9	39.5	11.1	33.3	32.1P	19.8
1 tablespoon (0.06)	77	10	21	44	50	9	49	11	43	31	35	57	19	42	48	33	11	28	17	16
	36.3	28.6	33.9	40.0	42.0	45.0	34.3	44.0	39.8	36.0	35.7	39.0	36.5	35.0	42.1	36.3	31.4	41.8	31.5	37.2
	100.0	13.0	27.3	57.1	64.9	11.7	63.6	14.3	55.8	40.3	45.5	74.0	24.7	54.5	62.3	42.9	14.3	36.4	22.1	20.8
1/4 cup (0.25)	35	8	16	11	20	2	25	4	12	16	17	23	8	26	18*	18	11	4	9	7
	16.5	22.9	25.8	10.0	16.8	10.0	17.5	16.0	11.1	18.6	17.3	15.8	15.4	21.7	15.8	19.8	31.4	6.0	16.7	16.3
	100.0	22.9	45.7C	31.4	57.1	5.7	71.4	11.4	34.3	45.7	48.6	65.7	22.9	74.3	51.4	51.4	31.4Q	11.4	25.7	20.0
1/2 cup (0.5)	8	2	3	3	6	-	6	1	1	3	5	5	1	6	3	2	2	5	-	1
	3.8	5.7	4.8	2.7	5.0	-	4.2	4.0	0.9	3.5	5.1	3.4	1.9	5.0	2.6	2.2	5.7	7.5	-	2.3
	100.0	25.0	37.5	37.5	75.0	-	75.0	12.5	12.5	37.5	62.5	62.5	12.5	75.0	37.5	25.0	25.0	62.5R	-	12.5
1 cup or more (1)	11	2	2	7	7	-	4	2	5	4	6	7	2	6	3	6	2	3	2	3
	5.2	5.7	3.2	6.4	5.9	-	2.8	8.0	4.6	4.7	6.1	4.8	3.8	5.0	2.6	6.6	5.7	4.5	3.7	7.0
	100.0	18.2	18.2	63.6	63.6	-	36.4	18.2	45.5	36.4	54.5	63.6	18.2	54.5	27.3	54.5	18.2	27.3	18.2	27.3

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 67
Q.31 Approximately How Much Hand/Body Soap Is Used Per Usage Occasion?

NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE								GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
												HAS A SUR- FACE GRAY- WATER SYSTEM	HAS A SUB- SURFC GRAY- WATER SYSTEM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING					
				2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	(K)	(L)	(M)	(N)	(O)	<10 GALS.	10-49 GALS.	50- 199 GALS.
TOTAL	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
212	35*	62*	110	119	20**	143	25**	108	86*	98*	146	52*	120	114	91*	35*	67*	54*	43*		
100.0	100.0*	100.0*	100.0	100.0	100.0**	100	100.0**	100	100.0*	100.0*	100.0	100.0*	100.0	100.0	100.0*	100.0*	100.0*	100.0*	100.0*		
100.0	16.5*	29.2*	51.9	56.1	9.4**	67.5	11.8**	50.9	40.6*	46.2*	68.9	24.5*	56.6	53.8	42.9*	16.5*	31.6*	25.5*	20.3*		
212	35	62	110	119	20	143	25	108	86	98	146	52	120	114	91	35	67	54	43		
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0		
100.0	16.5	29.2	51.9	56.1	9.4	67.5	11.8	50.9	40.6	46.2	68.9	24.5	56.6	53.8	42.9	16.5	31.6	25.5	20.3		
212	35	62	110	119	20	143	25	108	86	98	146	52	120	114	91	35	67	54	43		
0.14	0.17	0.15	0.13	0.16	0.06	0.12	0.17	0.11	0.14	0.16	0.14	0.12	0.16	0.11	0.16	0.19	0.13	0.11	0.15		
0.23	0.25	0.20	0.25	0.24	0.07	0.19	0.27	0.21	0.22	0.25	0.22	0.20	0.23	0.18	0.25	0.24	0.23	0.19	0.26		
0.02	0.04	0.03	0.02	0.02	0.02	0.02	0.05	0.02	0.02	0.03	0.02	0.03	0.02	0.02	0.03	0.04	0.03	0.03	0.04		

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 68
Q.31 Approximately How Much Car Washing Liquid Is Used Per Usage Occasion?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE								GRAYWATER SYSTEM HAS A HAS A			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	DIR- ECTLY	TABLE FRUIT GARDN	NON- ING		<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)		(P)	(Q)	(R)	(S)
Base: Car Washing Liquid Is Discharged Into The Graywater That Is Reused	89 100.0 100.0	15** 100.0** 16.9**	22** 100** 24.7**	52* 100*100.0* 58.4*	31* 100.0** 34.8*	7** 100** 7.9**	54* 100*100.0** 60.7*	13** 100*100.0** 14.6**	53* 100*100.0** 59.6*	68* 100.0*100.0* 76.4*	57* 100.0*100.0* 64.0*	69* 100.0*100.0** 77.5*	20** 100.0** 22.5**	55* 100*100.0* 61.8*	50* 100.0*100.0* 56.2*	37* 100.0*100.0* 41.6*	17** 100.0** 19.1**	26** 100** 29.2**	22** 100** 24.7**	16** 100** 18.0**
No answer	17 19.1 100.0	4 26.7 23.5	5 22.7 29.4	8 15.4 47.1	5 16.1 29.4	- - -	10 18.5 58.8	5 38.5 29.4	8 15.1 47.1	14 20.6 82.4	12 21.1 70.6	13 18.8 76.5	3 15.0 17.6	11 20.0 64.7	8 16.0 47.1	7 18.9 41.2	4 23.5 23.5	7 26.9 41.2	1 4.5 5.9	3 18.8 17.6
Base: Total Answering	72 100.0 100.0	11** 100.0** 15.3**	17** 100** 23.6**	44* 100*100.0* 61.1*	26** 100** 36.1**	7** 100** 9.7**	44* 100*100.0** 61.1*	8** 100*100.0** 11.1**	45* 100*100.0* 62.5*	54* 100.0*100.0* 75.0*	45* 100.0*100.0* 62.5*	56* 100.0*100.0** 77.8*	17** 100.0** 23.6**	44* 100*100.0* 61.1*	42* 100.0*100.0* 58.3*	30* 100.0*100.0* 41.7*	13** 100.0** 18.1**	19** 100** 26.4**	21** 100** 29.2**	13** 100** 18.1**
1 teaspoon (0.02)	7 9.7 100.0	1 9.1 14.3	3 17.6 42.9	3 6.8 42.9	3 11.5 42.9	2 28.6 28.6	4 9.1 57.1	1 12.5 14.3	6 13.3 85.7	4 7.4 57.1	3 6.7 42.9	5 8.9 71.4	3 17.6 42.9	3 6.8 42.9	4 9.5 57.1	1 3.3 14.3	2 15.4 28.6	- - -	5 23.8 71.4	- - -
1 tablespoon (0.06)	21 29.2 100.0	3 27.3 14.3	4 23.5 19.0	14 31.8 66.7	10 38.5 47.6	4 57.1 19.0	12 27.3 57.1	3 37.5 14.3	15 33.3 71.4	13 24.1 61.9	14 31.1 66.7	18 32.1 85.7	3 17.6 14.3	13 29.5 61.9	11 26.2 52.4	8 26.7 38.1	3 23.1 14.3	6 31.6 28.6	6 28.6 28.6	5 38.5 23.8
1/4 cup (0.25)	32 44.4 100.0	5 45.5 15.6	7 41.2 21.9	20 45.5 62.5	10 38.5 31.3	1 14.3 3.1	20 45.5 62.5	2 25.0 6.3	18 40.0 56.3	26 48.1 81.3	20 44.4 62.5	22 39.3 68.8	9 52.9 28.1	18 40.9 56.3	18 42.9 56.3	17 56.7 53.1	6 46.2 18.8	8 42.1 25.0	7 33.3 21.9	6 46.2 18.8
1/2 cup (0.5)	10 13.9 100.0	2 18.2 20.0	3 17.6 30.0	5 11.4 50.0	3 11.5 30.0	- - -	7 15.9 70.0	2 25.0 20.0	6 13.3 60.0	10 18.5 100.0	8 17.8 80.0	9 16.1 90.0	2 11.8 20.0	8 18.2 80.0	8 19.0 80.0	4 13.3 40.0	1 7.7 10.0	4 21.1 40.0	3 14.3 30.0	2 15.4 20.0
1 cup or more (1)	2 2.8 100.0	- - -	- - -	2 4.5 100.0	- - -	- - -	1 2.3 50.0	- - -	- - -	1 1.9 50.0	- - -	2 3.6 100.0	- - -	2 4.5 100.0	1 2.4 50.0	- - -	1 7.7 50.0	1 5.3 50.0	- - -	- - -

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 68
Q.31 Approximately How Much Car Washing Liquid Is Used Per Usage Occasion?

											GRAYWATER SYSTEM			USES OF GRAYWATER						
NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE								HAS A SUR- FACE	HAS A SUB- GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN		NON- WATER -ING		VOLUME OF GRAYWATER REUSED		
TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	GRAY- WATER DIR- ECTLY	VEGE- TABLE FRUIT GARDN	NON- WATER -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
72	11**	17**	44*	26**	7**	44*	8**	45*	54*	45*	56*	17**	44*	42*	30*	13**	19**	21**	13**	
100.0	100.0**	100**	100*	100.0**	100**	100*	100.0**	100*	100.0*	100.0*	100.0*	100.0**	100*	100.0*	100.0*	100.0**	100**	100**	100**	
100.0	15.3**	23.6**	61.1*	36.1**	9.7**	61.1*	11.1**	62.5*	75.0*	62.5*	77.8*	23.6**	61.1*	58.3*	41.7*	18.1**	26.4**	29.2**	18.1**	
72	11	17	44	26	7	44	8	45	54	45	56	17	44	42	30	13	19	21	13	
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
100.0	15.3	23.6	61.1	36.1	9.7	61.1	11.1	62.5	75.0	62.5	77.8	23.6	61.1	58.3	41.7	18.1	26.4	29.2	18.1	
72	11	17	44	26	7	44	8	45	54	45	56	17	44	42	30	13	19	21	13	
0.23	0.22	0.21	0.24	0.18	0.08	0.23	0.21	0.19	0.25	0.22	0.24	0.21	0.26	0.24	0.22	0.25	0.28	0.18	0.22	
0.20	0.17	0.17	0.22	0.15	0.08	0.19	0.20	0.16	0.19	0.16	0.22	0.15	0.23	0.20	0.14	0.26	0.24	0.17	0.16	
0.02	0.05	0.04	0.03	0.03	0.03	0.03	0.07	0.02	0.03	0.02	0.03	0.04	0.03	0.03	0.03	0.07	0.05	0.04	0.04	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 69
Q.31 Approximately How Much Drain Opening Liquid Is Used Per Usage Occasion?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED					
												HAS A	HAS A	DISP.	WATER							
												SUR- FACE	SUB- SURFC	GRAY-	GRAY-	WATER	VEGE-					
												GRAY- WATER	GRAY- WATER	DIR-	TABLE	NON-						
TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- SYSTEM	GRAY- SYSTEM	GRAY- DIR-	FRUIT GARDN	WATER -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.			
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)			
Base: Drain Opening Liquid Is Discharged Into The Graywater That Is Reused	18 100.0 100.0	*** *** ***	5** 100** 27.8**	13** 100** 72.2**	6** 100** 33.3**	1** 100** 5.6**	11** 100** 61.1**	3** 100** 16.7**	11** 100** 61.1**	11** 100** 61.1**	12** 100** 66.7**	11** 100** 61.1**	7** 100** 38.9**	11** 100** 61.1**	8** 100** 44.4**	8** 100** 44.4**	3** 100** 16.7**	6** 100** 33.3**	2** 100** 11.1**	3** 100** 16.7**		
No answer	2 11.1 100.0	- - -	- - -	2 15.4 100.0	- - -	- - -	1 9.1 50.0	- - -	1 9.1 50.0	2 18.2 100.0	1 8.3 50.0	- - -	- - -	2 18.2 100.0	1 12.5 50.0	2 25.0 100.0	- - -	1 16.7 50.0	- - -	- - -		
Base: Total Answering	16 100.0 100.0	*** *** ***	5** 100** 31.3**	11** 100** 68.8**	6** 100** 37.5**	1** 100** 6.3**	10** 100** 62.5**	3** 100** 18.8**	10** 100** 62.5**	9** 100** 56.3**	11** 100** 68.8**	11** 100** 68.8**	7** 100** 43.8**	9** 100** 56.3**	7** 100** 43.8**	6** 100** 37.5**	3** 100** 18.8**	5** 100** 31.3**	2** 100** 12.5**	3** 100** 18.8**		
1 teaspoon (0.02)	1 6.3 100.0	- - -	1 20.0 100.0	- - -	- - -	- - -	1 33.3 100.0	- - -	- - -	- - -	- - -	- - -	1 14.3 100.0	- - -	- - -	- - -	1 33.3 100.0	- - -	- - -	- - -		
1 tablespoon (0.06)	3 18.8 100.0	- - -	- - -	3 27.3 100.0	1 16.7 33.3	1 100.0 33.3	3 30.0 100.0	- 30.0 -	3 22.2 66.7	2 27.3 100.0	3 27.3 100.0	3 27.3 100.0	- 22.2 -	2 22.2 66.7	2 28.6 66.7	1 16.7 33.3	- 40.0 -	2 50.0 66.7	1 50.0 33.3	- - -		
1/4 cup (0.25)	8 50.0 100.0	- - -	3 60.0 37.5	5 45.5 62.5	3 50.0 37.5	- 40.0 -	4 33.3 50.0	1 40.0 12.5	4 55.6 50.0	5 45.5 62.5	5 45.5 62.5	5 45.5 62.5	2 28.6 25.0	5 55.6 62.5	4 57.1 50.0	5 83.3 62.5	1 33.3 12.5	3 60.0 37.5	1 50.0 12.5	1 33.3 12.5		
1/2 cup (0.5)	2 12.5 100.0	- - -	- - -	2 18.2 100.0	1 16.7 50.0	- 10.0 -	1 10.0 50.0	- 10.0 -	1 - 50.0	- 9.1 -	1 9.1 50.0	2 28.6 100.0	1 11.1 50.0	- - -	- - -	- 33.3 50.0	- - -	- - -	- - -	- - -		
1 cup or more (1)	2 12.5 100.0	- - -	1 20.0 50.0	1 9.1 50.0	1 16.7 50.0	- 20.0 -	2 33.3 50.0	1 20.0 100.0	2 22.2 100.0	2 18.2 100.0	2 18.2 100.0	2 28.6 100.0	1 11.1 50.0	1 14.3 50.0	- - -	- - -	- - -	- - -	- - -	2 66.7 100.0		

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
** very small base (under 30) ineligible for sig testing

Table 69
Q.31 Approximately How Much Drain Opening Liquid Is Used Per Usage Occasion?

											GRAYWATER SYSTEM			USES OF GRAYWATER								
NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							HAS A	HAS A	DISP.	WATER		VOLUME OF GRAYWATER REUSED						
				GARBG		WASH-		CAR	CLEAN	GRAY-	GRAY-	WATER	TABLE	NON-	50-							
2 OR				BATH/	DIS-	KITCH	DISH-	ING	WASH-	-ING	WATER	WATER	DIR-	FRUIT	WATER	<10	10-49	199	200+			
TOTAL	LESS	3-9	10+	SHOWR	POSAL	SINK	WASHR	MACH.	ING	HOUSE	SYSTEM	SYSTEM	ECTLY	GARDN	-ING	GALS.	GALS.	GALS.	GALS.			
				(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
16	-**	5**	11**	6**	1**	10**	3**	10**	9**	11**	11**	7**	9**	7**	6**	3**	5**	2**	3**			
100.0	-**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	
100.0	-**	31.3**	68.8**	37.5**	6.3**	62.5**	18.8**	62.5**	56.3**	68.8**	68.8**	43.8**	56.3**	43.8**	37.5**	18.8**	31.3**	12.5**	18.8**			
16	-	5	11	6	1	10	3	10	9	11	11	7	9	7	6	3	5	2	3			
100.0	-	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
100.0	-	31.3	68.8	37.5	6.3	62.5	18.8	62.5	56.3	68.8	68.8	43.8	56.3	43.8	37.5	18.8	31.3	12.5	18.8			
16	-	5	11	6	1	10	3	10	9	11	11	7	9	7	6	3	5	2	3			
0.32	-	0.35	0.31	0.38	0.06	0.37	0.42	0.37	0.37	0.36	0.36	0.50	0.32	0.30	0.22	0.26	0.17	0.16	0.75			
0.30	-	0.37	0.27	0.33	-	0.36	0.51	0.36	0.36	0.34	0.34	0.38	0.29	0.32	0.08	0.24	0.10	0.13	0.43			
0.07	-	0.17	0.08	0.14	-	0.11	0.30	0.11	0.12	0.10	0.10	0.14	0.10	0.12	0.03	0.14	0.05	0.09	0.25			

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

** very small base (under 30) ineligible for sig testing

Table 70
Q.31 Approximately How Many Packaged Water Softeners Are Used Per Usage Occasion?

TOTAL	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE								GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG			WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	SUB- GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- ING	50-				
					DIS- POSAL	KITCH SINK	DISH- WASHR									<10 GALS.	10-49 GALS.	199 GALS.	200+ GALS.	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
7	-**	5**	2**	1**	2**	5**	1**	2**	2**	3**	5**	2**	4**	3**	5**	2**	3**	-**	1**	
100.0	-**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	-**	100**	
100.0	-**71.4**	28.6**	14.3**	28.6**	71.4**	14.3**	28.6**	28.6**	42.9**	71.4**	28.6**	57.1**	42.9**	71.4**	28.6**	42.9**	14.3**	-**14.3**		
2	-	1	1	-	-	2	-	-	2	2	1	-	2	1	2	-	1	-	-	
28.6	-	20.0	50.0	-	-	40.0	-	-	100.0	66.7	20.0	-	50.0	33.3	40.0	-	33.3	-	-	
100.0	-	50.0	50.0	-	-	100.0	-	-	100.0	100.0	50.0	-	100.0	50.0	100.0	-	50.0	-	-	
5	-**	4**	1**	1**	2**	3**	1**	2**	-**	1**	4**	2**	2**	2**	3**	2**	2**	-**	1**	
100.0	-**	100**	100**	100**	100**	100**	100**	100**	-**	100**	100**	100**	100**	100**	100**	100**	100**	-**	100**	
100.0	-**80.0**	20.0**	20.0**	40.0**	60.0**	20.0**	40.0**	40.0**	-**20.0**	80.0**	40.0**	40.0**	40.0**	40.0**	60.0**	40.0**	40.0**	-**20.0**		
2	-	2	-	-	1	1	1	-	-	-	1	1	-	-	1	1	1	-	-	
40.0	-	50.0	-	-	50.0	33.3	100.0	-	-	-	25.0	50.0	-	-	33.3	50.0	50.0	-	-	
100.0	-	100.0	-	-	50.0	50.0	50.0	-	-	-	50.0	50.0	-	-	50.0	50.0	50.0	-	-	
1	-	1	-	-	1	1	-	-	-	1	1	-	1	-	1	1	-	-	-	
20.0	-	25.0	-	-	50.0	33.3	-	-	-	100.0	25.0	-	50.0	-	33.3	50.0	-	-	-	
100.0	-	100.0	-	-	100.0	100.0	-	-	-	100.0	100.0	-	100.0	-	100.0	100.0	-	-	-	
1	-	-	1	1	-	1	-	1	-	-	1	-	1	1	1	-	1	-	-	
20.0	-	-	100.0	100.0	-	33.3	-	50.0	-	-	25.0	-	50.0	50.0	33.3	-	50.0	-	-	
100.0	-	-	100.0	100.0	-	100.0	-	100.0	-	-	100.0	-	100.0	100.0	100.0	-	100.0	-	-	
1	-	1	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	1	
20.0	-	25.0	-	-	-	-	-	50.0	-	-	25.0	50.0	-	50.0	-	-	-	-	100.0	
100.0	-	100.0	-	-	-	-	-	100.0	-	-	100.0	100.0	-	100.0	-	-	-	-	100.0	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
** very small base (under 30) ineligible for sig testing

Table 70
Q.31 Approximately How Many Packaged Water Softeners Are Used Per Usage Occasion?

TOTAL	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	FACE GRAY- WATER SYSTM	SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	VEGE- NON- ING	<10 GALS.	10-49 GALS.	50- 199 GALS.		200+ GALS.
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
5	***	4**	1**	1**	2**	3**	1**	2**	***	1**	4**	2**	2**	2**	3**	2**	2**	***	1**	
100.0	***	100**	100**	100**	100**	100**	100**	100**	***	100**	100**	100**	100**	100**	100**	100**	100**	***	100**	
100.0	***	80.0**	20.0**	20.0**	40.0**	60.0**	20.0**	40.0**	***	20.0**	80.0**	40.0**	40.0**	40.0**	60.0**	40.0**	40.0**	***	20.0**	
5	-	4	1	1	2	3	1	2	-	1	4	2	2	2	3	2	2	-	1	
100.0	-	100.0	100.0	100.0	100.0	100.0	100.0	100.0	-	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	-	100.0	
100.0	-	80.0	20.0	20.0	40.0	60.0	20.0	40.0	-	20.0	80.0	40.0	40.0	40.0	60.0	40.0	40.0	-	20.0	
5	-	4	1	1	2	3	1	2	-	1	4	2	2	2	3	2	2	-	1	
0.17	-	0.15	0.25	0.25	0.04	0.11	0.02	0.38	-	0.06	0.21	0.26	0.16	0.38	0.11	0.04	0.14	-	0.50	
0.21	-	0.23	-	-	0.03	0.12	-	0.18	-	-	0.22	0.34	0.13	0.18	0.12	0.03	0.16	-	-	
0.09	-	0.12	-	-	0.02	0.07	-	0.13	-	-	0.11	0.24	0.09	0.13	0.07	0.02	0.12	-	-	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
** very small base (under 30) ineligible for sig testing

Table 71
Q.32 How Often Does Your Household Participate In Bicycling/Mountain Biking?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER											SOURCES OF GRAYWATER REUSE					GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
												HAS A FACE GRAY- WATER SYSTEM	HAS A SUB- SURFC GRAY- WATER SYSTEM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING									
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE						<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.					
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)						
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*					
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*					
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*					
No answer	99	17	28	50	30	10	40	14	49	26	37	68	14	66	37	37	15	36	25	13					
	20.2	21.8	18.1	20.5	17.3	25.6	15.7	25.0	17.8	14.2	19.2	19.6	15.9	21.3	16.6	19.7	17.4	24.0	21.6	14.4					
	100.0	17.2	28.3	50.5	30.3	10.1	40.4	14.1	49.5	26.3	37.4	68.7	14.1	66.7	37.4	37.4	15.2	36.4	25.3	13.1					
Base: Total Answering	392	61*	127	194	143	29**	215	42*	226	157	156	279	74*	244	186	151	71*	114	91*	77*					
	100.0	100.0*	100.0	100.0	100.0	100.0**	100	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*					
	100.0	15.6*	32.4	49.5	36.5	7.4**	54.8	10.7*	57.7	40.1	39.8	71.2	18.9*	62.2	47.4	38.5	18.1*	29.1	23.2*	19.6*					
Once A Week Or More (Net)	84	16	35	33	32	5	50	9	45	38	37	58	18	45	38	40	15	24	18	18					
	21.4	26.2	27.6	17.0	22.4	17.2	23.3	21.4	19.9	24.2	23.7	20.8	24.3	18.4	20.4	26.5	21.1	21.1	19.8	23.4					
	100.0	19.0	41.7C	39.3	38.1	6.0	59.5	10.7	53.6	45.2	44.0	69.0	21.4	53.6	45.2	47.6	17.9	28.6	21.4	21.4					
More than once a day (10)	13	4	5	4	7	1	9	3	6	5	7	8	3	4	7	8	3	2	4	3					
	3.3	6.6	3.9	2.1	4.9	3.4	4.2	7.1	2.7	3.2	4.5	2.9	4.1	1.6	3.8	5.3	4.2	1.8	4.4	3.9					
	100.0	30.8	38.5	30.8	53.8	7.7	69.2	23.1	46.2	38.5	53.8	61.5	23.1	30.8	53.8	61.5	23.1	15.4	30.8	23.1					
Once a day (7)	14	2	6	6	4	-	4	-	7	8	6	10	1	7	5	9	3	3	2	4					
	3.6	3.3	4.7	3.1	2.8	-	1.9	-	3.1	5.1	3.8	3.6	1.4	2.9	2.7	6.0	4.2	2.6	2.2	5.2					
	100.0	14.3	42.9	42.9	28.6	-	28.6	-	50.0	57.1	42.9	71.4	7.1	50.0	35.7	64.3	21.4	21.4	14.3	28.6					
A few times a week (3.5)	38	6	18	14	14	3	23	3	22	16	16	28	11	24	17	12	7	10	8	9					
	9.7	9.8	14.2	7.2	9.8	10.3	10.7	7.1	9.7	10.2	10.3	10.0	14.9	9.8	9.1	7.9	9.9	8.8	8.8	11.7					
	100.0	15.8	47.4C	36.8	36.8	7.9	60.5	7.9	57.9	42.1	42.1	73.7	28.9	63.2	44.7	31.6	18.4	26.3	21.1	23.7					
Once a week (1)	19	4	6	9	7	1	14	3	10	9	8	12	3	10	9	11	2	9	4	2					
	4.8	6.6	4.7	4.6	4.9	3.4	6.5	7.1	4.4	5.7	5.1	4.3	4.1	4.1	4.8	7.3	2.8	7.9	4.4	2.6					
	100.0	21.1	31.6	47.4	36.8	5.3	73.7	15.8	52.6	47.4	42.1	63.2	15.8	52.6	47.4	57.9	10.5	47.4	21.1	10.5					

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 71
Q.32 How Often Does Your Household Participate In Bicycling/Mountain Biking?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER											SOURCES OF GRAYWATER REUSE					GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL				BATH/ SHOWR	GARBG		DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER VEGE- TABLE FRUIT GARDN	NON- WATER -ING									
		2 OR LESS	3-9	10+		DIS- POSAL	KITCH SINK																		
																	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.					
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)							
Base: Total Answering	392	61*	127	194	143	29**	215	42*	226	157	156	279	74*	244	186	151	71*	114	91*	77*					
	100.0	100.0*	100.0	100.0	100.0	100.0**	100	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*					
	100.0	15.6*	32.4	49.5	36.5	7.4**	54.8	10.7*	57.7	40.1	39.8	71.2	18.9*	62.2	47.4	38.5	18.1*	29.1	23.2*	19.6*					
A few times a month (0.65)	32	6	8	17	12	3	16	4	18	18	18	22	6	18	18	15	5	8	9	5					
	8.2	9.8	6.3	8.8	8.4	10.3	7.4	9.5	8.0	11.5	11.5	7.9	8.1	7.4	9.7	9.9	7.0	7.0	9.9	6.5					
	100.0	18.8	25.0	53.1	37.5	9.4	50.0	12.5	56.3	56.3	56.3	68.8	18.8	56.3	56.3	46.9	15.6	25.0	28.1	15.6					
Once a month (0.25)	12	1	5	6	3	1	7	4	8	5	7	8	2	5	6	5	1	5	2	3					
	3.1	1.6	3.9	3.1	2.1	3.4	3.3	9.5	3.5	3.2	4.5	2.9	2.7	2.0	3.2	3.3	1.4	4.4	2.2	3.9					
	100.0	8.3	41.7	50.0	25.0	8.3	58.3	33.3	66.7	41.7	58.3	66.7	16.7	41.7	50.0	41.7	8.3	41.7	16.7	25.0					
Less often than once a month (0.1)	72	12	23	33	24	9	39	7	37	30	31	50	14	49	36	27	19	21	15	12					
	18.4	19.7	18.1	17.0	16.8	31.0	18.1	16.7	16.4	19.1	19.9	17.9	18.9	20.1	19.4	17.9	26.8	18.4	16.5	15.6					
	100.0	16.7	31.9	45.8	33.3	12.5	54.2	9.7	51.4	41.7	43.1	69.4	19.4	68.1	50.0	37.5	26.4	29.2	20.8	16.7					
Never (0)	192	26	56	105	72	11	103	18	118	66	63	141	34	127	88	64	31	56	47	39					
	49.0	42.6	44.1	54.1	50.3	37.9	47.9	42.9	52.2	42.0	40.4	50.5	45.9	52.0	47.3	42.4	43.7	49.1	51.6	50.6					
	100.0	13.5	29.2	54.7	37.5	5.7	53.6	9.4	61.5	34.4	32.8	73.4	17.7	66.1	45.8	33.3	16.1	29.2	24.5	20.3					
Sigma	392	61	127	194	143	29	215	42	226	157	156	279	74	244	186	151	71	114	91	77					
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0					
	100.0	15.6	32.4	49.5	36.5	7.4	54.8	10.7	57.7	40.1	39.8	71.2	18.9	62.2	47.4	38.5	18.1	29.1	23.2	19.6					
Mean Base (Including Never)	392	61	127	194	143	29	215	42	226	157	156	279	74	244	186	151	71	114	91	77					
Mean (Including Never)	1.05	1.38	1.34	0.80	1.15	0.85	1.06	1.14	0.94	1.19	1.23	1.01	1.14	0.82	1.02	1.39	1.17	0.82	1.03	1.26					
Std. Deviation	2.29	2.77	2.52	1.98	2.50	2.06	2.32	2.65	2.14	2.38	2.50	2.22	2.32	1.91	2.30	2.73	2.51	1.89	2.37	2.54					
Std. Error	0.12	0.36	0.22	0.14	0.21	0.38	0.16	0.41	0.14	0.19	0.20	0.13	0.27	0.12	0.17	0.22	0.30	0.18	0.25	0.29					

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 71
Q.32 How Often Does Your Household Participate In Bicycling/Mountain Biking?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER											GRAYWATER SYSTEM				USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED							
												SOURCES OF GRAYWATER REUSE				HAS A HAS A						WATER			
																FACE	SURFC					GRAY-	GRAY-	GRAY-	VEGE-
																GRAY-	GRAY-					GRAY-	VEGE-		
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	WATER DIR- ECTLY	TABLE FRUIT GARDN	NON- -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.					
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)						
Base: Total Answering	392	61*	127	194	143	29**	215	42*	226	157	156	279	74*	244	186	151	71*	114	91*	77*					
	100.0	100.0*	100.0	100.0	100.0	100.0**	100	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*					
	100.0	15.6*	32.4	49.5	36.5	7.4**	54.8	10.7*	57.7	40.1	39.8	71.2	18.9*	62.2	47.4	38.5	18.1*	29.1	23.2*	19.6*					
Mean Base (Excluding Never)	200	35	71	89	71	18	112	24	108	91	93H	138	40	117	98	87	40	58	44	38					
Mean (Excluding Never)	2.06	2.41	2.39	1.75	2.32	1.37	2.04	1.99	1.98	2.05	2.07	2.04	2.11	1.72	1.94	2.41	2.07	1.61	2.13	2.54					
Std. Deviation	2.87	3.32	2.97	2.63	3.15	2.49	2.90	3.27	2.75	2.83	2.96	2.81	2.83	2.48	2.87	3.24	3.06	2.41	3.06	3.14					
Std. Error	0.20	0.56	0.35	0.28	0.37	0.59	0.27	0.67	0.26	0.30	0.31	0.24	0.45	0.23	0.29	0.35	0.48	0.32	0.46	0.51					

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 72
Q.32 How Often Does Your Household Participate In Camping?

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			BATH/ SHOWER	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- VEGE- -ING	VOLUME OF GRAYWATER REUSED				
	TOTAL	2 OR LESS	3-9													10+	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
No answer	92	17	27	43	28	8	41	12	44	26	37	61	16	60	36	36	15	32	25	10
	18.7	21.8	17.4	17.6	16.2	20.5	16.1	21.4	16.0	14.2	19.2	17.6	18.2	19.4	16.1	19.1	17.4	21.3	21.6	11.1
	100.0	18.5	29.3	46.7	30.4	8.7	44.6	13.0	47.8	28.3	40.2	66.3	17.4	65.2	39.1	39.1	16.3	34.8s	27.2s	10.9
Base: Total Answering	399	61*	128	201	145	31*	214	44*	231	157	156	286	72*	250	187	152	71*	118	91*	80*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*
	100.0	15.3*	32.1	50.4	36.3	7.8*	53.6	11.0*	57.9	39.3	39.1	71.7	18.0*	62.7	46.9	38.1	17.8*	29.6	22.8*	20.1*
Once A Week Or More (Net)	4	2	-	2	3	1	2	2	3	1	1	3	1	1	1	2	-	-	1	3
	1.0	3.3	-	1.0	2.1	3.2	0.9	4.5	1.3	0.6	0.6	1.0	1.4	0.4	0.5	1.3	-	-	1.1	3.8
	100.0	50.0B	-	50.0	75.0	25.0	50.0	50.0	75.0	25.0	25.0	75.0	25.0	25.0	25.0	50.0	-	-	25.0	75.0Q
More than once a day (10)	1	1	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1
	0.3	1.6	-	-	0.7	3.2	-	-	-	-	-	0.3	-	-	-	-	-	-	-	1.3
	100.0	100.0	-	-	100.0	100.0FH	-	-	-	-	-	100.0	-	-	-	-	-	-	-	100.0
Once a day (7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A few times a week (3.5)	1	-	-	1	1	-	1	1	1	-	-	-	1	-	-	-	-	-	-	1
	0.3	-	-	0.5	0.7	-	0.5	2.3	0.4	-	-	-	1.4	-	-	-	-	-	-	1.3
	100.0	-	-	100.0	100.0	-	100.0	100.0	100.0	-	-	-	100.0K	-	-	-	-	-	-	100.0
Once a week (1)	2	1	-	1	1	-	1	1	2	1	1	2	-	1	1	2	-	-	1	1
	0.5	1.6	-	0.5	0.7	-	0.5	2.3	0.9	0.6	0.6	0.7	-	0.4	0.5	1.3	-	-	1.1	1.3
	100.0	50.0	-	50.0	50.0	-	50.0	50.0	100.0	50.0	50.0	100.0	-	50.0	50.0	100.0	-	-	50.0	50.0

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 72
Q.32 How Often Does Your Household Participate In Camping?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL				BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE- FRUIT GARDN	NON- WATER -ING										
		2 OR LESS	3-9	10+																						
																	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.						
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)								
Base: Total Answering	399	61*	128	201	145	31*	214	44*	231	157	156	286	72*	250	187	152	71*	118	91*	80*						
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0						
	100.0	15.3*	32.1	50.4	36.3	7.8*	53.6	11.0*	57.9	39.3	39.1	71.7	18.0*	62.7	46.9	38.1	17.8*	29.6	22.8*	20.1*						
A few times a month (0.65)	32	4	11	17	16	3	20	7	17	13	13	19	7	15	18	12	5	11	6	5						
	8.0	6.6	8.6	8.5	11.0	9.7	9.3	15.9	7.4	8.3	8.3	6.6	9.7	6.0	9.6	7.9	7.0	9.3	6.6	6.3						
	100.0	12.5	34.4	53.1	50.0	9.4	62.5	21.9	53.1	40.6	40.6	59.4	21.9	46.9	56.3	37.5	15.6	34.4	18.8	15.6						
Once a month (0.25)	24	3	9	12	10	2	8	3	15	8	9	18	4	14	11	12	2	10	4	6						
	6.0	4.9	7.0	6.0	6.9	6.5	3.7	6.8	6.5	5.1	5.8	6.3	5.6	5.6	5.9	7.9	2.8	8.5	4.4	7.5						
	100.0	12.5	37.5	50.0	41.7	8.3	33.3	12.5	62.5	33.3	37.5	75.0	16.7	58.3	45.8	50.0	8.3	41.7	16.7	25.0						
Less often than once a month (0.1)	186	29	58	96	68	14	107	16	101	75	74	139	36	126	91	66	41	52	42	35						
	46.6	47.5	45.3	47.8	46.9	45.2	50.0	36.4	43.7	47.8	47.4	48.6	50.0	50.4	48.7	43.4	57.7	44.1	46.2	43.8						
	100.0	15.6	31.2	51.6	36.6	7.5	57.5	8.6	54.3	40.3	39.8	74.7	19.4	67.7	48.9	35.5	22.0	28.0	22.6	18.8						
Never (0)	153	23	50	74	48	11	77	16	95	60	59	107	24	94	66	60	23	45	38	31						
	38.3	37.7	39.1	36.8	33.1	35.5	36.0	36.4	41.1	38.2	37.8	37.4	33.3	37.6	35.3	39.5	32.4	38.1	41.8	38.8						
	100.0	15.0	32.7	48.4	31.4	7.2	50.3	10.5	62.1	39.2	38.6	69.9	15.7	61.4	43.1	39.2	15.0	29.4	24.8	20.3						
Sigma	399	61	128	201	145	31	214	44	231	157	156	286	72	250	187	152	71	118	91	80						
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0						
	100.0	15.3	32.1	50.4	36.3	7.8	53.6	11.0	57.9	39.3	39.1	71.7	18.0	62.7	46.9	38.1	17.8	29.6	22.8	20.1						
Mean Base (Including Never)	399	61	128	201	145	31	214	44	231	157	156	286	72	250	187	152	71	118	91	80						
Mean (Including Never)	0.15	0.28	0.12	0.14	0.24	0.45F HIJ	0.14	0.26F HIJ	0.13	0.12	0.12	0.15	0.18M	0.11	0.13	0.13	0.11	0.13	0.11	0.28						
Std. Deviation	0.55	1.28	0.18	0.30	0.89	1.78	0.30	0.56	0.29	0.19	0.19	0.61	0.44	0.16	0.19	0.20	0.16	0.18	0.19	1.18						
Std. Error	0.03	0.16	0.02	0.02	0.07	0.32	0.02	0.08	0.02	0.01	0.02	0.04	0.05	0.01	0.01	0.02	0.02	0.02	0.02	0.13						

Proportions/Means: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 72
Q.32 How Often Does Your Household Participate In Camping?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL				BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	WASH- DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER VEGE- TABLE FRUIT GARDN	NON- WATER -ING				
		2 OR LESS	3-9	10+													<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
		(A)	(B)	(C)													(D)	(E)	(F)	(G)
Base: Total Answering	399	61*	128	201	145	31*	214	44*	231	157	156	286	72*	250	187	152	71*	118	91*	80*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*
	100.0	15.3*	32.1	50.4	36.3	7.8*	53.6	11.0*	57.9	39.3	39.1	71.7	18.0*	62.7	46.9	38.1	17.8*	29.6	22.8*	20.1*
Mean Base (Excluding Never)	246	38	78	127	97	20	137	28	136	97	97	179	48	156	121	92	48	73	53	49
Mean (Excluding Never)	0.25	0.45	0.19	0.22	0.35	0.69	0.22	0.41	0.22	0.20	0.20	0.24	0.26	0.17	0.20	0.21	0.16	0.20	0.19	0.46
Std. Deviation	0.69	1.61	0.19	0.36	1.07	2.20	0.35	0.66	0.35	0.21	0.20	0.76	0.52	0.18	0.21	0.22	0.17	0.20	0.21	1.48
Std. Error	0.04	0.26	0.02	0.03	0.11	0.49	0.03	0.13	0.03	0.02	0.02	0.06	0.07	0.01	0.02	0.02	0.02	0.02	0.03	0.21

Proportions/Means: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 73
Q.32 How Often Does Your Household Participate In Crafts?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
												HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	VEGE- TABLE NON- ING				
					BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE						<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	TOTAL	2 OR LESS	3-9	10+	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
No answer	71	14	21	33	20	7	23	7	33	20	26	45	14	42	28	24	9	21	22	9
	14.5	17.9	13.5	13.5	11.6	17.9	9.0	12.5	12.0	10.9	13.5	13.0	15.9	13.5	12.6	12.8	10.5	14.0	19.0	10.0
	100.0	19.7	29.6	46.5	28.2	9.9	32.4	9.9	46.5	28.2	36.6	63.4	19.7	59.2	39.4	33.8	12.7	29.6	31.0	12.7
Base: Total Answering	420	64*	134	211	153	32*	232	49*	242	163	167	302	74*	268	195	164	77*	129	94*	81*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*
	100.0	15.2*	31.9	50.2	36.4	7.6*	55.2	11.7*	57.6	38.8	39.8	71.9	17.6*	63.8	46.4	39.0	18.3*	30.7	22.4*	19.3*
Once A Week Or More (Net)	137	18	43	71	63	11	86	22	80	52	58	101	23	82	69	61	22	47	29	27
	32.6	28.1	32.1	33.6	41.2	34.4	37.1	44.9	33.1	31.9	34.7	33.4	31.1	30.6	35.4	37.2	28.6	36.4	30.9	33.3
	100.0	13.1	31.4	51.8	46.0	8.0	62.8	16.1	58.4	38.0	42.3	73.7	16.8	59.9	50.4	44.5	16.1	34.3	21.2	19.7
More than once a day (10)	25	3	9	12	13	3	14	3	14	8	10	17	4	13	14	10	3	7	7	6
	6.0	4.7	6.7	5.7	8.5	9.4	6.0	6.1	5.8	4.9	6.0	5.6	5.4	4.9	7.2	6.1	3.9	5.4	7.4	7.4
	100.0	12.0	36.0	48.0	52.0	12.0	56.0	12.0	56.0	32.0	40.0	68.0	16.0	52.0	56.0	40.0	12.0	28.0	28.0	24.0
Once a day (7)	20	3	7	9	6	-	11	3	14	4	10	16	3	13	9	9	4	6	5	3
	4.8	4.7	5.2	4.3	3.9	-	4.7	6.1	5.8	2.5	6.0	5.3	4.1	4.9	4.6	5.5	5.2	4.7	5.3	3.7
	100.0	15.0	35.0	45.0	30.0	-	55.0	15.0	70.0	20.0	50.0	80.0	15.0	65.0	45.0	45.0	20.0	30.0	25.0	15.0
A few times a week (3.5)	61	7	21	32	30	4	41	9	37	25	25	44	9	41	30	27	13	20	11	12
	14.5	10.9	15.7	15.2	19.6	12.5	17.7	18.4	15.3	15.3	15.0	14.6	12.2	15.3	15.4	16.5	16.9	15.5	11.7	14.8
	100.0	11.5	34.4	52.5	49.2	6.6	67.2	14.8	60.7	41.0	41.0	72.1	14.8	67.2	49.2	44.3	21.3	32.8	18.0	19.7
Once a week (1)	31	5	6	18	14	4	20	7	15	15	13	24	7	15	16	15	2	14	6	6
	7.4	7.8	4.5	8.5	9.2	12.5	8.6	14.3	6.2	9.2	7.8	7.9	9.5	5.6	8.2	9.1	2.6	10.9	6.4	7.4
	100.0	16.1	19.4	58.1	45.2	12.9	64.5	22.6	48.4	48.4	41.9	77.4	22.6	48.4	51.6	48.4	6.5	45.2P	19.4	19.4

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 73
Q.32 How Often Does Your Household Participate In Crafts?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
												HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER VEGE- TABLE FRUIT GARDN	NON- WATER -ING				
	2 OR TOTAL LESS	3-9	10+		BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE						<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)		(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Answering	420	64*	134	211	153	32*	232	49*	242	163	167	302	74*	268	195	164	77*	129	94*	81*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*
	100.0	15.2*	31.9	50.2	36.4	7.6*	55.2	11.7*	57.6	38.8	39.8	71.9	17.6*	63.8	46.4	39.0	18.3*	30.7	22.4*	19.3*
A few times a month (0.65)	87	11	31	45	33	8	49	8	46	38	32	65	15	56	47	34	17	23	22	18
	20.7	17.2	23.1	21.3	21.6	25.0	21.1	16.3	19.0	23.3	19.2	21.5	20.3	20.9	24.1	20.7	22.1	17.8	23.4	22.2
	100.0	12.6	35.6	51.7	37.9	9.2	56.3	9.2	52.9	43.7	36.8	74.7	17.2	64.4	54.0	39.1	19.5	26.4	25.3	20.7
Once a month (0.25)	52	11	17	23	14	4	26	5	26	23	25	33	10	33	17	23	11	17	10	8
	12.4	17.2	12.7	10.9	9.2	12.5	11.2	10.2	10.7	14.1	15.0	10.9	13.5	12.3	8.7	14.0	14.3	13.2	10.6	9.9
	100.0	21.2	32.7	44.2	26.9	7.7	50.0	9.6	50.0	44.2	48.1	63.5	19.2	63.5	32.7	44.2	21.2	32.7	19.2	15.4
Less often than once a month (0.1)	86	14	26	44	27	4	45	8	57	29	32	64	15	63	41	25	18	22	20	17
	20.5	21.9	19.4	20.9	17.6	12.5	19.4	16.3	23.6	17.8	19.2	21.2	20.3	23.5	21.0	15.2	23.4	17.1	21.3	21.0
	100.0	16.3	30.2	51.2	31.4	4.7	52.3	9.3	66.3	33.7	37.2	74.4	17.4	73.3	47.7	29.1	20.9	25.6	23.3	19.8
Never (0)	58	10	17	28	16	5	26	6	33	21	20	39	11	34	21	21	9	20	13	11
	13.8	15.6	12.7	13.3	10.5	15.6	11.2	12.2	13.6	12.9	12.0	12.9	14.9	12.7	10.8	12.8	11.7	15.5	13.8	13.6
	100.0	17.2	29.3	48.3	27.6	8.6	44.8	10.3	56.9	36.2	34.5	67.2	19.0	58.6	36.2	36.2	15.5	34.5	22.4	19.0
Sigma	420	64	134	211	153	32	232	49	242	163	167	302	74	268	195	164	77	129	94	81
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	15.2	31.9	50.2	36.4	7.6	55.2	11.7	57.6	38.8	39.8	71.9	17.6	63.8	46.4	39.0	18.3	30.7	22.4	19.3
Mean Base (Including Never)	420	64	134	211	153	32	232	49	242	163	167	302	74	268	195	164	77	129	94	81
Mean (Including Never)	1.70	1.43	1.83	1.67	2.08	1.71	1.82	1.97	1.75	1.50	1.80	1.71	1.53	1.61	1.86	1.85	1.57	1.69	1.79	1.78
Std. Deviation	2.72	2.56	2.84	2.66	2.95	2.92	2.72	2.80	2.76	2.45	2.78	2.70	2.61	2.59	2.85	2.76	2.50	2.65	2.92	2.85
Std. Error	0.13	0.32	0.25	0.18	0.24	0.52	0.18	0.40	0.18	0.19	0.22	0.16	0.30	0.16	0.20	0.22	0.28	0.23	0.30	0.32
Mean Base (Excluding Never)	362	54	117	183	137	27	206	43	209	142	147	263	63	234	174	143	68	109	81	70

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 73
Q.32 How Often Does Your Household Participate In Crafts?

TOTAL	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG		DISH- WASHR	WASH- ING MACH.		CAR WASH- ING	CLEAN -ING HOUSE	HAS A SUR- FACE GRAY- WATER SYSTEM	HAS A SUB- SURFC GRAY- WATER SYSTEM	DISP. GRAY- WATER DIR- ECTLY	WATER VEGE- TABLE FRUIT GARDN	NON- WATER -ING	OF GRAYWATER REUSED		
					POSAL	KITCH SINK		50- 199	200+										
																	<10 GALS.	10-49 GALS.	200+ GALS.
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
420	64*	134	211	153	32*	232	49*	242	163	167	302	74*	268	195	164	77*	129	94*	81*
100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*
100.0	15.2*	31.9	50.2	36.4	7.6*	55.2	11.7*	57.6	38.8	39.8	71.9	17.6*	63.8	46.4	39.0	18.3*	30.7	22.4*	19.3*
1.97	1.70	2.10	1.93	2.33	2.02	2.06	2.25	2.03	1.72	2.05	1.97	1.80	1.84	2.09	2.12	1.78	1.99	2.08	2.06
2.83	2.70	2.94	2.77	3.03	3.08	2.81	2.89	2.87	2.55	2.88	2.80	2.75	2.69	2.93	2.86	2.59	2.77	3.05	2.97
0.15	0.37	0.27	0.20	0.26	0.59	0.20	0.44	0.20	0.21	0.24	0.17	0.35	0.18	0.22	0.24	0.31	0.27	0.34	0.36

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 74
Q.32 How Often Does Your Household Participate In Fishing?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE VEGE- FRUIT GARDN	NON- WATER -ING	OF GRAYWATER REUSED			
																	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
No answer	92	15	24	50	33	11	41	15	43	26	34	58	14	61	35	37	13	33	23	12
	18.7	19.2	15.5	20.5	19.1	28.2	16.1	26.8	15.6	14.2	17.6	16.7	15.9	19.7	15.7	19.7	15.1	22.0	19.8	13.3
	100.0	16.3	26.1	54.3	35.9	12.01	44.6	16.3H	46.7	28.3	37.0	63.0	15.2	66.3	38.0	40.2	14.1	35.9	25.0	13.0
Base: Total Answering	399	63*	131	194	140	28**	214	41*	232	157	159	289	74*	249	188	151	73*	117	93*	78*
	100.0	100.0*	100.0	100.0	100.0	100.0**	100	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*
	100.0	15.8*	32.8	48.6	35.1	7.0**	53.6	10.3*	58.1	39.3	39.8	72.4	18.5*	62.4	47.1	37.8	18.3*	29.3	23.3*	19.5*
Once A Week Or More (Net)	46	10	16	17	21	2	32	5	28	16	14	33	13	27	28	13	7	12	15	10
	11.5	15.9	12.2	8.8	15.0	7.1	15.0	12.2	12.1	10.2	8.8	11.4	17.6	10.8	14.9	8.6	9.6	10.3	16.1	12.8
	100.0	21.7	34.8	37.0	45.7	4.3	69.6	10.9	60.9	34.8	30.4	71.7	28.3	58.7	60.9	28.3	15.2	26.1	32.6	21.7
More than once a day (10)	2	-	-	1	-	-	-	-	2	-	1	1	-	1	2	-	-	1	1	-
	0.5	-	-	0.5	-	-	-	-	0.9	-	0.6	0.3	-	0.4	1.1	-	-	0.9	1.1	-
	100.0	-	-	50.0	-	-	-	-	100.0	-	50.0	50.0	-	50.0	100.0	-	-	50.0	50.0	-
Once a day (7)	6	2	1	3	2	-	3	1	5	2	2	6	-	3	3	3	1	-	3	2
	1.5	3.2	0.8	1.5	1.4	-	1.4	2.4	2.2	1.3	1.3	2.1	-	1.2	1.6	2.0	1.4	-	3.2	2.6
	100.0	33.3	16.7	50.0	33.3	-	50.0	16.7	83.3	33.3	33.3	100.0	-	50.0	50.0	50.0	16.7	-	50.0	33.3
A few times a week (3.5)	24	4	10	9	14	1	20	2	14	9	8	17	8	15	16	7	4	9	6	4
	6.0	6.3	7.6	4.6	10.0	3.6	9.3	4.9	6.0	5.7	5.0	5.9	10.8	6.0	8.5	4.6	5.5	7.7	6.5	5.1
	100.0	16.7	41.7	37.5	58.3	4.2	83.3	8.3	58.3	37.5	33.3	70.8	33.3	62.5	66.7	29.2	16.7	37.5	25.0	16.7
Once a week (1)	14	4	5	4	5	1	9	2	7	5	3	9	5	8	7	3	2	2	5	4
	3.5	6.3	3.8	2.1	3.6	3.6	4.2	4.9	3.0	3.2	1.9	3.1	6.8	3.2	3.7	2.0	2.7	1.7	5.4	5.1
	100.0	28.6	35.7	28.6	35.7	7.1	64.3	14.3	50.0	35.7	21.4	64.3	35.7	57.1	50.0	21.4	14.3	14.3	35.7	28.6

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 74
Q.32 How Often Does Your Household Participate In Fishing?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER											SOURCES OF GRAYWATER REUSE					GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL											HAS A FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- -ING									
		2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE														
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.					
Base: Total Answering	399	63*	131	194	140	28**	214	41*	232	157	159	289	74*	249	188	151	73*	117	93*	78*					
	100.0	100.0*	100.0	100.0	100.0	100.0**	100	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*					
	100.0	15.8*	32.8	48.6	35.1	7.0**	53.6	10.3*	58.1	39.3	39.8	72.4	18.5*	62.4	47.1	37.8	18.3*	29.3	23.3*	19.5*					
A few times a month (0.65)	54	11	15	27	25	6	31	8	27	25	25	37	11	31	26	22	11	18	9	11					
	13.5	17.5	11.5	13.9	17.9	21.4	14.5	19.5	11.6	15.9	15.7	12.8	14.9	12.4	13.8	14.6	15.1	15.4	9.7	14.1					
	100.0	20.4	27.8	50.0	46.3	11.1	57.4	14.8	50.0	46.3	46.3	68.5	20.4	57.4	48.1	40.7	20.4	33.3	16.7	20.4					
Once a month (0.25)	21	-	10	10	6	-	9	2	10	9	10	17	3	15	8	12	2	6	4	6					
	5.3	-	7.6	5.2	4.3	-	4.2	4.9	4.3	5.7	6.3	5.9	4.1	6.0	4.3	7.9	2.7	5.1	4.3	7.7					
	100.0	-	47.6A	47.6	28.6	-	42.9	9.5	47.6	42.9	47.6	81.0	14.3	71.4	38.1	57.1	9.5	28.6	19.0	28.6					
Less often than once a month (0.1)	129	20	44	64	41	9	67	15	82	50	53	98	25	77	64	44	23	39	27	30					
	32.3	31.7	33.6	33.0	29.3	32.1	31.3	36.6	35.3	31.8	33.3	33.9	33.8	30.9	34.0	29.1	31.5	33.3	29.0	38.5					
	100.0	15.5	34.1	49.6	31.8	7.0	51.9	11.6	63.6	38.8	41.1	76.0	19.4	59.7	49.6	34.1	17.8	30.2	20.9	23.3					
Never (0)	149	22	46	76	47	11	75	11	85	57	57	104	22	99	62	60	30	42	38	21					
	37.3	34.9	35.1	39.2	33.6	39.3	35.0	26.8	36.6	36.3	35.8	36.0	29.7	39.8	33.0	39.7	41.1	35.9	40.9	26.9					
	100.0	14.8	30.9	51.0	31.5	7.4	50.3	7.4	57.0	38.3	38.3	69.8	14.8	66.4	41.6	40.3	20.1	28.2	25.5	14.1					
Sigma	399	63	131	194	140	28	214	41	232	157	159	289	74	249	188	151	73	117	93	78					
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0					
	100.0	15.8	32.8	48.6	35.1	7.0	53.6	10.3	58.1	39.3	39.8	72.4	18.5	62.4	47.1	37.8	18.3	29.3	23.3	19.5					
Mean Base (Including Never)	399	63	131	194	140	28	214	41	232	157	159	289	74	249	188	151	73	117	93	78					
Mean (Including Never)	0.53	0.65	0.49	0.48	0.64	0.33	0.60	0.57	0.60	0.47	0.50	0.55	0.59	0.49	0.69	0.46	0.45	0.52	0.72	0.56					
Std. Deviation	1.34	1.44	1.08	1.31	1.28	0.69	1.26	1.28	1.55	1.10	1.31	1.37	1.06	1.26	1.59	1.19	1.12	1.28	1.75	1.31					
Std. Error	0.07	0.18	0.09	0.09	0.11	0.13	0.09	0.20	0.10	0.09	0.10	0.08	0.12	0.08	0.12	0.10	0.13	0.12	0.18	0.15					
Mean Base (Excluding Never)	250	41	85	118	93	17	139	30	147	100	102	185	52	150	126	91	43	75	55	57					

Proportions/Means: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 74
Q.32 How Often Does Your Household Participate In Fishing?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
											HAS A HAS A								
											SUR-	SUB-	DISP.	WATER					
	2 OR	3-9	10+	BATH/	DIS-	KITCH	DISH-	WASH-	CAR	CLEAN	FACE	SURFC	GRAY-	GRAY-	WATER	TABLE	NON-		
TOTAL	LESS			SHOWR	POSAL	SINK	WASHR	MACH.	ING	HOUSE	GRAY-	GRAY-	WATER	DIR-	FRUIT	WATER	<10	10-49	50-
											SYSTEM	SYSTEM	SYSTEM	ECTLY	GARDN	-ING	GALS.	GALS.	199
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Answering	399	63*	131	194	140	28**	214	41*	232	159	289	74*	249	188	151	73*	117	93*	78*
	100.0	100.0*	100.0	100.0	100.0	100.0**	100	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*
	100.0	15.8*	32.8	48.6	35.1	7.0**	53.6	10.3*	58.1	39.3	39.8	72.4	18.5*	62.4	47.1	37.8	18.3*	29.3	23.3*
Mean (Excluding Never)	0.85	1.00	0.75	0.79	0.97	0.55	0.93	0.77	0.95	0.74	0.77	0.86	0.83	0.82	1.03	0.77	0.77	0.81	1.21
Std. Deviation	1.61	1.69	1.27	1.60	1.47	0.82	1.46	1.45	1.86	1.31	1.57	1.64	1.19	1.54	1.85	1.46	1.38	1.52	2.15
Std. Error	0.10	0.26	0.14	0.15	0.15	0.20	0.12	0.27	0.15	0.13	0.16	0.12	0.16	0.13	0.17	0.15	0.21	0.18	0.29

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 75
Q.32 How Often Does Your Household Participate In Gardening?

	SOURCES OF GRAYWATER REUSE											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A FACE GRAY- WATER SYSTM	HAS A SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING					
	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE										
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
No answer	41	8	18	15	9	7	16	5	19	10	16	25	8	28	8	17	5	14	7	4
	8.4	10.3	11.6	6.1	5.2	17.9	6.3	8.9	6.9	5.5	8.3	7.2	9.1	9.0	3.6	9.0	5.8	9.3	6.0	4.4
	100.0	19.5	43.9	36.6	22.0	17.10	39.0	12.2	46.3	24.4	39.0	61.0	19.5	68.3	19.5	41.5N	12.2	34.1	17.1	9.8
						FHI														
Base: Total Answering	450	70*	137	229	164	32*	239	51*	256	173	177	322	80*	282	215	171	81*	136	109	86*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.6*	30.4	50.9	36.4	7.1*	53.1	11.3*	56.9	38.4	39.3	71.6	17.8*	62.7	47.8	38.0	18.0*	30.2	24.2	19.1*
Once A Week Or More (Net)	328	45	101	170	126	22	181	40	188	123	130	235	57	206	185	125	53	102	84	66
	72.9	64.3	73.7	74.2	76.8	68.8	75.7	78.4	73.4	71.1	73.4	73.0	71.3	73.0	86.0	73.1	65.4	75.0	77.1	76.7
	100.0	13.7	30.8	51.8	38.4	6.7	55.2	12.2	57.3	37.5	39.6	71.6	17.4	62.8	56.40	38.1	16.2	31.1	25.6	20.1
More than once a day (10)	67	5	24	36	32	6	41	8	44	25	33	51	10	34	44	32	1	19	25	16
	14.9	7.1	17.5	15.7	19.5	18.8	17.2	15.7	17.2	14.5	18.6	15.8	12.5	12.1	20.5	18.7	1.2	14.0	22.9	18.6
	100.0	7.5	35.8A	53.7	47.8	9.0	61.2	11.9	65.7	37.3	49.3	76.1	14.9	50.7	65.7	47.8	1.5	28.4P	37.3P	23.9P
Once a day (7)	72	9	17	42	32	8	40	11	46	24	26	53	14	45	36	21	10	21	18	20
	16.0	12.9	12.4	18.3	19.5	25.0	16.7	21.6	18.0	13.9	14.7	16.5	17.5	16.0	16.7	12.3	12.3	15.4	16.5	23.3
	100.0	12.5	23.6	58.3	44.4	11.1	55.6	15.3	63.9	33.3	36.1	73.6	19.4	62.5	50.0	29.2	13.9	29.2	25.0	27.8
A few times a week (3.5)	152	23	52	72	52	5	78	18	81	53	54	106	29	101	85	56	28	49	38	24
	33.8	32.9	38.0	31.4	31.7	15.6	32.6	35.3	31.6	30.6	30.5	32.9	36.3	35.8	39.5	32.7	34.6	36.0	34.9	27.9
	100.0	15.1	34.2	47.4	34.2	3.3	51.3	11.8	53.3	34.9	35.5	69.7	19.1	66.4	55.9	36.8	18.4	32.2	25.0	15.8
Once a week (1)	37	8	8	20	10	3	22	3	17	21	17	25	4	26	20	16	14	13	3	6
	8.2	11.4	5.8	8.7	6.1	9.4	9.2	5.9	6.6	12.1	9.6	7.8	5.0	9.2	9.3	9.4	17.3	9.6	2.8	7.0
	100.0	21.6	21.6	54.1	27.0	8.1	59.5	8.1	45.9	56.8	45.9	67.6	10.8	70.3	54.1	43.2	37.8R	35.1R	8.1	16.2
																	S			

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 75
Q.32 How Often Does Your Household Participate In Gardening?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL				BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	VEGE- TABLE NON- -ING													
		2 OR LESS	3-9	10+													(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Base: Total Answering	450	70*	137	229	164	32*	239	51*	256	173	177	322	80*	282	215	171	81*	136	109	86*									
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*	100.0	100.0*							
	100.0	15.6*	30.4	50.9	36.4	7.1*	53.1	11.3*	56.9	38.4	39.3	71.6	17.8*	62.7	47.8	38.0	18.0*	30.2	24.2	19.1*									
A few times a month (0.65)	43	9	11	23	15	3	25	3	25	21	21	34	7	28	18	18	9	15	9	9									
	9.6	12.9	8.0	10.0	9.1	9.4	10.5	5.9	9.8	12.1	11.9	10.6	8.8	9.9	8.4	10.5	11.1	11.0	8.3	10.5									
	100.0	20.9	25.6	53.5	34.9	7.0	58.1	7.0	58.1	48.8	48.8	79.1	16.3	65.1	41.9	41.9	20.9	34.9	20.9	20.9									
Once a month (0.25)	14	1	6	7	6	2	8	1	5	6	5	9	2	9	3	7	4	3	3	3									
	3.1	1.4	4.4	3.1	3.7	6.3	3.3	2.0	2.0	3.5	2.8	2.8	2.5	3.2	1.4	4.1	4.9	2.2	2.8	3.5									
	100.0	7.1	42.9	50.0	42.9	14.3	57.1	7.1	35.7	42.9	35.7	64.3	14.3	64.3	21.4	50.0	28.6	21.4	21.4	21.4									
Less often than once a month (0.1)	36	5	14	17	8	2	13	3	20	12	10	22	7	26	9	9	10	10	8	2									
	8.0	7.1	10.2	7.4	4.9	6.3	5.4	5.9	7.8	6.9	5.6	6.8	8.8	9.2	4.2	5.3	12.3	7.4	7.3	2.3									
	100.0	13.9	38.9	47.2	22.2	5.6	36.1	8.3	55.6	33.3	27.8	61.1	19.4	72.2	25.0	25.0	27.8s	27.8	22.2	5.6									
Never (0)	29	10	5	12	9	3	12	4	18	11	11	22	7	13	-	12	5	6	5	6									
	6.4	14.3	3.6	5.2	5.5	9.4	5.0	7.8	7.0	6.4	6.2	6.8	8.8	4.6	-	7.0	6.2	4.4	4.6	7.0									
	100.0	34.5B	17.2	41.4	31.0	10.3	41.4	13.8	62.1	37.9	37.9	75.9	24.1	44.8	-	41.4N	17.2	20.7	17.2	20.7									
		C																											
Sigma	450	70	137	229	164	32	239	51	256	173	177	322	80	282	215	171	81	136	109	86									
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0									
	100.0	15.6	30.4	50.9	36.4	7.1	53.1	11.3	56.9	38.4	39.3	71.6	17.8	62.7	47.8	38.0	18.0	30.2	24.2	19.1									
Mean Base (Including Never)	450	70	137	229	164	32	239	51	256	173	177	322	80	282	215	171	81	136	109	86									
Mean (Including Never)	3.95	2.97	4.08A	4.12A	4.56I	4.35	4.20	4.42	4.23	3.70	4.15	4.05	3.87	3.75	4.76O	4.05	2.47	3.92P	4.77P	4.61P									
Std. Deviation	3.38	2.99	3.43	3.43	3.51	3.82	3.45	3.37	3.49	3.39	3.55	3.42	3.29	3.22	3.33	3.54	2.39	3.29	3.57	3.52									
Std. Error	0.16	0.36	0.29	0.23	0.27	0.68	0.22	0.47	0.22	0.26	0.27	0.19	0.37	0.19	0.23	0.27	0.27	0.28	0.34	0.38									

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 75
Q.32 How Often Does Your Household Participate In Gardening?

	SOURCES OF GRAYWATER REUSE											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING					
	2 OR TOTAL	LESS	3-9	10+	BATH/ SHWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE						<10 GALS.	10-49 GALS.	100-199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	450	70*	137	229	164	32*	239	51*	256	173	177	322	80*	282	215	171	81*	136	109	86*
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	15.6*	30.4	50.9	36.4	7.1*	53.1	11.3*	56.9	38.4	39.3	71.6	17.8*	62.7	47.8	38.0	18.0*	30.2	24.2	19.1*
Mean Base (Excluding Never)	421	60	132A	217A	155	29	227	47	238	162	166	300	73	269	2150	159	76	130	104	80
Mean (Excluding Never)	4.22	3.47	4.24	4.35	4.831	4.80	4.43	4.80	4.55	3.96	4.42	4.35	4.24	3.93	4.76	4.36	2.63	4.10P	4.99P	4.96P
																		Q		
Std. Deviation	3.32	2.95	3.40	3.37	3.43	3.73	3.39	3.24	3.41	3.36	3.50	3.36	3.20	3.19	3.33	3.48	2.38	3.25	3.50	3.40
Std. Error	0.16	0.38	0.30	0.23	0.28	0.69	0.23	0.47	0.22	0.26	0.27	0.19	0.37	0.19	0.23	0.28	0.27	0.29	0.34	0.38

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 76
Q.32 How Often Does Your Household Participate In Hiking?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE								GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
												HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- VEGE- TABLE -ING				
	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE							<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)		(P)	(Q)	(R)	(S)
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
No answer	112	20	32	55	41	12	50	16	52	31	45	75	17	71	46	45	17	38	30	15
	22.8	25.6	20.6	22.5	23.7	30.8	19.6	28.6	18.9	16.9	23.3	21.6	19.3	22.9	20.6	23.9	19.8	25.3	25.9	16.7
	100.0	17.9	28.6	49.1	36.6	10.71	44.6	14.3	46.4	27.7	40.2	67.0	15.2	63.4	41.1	40.2	15.2	33.9	26.8	13.4
Base: Total Answering	379	58*	123	189	132	27**	205	40*	223	152	148	272	71*	239	177	143	69*	112	86*	75*
	100.0	100.0*	100.0	100.0	100.0	100.0**	100	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*
	100.0	15.3*	32.5	49.9	34.8	7.1**	54.1	10.6*	58.8	40.1	39.1	71.8	18.7*	63.1	46.7	37.7	18.2*	29.6	22.7*	19.8*
Once A Week Or More (Net)	49	5	19	24	27	6	29	6	33	21	18	35	14	24	31	24	5	15	16	12
	12.9	8.6	15.4	12.7	20.5	22.2	14.1	15.0	14.8	13.8	12.2	12.9	19.7	10.0	17.5	16.8	7.2	13.4	18.6	16.0
	100.0	10.2	38.8	49.0	55.1	12.2	59.2	12.2	67.3	42.9	36.7	71.4	28.6M	49.0	63.3	49.0	10.2	30.6	32.7P	24.5
More than once a day (10)	3	1	2	-	2	-	1	-	1	-	1	2	-	3	1	-	2	-	1	-
	0.8	1.7	1.6	-	1.5	-	0.5	-	0.4	-	0.7	0.7	-	1.3	0.6	-	2.9	-	1.2	-
	100.0	33.3	66.7	-	66.7	-	33.3	-	33.3	-	33.3	66.7	-	100.0	33.3	-	66.7	-	33.3	-
Once a day (7)	13	2	3	8	6	1	6	-	9	5	4	10	3	5	9	5	1	5	4	3
	3.4	3.4	2.4	4.2	4.5	3.7	2.9	-	4.0	3.3	2.7	3.7	4.2	2.1	5.1	3.5	1.4	4.5	4.7	4.0
	100.0	15.4	23.1	61.5	46.2	7.7	46.2	-	69.2	38.5	30.8	76.9	23.1	38.5	69.2	38.5	7.7	38.5	30.8	23.1
A few times a week (3.5)	20	1	8	11	10	4	13	3	14	11	10	15	6	8	12	12	2	5	8	4
	5.3	1.7	6.5	5.8	7.6	14.8	6.3	7.5	6.3	7.2	6.8	5.5	8.5	3.3	6.8	8.4	2.9	4.5	9.3	5.3
	100.0	5.0	40.0	55.0	50.0	20.0	65.0	15.0	70.0	55.0	50.0	75.0	30.0	40.0	60.0	60.0	10.0	25.0	40.0	20.0
Once a week (1)	13	1	6	5	9	1	9	3	9	5	3	8	5	8	9	7	-	5	3	5
	3.4	1.7	4.9	2.6	6.8	3.7	4.4	7.5	4.0	3.3	2.0	2.9	7.0	3.3	5.1	4.9	-	4.5	3.5	6.7
	100.0	7.7	46.2	38.5	69.2J	7.7	69.2	23.1	69.2	38.5	23.1	61.5	38.5	61.5	69.2	53.8	-	38.5	23.1	38.5P

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 76
Q.32 How Often Does Your Household Participate In Hiking?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER											SOURCES OF GRAYWATER REUSE					GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL											HAS A FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING									
		2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE														
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)					
Base: Total Answering	379	58*	123	189	132	27**	205	40*	223	152	148	272	71*	239	177	143	69*	112	86*	75*					
	100.0	100.0*	100.0	100.0	100.0	100.0**	100	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*					
	100.0	15.3*	32.5	49.9	34.8	7.1**	54.1	10.6*	58.8	40.1	39.1	71.8	18.7*	63.1	46.7	37.7	18.2*	29.6	22.7*	19.8*					
A few times a month (0.65)	36	6	10	18	14	2	24	4	20	15	16	26	8	26	16	15	8	10	5	8					
	9.5	10.3	8.1	9.5	10.6	7.4	11.7	10.0	9.0	9.9	10.8	9.6	11.3	10.9	9.0	10.5	11.6	8.9	5.8	10.7					
	100.0	16.7	27.8	50.0	38.9	5.6	66.7	11.1	55.6	41.7	44.4	72.2	22.2	72.2	44.4	41.7	22.2	27.8	13.9	22.2					
Once a month (0.25)	24	3	9	12	10	2	15	3	11	10	11	17	5	12	10	11	3	8	7	6					
	6.3	5.2	7.3	6.3	7.6	7.4	7.3	7.5	4.9	6.6	7.4	6.3	7.0	5.0	5.6	7.7	4.3	7.1	8.1	8.0					
	100.0	12.5	37.5	50.0	41.7	8.3	62.5	12.5	45.8	41.7	45.8	70.8	20.8	50.0	41.7	45.8	12.5	33.3	29.2	25.0					
Less often than once a month (0.1)	98	17	37	43	34	6	54	9	52	39	40	76	14	70	46	35	23	28	20	16					
	25.9	29.3	30.1	22.8	25.8	22.2	26.3	22.5	23.3	25.7	27.0	27.9	19.7	29.3	26.0	24.5	33.3	25.0	23.3	21.3					
	100.0	17.3	37.8	43.9	34.7	6.1	55.1	9.2	53.1	39.8	40.8	77.6	14.3	71.4	46.9	35.7	23.5	28.6	20.4	16.3					
Never (0)	172	27	48	92	47	11	83	18	107	67	63	118	30	107	74	58	30	51	38	33					
	45.4	46.6	39.0	48.7	35.6	40.7	40.5	45.0	48.0	44.1	42.6	43.4	42.3	44.8	41.8	40.6	43.5	45.5	44.2	44.0					
	100.0	15.7	27.9	53.5	27.3	6.4	48.3	10.5	62.2	39.0	36.6	68.6	17.4	62.2	43.0	33.7	17.4	29.7	22.1	19.2					
Sigma	379	58	123	189	132	27	205	40	223	152	148	272	71	239	177	143	69	112	86	75					
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0					
	100.0	15.3	32.5	49.9	34.8	7.1	54.1	10.6	58.8	40.1	39.1	71.8	18.7	63.1	46.7	37.7	18.2	29.6	22.7	19.8					
Mean Base (Including Never)	379	58	123	189	132	27	205	40	223	152	148	272	71	239	177	143	69	112	86	75					
Mean (Including Never)	0.64	0.60	0.71	0.63	0.92	0.90	0.64	0.44	0.68	0.62	0.63	0.66	0.77	0.54	0.80	0.70	0.61	0.61	0.88	0.64					
Std. Deviation	1.67	1.84	1.80	1.57	2.00	1.73	1.55	0.93	1.68	1.49	1.59	1.69	1.63	1.58	1.83	1.54	1.92	1.57	1.98	1.53					
Std. Error	0.09	0.24	0.16	0.11	0.17	0.33	0.11	0.15	0.11	0.12	0.13	0.10	0.19	0.10	0.14	0.13	0.23	0.15	0.21	0.18					

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 76
Q.32 How Often Does Your Household Participate In Hiking?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL				BATH/ SHOWR	GARBG		WASH- DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER VEGE- TABLE FRUIT GARDN	NON- WATER -ING				
		2 OR LESS	3-9	10+		DIS- POSAL	KITCH SINK										<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
		(A)	(B)	(C)		(D)	(E)										(F)	(G)	(H)	(I)
Base: Total Answering	379	58*	123	189	132	27**	205	40*	223	152	148	272	71*	239	177	143	69*	112	86*	75*
	100.0	100.0*	100.0	100.0	100.0	100.0**	100	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*
	100.0	15.3*	32.5	49.9	34.8	7.1**	54.1	10.6*	58.8	40.1	39.1	71.8	18.7*	63.1	46.7	37.7	18.2*	29.6	22.7*	19.8*
Mean Base (Excluding Never)	207	31	75	97	85H	16	122	22	116	85	85	154	41	132	103	85	39	61	48	42
Mean (Excluding Never)	1.17	1.12	1.17	1.22	1.42	1.52	1.08	0.81	1.31	1.11	1.10	1.16	1.34	0.97	1.37	1.18	1.08	1.13	1.58	1.15
Std. Deviation	2.12	2.41	2.19	2.03	2.34	2.05	1.89	1.14	2.15	1.85	1.97	2.12	1.97	2.03	2.24	1.85	2.47	1.99	2.44	1.91
Std. Error	0.15	0.43	0.25	0.21	0.25	0.51	0.17	0.24	0.20	0.20	0.21	0.17	0.31	0.18	0.22	0.20	0.40	0.26	0.35	0.29

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 77
Q.32 How Often Does Your Household Participate In Painting/Sculpting?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										SOURCES OF GRAYWATER REUSE				GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
											HAS A FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING								
	2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE													
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.				
	TOTAL																						
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*			
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*			
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*			
No answer	125	17	38	64	38	13	55	17	63	38	51	83	20	75	53	51	17	44	36	17			
	25.5	21.8	24.5	26.2	22.0	33.3	21.6	30.4	22.9	20.8	26.4	23.9	22.7	24.2	23.8	27.1	19.8	29.3	31.0	18.9			
	100.0	13.6	30.4	51.2	30.4	10.4	44.0	13.6	50.4	30.4	40.8	66.4	16.0	60.0	42.4	40.8	13.6	35.2	28.8s	13.6			
Base: Total Answering	366	61*	117	180	135	26**	200	39*	212	145	142	264	68*	235	170	137	69*	106	80*	73*			
	100.0	100.0*	100.0	100.0	100.0	100.0**	100	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*			
	100.0	16.7*	32.0	49.2	36.9	7.1**	54.6	10.7*	57.9	39.6	38.8	72.1	18.6*	64.2	46.4	37.4	18.9*	29.0	21.9*	19.9*			
Once A Week Or More (Net)	35	9	7	19	20	3	20	6	21	16	15	24	9	17	16	20	4	11	7	7			
	9.6	14.8	6.0	10.6	14.8	11.5	10.0	15.4	9.9	11.0	10.6	9.1	13.2	7.2	9.4	14.6	5.8	10.4	8.8	9.6			
	100.0	25.7	20.0	54.3	57.1	8.6	57.1	17.1	60.0	45.7	42.9	68.6	25.7	48.6	45.7	57.1	11.4	31.4	20.0	20.0			
More than once a day (10)	4	2	1	1	2	-	1	1	3	3	3	3	-	1	1	4	-	1	1	2			
	1.1	3.3	0.9	0.6	1.5	-	0.5	2.6	1.4	2.1	2.1	1.1	-	0.4	0.6	2.9	-	0.9	1.3	2.7			
	100.0	50.0	25.0	25.0	50.0	-	25.0	25.0	75.0	75.0	75.0	75.0	-	25.0	25.0	100.0	-	25.0	25.0	50.0			
Once a day (7)	4	-	1	3	2	-	3	-	1	1	1	2	1	3	3	2	2	2	-	-			
	1.1	-	0.9	1.7	1.5	-	1.5	-	0.5	0.7	0.7	0.8	1.5	1.3	1.8	1.5	2.9	1.9	-	-			
	100.0	-	25.0	75.0	50.0	-	75.0	-	25.0	25.0	25.0	50.0	25.0	75.0	75.0	50.0	50.0	50.0	-	-			
A few times a week (3.5)	17	4	3	10	11	3	9	5	12	7	6	12	3	9	9	8	2	4	3	4			
	4.6	6.6	2.6	5.6	8.1	11.5	4.5	12.8	5.7	4.8	4.2	4.5	4.4	3.8	5.3	5.8	2.9	3.8	3.8	5.5			
	100.0	23.5	17.6	58.8	64.7	17.6	52.9	29.4F	70.6	41.2	35.3	70.6	17.6	52.9	52.9	47.1	11.8	23.5	17.6	23.5			
								J															
Once a week (1)	10	3	2	5	5	-	7	-	5	5	5	7	5	4	3	6	-	4	3	1			
	2.7	4.9	1.7	2.8	3.7	-	3.5	-	2.4	3.4	3.5	2.7	7.4	1.7	1.8	4.4	-	3.8	3.8	1.4			
	100.0	30.0	20.0	50.0	50.0	-	70.0	-	50.0	50.0	50.0	70.0	50.0M	40.0	30.0	60.0	-	40.0	30.0	10.0			

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 77
Q.32 How Often Does Your Household Participate In Painting/Sculpting?

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			BATH/SHOWR	GARBG DISPOSAL	KITCH SINK	DISH-WASHR	WASH-ING MACH.	CAR WASH-ING	CLEAN-ING HOUSE	HAS A SUR-FACE GRAY-WATER SYSTM	HAS A SUB-SURFC GRAY-WATER SYSTM	DISP. GRAY-WATER DIR-ECTLY	WATER TABLE FRUIT GARDN	NON-WATER -ING	VOLUME OF GRAYWATER REUSED				
	2 OR LESS	3-9	10+													<10 GALS.	10-49 GALS.	50-199 GALS.	200+ GALS.	
	TOTAL	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Answering	366	61*	117	180	135	26**	200	39*	212	145	142	264	68*	235	170	137	69*	106	80*	73*
	100.0	100.0*	100.0	100.0	100.0	100.0**	100	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*
	100.0	16.7*	32.0	49.2	36.9	7.1**	54.6	10.7*	57.9	39.6	38.8	72.1	18.6*	64.2	46.4	37.4	18.9*	29.0	21.9*	19.9*
A few times a month (0.65)	19	1	9	8	10	-	11	2	12	5	8	15	5	14	7	8	3	5	4	4
	5.2	1.6	7.7	4.4	7.4	-	5.5	5.1	5.7	3.4	5.6	5.7	7.4	6.0	4.1	5.8	4.3	4.7	5.0	5.5
	100.0	5.3	47.4	42.1	52.6	-	57.9	10.5	63.2	26.3	42.1	78.9	26.3	73.7	36.8	42.1	15.8	26.3	21.1	21.1
Once a month (0.25)	13	3	5	5	4	-	7	1	9	5	5	8	3	11	8	6	3	4	2	3
	3.6	4.9	4.3	2.8	3.0	-	3.5	2.6	4.2	3.4	3.5	3.0	4.4	4.7	4.7	4.4	4.3	3.8	2.5	4.1
	100.0	23.1	38.5	38.5	30.8	-	53.8	7.7	69.2	38.5	38.5	61.5	23.1	84.6	61.5	46.2	23.1	30.8	15.4	23.1
Less often than once a month (0.1)	57	8	24	24	22	9	36	6	20	31	24	44	10	36	28	30	14	17	13	9
	15.6	13.1	20.5	13.3	16.3	34.6	18.0	15.4	9.4	21.4	16.9	16.7	14.7	15.3	16.5	21.9	20.3	16.0	16.3	12.3
	100.0	14.0	42.1	42.1	38.6	15.8	63.2H	10.5	35.1	54.4H	42.1H	77.2	17.5	63.2	49.1	52.6	24.6	29.8	22.8	15.8
Never (0)	242	40	72	124	79	14	126	24	150	88	90	173	41	157	111	73	45	69	54	50
	66.1	65.6	61.5	68.9	58.5	53.8	63.0	61.5	70.8	60.7	63.4	65.5	60.3	66.8	65.3	53.3	65.2	65.1	67.5	68.5
	100.0	16.5	29.8	51.2	32.6	5.8	52.1	9.9	62.0D	36.4	37.2	71.5	16.9	64.9	45.90	30.2	18.6	28.5	22.3	20.7
									1											
Sigma	366	61	117	180	135	26	200	39	212	145	142	264	68	235	170	137	69	106	80	73
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	16.7	32.0	49.2	36.9	7.1	54.6	10.7	57.9	39.6	38.8	72.1	18.6	64.2	46.4	37.4	18.9	29.0	21.9	19.9
Mean Base (Including Never)	366	61	117	180	135	26	200	39	212	145	142	264	68	235	170	137	69	106	80	73
Mean (Including Never)	0.43	0.64	0.33	0.44	0.65	0.44	0.41	0.76	0.45	0.51	0.51	0.41	0.40	0.35	0.44	0.71	0.36	0.45	0.35	0.54
Std. Deviation	1.44	1.95	1.24	1.38	1.70	1.13	1.30	1.92	1.48	1.68	1.67	1.40	1.11	1.20	1.40	1.99	1.30	1.49	1.29	1.79
Std. Error	0.08	0.25	0.11	0.10	0.15	0.22	0.09	0.31	0.10	0.14	0.14	0.09	0.13	0.08	0.11	0.17	0.16	0.14	0.14	0.21

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 77
Q.32 How Often Does Your Household Participate In Painting/Sculpting?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE								GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
												HAS A SUR- FACE	HAS A SUB- SURFC	DISP. GRAY- WATER	WATER TABLE	VEGE- FRUIT				
												WATER SYSTEM	WATER SYSTEM	DIR- ECTLY	GARDN	ING				
	2 OR TOTAL	LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTEM	GRAY- WATER SYSTEM	WATER DIR- ECTLY	TABLE	NON- FRUIT	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	366	61*	117	180	135	26**	200	39*	212	145	142	264	68*	235	170	137	69*	106	80*	73*
	100.0	100.0*	100.0	100.0	100.0	100.0**	100	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*
	100.0	16.7*	32.0	49.2	36.9	7.1**	54.6	10.7*	57.9	39.6	38.8	72.1	18.6*	64.2	46.4	37.4	18.9*	29.0	21.9*	19.9*
Mean Base (Excluding Never)	124	21	45	56	56H	12	74	15	62	57H	52	91	27	78	59	64N	24	37	26	23
Mean (Excluding Never)	1.28	1.87	0.87	1.43	1.56	0.95	1.11	1.98	1.55	1.30	1.38	1.20	1.02	1.05	1.27	1.53	1.05	1.30	1.07	1.71
Std. Deviation	2.25	3.00	1.90	2.19	2.36	1.54	1.95	2.72	2.42	2.49	2.55	2.18	1.58	1.91	2.15	2.69	2.06	2.31	2.11	2.90
Std. Error	0.20	0.65	0.28	0.29	0.32	0.44	0.23	0.70	0.31	0.33	0.35	0.23	0.30	0.22	0.28	0.34	0.42	0.38	0.41	0.60

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 78
Q.32 How Often Does Your Household Participate In Running/Walking?

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. DIR- WATER ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING					
	2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE						<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
No answer	69	10	16	41	23	7	29	13	38	22	23	46	10	40	23	29	10	26	20	6
	14.1	12.8	10.3	16.8	13.3	17.9	11.4	23.2	13.8	12.0	11.9	13.3	11.4	12.9	10.3	15.4	11.6	17.3	17.2	6.7
	100.0	14.5	23.2	59.4	33.3	10.1	42.0	18.8F	55.1	31.9	33.3	66.7	14.5	58.0	33.3	42.0	14.5	37.7S	29.0S	8.7
								IJ												
Base: Total Answering	422	68*	139	203	150	32*	226	43*	237	161	170	301	78*	270	200	159	76*	124	96*	84*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*
	100.0	16.1*	32.9	48.1	35.5	7.6*	53.6	10.2*	56.2	38.2	40.3	71.3	18.5*	64.0	47.4	37.7	18.0*	29.4	22.7*	19.9*
Once A Week Or More (Net)	261	48	88	116	105	19	143	27	144	101	109	184	44	163	125	109	41	84	57	55
	61.8	70.6	63.3	57.1	70.0	59.4	63.3	62.8	60.8	62.7	64.1	61.1	56.4	60.4	62.5	68.6	53.9	67.7	59.4	65.5
	100.0	18.4	33.7	44.4	40.2	7.3	54.8	10.3	55.2	38.7	41.8	70.5	16.9	62.5	47.9	41.8	15.7	32.2	21.8	21.1
More than once a day (10)	61	14	17	27	29	7	33	2	35	18	23	43	10	35	34	23	9	18	17	13
	14.5	20.6	12.2	13.3	19.3	21.9	14.6	4.7	14.8	11.2	13.5	14.3	12.8	13.0	17.0	14.5	11.8	14.5	17.7	15.5
	100.0	23.0	27.9	44.3	47.5G	11.5G	54.1	3.3	57.4	29.5	37.7	70.5	16.4	57.4	55.7	37.7	14.8	29.5	27.9	21.3
					I															
Once a day (7)	80	12	25	41	35	5	43	11	44	32	32	59	14	43	39	32	10	23	20	19
	19.0	17.6	18.0	20.2	23.3	15.6	19.0	25.6	18.6	19.9	18.8	19.6	17.9	15.9	19.5	20.1	13.2	18.5	20.8	22.6
	100.0	15.0	31.3	51.3	43.8	6.3	53.8	13.8	55.0	40.0	40.0	73.8	17.5	53.8	48.8	40.0	12.5	28.8	25.0	23.8
A few times a week (3.5)	94	19	37	35	34	7	52	9	50	38	41	65	15	66	41	41	18	31	18	17
	22.3	27.9	26.6	17.2	22.7	21.9	23.0	20.9	21.1	23.6	24.1	21.6	19.2	24.4	20.5	25.8	23.7	25.0	18.8	20.2
	100.0	20.2	39.4C	37.2	36.2	7.4	55.3	9.6	53.2	40.4	43.6	69.1	16.0	70.2	43.6	43.6	19.1	33.0	19.1	18.1

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 78
Q.32 How Often Does Your Household Participate In Running/Walking?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
												HAS A SUR- FACE WATER SYSTM	HAS A SUB- SURFC WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- ING				
	2 OR LESS	3-9	10+		BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE						<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	422	68*	139	203	150	32*	226	43*	237	161	170	301	78*	270	200	159	76*	124	96*	84*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*
	100.0	16.1*	32.9	48.1	35.5	7.6*	53.6	10.2*	56.2	38.2	40.3	71.3	18.5*	64.0	47.4	37.7	18.0*	29.4	22.7*	19.9*
Once a week (1)	26	3	9	13	7	-	15	5	15	13	13	17	5	19	11	13	4	12	2	6
	6.2	4.4	6.5	6.4	4.7	-	6.6	11.6	6.3	8.1	7.6	5.6	6.4	7.0	5.5	8.2	5.3	9.7	2.1	7.1
	100.0	11.5	34.6	50.0	26.9	-	57.7	19.2	57.7	50.0	50.0	65.4	19.2	73.1	42.3	50.0	15.4	46.2R	7.7	23.1
A few times a month (0.65)	38	8	12	18	11	3	16	2	20	20	17	23	11	23	17	19	9	7	8	8
	9.0	11.8	8.6	8.9	7.3	9.4	7.1	4.7	8.4	12.4	10.0	7.6	14.1	8.5	8.5	11.9	11.8	5.6	8.3	9.5
	100.0	21.1	31.6	47.4	28.9	7.9	42.1	5.3	52.6	52.6	44.7	60.5	28.9	60.5	44.7	50.0	23.7	18.4	21.1	21.1
Once a month (0.25)	16	1	3	12	5	3	9	4	8	8	9	13	4	11	6	6	4	4	1	7
	3.8	1.5	2.2	5.9	3.3	9.4	4.0	9.3	3.4	5.0	5.3	4.3	5.1	4.1	3.0	3.8	5.3	3.2	1.0	8.3
	100.0	6.3	18.8	75.0	31.3	18.8	56.3	25.0	50.0	50.0	56.3	81.3	25.0	68.8	37.5	37.5	25.0	25.0	6.3	43.8R
Less often than once a month (0.1)	41	6	16	19	12	2	27	5	28	14	16	36	6	34	21	10	5	9	17	3
	9.7	8.8	11.5	9.4	8.0	6.3	11.9	11.6	11.8	8.7	9.4	12.0	7.7	12.6	10.5	6.3	6.6	7.3	17.7	3.6
	100.0	14.6	39.0	46.3	29.3	4.9	65.9	12.2	68.3	34.1	39.0	87.8	14.6	82.9	51.2	24.4	12.2	22.0	41.5PQ	7.3
																			S	
Never (0)	66	5	20	38	17	5	31	5	37	18	19	45	13	39	31	15	17	20	13	11
	15.6	7.4	14.4	18.7	11.3	15.6	13.7	11.6	15.6	11.2	11.2	15.0	16.7	14.4	15.5	9.4	22.4	16.1	13.5	13.1
	100.0	7.6	30.3	57.6A	25.8	7.6	47.0	7.6	56.1	27.3	28.8	68.2	19.7	59.1	47.0	22.7	25.8	30.3	19.7	16.7
Sigma	422	68	139	203	150	32	226	43	237	161	170	301	78	270	200	159	76	124	96	84
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	16.1	32.9	48.1	35.5	7.6	53.6	10.2	56.2	38.2	40.3	71.3	18.5	64.0	47.4	37.7	18.0	29.4	22.7	19.9
Mean Base (Including Never)	422	68	139	203	150	32	226	43	237	161	170	301	78	270	200	159	76	124	96	84
Mean (Including Never)	3.69	4.41	3.55	3.49	4.47G	4.14	3.73	3.17	3.65	3.52	3.68	3.69	3.39	3.42	3.91	3.93	3.08	3.77	3.98	4.00
					HI															

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 78
Q.32 How Often Does Your Household Participate In Running/Walking?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE								GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
												HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- ING				
	2 OR TOTAL LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE		(K)	(L)	(M)	(N)	(O)	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)		(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Answering	422	68*	139	203	150	32*	226	43*	237	161	170	301	78*	270	200	159	76*	124	96*	84*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*
	100.0	16.1*	32.9	48.1	35.5	7.6*	53.6	10.2*	56.2	38.2	40.3	71.3	18.5*	64.0	47.4	37.7	18.0*	29.4	22.7*	19.9*
Std. Deviation	3.60	3.68	3.45	3.64	3.71	3.95	3.60	3.17	3.64	3.41	3.52	3.62	3.58	3.50	3.73	3.50	3.46	3.56	3.82	3.65
Std. Error	0.18	0.45	0.29	0.26	0.30	0.70	0.24	0.48	0.24	0.27	0.27	0.21	0.40	0.21	0.26	0.28	0.40	0.32	0.39	0.40
Mean Base (Excluding Never)	356	63C	119	165	133	27	195	38	200	143	151	256	65	231	169	144	59	104	83	73
Mean (Excluding Never)	4.38	4.75	4.15	4.30	5.04G IJ	4.90	4.32	3.59	4.33	3.96	4.14	4.33	4.07	3.99	4.63	4.34	3.97	4.50	4.60	4.60
Std. Deviation	3.52	3.60	3.38	3.59	3.55	3.84	3.53	3.15	3.58	3.37	3.46	3.55	3.55	3.47	3.63	3.42	3.44	3.44	3.74	3.55
Std. Error	0.19	0.45	0.31	0.28	0.31	0.74	0.25	0.51	0.25	0.28	0.28	0.22	0.44	0.23	0.28	0.29	0.45	0.34	0.41	0.41

Proportions/Means: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 79
Q.32 How Often Does Your Household Participate In Sports/Athletics/Working Out?

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			BATH/ SHWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A FACE GRAY- WATER SYSTM	HAS A SUB- GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING					
	TOTAL	2 OR LESS	3-9																	10+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
No answer	99	15	28	53	33	11	43	16	52	28	36	60	18	61	39	39	14	28	28	16
	20.2	19.2	18.1	21.7	19.1	28.2	16.9	28.6	18.9	15.3	18.7	17.3	20.5	19.7	17.5	20.7	16.3	18.7	24.1	17.8
	100.0	15.2	28.3	53.5	33.3	11.1	43.4	16.2F	52.5	28.3	36.4	60.6	18.2	61.6	39.4	39.4	14.1	28.3	28.3	16.2
								I												
Base: Total Answering	392	63*	127	191	140	28**	212	40*	223	155	157	287	70*	249	184	149	72*	122	88*	74*
	100.0	100.0*	100.0	100.0	100.0	100.0**	100	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*
	100.0	16.1*	32.4	48.7	35.7	7.1**	54.1	10.2*	56.9	39.5	40.1	73.2	17.9*	63.5	46.9	38.0	18.4*	31.1	22.4*	18.9*
Once A Week Or More (Net)	165	32	53	74	62	12	87	15	78	63	74	117	30	105	80	67	34	59	32	28
	42.1	50.8	41.7	38.7	44.3	42.9	41.0	37.5	35.0	40.6	47.1	40.8	42.9	42.2	43.5	45.0	47.2	48.4	36.4	37.8
	100.0	19.4	32.1	44.8	37.6	7.3	52.7	9.1	47.3	38.2	44.8H	70.9	18.2	63.6	48.5	40.6	20.6	35.8	19.4	17.0
More than once a day (10)	13	2	7	3	8	2	10	1	4	5	7	9	-	6	6	7	6	3	2	2
	3.3	3.2	5.5	1.6	5.7	7.1	4.7	2.5	1.8	3.2	4.5	3.1	-	2.4	3.3	4.7	8.3	2.5	2.3	2.7
	100.0	15.4	53.8C	23.1	61.5H	15.4	76.9	7.7	30.8	38.5	53.8	69.2	-	46.2	46.2	53.8	46.2	23.1	15.4	15.4
Once a day (7)	39	7	11	19	12	-	16	5	18	15	18	27	6	24	20	17	3	16	7	9
	9.9	11.1	8.7	9.9	8.6	-	7.5	12.5	8.1	9.7	11.5	9.4	8.6	9.6	10.9	11.4	4.2	13.1	8.0	12.2
	100.0	17.9	28.2	48.7	30.8	-	41.0	12.8	46.2	38.5	46.2	69.2	15.4	61.5	51.3	43.6	7.7	41.0P	17.9	23.1
A few times a week (3.5)	83	17	25	39	30	8	47	9	44	32	35	60	19	55	40	27	21	26	17	13
	21.2	27.0	19.7	20.4	21.4	28.6	22.2	22.5	19.7	20.6	22.3	20.9	27.1	22.1	21.7	18.1	29.2	21.3	19.3	17.6
	100.0	20.5	30.1	47.0	36.1	9.6	56.6	10.8	53.0	38.6	42.2	72.3	22.9	66.3	48.2	32.5	25.3	31.3	20.5	15.7
Once a week (1)	30	6	10	13	12	2	14	-	12	11	14	21	5	20	14	16	4	14	6	4
	7.7	9.5	7.9	6.8	8.6	7.1	6.6	-	5.4	7.1	8.9	7.3	7.1	8.0	7.6	10.7	5.6	11.5	6.8	5.4
	100.0	20.0	33.3	43.3	40.0	6.7	46.7	-	40.0	36.7	46.7	70.0	16.7	66.7	46.7	53.3	13.3	46.7	20.0	13.3

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 79
Q.32 How Often Does Your Household Participate In Sports/Athletics/Working Out?

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	SOURCES OF GRAYWATER REUSE											HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER VEGE- TABLE FRUIT GARDN	NON- WATER -ING				
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	(K)	(L)	(M)	(N)	(O)	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	392	63*	127	191	140	28**	212	40*	223	155	157	287	70*	249	184	149	72*	122	88*	74*
	100.0	100.0*	100.0	100.0	100.0	100.0**	100	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*
	100.0	16.1*	32.4	48.7	35.7	7.1**	54.1	10.2*	56.9	39.5	40.1	73.2	17.9*	63.5	46.9	38.0	18.4*	31.1	22.4*	18.9*
A few times a month (0.65)	28	3	9	16	14	4	16	4	16	18	14	22	5	13	14	17	5	9	4	8
	7.1	4.8	7.1	8.4	10.0	14.3	7.5	10.0	7.2	11.6	8.9	7.7	7.1	5.2	7.6	11.4	6.9	7.4	4.5	10.8
	100.0	10.7	32.1	57.1	50.0	14.3	57.1	14.3	57.1	64.3	50.0	78.6	17.9	46.4	50.0	60.7	17.9	32.1	14.3	28.6
Once a month (0.25)	11	2	3	5	4	1	6	4	8	4	6	9	3	8	3	4	1	3	2	4
	2.8	3.2	2.4	2.6	2.9	3.6	2.8	10.0	3.6	2.6	3.8	3.1	4.3	3.2	1.6	2.7	1.4	2.5	2.3	5.4
	100.0	18.2	27.3	45.5	36.4	9.1	54.5	36.4F	72.7	36.4	54.5	81.8	27.3	72.7	27.3	36.4	9.1	27.3	18.2	36.4
								I												
Less often than once a month (0.1)	50	11	17	22	18	3	31	4	31	24	21	37	7	32	29	15	5	12	18	8
	12.8	17.5	13.4	11.5	12.9	10.7	14.6	10.0	13.9	15.5	13.4	12.9	10.0	12.9	15.8	10.1	6.9	9.8	20.5	10.8
	100.0	22.0	34.0	44.0	36.0	6.0	62.0	8.0	62.0	48.0	42.0	74.0	14.0	64.0	58.0	30.0	10.0	24.0	36.0P	16.0
																			Q	
Never (0)	138	15	45	74	42	8	72	13	90	46	42	102	25	91	58	46	27	39	32	26
	35.2	23.8	35.4	38.7	30.0	28.6	34.0	32.5	40.4	29.7	26.8	35.5	35.7	36.5	31.5	30.9	37.5	32.0	36.4	35.1
	100.0	10.9	32.6	53.6A	30.4	5.8	52.2	9.4	65.2D	33.3	30.4	73.9	18.1	65.9	42.0	33.3	19.6	28.3	23.2	18.8
									IJ											
Sigma	392	63	127	191	140	28	212	40	223	155	157	287	70	249	184	149	72	122	88	74
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	16.1	32.4	48.7	35.7	7.1	54.1	10.2	56.9	39.5	40.1	73.2	17.9	63.5	46.9	38.0	18.4	31.1	22.4	18.9
Mean Base (Including Never)	392	63	127	191	140	28	212	40	223	155	157	287	70	249	184	149	72	122	88	74
Mean (Including Never)	1.91	2.19	1.99	1.71	2.09	1.90	1.91	2.01	1.56	1.89	2.20H	1.85	1.69	1.82	1.99	2.10	2.26	2.09	1.58	1.89
Std. Deviation	2.69	2.71	2.90	2.48	2.89	2.73	2.76	2.75	2.42	2.66	2.86	2.65	2.20	2.58	2.73	2.88	3.01	2.71	2.49	2.73

Proportions/Means: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base; ** very small base (under 30) ineligible for sig testing

Table 79
Q.32 How Often Does Your Household Participate In Sports/Athletics/Working Out?

											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							HAS A SUR- FACE GRAY- WATER SYSTEM	HAS A SUB- SURFC GRAY- WATER SYSTEM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING				
TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	(K)	(L)	(M)	(N)	(O)	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)						(P)	(Q)	(R)	(S)
392	63*	127	191	140	28**	212	40*	223	155	157	287	70*	249	184	149	72*	122	88*	74*
100.0	100.0*	100.0	100.0	100.0	100.0**	100	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0*
100.0	16.1*	32.4	48.7	35.7	7.1**	54.1	10.2*	56.9	39.5	40.1	73.2	17.9*	63.5	46.9	38.0	18.4*	31.1	22.4*	18.9*
0.14	0.34	0.26	0.18	0.24	0.52	0.19	0.44	0.16	0.21	0.23	0.16	0.26	0.16	0.20	0.24	0.35	0.25	0.27	0.32
254	48C	82	117	98H	20	140	27	133	109H	115H	185	45	158	126	103	45	83	56	48
2.95	2.88	3.08	2.79	2.99	2.66	2.90	2.98	2.61	2.69	3.00	2.87	2.63	2.87	2.91	3.04	3.61	3.07	2.49	2.91
2.85	2.77	3.10	2.66	3.04	2.91	2.95	2.89	2.66	2.82	2.95	2.83	2.25	2.73	2.86	3.03	3.10	2.79	2.74	2.93
0.18	0.40	0.34	0.25	0.31	0.65	0.25	0.56	0.23	0.27	0.28	0.21	0.34	0.22	0.25	0.30	0.46	0.31	0.37	0.42

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base; ** very small base (under 30) ineligible for sig testing

Table 80
0.33 Sex Of Respondent

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL				BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER VEGE- TABLE FRUIT GARDN	NON- WATER -ING				
																	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
		2 OR LESS	3-9	10+																
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
No answer	1	-	-	1	-	-	-	-	1	-	1	-	-	1	1	-	-	-	1	-
	0.2	-	-	0.4	-	-	-	-	0.4	-	0.5	-	-	0.3	0.4	-	-	-	0.9	-
	100.0	-	-	100.0	-	-	-	-	100.0	-	100.0	-	-	100.0	100.0	-	-	-	100.0	-
Base: Total Answering	490	78*	155	243	173	39*	255	56*	274	183	192	347	88*	309	222	188	86*	150	115	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.6	35.3	8.0*	52.0	11.4*	55.9	37.3	39.2	70.8	18.0*	63.1	45.3	38.4	17.6*	30.6	23.5	18.4*
Male	102	15	34	51	36	12	53	6	60	37	36	83	18	55	51	35	14	28	33	21
	20.8	19.2	21.9	21.0	20.8	30.8	20.8	10.7	21.9	20.2	18.8	23.9	20.5	17.8	23.0	18.6	16.3	18.7	28.7	23.3
	100.0	14.7	33.3	50.0	35.3	11.8G	52.0	5.9	58.8	36.3	35.3	81.4	17.6	53.9	50.0	34.3	13.7	27.5	32.4P	20.6
Female	388	63	121	192	137	27	202	50	214	146	156	264	70	254	171	153	72	122	82	69
	79.2	80.8	78.1	79.0	79.2	69.2	79.2	89.3	78.1	79.8	81.3	76.1	79.5	82.2	77.0	81.4	83.7	81.3	71.3	76.7
	100.0	16.2	31.2	49.5	35.3	7.0	52.1	12.9E	55.2	37.6	40.2	68.0	18.0	65.5	44.1	39.4	18.6R	31.4	21.1	17.8
Sigma	490	78	155	243	173	39	255	56	274	183	192	347	88	309	222	188	86	150	115	90
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	15.9	31.6	49.6	35.3	8.0	52.0	11.4	55.9	37.3	39.2	70.8	18.0	63.1	45.3	38.4	17.6	30.6	23.5	18.4

Proportions/Means: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 81
Q.34 Age Of Respondent

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										SOURCES OF GRAYWATER REUSE					GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
											HAS A SUR- FACE GRAY- WATER SYSTEM	HAS A SUB- SURFC GRAY- WATER SYSTEM	DISP. GRAY- WATER ECTLY	WATER DIR- FRUIT GARDN	NON- WATER -ING									
	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE														
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)					
Base: Total Respondents	491 100.0 100.0	78* 100.0*100.0 15.9*	155 100.0 31.6	244 100.0 49.7	173 100.0 35.2	39* 100.0*100.0 7.9*	255 100.0*100.0 51.9	56* 100.0*100.0 11.4*	275 100.0 56.0	183 100.0 37.3	193 100.0 39.3	347 100.0 70.7	88* 100.0*100.0 17.9*	310 100.0 63.1	223 100.0 45.4	188 100.0 38.3	86* 100.0*100.0 17.5*	150 100.0 30.5	116 100.0 23.6	90* 100.0* 18.3*				
No answer	4 0.8 100.0	1 1.3 25.0	3 1.9 75.0C	- - -	- - -	- 0.8 50.0	2 1.8 25.0H	1 - -	- 0.5 25.0	1 - -	- - -	- - -	2 2.3 50.0K	3 1.0 75.0	1 0.4 25.0	1 0.5 25.0	3 3.5 75.0QR	- - -	- - -	1 1.1 25.0				
Base: Total Answering	487 100.0 100.0	77* 100.0*100.0 15.8*	152 100.0 31.2	244 100.0 50.1	173 100.0 35.5	39* 100.0*100.0 8.0*	253 100.0*100.0 52.0	55* 100.0*100.0 11.3*	275 100.0 56.5	182 100.0 37.4	193 100.0 39.6	347 100.0 71.3	86* 100.0*100.0 17.7*	307 100.0 63.0	222 100.0 45.6	187 100.0 38.4	83* 100.0*100.0 17.0*	150 100.0 30.8	116 100.0 23.8	89* 100.0* 18.3*				
18 - 34 (Net)	81 16.6 100.0	24 31.2 29.6C	35 23.0 43.2C	22 9.0 27.2	26 15.0 32.1	4 10.3 4.9	46 18.2 56.8	6 10.9 7.4	48 17.5 59.3	38 20.9 46.9	30 15.5 37.0	61 17.6 75.3	21 24.4 25.9	54 17.6 66.7	39 17.6 48.1	24 12.8 29.6	23 27.7 28.4Q	19 12.7 23.5	22 19.0 27.2S	8 9.0 9.9				
18 - 24	13 2.7 100.0	3 3.9 23.1	6 3.9 46.2	4 1.6 30.8	2 1.2 15.4	- - -	6 2.4 46.2	- - -	9 3.3 69.2	6 3.3 46.2	5 2.6 38.5	12 3.5 92.3	4 4.7 30.8	8 2.6 61.5	6 2.7 46.2	3 1.6 23.1	4 4.8 30.8S	3 2.0 23.1	4 3.4 30.8	- - -				
25 - 34	68 14.0 100.0	21 27.3 30.9C	29 19.1 42.6C	18 7.4 26.5	24 13.9 35.3	4 10.3 5.9	40 15.8 58.8	6 10.9 8.8	39 14.2 57.4	32 17.6 47.1	25 13.0 36.8	49 14.1 72.1	17 19.8 25.0	46 15.0 67.6	33 14.9 48.5	21 11.2 30.9	19 22.9 27.9Q	16 10.7 23.5	18 15.5 26.5	8 9.0 11.8				
35 - 49 (Net)	179 36.8 100.0	32 41.6 17.9	63 41.4 35.2	81 33.2 45.3	79 45.7 44.1H	18 46.2 10.1	92 36.4 51.4	20 36.4 11.2	96 34.9 53.6	68 37.4 38.0	76 39.4 42.5	127 36.6 70.9	26 30.2 14.5	116 37.8 64.8	82 36.9 45.8	76 40.6 42.5	27 32.5 15.1	61 40.7 34.1	37 31.9 20.7	39 43.8 21.8				

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 81
Q.34 Age Of Respondent

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
												HAS A	HAS A							
												SUR- FACE	SUB- SURFC	DISP. GRAY- WATER	VEGE- TABLE					
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	DIR- ECTLY	FRUIT GARDN	NON- -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Answering	487	77*	152	244	173	39*	253	55*	275	182	193	347	86*	307	222	187	83*	150	116	89*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.8*	31.2	50.1	35.5	8.0*	52.0	11.3*	56.5	37.4	39.6	71.3	17.7*	63.0	45.6	38.4	17.0*	30.8	23.8	18.3*
35 - 39	50	10	21	19	21	2	28	3	30	20	17	32	5	29	25	17	6	18	7	16
	10.3	13.0	13.8	7.8	12.1	5.1	11.1	5.5	10.9	11.0	8.8	9.2	5.8	9.4	11.3	9.1	7.2	12.0	6.0	18.0
	100.0	20.0	42.0	38.0	42.0	4.0	56.0	6.0	60.0	40.0	34.0	64.0	10.0	58.0	50.0	34.0	12.0	36.0	14.0	32.0PR
40 - 44	61	11	17	32	28	5	31	10	26	27	36	45	8	41	32	30	10	26	10	10
	12.5	14.3	11.2	13.1	16.2	12.8	12.3	18.2	9.5	14.8	18.7	13.0	9.3	13.4	14.4	16.0	12.0	17.3	8.6	11.2
	100.0	18.0	27.9	52.5	45.9H	8.2	50.8	16.4	42.6	44.3	59.0H	73.8	13.1	67.2	52.5	49.2	16.4	42.6R	16.4	16.4
45 - 49	68	11	25	30	30	11	33	7	40	21	23	50	13	46	25	29	11	17	20	13
	14.0	14.3	16.4	12.3	17.3	28.2	13.0	12.7	14.5	11.5	11.9	14.4	15.1	15.0	11.3	15.5	13.3	11.3	17.2	14.6
	100.0	16.2	36.8	44.1	44.1	16.2F	48.5	10.3	58.8	30.9	33.8	73.5	19.1	67.6	36.8	42.6	16.2	25.0	29.4	19.1
						HIJ														
50 - 64 (Net)	136	14	33	85	47	9	74	23	72	48	52	98	25	84	60	50	22	46	29	30
	27.9	18.2	21.7	34.8	27.2	23.1	29.2	41.8	26.2	26.4	26.9	28.2	29.1	27.4	27.0	26.7	26.5	30.7	25.0	33.7
	100.0	10.3	24.3	62.5A	34.6	6.6	54.4	16.9D	52.9	35.3	38.2	72.1	18.4	61.8	44.1	36.8	16.2	33.8	21.3	22.1
				B				HIJ												
50 - 59	97	12	22	60	34	6	53	17	49	37	36	73	17	64	43	35	13	35	24	19
	19.9	15.6	14.5	24.6	19.7	15.4	20.9	30.9	17.8	20.3	18.7	21.0	19.8	20.8	19.4	18.7	15.7	23.3	20.7	21.3
	100.0	12.4	22.7	61.9B	35.1	6.2	54.6	17.5H	50.5	38.1	37.1	75.3	17.5	66.0	44.3	36.1	13.4	36.1	24.7	19.6
60 - 64	39	2	11	25	13	3	21	6	23	11	16	25	8	20	17	15	9	11	5	11
	8.0	2.6	7.2	10.2	7.5	7.7	8.3	10.9	8.4	6.0	8.3	7.2	9.3	6.5	7.7	8.0	10.8	7.3	4.3	12.4
	100.0	5.1	28.2	64.1A	33.3	7.7	53.8	15.4	59.0	28.2	41.0	64.1	20.5	51.3	43.6	38.5	23.1	28.2	12.8	28.2R

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 81
Q.34 Age Of Respondent

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										SOURCES OF GRAYWATER REUSE					GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL									HAS A FACE GRAY- WATER SYSTEM	HAS A SUB- SURFC GRAY- WATER SYSTEM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- ING										
		2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE													
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)				
Base: Total Answering	487	77*	152	244	173	39*	253	55*	275	182	193	347	86*	307	222	187	83*	150	116	89*				
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*				
	100.0	15.8*	31.2	50.1	35.5	8.0*	52.0	11.3*	56.5	37.4	39.6	71.3	17.7*	63.0	45.6	38.4	17.0*	30.8	23.8	18.3*				
65+ (Net)	91	7	21	56	21	8	41	6	59	28	35	61	14	53	41	37	11	24	28	12				
	18.7	9.1	13.8	23.0	12.1	20.5	16.2	10.9	21.5	15.4	18.1	17.6	16.3	17.3	18.5	19.8	13.3	16.0	24.1	13.5				
	100.0	7.7	23.1	61.5A	23.1	8.8	45.1	6.6	64.8D	30.8	38.5	67.0	15.4	58.2	45.1	40.7	12.1	26.4	30.8	13.2				
				B																				
65 - 74	57	5	14	36	14	7	25	5	38	20	26	42	8	32	27	22	6	12	19	8				
	11.7	6.5	9.2	14.8	8.1	17.9	9.9	9.1	13.8	11.0	13.5	12.1	9.3	10.4	12.2	11.8	7.2	8.0	16.4	9.0				
	100.0	8.8	24.6	63.2	24.6	12.3	43.9	8.8	66.7	35.1	45.6	73.7	14.0	56.1	47.4	38.6	10.5	21.1	33.3q	14.0				
75+	34	2	7	20	7	1	16	1	21	8	9	19	6	21	14	15	5	12	9	4				
	7.0	2.6	4.6	8.2	4.0	2.6	6.3	1.8	7.6	4.4	4.7	5.5	7.0	6.8	6.3	8.0	6.0	8.0	7.8	4.5				
	100.0	5.9	20.6	58.8	20.6	2.9	47.1	2.9	61.8	23.5	26.5	55.9	17.6	61.8	41.2	44.1	14.7	35.3	26.5	11.8				
Sigma	487	77	152	244	173	39	253	55	275	182	193	347	86	307	222	187	83	150	116	89				
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0				
	100.0	15.8	31.2	50.1	35.5	8.0	52.0	11.3	56.5	37.4	39.6	71.3	17.7	63.0	45.6	38.4	17.0	30.8	23.8	18.3				
Mean Base	487	77	152	244	173	39	253	55	275	182	193	347	86	307	222	187	83	150	116	89				
Mean	49.83	43.17	46.49	53.24	48.15	51.54	49.13	50.33	50.24	47.50	49.43	49.37	48.64	49.16	49.29	50.87	46.49	49.79	50.95	50.10				
				AB																				
Std. Deviation	15.06	14.08	14.75	14.19	13.18	13.26	14.87	12.26	15.44	14.59	14.61	14.74	15.83	14.88	15.05	14.96	15.83	14.33	16.02	12.92				
Std. Error	0.68	1.60	1.20	0.91	1.00	2.12	0.93	1.65	0.93	1.08	1.05	0.79	1.71	0.85	1.01	1.09	1.74	1.17	1.49	1.37				
Median	48.00	42.00	45.00	51.00	46.00	49.00	48.00	51.00	49.00	46.00	47.00	48.00	48.00	48.00	48.00	49.00	47.00	48.00	49.00	49.00q				
	BC			H	DFHIJ		DFHIJ					KM				QR								

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 82
Q.35 Do You Have A Child In Your Household That Currently Wears Diapers?

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			BATH/SHOWR	GARBG DIS-POSAL	KITCH SINK	DISH-WASHR	WASH-ING MACH.	CAR WASH-ING	CLEAN-ING HOUSE	HAS A SUR-FACE GRAY-WATER SYSTM	HAS A SUB-SURFC GRAY-WATER SYSTM	DISP. GRAY-WATER DIR-ECTLY	WATER TABLE FRUIT GARDN	NON-WATER -ING	VOLUME OF GRAYWATER REUSED				
	TOTAL	2 OR LESS	3-9													10+	<10 GALS.	10-49 GALS.	50-199 GALS.	200+ GALS.
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
No answer	3	-	-	2	1	-	1	1	2	1	1	-	1	2	3	1	-	-	2	1
	0.6	-	-	0.8	0.6	-	0.4	1.8	0.7	0.5	0.5	-	1.1	0.6	1.3	0.5	-	-	1.7	1.1
	100.0	-	-	66.7	33.3	-	33.3	33.3	66.7	33.3	33.3	-	33.3K	66.7	100.0	33.3	-	-	66.7	33.3
Base: Total Answering	488	78*	155	242	172	39*	254	55*	273	182	192	347	87*	308	220	187	86*	150	114	89*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	16.0*	31.8	49.6	35.2	8.0*	52.0	11.3*	55.9	37.3	39.3	71.1	17.8*	63.1	45.1	38.3	17.6*	30.7	23.4	18.2*
Yes	43	12	21	10	15	3	17	7	25	19	13	29	13	25	13	15	8	9	10	11
	8.8	15.4	13.5	4.1	8.7	7.7	6.7	12.7	9.2	10.4	6.8	8.4	14.9	8.1	5.9	8.0	9.3	6.0	8.8	12.4
	100.0	27.9C	48.8C	23.3	34.9	7.0	39.5	16.3	58.1	44.2	30.2	67.4	30.2	58.1	30.2	34.9	18.6	20.9	23.3	25.6
No	445	66	134	232	157	36	237	48	248	163	179	318	74	283	207	172	78	141	104	78
	91.2	84.6	86.5	95.9	91.3	92.3	93.3	87.3	90.8	89.6	93.2	91.6	85.1	91.9	94.1	92.0	90.7	94.0	91.2	87.6
	100.0	14.8	30.1	52.1A	35.3	8.1	53.3	10.8	55.7	36.6	40.2	71.5	16.6	63.6	46.5	38.7	17.5	31.7	23.4	17.5
				B																
Sigma	488	78	155	242	172	39	254	55	273	182	192	347	87	308	220	187	86	150	114	89
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	16.0	31.8	49.6	35.2	8.0	52.0	11.3	55.9	37.3	39.3	71.1	17.8	63.1	45.1	38.3	17.6	30.7	23.4	18.2

Proportions/Means: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 83
Q.36 Types Of Diapers Used

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										SOURCES OF GRAYWATER REUSE					GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
											HAS A	HAS A	DISP.	WATER											
											SUR-	SURFC	GRAY-	VEGE-											
	2 OR			GARBG	WASH-	CAR	CLEAN	GRAY-	GRAY-	WATER	TABLE	NON-													
TOTAL	LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	WASH- ING	-ING HOUSE	WATER SYSTM	WATER SYSTM	DIR- ECTLY	FRUIT GARDN	-ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.						
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)						
Base: Have Child In Household That Currently Wears Diapers	43	12**	21**	10**	15**	3**	17**	7**	25**	19**	13**	29**	13**	25**	13**	15**	8**	9**	10**	11**					
	100.0	100.0**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**					
	100.0	27.9**	48.8**	23.3**	34.9**	7.0**	39.5**	16.3**	58.1**	44.2**	30.2**	67.4**	30.2**	58.1**	30.2**	34.9**	18.6**	20.9**	23.3**	25.6**					
No answer	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
Base: Total Answering	43	12**	21**	10**	15**	3**	17**	7**	25**	19**	13**	29**	13**	25**	13**	15**	8**	9**	10**	11**					
	100.0	100.0**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**	100**					
	100.0	27.9**	48.8**	23.3**	34.9**	7.0**	39.5**	16.3**	58.1**	44.2**	30.2**	67.4**	30.2**	58.1**	30.2**	34.9**	18.6**	20.9**	23.3**	25.6**					
Disposable diapers that are thrown away	40	11	19	10	13	3	14	7	24	17	13	26	12	24	12	14	8	8	9	10					
	93.0	91.7	90.5	100.0	86.7	100.0	82.4	100.0	96.0	89.5	100.0	89.7	92.3	96.0	92.3	93.3	100.0	88.9	90.0	90.9					
	100.0	27.5	47.5	25.0	32.5	7.5	35.0	17.5	60.0	42.5	32.5	65.0	30.0	60.0	30.0	35.0	20.0	20.0	22.5	25.0					
Cloth diapers that are cleaned by an outside service	1	-	-	1	1	1	1	1	1	1	1	1	1	-	1	-	-	-	-	1					
	2.3	-	-	10.0	6.7	33.3	5.9	14.3	4.0	5.3	7.7	3.4	7.7	-	7.7	-	-	-	-	9.1					
	100.0	-	-	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	-	100.0	-	-	-	-	100.0					
Cloth diapers that are cleaned in your household	8	2	5	1	5	-	8	-	3	6	4	7	3	3	3	5	1	2	3	2					
	18.6	16.7	23.8	10.0	33.3	-	47.1	-	12.0	31.6	30.8	24.1	23.1	12.0	23.1	33.3	12.5	22.2	30.0	18.2					
	100.0	25.0	62.5	12.5	62.5	-	100.0	-	37.5	75.0	50.0	87.5	37.5	37.5	37.5	62.5	12.5	25.0	37.5	25.0					
Sigma	49	13	24	12	19	4	23	8	28	24	18	34	16	27	16	19	9	10	12	13					
	114.0	108.3	114.3	120.0	126.7	133.3	135.3	114.3	112.0	126.3	138.5	117.2	123.1	108.0	123.1	126.7	112.5	111.1	120.0	118.2					
	100.0	26.5	49.0	24.5	38.8	8.2	46.9	16.3	57.1	49.0	36.7	69.4	32.7	55.1	32.7	38.8	18.4	20.4	24.5	26.5					

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
** very small base (under 30) ineligible for sig testing

Table 84
Region

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER			VOLUME OF GRAYWATER REUSED			
												HAS A	HAS A	DISP.	WATER	VEGE-					
												SUR-	SUR-	GRAY-	TABLE	NON-					
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWER	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	WATER DIR- ECTLY	FRUIT GARDN	WATER -ING		<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188		86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0		100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3		17.5*	30.5	23.6	18.3*
North East	92	10	29	49	32	5	48	8	37	25	33	50	9	60	50	39		22	31	17	12
	18.7	12.8	18.7	20.1	18.5	12.8	18.8	14.3	13.5	13.7	17.1	14.4	10.2	19.4	22.4	20.7		25.6	20.7	14.7	13.3
	100.0	10.9	31.5	53.3	34.8	5.4	52.2	8.7	40.2	27.2	35.9	54.3	9.8	65.2L	54.3	42.4		23.9S	33.7	18.5	13.0
New England	14	1	6	7	6	-	8	2	4	3	3	7	-	13	7	5		6	1	3	2
	2.9	1.3	3.9	2.9	3.5	-	3.1	3.6	1.5	1.6	1.6	2.0	-	4.2	3.1	2.7		7.0	0.7	2.6	2.2
	100.0	7.1	42.9	50.0	42.9	-	57.1	14.3	28.6	21.4	21.4	50.0	-	92.9	50.0	35.7		42.9Q	7.1	21.4	14.3
Middle Atlantic	78	9	23	42	26	5	40	6	33	22	30	43	9	47	43	34		16	30	14	10
	15.9	11.5	14.8	17.2	15.0	12.8	15.7	10.7	12.0	12.0	15.5	12.4	10.2	15.2	19.3	18.1		18.6	20.0	12.1	11.1
	100.0	11.5	29.5	53.8	33.3	6.4	51.3	7.7	42.3	28.2	38.5	55.1	11.5	60.3	55.1	43.6		20.5	38.5	17.9	12.8
North Central	107	16	32	58	34	7	57	17	61	37	48	71	21	69	52	43		27	40	20	13
	21.8	20.5	20.6	23.8	19.7	17.9	22.4	30.4	22.2	20.2	24.9	20.5	23.9	22.3	23.3	22.9		31.4	26.7	17.2	14.4
	100.0	15.0	29.9	54.2	31.8	6.5	53.3	15.9	57.0	34.6	44.9	66.4	19.6	64.5	48.6	40.2		25.2R	37.4S	18.7	12.1
																		S			
East North Central	68	10	21	36	20	4	38	10	34	21	27	45	11	48	34	23		20	27	13	4
	13.8	12.8	13.5	14.8	11.6	10.3	14.9	17.9	12.4	11.5	14.0	13.0	12.5	15.5	15.2	12.2		23.3	18.0	11.2	4.4
	100.0	14.7	30.9	52.9	29.4	5.9	55.9	14.7	50.0	30.9	39.7	66.2	16.2	70.6	50.0	33.8		29.4R	39.7S	19.1	5.9
																		S			
West North Central	39	6	11	22	14	3	19	7	27	16	21	26	10	21	18	20		7	13	7	9
	7.9	7.7	7.1	9.0	8.1	7.7	7.5	12.5	9.8	8.7	10.9	7.5	11.4	6.8	8.1	10.6		8.1	8.7	6.0	10.0
	100.0	15.4	28.2	56.4	35.9	7.7	48.7	17.9	69.2	41.0	53.8	66.7	25.6	53.8	46.2	51.3		17.9	33.3	17.9	23.1

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 84
Region

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE								GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	TOTAL												HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	VEGE- NON- WATER -ING				
		2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE										
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*	
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*	
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*	
South	167	37	54	73	57	14	88	17	104	69	62	129	40	104	73	56	22	40	48	33	
	34.0	47.4	34.8	29.9	32.9	35.9	34.5	30.4	37.8	37.7	32.1	37.2	45.5	33.5	32.7	29.8	25.6	26.7	41.4	36.7	
	100.0	22.2C	32.3	43.7	34.1	8.4	52.7	10.2	62.3	41.3	37.1	77.2	24.0M	62.3	43.7	33.5	13.2	24.0	28.7P	19.8	
																		Q			
South Atlantic	70	13	20	36	19	8	35	5	37	34	33	50	15	43	32	31	13	18	18	12	
	14.3	16.7	12.9	14.8	11.0	20.5	13.7	8.9	13.5	18.6	17.1	14.4	17.0	13.9	14.3	16.5	15.1	12.0	15.5	13.3	
	100.0	18.6	28.6	51.4	27.1	11.4	50.0	7.1	52.9	48.6D	47.1	71.4	21.4	61.4	45.7	44.3	18.6	25.7	25.7	17.1	
East South Central	28	10	8	9	12	2	19	2	15	10	7	19	11	19	15	10	6	8	8	3	
	5.7	12.8	5.2	3.7	6.9	5.1	7.5	3.6	5.5	5.5	3.6	5.5	12.5	6.1	6.7	5.3	7.0	5.3	6.9	3.3	
	100.0	35.7B	28.6	32.1	42.9	7.1	67.9	7.1	53.6	35.7	25.0	67.9	39.3K	67.9	53.6	35.7	21.4	28.6	28.6	10.7	
		C											M								
West South Central	69	14	26	28	26	4	34	10	52	25	22	60	14	42	26	15	3	14	22	18	
	14.1	17.9	16.8	11.5	15.0	10.3	13.3	17.9	18.9	13.7	11.4	17.3	15.9	13.5	11.7	8.0	3.5	9.3	19.0	20.0	
	100.0	20.3	37.7	40.6	37.7	5.8	49.3	14.5	75.4J	36.2	31.9	87.0	20.3	60.9	37.7	21.7	4.3	20.3	31.9P	26.1PQ	
																		Q			
West	125	15	40	64	50	13	62	14	73	52	50	97	18	77	48	50	15	39	31	32	
	25.5	19.2	25.8	26.2	28.9	33.3	24.3	25.0	26.5	28.4	25.9	28.0	20.5	24.8	21.5	26.6	17.4	26.0	26.7	35.6	
	100.0	12.0	32.0	51.2	40.0	10.4	49.6	11.2	58.4	41.6	40.0	77.6	14.4	61.6	38.4	40.0	12.0	31.2	24.8	25.6P	
Mountain	45	5	12	27	19	6	18	5	30	15	15	35	7	29	11	15	5	8	14	17	
	9.2	6.4	7.7	11.1	11.0	15.4	7.1	8.9	10.9	8.2	7.8	10.1	8.0	9.4	4.9	8.0	5.8	5.3	12.1	18.9	
	100.0	11.1	26.7	60.0	42.2	13.3	40.0	11.1	66.7	33.3	33.3	77.8	15.6	64.4	24.4	33.3	11.1	17.8	31.1Q	37.8PQ	

Proportions/Means: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 84
Region

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			BATH/ SHWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING	VOLUME OF GRAYWATER REUSED				
	TOTAL	2 OR LESS	3-9													10+	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
Pacific	80	10	28	37	31	7	44	9	43	37	35	62	11	48	37	35	10	31	17	15
	16.3	12.8	18.1	15.2	17.9	17.9	17.3	16.1	15.6	20.2	18.1	17.9	12.5	15.5	16.6	18.6	11.6	20.7	14.7	16.7
	100.0	12.5	35.0	46.3	38.8	8.8	55.0	11.3	53.8	46.3	43.8	77.5	13.8	60.0	46.3	43.8	12.5	38.8	21.3	18.8
Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sigma	491	78	155	244	173	39	255	56	275	183	193	347	88	310	223	188	86	150	116	90
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	15.9	31.6	49.7	35.2	7.9	51.9	11.4	56.0	37.3	39.3	70.7	17.9	63.1	45.4	38.3	17.5	30.5	23.6	18.3

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 85
Market Size - MSA

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SUR- FACE	HAS A SUB- SURFC	DISP. GRAY- WATER							
											GRAY- WATER SYSTM	GRAY- WATER SYSTM	GRAY- WATER DIR- ECTLY	VEGE- TABLE FRUIT GARDN	NON- WATER -ING					
	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	GRAY- WATER DIR- ECTLY	VEGE- TABLE FRUIT GARDN	NON- WATER -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
2,500,000 and over	97	10	33	51	24	4	45	11	58	40	40	68	18	64	41	40	15	31	24	16
	19.8	12.8	21.3	20.9	13.9	10.3	17.6	19.6	21.1	21.9	20.7	19.6	20.5	20.6	18.4	21.3	17.4	20.7	20.7	17.8
	100.0	10.3	34.0	52.6	24.7	4.1	46.4	11.3	59.8	41.2	41.2	70.1	18.6	66.0	42.3	41.2	15.5	32.0	24.7	16.5
1,000,000 - 2,499,999	106	17	26	58	35	13	55	12	46	39	47	71	16	69	50	43	26	38	20	12
	21.6	21.8	16.8	23.8	20.2	33.3	21.6	21.4	16.7	21.3	24.4	20.5	18.2	22.3	22.4	22.9	30.2	25.3	17.2	13.3
	100.0	16.0	24.5	54.7	33.0	12.3H	51.9	11.3	43.4	36.8	44.3H	67.0	15.1	65.1	47.2	40.6	24.5R	35.8S	18.9	11.3
																	S			
Other MSA	141	24	43	69	61	12	71	14	77	52	57	99	21	87	60	61	20	46	41	23
	28.7	30.8	27.7	28.3	35.3	30.8	27.8	25.0	28.0	28.4	29.5	28.5	23.9	28.1	26.9	32.4	23.3	30.7	35.3	25.6
	100.0	17.0	30.5	48.9	43.3	8.5	50.4	9.9	54.6	36.9	40.4	70.2	14.9	61.7	42.6	43.3	14.2	32.6	29.1	16.3
500,000 - 999,999	41	8	19	12	17	4	22	3	23	16	13	24	6	20	17	17	7	14	12	5
	8.4	10.3	12.3	4.9	9.8	10.3	8.6	5.4	8.4	8.7	6.7	6.9	6.8	6.5	7.6	9.0	8.1	9.3	10.3	5.6
	100.0	19.5	46.3C	29.3	41.5	9.8	53.7	7.3	56.1	39.0	31.7	58.5	14.6	48.8	41.5	41.5	17.1	34.1	29.3	12.2
250,000 - 499,999	51	8	12	29	21	6	26	4	29	16	21	40	9	30	23	21	5	17	11	11
	10.4	10.3	7.7	11.9	12.1	15.4	10.2	7.1	10.5	8.7	10.9	11.5	10.2	9.7	10.3	11.2	5.8	11.3	9.5	12.2
	100.0	15.7	23.5	56.9	41.2	11.8	51.0	7.8	56.9	31.4	41.2	78.4	17.6	58.8	45.1	41.2	9.8	33.3	21.6	21.6
50,000 - 249,999	49	8	12	28	23	2	23	7	25	20	23	35	6	37	20	23	8	15	18	7
	10.0	10.3	7.7	11.5	13.3	5.1	9.0	12.5	9.1	10.9	11.9	10.1	6.8	11.9	9.0	12.2	9.3	10.0	15.5	7.8
	100.0	16.3	24.5	57.1	46.9	4.1	46.9	14.3	51.0	40.8	46.9	71.4	12.2	75.5	40.8	46.9	16.3	30.6	36.7	14.3
Non-MSA	147	27	53	66	53	10	84	19	94	52	49	109	33	90	72	44	25	35	31	39
	29.9	34.6	34.2	27.0	30.6	25.6	32.9	33.9	34.2	28.4	25.4	31.4	37.5	29.0	32.3	23.4	29.1	23.3	26.7	43.3
	100.0	18.4	36.1	44.9	36.1	6.8	57.1	12.9	63.9J	35.4	33.3	74.1	22.4	61.2	49.00	29.9	17.0	23.8	21.1	26.5QR

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 85
Market Size - MSA

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	SOURCES OF GRAYWATER REUSE										HAS A	HAS A	DISP.	WATER						
											SUR- FACE	SURFC	GRAY-	GRAY-	VEGE-					
											GRAY-	GRAY-	WATER	TABLE	NON-					
											WATER	WATER	DIR-	FRUIT	WATER	<10	10-49	199	200+	
TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	GRAY- WATER ECTLY	GARDN	-ING	GALS.	GALS.	GALS.	GALS.	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sigma	491	78	155	244	173	39	255	56	275	183	193	347	88	310	223	188	86	150	116	90
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	15.9	31.6	49.7	35.2	7.9	51.9	11.4	56.0	37.3	39.3	70.7	17.9	63.1	45.4	38.3	17.5	30.5	23.6	18.3

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 86
Income (Actual)

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			BATH/ SHWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- VEGE- WATER -ING	VOLUME OF GRAYWATER REUSED				
	2 OR LESS	3-9	10+													<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.	
	TOTAL	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
Under \$15,000 (Net)	121	22	42	51	47	11	64	15	73	49	48	93	19	73	49	52	22	31	33	24
	24.6	28.2	27.1	20.9	27.2	28.2	25.1	26.8	26.5	26.8	24.9	26.8	21.6	23.5	22.0	27.7	25.6	20.7	28.4	26.7
	100.0	18.2	34.7	42.1	38.8	9.1	52.9	12.4	60.3	40.5	39.7	76.9	15.7	60.3	40.5	43.0	18.2	25.6	27.3	19.8
Under \$7,500	29	8	5	15	10	4	16	3	17	9	11	22	5	19	15	9	6	7	9	3
	5.9	10.3	3.2	6.1	5.8	10.3	6.3	5.4	6.2	4.9	5.7	6.3	5.7	6.1	6.7	4.8	7.0	4.7	7.8	3.3
	100.0	27.68	17.2	51.7	34.5	13.8	55.2	10.3	58.6	31.0	37.9	75.9	17.2	65.5	51.7	31.0	20.7	24.1	31.0	10.3
\$7,500 - \$9,999	35	6	14	14	16	3	21	4	18	15	15	27	4	19	10	19	7	11	8	7
	7.1	7.7	9.0	5.7	9.2	7.7	8.2	7.1	6.5	8.2	7.8	7.8	4.5	6.1	4.5	10.1	8.1	7.3	6.9	7.8
	100.0	17.1	40.0	40.0	45.7	8.6	60.0	11.4	51.4	42.9	42.9	77.1	11.4	54.3	28.6	54.3N	20.0	31.4	22.9	20.0
\$10,000 - \$12,499	31	2	15	11	8	4	14	5	19	15	13	24	6	15	15	11	5	7	13	5
	6.3	2.6	9.7	4.5	4.6	10.3	5.5	8.9	6.9	8.2	6.7	6.9	6.8	4.8	6.7	5.9	5.8	4.7	11.2	5.6
	100.0	6.5	48.4C	35.5	25.8	12.9	45.2	16.1	61.3	48.4	41.9	77.4	19.4	48.4	48.4	35.5	16.1	22.6	41.9Q	16.1
\$12,500 - \$14,999	26	6	8	11	13	-	13	3	19	10	9	20	4	20	9	13	4	6	3	9
	5.3	7.7	5.2	4.5	7.5	-	5.1	5.4	6.9	5.5	4.7	5.8	4.5	6.5	4.0	6.9	4.7	4.0	2.6	10.0
	100.0	23.1	30.8	42.3	50.0	-	50.0	11.5	73.1	38.5	34.6	76.9	15.4	76.9	34.6	50.0	15.4	23.1	11.5	34.6R
\$15,000 - \$34,999 (Net)	164	28	51	83	54	11	92	17	86	65	69	109	30	107	78	66	36	54	33	28
	33.4	35.9	32.9	34.0	31.2	28.2	36.1	30.4	31.3	35.5	35.8	31.4	34.1	34.5	35.0	35.1	41.9	36.0	28.4	31.1
	100.0	17.1	31.1	50.6	32.9	6.7	56.1	10.4	52.4	39.6	42.1	66.5	18.3	65.2	47.6	40.2	22.0R	32.9	20.1	17.1
\$15,000 - \$24,999 (Net)	91	15	28	47	30	3	49	10	43	34	41	55	18	60	42	36	19	33	20	12
	18.5	19.2	18.1	19.3	17.3	7.7	19.2	17.9	15.6	18.6	21.2	15.9	20.5	19.4	18.8	19.1	22.1	22.0	17.2	13.3
	100.0	16.5	30.8	51.6	33.0	3.3	53.8	11.0	47.3	37.4	45.1	60.4	19.8	65.9	46.2	39.6	20.9	36.3	22.0	13.2

Proportions/Means: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 86
Income (Actual)

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING	VOLUME OF GRAYWATER REUSED			
																	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
\$15,000 - \$19,999	38	9	10	18	15	1	21	3	18	17	14	21	7	24	20	17	11	13	6	4
	7.7	11.5	6.5	7.4	8.7	2.6	8.2	5.4	6.5	9.3	7.3	6.1	8.0	7.7	9.0	9.0	12.8	8.7	5.2	4.4
	100.0	23.7	26.3	47.4	39.5	2.6	55.3	7.9	47.4	44.7	36.8	55.3	18.4	63.2	52.6	44.7	28.9s	34.2	15.8	10.5
\$20,000 - \$24,999	53	6	18	29	15	2	28	7	25	17	27	34	11	36	22	19	8	20	14	8
	10.8	7.7	11.6	11.9	8.7	5.1	11.0	12.5	9.1	9.3	14.0	9.8	12.5	11.6	9.9	10.1	9.3	13.3	12.1	8.9
	100.0	11.3	34.0	54.7	28.3	3.8	52.8	13.2	47.2	32.1	50.9	64.2	20.8	67.9	41.5	35.8	15.1	37.7	26.4	15.1
<u>\$25,000 - \$34,999 (Net)</u>	73	13	23	36	24	8	43	7	43	31	28	54	12	47	36	30	17	21	13	16
	14.9	16.7	14.8	14.8	13.9	20.5	16.9	12.5	15.6	16.9	14.5	15.6	13.6	15.2	16.1	16.0	19.8	14.0	11.2	17.8
	100.0	17.8	31.5	49.3	32.9	11.0	58.9	9.6	58.9	42.5	38.4	74.0	16.4	64.4	49.3	41.1	23.3	28.8	17.8	21.9
\$25,000 - \$29,999	32	5	9	18	13	1	21	2	20	16	11	27	6	22	13	16	9	6	7	10
	6.5	6.4	5.8	7.4	7.5	2.6	8.2	3.6	7.3	8.7	5.7	7.8	6.8	7.1	5.8	8.5	10.5	4.0	6.0	11.1
	100.0	15.6	28.1	56.3	40.6	3.1	65.6	6.3	62.5	50.0	34.4	84.4	18.8	68.8	40.6	50.0	28.1	18.8	21.9	31.3q
\$30,000 - \$34,999	41	8	14	18	11	7	22	5	23	15	17	27	6	25	23	14	8	15	6	6
	8.4	10.3	9.0	7.4	6.4	17.9	8.6	8.9	8.4	8.2	8.8	7.8	6.8	8.1	10.3	7.4	9.3	10.0	5.2	6.7
	100.0	19.5	34.1	43.9	26.8	17.10	53.7	12.2	56.1	36.6	41.5	65.9	14.6	61.0	56.1	34.1	19.5	36.6	14.6	14.6
<u>\$35,000 or more (Net)</u>	206	28	62	110	72	17	99	24	116	69	76	145	39	130	96	70	28	65	50	38
	42.0	35.9	40.0	45.1	41.6	43.6	38.8	42.9	42.2	37.7	39.4	41.8	44.3	41.9	43.0	37.2	32.6	43.3	43.1	42.2
	100.0	13.6	30.1	53.4	35.0	8.3	48.1	11.7	56.3	33.5	36.9	70.4	18.9	63.1	46.6	34.0	13.6	31.6	24.3	18.4
<u>\$35,000 - \$49,999 (Net)</u>	78	15	23	38	22	5	40	6	53	31	29	55	13	54	38	20	11	21	19	12
	15.9	19.2	14.8	15.6	12.7	12.8	15.7	10.7	19.3	16.9	15.0	15.9	14.8	17.4	17.0	10.6	12.8	14.0	16.4	13.3
	100.0	19.2	29.5	48.7	28.2	6.4	51.3	7.7	67.9	39.7	37.2	70.5	16.7	69.2	48.7	25.6	14.1	26.9	24.4	15.4

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 86
Income (Actual)

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			BATH/SHOWR	GARBG DIS-POSAL	KITCH SINK	DISH-WASHR	WASH-ING MACH.	CAR WASH-ING	CLEAN-ING HOUSE	HAS A SURFACE WATER SYSTM	HAS A SUB-SURFC WATER SYSTM	DISP. GRAY-WATER DIR-ECTLY	WATER TABLE FRUIT GARDN	NON-WATER -ING	VOLUME OF GRAYWATER REUSED				
	TOTAL	2 OR LESS	3-9													10+	<10 GALS.	10-49 GALS.	50-199 GALS.	200+ GALS.
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
\$35,000 - \$39,999	31	10	6	15	7	1	16	-	19	11	8	21	8	19	13	5	5	7	8	3
	6.3	12.8	3.9	6.1	4.0	2.6	6.3	-	6.9	6.0	4.1	6.1	9.1	6.1	5.8	2.7	5.8	4.7	6.9	3.3
	100.0	32.38	19.4	48.4	22.6	3.2	51.6	-	61.3G	35.5	25.8	67.7	25.8	61.3	41.9	16.1	16.1	22.6	25.8	9.7
\$40,000 - \$44,999	29	3	11	13	9	2	18	5	21	13	11	20	4	23	15	9	3	9	7	5
	5.9	3.8	7.1	5.3	5.2	5.1	7.1	8.9	7.6	7.1	5.7	5.8	4.5	7.4	6.7	4.8	3.5	6.0	6.0	5.6
	100.0	10.3	37.9	44.8	31.0	6.9	62.1	17.2	72.4	44.8	37.9	69.0	13.8	79.3	51.7	31.0	10.3	31.0	24.1	17.2
\$45,000 - \$49,999	18	2	6	10	6	2	6	1	13	7	10	14	1	12	10	6	3	5	4	4
	3.7	2.6	3.9	4.1	3.5	5.1	2.4	1.8	4.7	3.8	5.2	4.0	1.1	3.9	4.5	3.2	3.5	3.3	3.4	4.4
	100.0	11.1	33.3	55.6	33.3	11.1	33.3	5.6	72.2	38.9	55.6	77.8	5.6	66.7	55.6	33.3	16.7	27.8	22.2	22.2
\$50,000 or over (Net)	128	13	39	72	50	12	59	18	63	38	47	90	26	76	58	50	17	44	31	26
	26.1	16.7	25.2	29.5	28.9	30.8	23.1	32.1	22.9	20.8	24.4	25.9	29.5	24.5	26.0	26.6	19.8	29.3	26.7	28.9
	100.0	10.2	30.5	56.3A	39.1	9.4	46.1	14.1	49.2	29.7	36.7	70.3	20.3	59.4	45.3	39.1	13.3	34.4	24.2	20.3
\$50,000 - \$59,999	39	8	14	15	11	2	14	3	15	7	10	25	10	27	11	8	9	11	9	6
	7.9	10.3	9.0	6.1	6.4	5.1	5.5	5.4	5.5	3.8	5.2	7.2	11.4	8.7	4.9	4.3	10.5	7.3	7.8	6.7
	100.0	20.5	35.9	38.5	28.2	5.1	35.9	7.7	38.5	17.9	25.6	64.1	25.6	69.2	28.2	20.5	23.1	28.2	23.1	15.4
\$60,000 - \$69,999	28	1	7	20	12	2	14	7	15	13	13	20	5	15	16	15	4	11	9	4
	5.7	1.3	4.5	8.2	6.9	5.1	5.5	12.5	5.5	7.1	6.7	5.8	5.7	4.8	7.2	8.0	4.7	7.3	7.8	4.4
	100.0	3.6	25.0	71.4A	42.9	7.1	50.0	25.0	53.6	46.4	46.4	71.4	17.9	53.6	57.1	53.6	14.3	39.3	32.1	14.3
\$70,000 - \$74,999	12	1	3	8	5	1	8	3	10	5	5	10	2	6	10	5	-	4	5	3
	2.4	1.3	1.9	3.3	2.9	2.6	3.1	5.4	3.6	2.7	2.6	2.9	2.3	1.9	4.5	2.7	-	2.7	4.3	3.3
	100.0	8.3	25.0	66.7	41.7	8.3	66.7	25.0	83.3	41.7	41.7	83.3	16.7	50.0	83.3	41.7	-	33.3	41.7	25.0

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 86
Income (Actual)

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	2 OR LESS 3-9 10+			SOURCES OF GRAYWATER REUSE							HAS A SUR- FACE GRAY- WATER SYSTEM	HAS A SUB- SURFC GRAY- WATER SYSTEM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- VEGE- WATER	OF GRAYWATER REUSED				
				BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTEM	GRAY- WATER SYSTEM	WATER DIR- ECTLY	TABLE FRUIT GARDN	NON- VEGE- WATER	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.	
	TOTAL	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
	Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
\$75,000 - \$99,999	21	2	7	11	11	3	11	2	10	6	9	16	2	13	9	8	2	11	3	4
	4.3	2.6	4.5	4.5	6.4	7.7	4.3	3.6	3.6	3.3	4.7	4.6	2.3	4.2	4.0	4.3	2.3	7.3	2.6	4.4
	100.0	9.5	33.3	52.4	52.4	14.3	52.4	9.5	47.6	28.6	42.9	76.2	9.5	61.9	42.9	38.1	9.5	52.4	14.3	19.0
\$100,000 or over	28	1	8	18	11	4	12	3	13	7	10	19	7	15	12	14	2	7	5	9
	5.7	1.3	5.2	7.4	6.4	10.3	4.7	5.4	4.7	3.8	5.2	5.5	8.0	4.8	5.4	7.4	2.3	4.7	4.3	10.0
	100.0	3.6	28.6	64.3A	39.3	14.3	42.9	10.7	46.4	25.0	35.7	67.9	25.0	53.6	42.9	50.0	7.1	25.0	17.9	32.1P
Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sigma	491	78	155	244	173	39	255	56	275	183	193	347	88	310	223	188	86	150	116	90
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	15.9	31.6	49.7	35.2	7.9	51.9	11.4	56.0	37.3	39.3	70.7	17.9	63.1	45.4	38.3	17.5	30.5	23.6	18.3
Median (X \$1,000)	30.17	26.99	29.16	31.66	28.64	33.20	28.44	30.99	30.32	27.65	28.40	29.71	30.82	29.99	31.62	26.86	26.10	31.66	28.56	29.49

Proportions/Means: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 87
Age & Presence Of Children

	SOURCES OF GRAYWATER REUSE											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A HAS A									
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWER	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	GRAY- WATER DIR- ECTLY	TABLE FRUIT GARDN	NON- WATER -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
Any Children Under 18	151	31	55	62	61	11	74	19	78	64	64	97	32	95	69	58	24	45	31	35
	30.8	39.7	35.5	25.4	35.3	28.2	29.0	33.9	28.4	35.0	33.2	28.0	36.4	30.6	30.9	30.9	27.9	30.0	26.7	38.9
	100.0	20.5C	36.4C	41.1	40.4	7.3	49.0	12.6	51.7	42.4	42.4	64.2	21.2	62.9	45.7	38.4	15.9	29.8	20.5	23.2
Any under 6	62	16	29	17	25	5	29	8	32	27	21	39	15	39	21	23	11	18	14	13
	12.6	20.5	18.7	7.0	14.5	12.8	11.4	14.3	11.6	14.8	10.9	11.2	17.0	12.6	9.4	12.2	12.8	12.0	12.1	14.4
	100.0	25.8C	46.8C	27.4	40.3	8.1	46.8	12.9	51.6	43.5	33.9	62.9	24.2	62.9	33.9	37.1	17.7	29.0	22.6	21.0
Any 6 - 12	74	13	25	35	34	6	39	12	37	34	35	49	13	48	39	32	14	22	13	15
	15.1	16.7	16.1	14.3	19.7	15.4	15.3	21.4	13.5	18.6	18.1	14.1	14.8	15.5	17.5	17.0	16.3	14.7	11.2	16.7
	100.0	17.6	33.8	47.3	45.9	8.1	52.7	16.2	50.0	45.9	47.3	66.2	17.6	64.9	52.7	43.2	18.9	29.7	17.6	20.3
Any 13 - 17	74	15	21	36	29	7	40	7	35	31	34	48	16	44	39	33	8	26	14	20
	15.1	19.2	13.5	14.8	16.8	17.9	15.7	12.5	12.7	16.9	17.6	13.8	18.2	14.2	17.5	17.6	9.3	17.3	12.1	22.2
	100.0	20.3	28.4	48.6	39.2	9.5	54.1	9.5	47.3	41.9	45.9	64.9	21.6	59.5	52.7	44.6	10.8	35.1	18.9	27.0P
Under 6 only	32	8	18	6	11	1	14	2	20	13	8	21	10	21	8	11	6	7	9	6
	6.5	10.3	11.6	2.5	6.4	2.6	5.5	3.6	7.3	7.1	4.1	6.1	11.4	6.8	3.6	5.9	7.0	4.7	7.8	6.7
	100.0	25.0C	56.3C	18.8	34.4	3.1	43.8	6.3	62.5	40.6	25.0	65.6	31.3	65.6	25.0	34.4	18.8	21.9	28.1	18.8
6 - 12 only	27	5	8	13	11	1	12	6	15	10	12	18	2	20	14	8	6	5	6	4
	5.5	6.4	5.2	5.3	6.4	2.6	4.7	10.7	5.5	5.5	6.2	5.2	2.3	6.5	6.3	4.3	7.0	3.3	5.2	4.4
	100.0	18.5	29.6	48.1	40.7	3.7	44.4	22.2	55.6	37.0	44.4	66.7	7.4	74.1	51.9	29.6	22.2	18.5	22.2	14.8
13 - 17 only	41	7	11	21	15	3	18	4	19	16	20	25	9	22	21	14	4	14	8	13
	8.4	9.0	7.1	8.6	8.7	7.7	7.1	7.1	6.9	8.7	10.4	7.2	10.2	7.1	9.4	7.4	4.7	9.3	6.9	14.4
	100.0	17.1	26.8	51.2	36.6	7.3	43.9	9.8	46.3	39.0	48.8	61.0	22.0	53.7	51.2	34.1	9.8	34.1	19.5	31.7P

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 87
Age & Presence Of Children

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
												HAS A SUR- FACE	HAS A SUB- SURFC	DISP. GRAY- WATER	WATER TABLE	NON- VEGE- TABLE				
					BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	DIR- ECTLY	FRUIT GARDN	WATER -ING				
	TOTAL	2 OR LESS	3-9	10+	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
Under 6 and 6 - 12 only	18	3	8	7	10	2	8	4	8	10	10	10	4	10	8	6	4	7	2	5
	3.7	3.8	5.2	2.9	5.8	5.1	3.1	7.1	2.9	5.5	5.2	2.9	4.5	3.2	3.6	3.2	4.7	4.7	1.7	5.6
	100.0	16.7	44.4	38.9	55.6	11.1	44.4	22.2	44.4	55.6	55.6	55.6	22.2	55.6	44.4	33.3	22.2	38.9	11.1	27.8
Under 6 and 13 - 17 only	4	3	1	-	1	1	3	1	2	1	1	2	-	4	1	1	-	2	1	1
	0.8	3.8	0.6	-	0.6	2.6	1.2	1.8	0.7	0.5	0.5	0.6	-	1.3	0.4	0.5	-	1.3	0.9	1.1
	100.0	75.0c	25.0	-	25.0	25.0	75.0	25.0	50.0	25.0	25.0	50.0	-	100.0	25.0	25.0	-	50.0	25.0	25.0
6 - 12 and 13 - 17 only	21	3	7	11	10	2	15	1	12	11	11	15	6	14	13	13	3	8	3	5
	4.3	3.8	4.5	4.5	5.8	5.1	5.9	1.8	4.4	6.0	5.7	4.3	6.8	4.5	5.8	6.9	3.5	5.3	2.6	5.6
	100.0	14.3	33.3	52.4	47.6	9.5	71.4	4.8	57.1	52.4	52.4	71.4	28.6	66.7	61.9	61.9	14.3	38.1	14.3	23.8
All 3 age groups	8	2	2	4	3	1	4	1	2	3	2	6	1	4	4	5	1	2	2	1
	1.6	2.6	1.3	1.6	1.7	2.6	1.6	1.8	0.7	1.6	1.0	1.7	1.1	1.3	1.8	2.7	1.2	1.3	1.7	1.1
	100.0	25.0	25.0	50.0	37.5	12.5	50.0	12.5	25.0	37.5	25.0	75.0	12.5	50.0	50.0	62.5	12.5	25.0	25.0	12.5
No children under 18	340	47	100	182	112	28	181	37	197	119	129	250	56	215	154	130	62	105	85	55
	69.2	60.3	64.5	74.6	64.7	71.8	71.0	66.1	71.6	65.0	66.8	72.0	63.6	69.4	69.1	69.1	72.1	70.0	73.3	61.1
	100.0	13.8	29.4	53.5A	32.9	8.2	53.2	10.9	57.9	35.0	37.9	73.5	16.5	63.2	45.3	38.2	18.2	30.9	25.0	16.2
				B																
Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sigma	852	153	285	394	322	68	437	102	457	339	347	580	164	536	391	334	143	261	188	173
	173.5	196.2	183.9	161.5	186.1	174.4	171.4	182.1	166.2	185.2	179.8	167.1	186.4	172.9	175.3	177.7	166.3	174.0	162.1	192.2
	100.0	18.0	33.5	46.2	37.8	8.0	51.3	12.0	53.6	39.8	40.7	68.1	19.2	62.9	45.9	39.2	16.8	30.6	22.1	20.3

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 88
Household Size

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER											SOURCES OF GRAYWATER REUSE					GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
												HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- VEGE- WATER -ING									
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE														
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)						
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*					
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*					
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*					
1-2 Members (Net)	291	48	89	146	96	23	154	33	164	98	112	213	50	187	130	108	62	79	76	45					
	59.3	61.5	57.4	59.8	55.5	59.0	60.4	58.9	59.6	53.6	58.0	61.4	56.8	60.3	58.3	57.4	72.1	52.7	65.5	50.0					
	100.0	16.5	30.6	50.2	33.0	7.9	52.9	11.3	56.4	33.7	38.5	73.2	17.2	64.3	44.7	37.1	21.3q	27.1	26.1q	15.5					
																	S	S							
Single member	113	19	33	56	43	11	60	7	70	42	42	90	19	65	43	51	25	24	36	15					
	23.0	24.4	21.3	23.0	24.9	28.2	23.5	12.5	25.5	23.0	21.8	25.9	21.6	21.0	19.3	27.1	29.1	16.0	31.0	16.7					
	100.0	16.8	29.2	49.6	38.1	9.7	53.1	6.2	61.9g	37.2	37.2	79.6	16.8	57.5	38.1	45.1	22.1q	21.2	31.9q	13.3					
																			S						
Two members	178	29	56	90	53	12	94	26	94	56	70	123	31	122	87	57	37	55	40	30					
	36.3	37.2	36.1	36.9	30.6	30.8	36.9	46.4	34.2	30.6	36.3	35.4	35.2	39.4	39.0	30.3	43.0	36.7	34.5	33.3					
	100.0	16.3	31.5	50.6	29.8	6.7	52.8	14.6d	52.8	31.5	39.3	69.1	17.4	68.5	48.9	32.0	20.8	30.9	22.5	16.9					
3-4 Members (Net)	147	22	45	74	51	10	68	13	81	58	54	99	26	95	64	49	16	55	30	30					
	29.9	28.2	29.0	30.3	29.5	25.6	26.7	23.2	29.5	31.7	28.0	28.5	29.5	30.6	28.7	26.1	18.6	36.7	25.9	33.3					
	100.0	15.0	30.6	50.3	34.7	6.8	46.3	8.8	55.1	39.5	36.7	67.3	17.7	64.6	43.5	33.3	10.9	37.4p	20.4	20.4p					
Three members	75	8	21	41	26	6	34	5	50	27	27	55	11	48	36	28	7	27	15	17					
	15.3	10.3	13.5	16.8	15.0	15.4	13.3	8.9	18.2	14.8	14.0	15.9	12.5	15.5	16.1	14.9	8.1	18.0	12.9	18.9					
	100.0	10.7	28.0	54.7	34.7	8.0	45.3	6.7	66.7	36.0	36.0	73.3	14.7	64.0	48.0	37.3	9.3	36.0p	20.0	22.7p					
Four members	72	14	24	33	25	4	34	8	31	31	27	44	15	47	28	21	9	28	15	13					
	14.7	17.9	15.5	13.5	14.5	10.3	13.3	14.3	11.3	16.9	14.0	12.7	17.0	15.2	12.6	11.2	10.5	18.7	12.9	14.4					
	100.0	19.4	33.3	45.8	34.7	5.6	47.2	11.1	43.1	43.1	37.5	61.1	20.8	65.3	38.9	29.2	12.5	38.9	20.8	18.1					

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 88
Household Size

	SOURCES OF GRAYWATER REUSE											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WAT- ING					
	2 OR LESS	3-9	10+	BATH/ SHWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE							<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)		(P)	(Q)	(R)	(S)
	TOTAL																			
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
Five or more members	53	8	21	24	26	6	33	10	30	27	27	35	12	28	29	31	8	16	10	15
	10.8	10.3	13.5	9.8	15.0	15.4	12.9	17.9	10.9	14.8	14.0	10.1	13.6	9.0	13.0	16.5	9.3	10.7	8.6	16.7
	100.0	15.1	39.6	45.3	49.1	11.3	62.3	18.9	56.6	50.9	50.9	66.0	22.6	52.8	54.7	58.5	15.1	30.2	18.9	28.3
Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sigma	491	78	155	244	173	39	255	56	275	183	193	347	88	310	223	188	86	150	116	90
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	15.9	31.6	49.7	35.2	7.9	51.9	11.4	56.0	37.3	39.3	70.7	17.9	63.1	45.4	38.3	17.5	30.5	23.6	18.3
Mean	2.62	2.60	2.72	2.58	2.74	2.64	2.63	2.91	2.56	2.79	2.70	2.53	2.75	2.58	2.69	2.71	2.35	2.75P R	2.39	2.97PR
Standard Deviation	1.47	1.51	1.53	1.44	1.59	1.61	1.51	1.59	1.47	1.56	1.52	1.46	1.56	1.39	1.46	1.67	1.45	1.34	1.42	1.65
Standard Error	0.07	0.17	0.12	0.09	0.12	0.26	0.09	0.21	0.09	0.12	0.11	0.08	0.17	0.08	0.10	0.12	0.16	0.11	0.13	0.17

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 89
Household Composition

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- VEGE- -ING	VOLUME OF GRAYWATER REUSED				
	TOTAL	2 OR LESS	3-9													10+	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
Family Household (Net)	356	54	114	179	122	26	185	46	195	134	136	241	61	229	166	126	55	119	78	69
	72.5	69.2	73.5	73.4	70.5	66.7	72.5	82.1	70.9	73.2	70.5	69.5	69.3	73.9	74.4	67.0	64.0	79.3	67.2	76.7
	100.0	15.2	32.0	50.3	34.3	7.3	52.0	12.9	54.8	37.6	38.2	67.7	17.1	64.3	46.6	35.4	15.4	33.4P	21.9	19.4
																	R			
Male and female married	283	40	90	144	96	22	143	35	153	99	103	187	51	179	129	97	43	95	59	57
	57.6	51.3	58.1	59.0	55.5	56.4	56.1	62.5	55.6	54.1	53.4	53.9	58.0	57.7	57.8	51.6	50.0	63.3	50.9	63.3
	100.0	14.1	31.8	50.9	33.9	7.8	50.5	12.4	54.1	35.0	36.4	66.1	18.0	63.3	45.6	34.3	15.2	33.6P	20.8	20.1
																	R			
Female head living with others related	61	12	22	27	22	4	36	11	35	32	28	44	8	39	28	27	10	22	11	12
	12.4	15.4	14.2	11.1	12.7	10.3	14.1	19.6	12.7	17.5	14.5	12.7	9.1	12.6	12.6	14.4	11.6	14.7	9.5	13.3
	100.0	19.7	36.1	44.3	36.1	6.6	59.0	18.0	57.4	52.5	45.9	72.1	13.1	63.9	45.9	44.3	16.4	36.1	18.0	19.7
Male head living with others related	12	2	2	8	4	-	6	-	7	3	5	10	2	11	9	2	2	2	8	-
	2.4	2.6	1.3	3.3	2.3	-	2.4	-	2.5	1.6	2.6	2.9	2.3	3.5	4.0	1.1	2.3	1.3	6.9	-
	100.0	16.7	16.7	66.7	33.3	-	50.0	-	58.3	25.0	41.7	83.3	16.7	91.7	75.0	16.7	16.7	16.7	66.7Qs	-
Non-Family Household (Net)	135	24	41	65	51	13	70	10	80	49	57	106	27	81	57	62	31	31	38	21
	27.5	30.8	26.5	26.6	29.5	33.3	27.5	17.9	29.1	26.8	29.5	30.5	30.7	26.1	25.6	33.0	36.0	20.7	32.8	23.3
	100.0	17.8	30.4	48.1	37.8	9.6	51.9	7.4	59.3	36.3	42.2	78.5	20.0	60.0	42.2	45.9	23.0Q	23.0	28.1Q	15.6
Female alone	72	11	22	36	27	7	35	5	45	23	29	53	12	45	22	36	20	14	20	7
	14.7	14.1	14.2	14.8	15.6	17.9	13.7	8.9	16.4	12.6	15.0	15.3	13.6	14.5	9.9	19.1	23.3	9.3	17.2	7.8
	100.0	15.3	30.6	50.0	37.5	9.7	48.6	6.9	62.5	31.9	40.3	73.6	16.7	62.5	30.6	50.0N	27.8Q	19.4	27.8S	9.7
																	S			

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 89
Household Composition

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
												HAS A	HAS A	DISP.	WATER					
												SUR- FACE	SUR- FACE	GRAY- WATER	TABLE	VEGE- NON-				
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	DIR- ECTLY	FRUIT GARDN	WATER -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)		(P)	(Q)	(R)	(S)
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
Female living with others not related	14	4	6	4	4	-	7	1	6	5	9	9	3	12	9	6	5	6	1	1
	2.9	5.1	3.9	1.6	2.3	-	2.7	1.8	2.2	2.7	4.7	2.6	3.4	3.9	4.0	3.2	5.8	4.0	0.9	1.1
	100.0	28.6	42.9	28.6	28.6	-	50.0	7.1	42.9	35.7	64.3	64.3	21.4	85.7	64.3	42.9	35.7R	42.9	7.1	7.1
Male alone	41	8	11	20	16	4	25	2	25	19	13	37	7	20	21	15	5	10	16	8
	8.4	10.3	7.1	8.2	9.2	10.3	9.8	3.6	9.1	10.4	6.7	10.7	8.0	6.5	9.4	8.0	5.8	6.7	13.8	8.9
	100.0	19.5	26.8	48.8	39.0	9.8	61.0	4.9	61.0	46.3	31.7	90.2	17.1	48.8	51.2	36.6	12.2	24.4	39.0	19.5
Male living with others not related	8	1	2	5	4	2	3	2	4	2	6	7	5	4	5	5	1	1	1	5
	1.6	1.3	1.3	2.0	2.3	5.1	1.2	3.6	1.5	1.1	3.1	2.0	5.7	1.3	2.2	2.7	1.2	0.7	0.9	5.6
	100.0	12.5	25.0	62.5	50.0	25.0	37.5	25.0	50.0	25.0	75.0	87.5	62.5M	50.0	62.5	62.5	12.5	12.5	12.5	62.5QR
Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sigma	491	78	155	244	173	39	255	56	275	183	193	347	88	310	223	188	86	150	116	90
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	15.9	31.6	49.7	35.2	7.9	51.9	11.4	56.0	37.3	39.3	70.7	17.9	63.1	45.4	38.3	17.5	30.5	23.6	18.3

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 90
Socio-Economic Status

	SOURCES OF GRAYWATER REUSE											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			BATH/SHOWER	GARBG DISPOSAL	KITCH SINK	DISH-WASHR	WASH-ING MACH.	CAR WASH-ING	CLEAN-ING HOUSE	HAS A FACE GRAY-WATER SYSTM	HAS A SUB-SURFC GRAY-WATER SYSTM	DISP. GRAY-WATER DIR-ECTLY	WATER TABLE FRUIT GARDN	NON-WATER -ING	OF GRAYWATER REUSED				
	TOTAL	2 OR LESS	3-9													10+	<10 GALS.	10-49 GALS.	50-199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
Female head employed and male head white collar	63	7	18	35	24	8	31	9	32	18	24	39	7	41	37	29	14	25	10	10
	12.8	9.0	11.6	14.3	13.9	20.5	12.2	16.1	11.6	9.8	12.4	11.2	8.0	13.2	16.6	15.4	16.3	16.7	8.6	11.1
	100.0	11.1	28.6	55.6	38.1	12.7	49.2	14.3	50.8	28.6	38.1	61.9	11.1	65.1	58.7	46.0	22.2	39.7	15.9	15.9
Female head employed and male head blue collar	69	14	26	28	18	5	30	8	39	24	21	54	12	48	22	15	12	22	14	15
	14.1	17.9	16.8	11.5	10.4	12.8	11.8	14.3	14.2	13.1	10.9	15.6	13.6	15.5	9.9	8.0	14.0	14.7	12.1	16.7
	100.0	20.3	37.7	40.6	26.1	7.2	43.5	11.6	56.5	34.8	30.4	78.3	17.4	69.6	31.9	21.7	17.4	31.9	20.3	21.7
Female head employed and male head other	26	4	7	14	11	-	11	3	12	11	10	14	6	15	16	7	3	7	10	4
	5.3	5.1	4.5	5.7	6.4	-	4.3	5.4	4.4	6.0	5.2	4.0	6.8	4.8	7.2	3.7	3.5	4.7	8.6	4.4
	100.0	15.4	26.9	53.8	42.3	-	42.3	11.5	46.2	42.3	38.5	53.8	23.1	57.7	61.5	26.9	11.5	26.9	38.5	15.4
Female head unemployed and male head white collar	23	4	8	10	11	1	11	4	14	8	6	13	5	12	12	8	-	7	4	6
	4.7	5.1	5.2	4.1	6.4	2.6	4.3	7.1	5.1	4.4	3.1	3.7	5.7	3.9	5.4	4.3	-	4.7	3.4	6.7
	100.0	17.4	34.8	43.5	47.8	4.3	47.8	17.4	60.9	34.8	26.1	56.5	21.7	52.2	52.2	34.8	-	30.4P	17.4	26.1P
Female head unemployed and male head blue collar	39	3	16	19	12	3	20	2	20	17	19	24	9	21	17	16	8	12	9	7
	7.9	3.8	10.3	7.8	6.9	7.7	7.8	3.6	7.3	9.3	9.8	6.9	10.2	6.8	7.6	8.5	9.3	8.0	7.8	7.8
	100.0	7.7	41.0	48.7	30.8	7.7	51.3	5.1	51.3	43.6	48.7	61.5	23.1	53.8	43.6	41.0	20.5	30.8	23.1	17.9
Female head unemployed and male head other	63	8	15	38	20	5	40	9	36	21	23	43	12	42	25	22	6	22	12	15
	12.8	10.3	9.7	15.6	11.6	12.8	15.7	16.1	13.1	11.5	11.9	12.4	13.6	13.5	11.2	11.7	7.0	14.7	10.3	16.7
	100.0	12.7	23.8	60.3	31.7	7.9	63.5	14.3	57.1	33.3	36.5	68.3	19.0	66.7	39.7	34.9	9.5	34.9	19.0	23.8P
No male head	147	27	50	67	53	11	78	17	86	60	66	106	23	96	59	69	35	42	32	20
	29.9	34.6	32.3	27.5	30.6	28.2	30.6	30.4	31.3	32.8	34.2	30.5	26.1	31.0	26.5	36.7	40.7	28.0	27.6	22.2
	100.0	18.4	34.0	45.6	36.1	7.5	53.1	11.6	58.5	40.8	44.9	72.1	15.6	65.3	40.1	46.9N	23.8Q	28.6	21.8	13.6

S

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 90
Socio-Economic Status

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL				BATH/ SHOWR	GARBG		DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	FACE GRAY- WATER SYSTM	HAS A SUB- GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING													
		2 OR LESS	3-9	10+		DIS- POSAL	KITCH SINK										<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.									
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)											
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*									
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*									
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*									
No female head	61	11	15	33	24	6	34	4	36	24	24	54	14	35	35	22	8	13	25	13									
	12.4	14.1	9.7	13.5	13.9	15.4	13.3	7.1	13.1	13.1	12.4	15.6	15.9	11.3	15.7	11.7	9.3	8.7	21.6	14.4									
	100.0	18.0	24.6	54.1	39.3	9.8	55.7	6.6	59.0	39.3	39.3	88.5	23.0	57.4	57.4	36.1	13.1	21.3	41.0P	21.3									
																			Q										
No answer	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-									
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-									
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-									
Sigma	491	78	155	244	173	39	255	56	275	183	193	347	88	310	223	188	86	150	116	90									
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0									
	100.0	15.9	31.6	49.7	35.2	7.9	51.9	11.4	56.0	37.3	39.3	70.7	17.9	63.1	45.4	38.3	17.5	30.5	23.6	18.3									

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 91
IBM State

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE								GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL											HAS A	HAS A	DISP.	WATER					
		2 OR LESS	3-9	10+	GARBG			WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	GRAY- WATER DIR- ECTLY	FRUIT GARDN	NON- -ING					
					BATH/ SHOWR	DIS- POSAL	KITCH SINK									FACE GRAY- WATER	SURFC GRAY- WATER	TABLE VEGE-	<10 GALS.	10-49 GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
Alabama	4	1	-	2	2	1	1	1	3	2	1	1	2	1	2	1	-	2	-	1
	0.8	1.3	-	0.8	1.2	2.6	0.4	1.8	1.1	1.1	0.5	0.3	2.3	0.3	0.9	0.5	-	1.3	-	1.1
	100.0	25.0	-	50.0	50.0	25.0	25.0	25.0	75.0	50.0	25.0	25.0	50.0K	25.0	50.0	25.0	-	50.0	-	25.0
Arizona	18	3	6	9	5	2	5	1	14	5	6	13	4	12	4	3	1	3	6	7
	3.7	3.8	3.9	3.7	2.9	5.1	2.0	1.8	5.1	2.7	3.1	3.7	4.5	3.9	1.8	1.6	1.2	2.0	5.2	7.8
	100.0	16.7	33.3	50.0	27.8	11.1	27.8	5.6	77.8	27.8	33.3	72.2	22.2	66.7	22.2	16.7	5.6	16.7	33.3	38.9PQ
Arkansas	5	-	2	3	3	-	3	-	3	1	1	4	-	4	1	1	-	2	1	1
	1.0	-	1.3	1.2	1.7	-	1.2	-	1.1	0.5	0.5	1.2	-	1.3	0.4	0.5	-	1.3	0.9	1.1
	100.0	-	40.0	60.0	60.0	-	60.0	-	60.0	20.0	20.0	80.0	-	80.0	20.0	20.0	-	40.0	20.0	20.0
California	64	7	22	31	24	6	34	7	36	29	26	50	10	35	29	26	5	24	14	15
	13.0	9.0	14.2	12.7	13.9	15.4	13.3	12.5	13.1	15.8	13.5	14.4	11.4	11.3	13.0	13.8	5.8	16.0	12.1	16.7
	100.0	10.9	34.4	48.4	37.5	9.4	53.1	10.9	56.3	45.3	40.6	78.1	15.6	54.7	45.3	40.6	7.8	37.5P	21.9	23.4P
Colorado	13	-	2	11	7	2	8	2	9	5	5	11	1	8	3	6	1	3	3	6
	2.6	-	1.3	4.5	4.0	5.1	3.1	3.6	3.3	2.7	2.6	3.2	1.1	2.6	1.3	3.2	1.2	2.0	2.6	6.7
	100.0	-	15.4	84.6	53.8	15.4	61.5	15.4	69.2	38.5	38.5	84.6	7.7	61.5	23.1	46.2	7.7	23.1	23.1	46.2
Connecticut	1	-	-	1	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-
	0.2	-	-	0.4	0.6	-	0.4	-	-	-	-	-	-	0.3	-	0.5	1.2	-	-	-
	100.0	-	-	100.0	100.0	-	100.0	-	-	-	-	-	-	100.0	-	100.0	100.0	-	-	-
Delaware	1	1	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
	0.2	1.3	-	-	-	-	-	-	0.4	-	-	0.3	-	0.3	-	-	-	-	-	-
	100.0	100.0	-	-	-	-	-	-	100.0	-	-	100.0	-	100.0	-	-	-	-	-	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 91
IBM State

	SOURCES OF GRAYWATER REUSE											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			BATH/SHOWER	GARBG DIS-POSAL	KITCH SINK	DISH-WASHR	WASH-ING MACH.	CAR WASH-ING	CLEAN-ING HOUSE	HAS A SUR-FACE WATER SYSTM	HAS A SUB-SURFC WATER SYSTM	DISP. WATER DIR-ECTLY	WATER TABLE FRUIT GARDN	NON-WATER-ING	VOLUME OF GRAYWATER REUSED				
	TOTAL	2 OR LESS	3-9													10+	<10 GALS.	10-49 GALS.	50-199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
Florida	28	6	10	12	6	5	15	3	19	15	15	25	9	18	9	10	4	6	9	7
	5.7	7.7	6.5	4.9	3.5	12.8	5.9	5.4	6.9	8.2	7.8	7.2	10.2	5.8	4.0	5.3	4.7	4.0	7.8	7.8
	100.0	21.4	35.7	42.9	21.4	17.9*	53.6	10.7	67.9	53.6	53.6	89.3	32.1	64.3	32.1	35.7	14.3	21.4	32.1	25.0
Georgia	8	1	3	4	4	1	6	1	5	5	5	3	3	6	5	2	2	1	1	2
	1.6	1.3	1.9	1.6	2.3	2.6	2.4	1.8	1.8	2.7	2.6	0.9	3.4	1.9	2.2	1.1	2.3	0.7	0.9	2.2
	100.0	12.5	37.5	50.0	50.0	12.5	75.0	12.5	62.5	62.5	62.5	37.5	37.5	75.0	62.5	25.0	25.0	12.5	12.5	25.0
Idaho	2	-	-	1	1	-	1	-	2	2	-	1	-	1	2	-	-	-	1	1
	0.4	-	-	0.4	0.6	-	0.4	-	0.7	1.1	-	0.3	-	0.3	0.9	-	-	-	0.9	1.1
	100.0	-	-	50.0	50.0	-	50.0	-	100.0	100.0	-	50.0	-	50.0	100.0	-	-	-	50.0	50.0
Illinois	15	-	4	10	5	-	7	3	10	4	6	11	3	9	9	5	3	5	5	1
	3.1	-	2.6	4.1	2.9	-	2.7	5.4	3.6	2.2	3.1	3.2	3.4	2.9	4.0	2.7	3.5	3.3	4.3	1.1
	100.0	-	26.7	66.7	33.3	-	46.7	20.0	66.7	26.7	40.0	73.3	20.0	60.0	60.0	33.3	20.0	33.3	33.3	6.7
Indiana	7	2	3	2	3	1	4	1	2	5	3	5	1	5	4	1	3	3	1	-
	1.4	2.6	1.9	0.8	1.7	2.6	1.6	1.8	0.7	2.7	1.6	1.4	1.1	1.6	1.8	0.5	3.5	2.0	0.9	-
	100.0	28.6	42.9	28.6	42.9	14.3	57.1	14.3	28.6	71.4	42.9	71.4	14.3	71.4	57.1	14.3	42.9	42.9	14.3	-
Iowa	6	1	1	4	2	1	5	1	6	3	4	5	1	3	3	3	2	3	-	1
	1.2	1.3	0.6	1.6	1.2	2.6	2.0	1.8	2.2	1.6	2.1	1.4	1.1	1.0	1.3	1.6	2.3	2.0	-	1.1
	100.0	16.7	16.7	66.7	33.3	16.7	83.3	16.7	100.0	50.0	66.7	83.3	16.7	50.0	50.0	50.0	33.3	50.0	-	16.7
Kansas	5	-	2	3	-	-	2	1	4	-	2	2	2	3	2	1	-	2	1	1
	1.0	-	1.3	1.2	-	-	0.8	1.8	1.5	-	1.0	0.6	2.3	1.0	0.9	0.5	-	1.3	0.9	1.1
	100.0	-	40.0	60.0	-	-	40.0	20.0	80.0	-	40.0	40.0	40.0	60.0	40.0	20.0	-	40.0	20.0	20.0

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 91
IBM State

											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
											HAS A HAS A			WATER						
	SUR- SUB- DISP.			FACE SURFC GRAY-		VEGE-														
	GRAY- GRAY- WATER			TABLE NON-																
	WATER WATER DIR-			FRUIT WATER																
SYSTM SYSTM ECTLY			GARDN -ING																	
<10 10-49 199 200+																				
GALS. GALS. GALS. GALS.																				
(A) (B) (C) (D) (E) (F) (G) (H) (I) (J) (K) (L) (M) (N) (O) (P) (Q) (R) (S)																				
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
Kentucky	13	5	5	3	4	1	11	-	5	4	4	10	4	11	6	6	4	3	3	2
	2.6	6.4	3.2	1.2	2.3	2.6	4.3	-	1.8	2.2	2.1	2.9	4.5	3.5	2.7	3.2	4.7	2.0	2.6	2.2
	100.0	38.5C	38.5	23.1	30.8	7.7	84.6	-	38.5	30.8	30.8	76.9	30.8	84.6	46.2	46.2	30.8	23.1	23.1	15.4
Louisiana	6	-	4	2	4	-	4	1	5	2	-	6	3	2	5	1	-	2	3	1
	1.2	-	2.6	0.8	2.3	-	1.6	1.8	1.8	1.1	-	1.7	3.4	0.6	2.2	0.5	-	1.3	2.6	1.1
	100.0	-	66.7	33.3	66.7J	-	66.7	16.7	83.3	33.3	-	100.0	50.0M	33.3	83.3	16.7	-	33.3	50.0	16.7
Maine	6	1	1	4	3	-	3	1	3	2	1	4	-	5	3	2	3	-	-	1
	1.2	1.3	0.6	1.6	1.7	-	1.2	1.8	1.1	1.1	0.5	1.2	-	1.6	1.3	1.1	3.5	-	-	1.1
	100.0	16.7	16.7	66.7	50.0	-	50.0	16.7	50.0	33.3	16.7	66.7	-	83.3	50.0	33.3	50.0QR	-	-	16.7
Maryland	10	2	2	6	5	-	2	1	7	4	2	6	-	6	6	6	2	4	2	2
	2.0	2.6	1.3	2.5	2.9	-	0.8	1.8	2.5	2.2	1.0	1.7	-	1.9	2.7	3.2	2.3	2.7	1.7	2.2
	100.0	20.0	20.0	60.0	50.0	-	20.0	10.0	70.0	40.0	20.0	60.0	-	60.0	60.0	60.0	20.0	40.0	20.0	20.0
Massachusetts	3	-	2	1	1	-	1	1	1	-	1	2	-	3	2	2	1	-	2	-
	0.6	-	1.3	0.4	0.6	-	0.4	1.8	0.4	-	0.5	0.6	-	1.0	0.9	1.1	1.2	-	1.7	-
	100.0	-	66.7	33.3	33.3	-	33.3	33.3	33.3	-	33.3	66.7	-	100.0	66.7	66.7	33.3	-	66.7	-
Michigan	14	2	3	9	4	1	8	1	8	5	7	8	2	9	4	6	2	7	3	-
	2.9	2.6	1.9	3.7	2.3	2.6	3.1	1.8	2.9	2.7	3.6	2.3	2.3	2.9	1.8	3.2	2.3	4.7	2.6	-
	100.0	14.3	21.4	64.3	28.6	7.1	57.1	7.1	57.1	35.7	50.0	57.1	14.3	64.3	28.6	42.9	14.3	50.0S	21.4	-
Minnesota	9	1	3	5	4	1	7	2	7	3	3	5	-	7	3	7	2	2	1	3
	1.8	1.3	1.9	2.0	2.3	2.6	2.7	3.6	2.5	1.6	1.6	1.4	-	2.3	1.3	3.7	2.3	1.3	0.9	3.3
	100.0	11.1	33.3	55.6	44.4	11.1	77.8	22.2	77.8	33.3	33.3	55.6	-	77.8	33.3	77.8	22.2	22.2	11.1	33.3

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 91
IBM State

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
																					HAS A	HAS A	DISP.	WATER					
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	FACE GRAY- WATER SYSTM	SURFC GRAY- WATER SYSTM	GRAY- WATER DIR- ECTLY	VEGE- TABLE FRUIT GARDN	NON- WATER -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.									
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)										
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*									
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*									
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*									
Mississippi	5	2	-	3	3	-	3	1	3	-	1	3	4	2	4	-	1	1	3	-									
	1.0	2.6	-	1.2	1.7	-	1.2	1.8	1.1	-	0.5	0.9	4.5	0.6	1.8	-	1.2	0.7	2.6	-									
	100.0	40.08	-	60.0	60.0	-	60.0	20.0	60.0	-	20.0	60.0	80.0K	40.0	80.0	-	20.0	20.0	60.0	-									
													M																
Missouri	13	2	4	7	6	1	4	3	8	7	8	9	5	5	8	6	1	5	2	4									
	2.6	2.6	2.6	2.9	3.5	2.6	1.6	5.4	2.9	3.8	4.1	2.6	5.7	1.6	3.6	3.2	1.2	3.3	1.7	4.4									
	100.0	15.4	30.8	53.8	46.2	7.7	30.8	23.1	61.5	53.8	61.5	69.2	38.5M	38.5	61.5	46.2	7.7	38.5	15.4	30.8									
Montana	2	-	1	1	2	-	1	-	-	-	-	2	1	1	-	1	1	1	-	-									
	0.4	-	0.6	0.4	1.2	-	0.4	-	-	-	-	0.6	1.1	0.3	-	0.5	1.2	0.7	-	-									
	100.0	-	50.0	50.0	100.0	-	50.0	-	-	-	-	100.0	50.0	50.0	-	50.0	50.0	50.0	-	-									
Nebraska	2	1	-	1	-	-	-	-	-	-	2	2	1	2	-	1	1	1	-	-									
	0.4	1.3	-	0.4	-	-	-	-	-	-	1.0	0.6	1.1	0.6	-	0.5	1.2	0.7	-	-									
	100.0	50.0	-	50.0	-	-	-	-	-	-	100.0	100.0	50.0	100.0	-	50.0	50.0	50.0	-	-									
Nevada	3	-	1	2	-	2	2	-	-	-	2	2	-	2	1	2	2	-	1	-									
	0.6	-	0.6	0.8	-	5.1	0.8	-	-	-	1.0	0.6	-	0.6	0.4	1.1	2.3	-	0.9	-									
	100.0	-	33.3	66.7	-	66.7D	66.7	-	-	-	66.7	66.7	-	66.7	33.3	66.7	66.7	-	33.3	-									
						FHI																							
New Hampshire	4	-	3	1	1	-	3	-	-	1	1	1	-	4	2	-	1	1	1	1									
	0.8	-	1.9	0.4	0.6	-	1.2	-	-	0.5	0.5	0.3	-	1.3	0.9	-	1.2	0.7	0.9	1.1									
	100.0	-	75.0	25.0	25.0	-	75.0	-	-	25.0	25.0	25.0	-	100.0	50.0	-	25.0	25.0	25.0	25.0									
New Jersey	12	-	2	9	5	2	5	-	5	2	2	4	2	7	2	6	2	3	1	3									
	2.4	-	1.3	3.7	2.9	5.1	2.0	-	1.8	1.1	1.0	1.2	2.3	2.3	0.9	3.2	2.3	2.0	0.9	3.3									
	100.0	-	16.7	75.0	41.7	16.7	41.7	-	41.7	16.7	16.7	33.3	16.7	58.3	16.7	50.0	16.7	25.0	8.3	25.0									

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 91
IBM State

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			BATH/SHOWR	GARBG DIS-POSAL	KITCH SINK	DISH-WASHR	WASH-ING MACH.	CAR WASH-ING	CLEAN-ING HOUSE	HAS A SUR-FACE GRAY-WATER SYSTM	HAS A SUB-SURFC GRAY-WATER SYSTM	DISP. GRAY-WATER DIR-ECTLY	WATER TABLE FRUIT GARDN	NON-VEGE-ING	<10 GALS.	10-49 GALS.	50-199 GALS.	200+ GALS.	
	TOTAL	2 OR LESS	3-9																	10+
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		

Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
New Mexico	3	1	1	1	2	-	-	1	2	1	1	2	1	1	-	-	-	-	1	2
	0.6	1.3	0.6	0.4	1.2	-	-	1.8	0.7	0.5	0.5	0.6	1.1	0.3	-	-	-	-	0.9	2.2
	100.0	33.3	33.3	33.3	66.7	-	-	33.3F	66.7	33.3	33.3	66.7	33.3	33.3	-	-	-	-	33.3	66.7
New York	23	1	6	14	7	1	14	-	10	8	11	14	1	15	14	9	5	9	5	2
	4.7	1.3	3.9	5.7	4.0	2.6	5.5	-	3.6	4.4	5.7	4.0	1.1	4.8	6.3	4.8	5.8	6.0	4.3	2.2
	100.0	4.3	26.1	60.9	30.4	4.3	60.9	-	43.5	34.8	47.8	60.9	4.3	65.2	60.9	39.1	21.7	39.1	21.7	8.7
North Carolina	3	-	2	1	-	-	2	-	1	2	2	2	2	2	1	2	1	2	-	-
	0.6	-	1.3	0.4	-	-	0.8	-	0.4	1.1	1.0	0.6	2.3	0.6	0.4	1.1	1.2	1.3	-	-
	100.0	-	66.7	33.3	-	-	66.7	-	33.3	66.7	66.7	66.7	66.7	66.7	33.3	66.7	33.3	66.7	-	-
North Dakota	1	-	-	1	1	-	-	-	-	1	1	1	-	-	1	1	-	-	1	-
	0.2	-	-	0.4	0.6	-	-	-	-	0.5	0.5	0.3	-	-	0.4	0.5	-	-	0.9	-
	100.0	-	-	100.0	100.0	-	-	-	-	100.0	100.0	100.0	-	-	100.0	100.0	-	-	100.0	-
Ohio	20	5	5	10	4	2	12	3	6	3	6	11	2	14	9	7	9	8	2	1
	4.1	6.4	3.2	4.1	2.3	5.1	4.7	5.4	2.2	1.6	3.1	3.2	2.3	4.5	4.0	3.7	10.5	5.3	1.7	1.1
	100.0	25.0	25.0	50.0	20.0	10.0	60.0	15.0	30.0	15.0	30.0	55.0	10.0	70.0	45.0	35.0	45.0R S	40.0	10.0	5.0
Oklahoma	3	-	1	2	1	-	1	-	1	1	1	2	1	1	1	2	-	1	1	1
	0.6	-	0.6	0.8	0.6	-	0.4	-	0.4	0.5	0.5	0.6	1.1	0.3	0.4	1.1	-	0.7	0.9	1.1
	100.0	-	33.3	66.7	33.3	-	33.3	-	33.3	33.3	33.3	66.7	33.3	33.3	33.3	66.7	-	33.3	33.3	33.3
Oregon	6	-	4	1	1	1	3	-	4	3	2	5	-	4	3	3	1	4	-	-
	1.2	-	2.6	0.4	0.6	2.6	1.2	-	1.5	1.6	1.0	1.4	-	1.3	1.3	1.6	1.2	2.7	-	-
	100.0	-	66.7	16.7	16.7	16.7	50.0	-	66.7	50.0	33.3	83.3	-	66.7	50.0	50.0	16.7	66.7	-	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 91
IBM State

	SOURCES OF GRAYWATER REUSE											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SURFACE GRAY-WATER SYSTM	HAS A SUB-SURFC GRAY-WATER SYSTM	DISP. WATER DIR-ECTLY	TABLE FRUIT GARDN	NON-WATER -ING					
				GARBG			WASH- CAR		CLEAN											
				BATH/ DIS- KITCH DISH- ING WASH- CAR CLEAN																
	TOTAL	2 OR LESS	3-9	10+	SHOWR POSAL SINK WASHR MACH. ING HOUSE												<10 GALS.	10-49 GALS.	50-199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
Pennsylvania	43	8	15	19	14	2	21	6	18	12	17	25	6	25	27	19	9	18	8	5
	8.8	10.3	9.7	7.8	8.1	5.1	8.2	10.7	6.5	6.6	8.8	7.2	6.8	8.1	12.1	10.1	10.5	12.0	6.9	5.6
	100.0	18.6	34.9	44.2	32.6	4.7	48.8	14.0	41.9	27.9	39.5	58.1	14.0	58.1	62.8	44.2	20.9	41.9	18.6	11.6
South Carolina	5	-	1	4	2	1	4	-	1	1	2	4	-	1	3	2	1	1	3	-
	1.0	-	0.6	1.6	1.2	2.6	1.6	-	0.4	0.5	1.0	1.2	-	0.3	1.3	1.1	1.2	0.7	2.6	-
	100.0	-	20.0	80.0	40.0	20.0	80.0	-	20.0	20.0	40.0	80.0	-	20.0	60.0	40.0	20.0	20.0	60.0	-
South Dakota	3	1	1	1	1	-	1	-	2	2	1	2	1	1	1	1	1	-	2	-
	0.6	1.3	0.6	0.4	0.6	-	0.4	-	0.7	1.1	0.5	0.6	1.1	0.3	0.4	0.5	1.2	-	1.7	-
	100.0	33.3	33.3	33.3	33.3	-	33.3	-	66.7	66.7	33.3	66.7	33.3	33.3	33.3	33.3	33.3	-	66.7	-
Tennessee	6	2	3	1	3	-	4	-	4	4	1	5	1	5	3	3	1	2	2	-
	1.2	2.6	1.9	0.4	1.7	-	1.6	-	1.5	2.2	0.5	1.4	1.1	1.6	1.3	1.6	1.2	1.3	1.7	-
	100.0	33.3	50.0	16.7	50.0	-	66.7	-	66.7	66.7	16.7	83.3	16.7	83.3	50.0	50.0	16.7	33.3	33.3	-
Texas	55	14	19	21	18	4	26	9	43	21	20	48	10	35	19	11	3	9	17	15
	11.2	17.9	12.3	8.6	10.4	10.3	10.2	16.1	15.6	11.5	10.4	13.8	11.4	11.3	8.5	5.9	3.5	6.0	14.7	16.7
	100.0	25.5C	34.5	38.2	32.7	7.3	47.3	16.4	78.2	38.2	36.4	87.3	18.2	63.6	34.5	20.0	5.5	16.4	30.9P	27.3PQ
																		Q		
Virginia	9	1	1	6	-	1	5	-	2	4	4	6	-	6	6	5	3	2	2	-
	1.8	1.3	0.6	2.5	-	2.6	2.0	-	0.7	2.2	2.1	1.7	-	1.9	2.7	2.7	3.5	1.3	1.7	-
	100.0	11.1	11.1	66.7	-	11.1D	55.6	-	22.2	44.4	44.4	66.7	-	66.7	66.7	55.6	33.3	22.2	22.2	-
Washington	10	3	2	5	6	-	7	2	3	5	7	7	1	9	5	6	4	3	3	-
	2.0	3.8	1.3	2.0	3.5	-	2.7	3.6	1.1	2.7	3.6	2.0	1.1	2.9	2.2	3.2	4.7	2.0	2.6	-
	100.0	30.0	20.0	50.0	60.0	-	70.0	20.0	30.0	50.0	70.0	70.0	10.0	90.0	50.0	60.0	40.0S	30.0	30.0	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 91
IBM State

											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
											HAS A			HAS A						
	SOURCES OF GRAYWATER REUSE										SUR- FACE GRAY- WATER SYSTM	SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER VEGE- TABLE FRUIT GARDN	NON- WATER -ING					
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	GRAY- WATER DIR- ECTLY	WATER VEGE- TABLE FRUIT GARDN	NON- WATER -ING					
	TOTAL	2 OR LESS	3-9	10+	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
West Virginia	6	2	1	3	2	-	1	-	1	3	3	3	1	3	2	4	-	2	1	1
	1.2	2.6	0.6	1.2	1.2	-	0.4	-	0.4	1.6	1.6	0.9	1.1	1.0	0.9	2.1	-	1.3	0.9	1.1
	100.0	33.3	16.7	50.0	33.3	-	16.7	-	16.7	50.0	50.0	50.0	16.7	50.0	33.3	66.7	-	33.3	16.7	16.7
Wisconsin	12	1	6	5	4	-	7	2	8	4	5	10	3	11	8	4	3	4	2	2
	2.4	1.3	3.9	2.0	2.3	-	2.7	3.6	2.9	2.2	2.6	2.9	3.4	3.5	3.6	2.1	3.5	2.7	1.7	2.2
	100.0	8.3	50.0	41.7	33.3	-	58.3	16.7	66.7	33.3	41.7	83.3	25.0	91.7	66.7	33.3	25.0	33.3	16.7	16.7
Wyoming	4	1	1	2	2	-	1	1	3	2	1	4	-	4	1	3	-	1	2	1
	0.8	1.3	0.6	0.8	1.2	-	0.4	1.8	1.1	1.1	0.5	1.2	-	1.3	0.4	1.6	-	0.7	1.7	1.1
	100.0	25.0	25.0	50.0	50.0	-	25.0	25.0	75.0	50.0	25.0	100.0	-	100.0	25.0	75.0	-	25.0	50.0	25.0
Sigma	491	78	155	244	173	39	255	56	275	183	193	347	88	310	223	188	86	150	116	90
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	15.9	31.6	49.7	35.2	7.9	51.9	11.4	56.0	37.3	39.3	70.7	17.9	63.1	45.4	38.3	17.5	30.5	23.6	18.3

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 92
Education Of Head Of Household

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			BATH/SHOWR	GARBG DIS-POSAL	KITCH SINK	DISH-WASHR	WASH-ING MACH.	CAR WASH-ING	CLEAN-ING HOUSE	HAS A FACE GRAY-WATER SYSTM	HAS A SUB-SURFC GRAY-WATER SYSTM	DISP. GRAY-WATER DIR-ECTLY	WATER		OF GRAYWATER REUSED				
	TOTAL	2 OR LESS	3-9											10+	VEGE-TABLE FRUIT GARDN	NON-WATER-ING	<10 GALS.	10-49 GALS.	50-199 GALS.	200+ GALS.
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
No College (Net)	227	36	71	112	74	20	116	34	133	84	89	155	50	138	105	80	35	70	55	44
	46.2	46.2	45.8	45.9	42.8	51.3	45.5	60.7	48.4	45.9	46.1	44.7	56.8	44.5	47.1	42.6	40.7	46.7	47.4	48.9
	100.0	15.9	31.3	49.3	32.6	8.8	51.1	15.00	58.6	37.0	39.2	68.3	22.00	60.8	46.3	35.2	15.4	30.8	24.2	19.4
								F					M							
Grade school	11	2	4	3	5	-	6	1	11	4	3	9	2	7	6	4	1	2	2	4
	2.2	2.6	2.6	1.2	2.9	-	2.4	1.8	4.0	2.2	1.6	2.6	2.3	2.3	2.7	2.1	1.2	1.3	1.7	4.4
	100.0	18.2	36.4	27.3	45.5	-	54.5	9.1	100.0	36.4	27.3	81.8	18.2	63.6	54.5	36.4	9.1	18.2	18.2	36.4
Some high school	63	5	21	34	24	5	35	6	35	26	27	39	12	35	31	24	13	20	15	9
	12.8	6.4	13.5	13.9	13.9	12.8	13.7	10.7	12.7	14.2	14.0	11.2	13.6	11.3	13.9	12.8	15.1	13.3	12.9	10.0
	100.0	7.9	33.3	54.0	38.1	7.9	55.6	9.5	55.6	41.3	42.9	61.9	19.0	55.6	49.2	38.1	20.6	31.7	23.8	14.3
Graduated high school	153	29	46	75	45	15	75	27	87	54	59	107	36	96	68	52	21	48	38	31
	31.2	37.2	29.7	30.7	26.0	38.5	29.4	48.2	31.6	29.5	30.6	30.8	40.9	31.0	30.5	27.7	24.4	32.0	32.8	34.4
	100.0	19.0	30.1	49.0	29.4	9.8	49.0	17.60	56.9	35.3	38.6	69.9	23.5	62.7	44.4	34.0	13.7	31.4	24.8	20.3
								FHIIJ												
College (Net)	237	38	73	120	88	15	126	18	123	87	93	172	34	155	106	98	47	75	54	37
	48.3	48.7	47.1	49.2	50.9	38.5	49.4	32.1	44.7	47.5	48.2	49.6	38.6	50.0	47.5	52.1	54.7	50.0	46.6	41.1
	100.0	16.0	30.8	50.6	37.10	6.3	53.20	7.6	51.9	36.70	39.20	72.6	14.3	65.4	44.7	41.4	19.8	31.6	22.8	15.6
Some college	121	23	39	57	42	8	60	7	59	46	46	89	16	79	50	53	27	39	27	15
	24.6	29.5	25.2	23.4	24.3	20.5	23.5	12.5	21.5	25.1	23.8	25.6	18.2	25.5	22.4	28.2	31.4	26.0	23.3	16.7
	100.0	19.0	32.2	47.1	34.7	6.6	49.6	5.8	48.8	38.00	38.0	73.6	13.2	65.3	41.3	43.8	22.30	32.2	22.3	12.4
Graduated college	70	9	22	39	26	3	41	4	38	28	27	49	13	45	34	24	11	22	17	13
	14.3	11.5	14.2	16.0	15.0	7.7	16.1	7.1	13.8	15.3	14.0	14.1	14.8	14.5	15.2	12.8	12.8	14.7	14.7	14.4
	100.0	12.9	31.4	55.7	37.1	4.3	58.6	5.7	54.3	40.0	38.6	70.0	18.6	64.3	48.6	34.3	15.7	31.4	24.3	18.6

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 92
Education Of Head Of Household

	SOURCES OF GRAYWATER REUSE											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			BATH/SHOVR	GARBG DIS-POSAL	KITCH SINK	DISH-WASHR	WASH-ING MACH.	CAR WASH-ING	CLEAN-ING HOUSE	HAS A FACE GRAY-WATER SYSTM	HAS A SUB-SURFC GRAY-WATER SYSTM	DISP. GRAY-WATER DIR-ECTLY	WATER TABLE FRUIT GARDN	NON-WATER -ING	<10 GALS.	10-49 GALS.	50-199 GALS.	200+ GALS.	
	TOTAL	2 OR LESS	3-9	10+																
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
Post college graduate	46	6	12	24	20	4	25	7	26	13	20	34	5	31	22	21	9	14	10	9
	9.4	7.7	7.7	9.8	11.6	10.3	9.8	12.5	9.5	7.1	10.4	9.8	5.7	10.0	9.9	11.2	10.5	9.3	8.6	10.0
	100.0	13.0	26.1	52.2	43.5	8.7	54.3	15.2	56.5	28.3	43.5	73.9	10.9	67.4	47.8	45.7	19.6	30.4	21.7	19.6
Unknown	27	4	11	12	11	4	13	4	19	12	11	20	4	17	12	10	4	5	7	9
	5.5	5.1	7.1	4.9	6.4	10.3	5.1	7.1	6.9	6.6	5.7	5.8	4.5	5.5	5.4	5.3	4.7	3.3	6.0	10.0
	100.0	14.8	40.7	44.4	40.7	14.8	48.1	14.8	70.4	44.4	40.7	74.1	14.8	63.0	44.4	37.0	14.8	18.5	25.9	33.3q
Sigma	491	78	155	244	173	39	255	56	275	183	193	347	88	310	223	188	86	150	116	90
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	15.9	31.6	49.7	35.2	7.9	51.9	11.4	56.0	37.3	39.3	70.7	17.9	63.1	45.4	38.3	17.5	30.5	23.6	18.3

Proportions/Means: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 93
Employment Of Head Of Household

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										SOURCES OF GRAYWATER REUSE			GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
											HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- VEGE- TABLE -ING							
	2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE							<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.		
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)			
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*		
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*		
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*		
Employed (Net)	329	57	112	153	117	24	170	41	181	129	133	235	58	214	153	124	63	108	69	58		
	67.0	73.1	72.3	62.7	67.6	61.5	66.7	73.2	65.8	70.5	68.9	67.7	65.9	69.0	68.6	66.0	73.3	72.0	59.5	64.4		
	100.0	17.3	34.0C	46.5	35.6	7.3	51.7	12.5	55.0	39.2	40.4	71.4	17.6	65.0	46.5	37.7	19.1R	32.8R	21.0	17.6		
Under 30 hours	41	6	16	17	20	4	21	9	20	13	21	30	9	29	19	16	10	17	6	5		
	8.4	7.7	10.3	7.0	11.6	10.3	8.2	16.1	7.3	7.1	10.9	8.6	10.2	9.4	8.5	8.5	11.6	11.3	5.2	5.6		
	100.0	14.6	39.0	41.5	48.8	9.8	51.2	22.0H	48.8	31.7	51.2	73.2	22.0	70.7	46.3	39.0	24.4	41.5	14.6	12.2		
								I														
30 - 34 hours	10	-	5	5	3	-	7	2	5	6	4	9	2	6	7	3	2	6	1	-		
	2.0	-	3.2	2.0	1.7	-	2.7	3.6	1.8	3.3	2.1	2.6	2.3	1.9	3.1	1.6	2.3	4.0	0.9	-		
	100.0	-	50.0	50.0	30.0	-	70.0	20.0	50.0	60.0	40.0	90.0	20.0	60.0	70.0	30.0	20.0	60.0	10.0	-		
35 hours or more	278	51	91	131	94	20	142	30	156	110	108	196	47	179	127	105	51	85	62	53		
	56.6	65.4	58.7	53.7	54.3	51.3	55.7	53.6	56.7	60.1	56.0	56.5	53.4	57.7	57.0	55.9	59.3	56.7	53.4	58.9		
	100.0	18.3	32.7	47.1	33.8	7.2	51.1	10.8	56.1	39.6	38.8	70.5	16.9	64.4	45.7	37.8	18.3	30.6	22.3	19.1		
Not employed for pay	133	18	35	74	43	9	68	8	75	45	50	89	22	80	56	53	18	37	39	25		
	27.1	23.1	22.6	30.3	24.9	23.1	26.7	14.3	27.3	24.6	25.9	25.6	25.0	25.8	25.1	28.2	20.9	24.7	33.6	27.8		
	100.0	13.5	26.3	55.6	32.3	6.8	51.1	6.0	56.4G	33.8	37.6	66.9	16.5	60.2	42.1	39.8	13.5	27.8	29.3P	18.8		
Unknown	29	3	8	17	13	6	17	7	19	9	10	23	8	16	14	11	5	5	8	7		
	5.9	3.8	5.2	7.0	7.5	15.4	6.7	12.5	6.9	4.9	5.2	6.6	9.1	5.2	6.3	5.9	5.8	3.3	6.9	7.8		
	100.0	10.3	27.6	58.6	44.8	20.7I	58.6	24.1I	65.5	31.0	34.5	79.3	27.6	55.2	48.3	37.9	17.2	17.2	27.6	24.1		
						J																
Sigma	491	78	155	244	173	39	255	56	275	183	193	347	88	310	223	188	86	150	116	90		
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0		
	100.0	15.9	31.6	49.7	35.2	7.9	51.9	11.4	56.0	37.3	39.3	70.7	17.9	63.1	45.4	38.3	17.5	30.5	23.6	18.3		

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 94
Occupation Of Head Of Household

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING	VOLUME				
	2 OR LESS	3-9	10+													<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.	
	TOTAL	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
<u>White Collar (Net)</u>	163	25	48	86	67	15	89	20	90	59	68	112	23	109	83	70	33	55	32	29
	33.2	32.1	31.0	35.2	38.7	38.5	34.9	35.7	32.7	32.2	35.2	32.3	26.1	35.2	37.2	37.2	38.4	36.7	27.6	32.2
	100.0	15.3	29.4	52.8	41.1	9.2	54.6	12.3	55.2	36.2	41.7	68.7	14.1	66.9	50.9	42.9	20.2	33.7	19.6	17.8
Professional	66	9	17	37	30	8	36	8	36	21	24	50	8	47	33	29	15	22	13	10
	13.4	11.5	11.0	15.2	17.3	20.5	14.1	14.3	13.1	11.5	12.4	14.4	9.1	15.2	14.8	15.4	17.4	14.7	11.2	11.1
	100.0	13.6	25.8	56.1	45.5	12.1	54.5	12.1	54.5	31.8	36.4	75.8	12.1	71.2	50.0	43.9	22.7	33.3	19.7	15.2
Proprietors/Managers/ Officials	65	9	17	38	22	5	37	10	40	27	30	40	11	41	37	30	10	21	13	16
	13.2	11.5	11.0	15.6	12.7	12.8	14.5	17.9	14.5	14.8	15.5	11.5	12.5	13.2	16.6	16.0	11.6	14.0	11.2	17.8
	100.0	13.8	26.2	58.5	33.8	7.7	56.9	15.4	61.5	41.5	46.2	61.5	16.9	63.1	56.9	46.2	15.4	32.3	20.0	24.6
Clerical	17	4	6	7	10	1	8	2	8	6	8	10	3	14	8	8	6	6	4	1
	3.5	5.1	3.9	2.9	5.8	2.6	3.1	3.6	2.9	3.3	4.1	2.9	3.4	4.5	3.6	4.3	7.0	4.0	3.4	1.1
	100.0	23.5	35.3	41.2	58.8	5.9	47.1	11.8	47.1	35.3	47.1	58.8	17.6	82.4	47.1	47.1	35.3s	35.3	23.5	5.9
Sales	15	3	8	4	5	1	8	-	6	5	6	12	1	7	5	3	2	6	2	2
	3.1	3.8	5.2	1.6	2.9	2.6	3.1	-	2.2	2.7	3.1	3.5	1.1	2.3	2.2	1.6	2.3	4.0	1.7	2.2
	100.0	20.0	53.3c	26.7	33.3	6.7	53.3	-	40.0	33.3	40.0	80.0	6.7	46.7	33.3	20.0	13.3	40.0	13.3	13.3
<u>Blue Collar (Net)</u>	146	26	56	62	46	8	71	16	82	63	57	109	29	94	62	50	26	47	33	27
	29.7	33.3	36.1	25.4	26.6	20.5	27.8	28.6	29.8	34.4	29.5	31.4	33.0	30.3	27.8	26.6	30.2	31.3	28.4	30.0
	100.0	17.8	38.4c	42.5	31.5	5.5	48.6	11.0	56.2	43.2	39.0	74.7	19.9	64.4	42.5	34.2	17.8	32.2	22.6	18.5
Craftsman/Foreman (Skilled)	51	8	17	25	14	4	24	5	28	19	17	41	12	33	19	13	8	16	18	7
	10.4	10.3	11.0	10.2	8.1	10.3	9.4	8.9	10.2	10.4	8.8	11.8	13.6	10.6	8.5	6.9	9.3	10.7	15.5	7.8
	100.0	15.7	33.3	49.0	27.5	7.8	47.1	9.8	54.9	37.3	33.3	80.4	23.5	64.7	37.3	25.5	15.7	31.4	35.3	13.7

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 94
Occupation Of Head Of Household

	SOURCES OF GRAYWATER REUSE											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER											HAS A SURFACE WATER SYSTM	HAS A SUB-SURFC WATER SYSTM	DISP. DIR-ECTLY	WATER TABLE FRUIT GARDN	NON-VEGE-WATER -ING				
	TOTAL	2 OR LESS	3-9	10+	BATH/SHOWR	DIS-POSAL	KITCH SINK	DISH-WASHR	WASH-ING MACH.	CAR WASH-ING	CLEAN-ING HOUSE	GRAY-WATER SYSTM	GRAY-WATER SYSTM	WATER DIR-ECTLY			<10 GALS.	10-49 GALS.	50-199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
Operative (Semi-skilled)	43	6	21	15	17	2	24	1	23	19	14	29	9	32	24	14	10	11	12	6
	8.8	7.7	13.5	6.1	9.8	5.1	9.4	1.8	8.4	10.4	7.3	8.4	10.2	10.3	10.8	7.4	11.6	7.3	10.3	6.7
	100.0	14.0	48.8C	34.9	39.5	4.7	55.8	2.3	53.5	44.2G	32.6	67.4	20.9	74.4	55.8	32.6	23.3	25.6	27.9	14.0
Service workers/Private HH workers	26	8	11	7	8	-	7	5	14	13	12	20	5	17	9	12	4	7	3	8
	5.3	10.3	7.1	2.9	4.6	-	2.7	8.9	5.1	7.1	6.2	5.8	5.7	5.5	4.0	6.4	4.7	4.7	2.6	8.9
	100.0	30.8C	42.3C	26.9	30.8	-	26.9	19.2F	53.8	50.0F	46.2	76.9	19.2	65.4	34.6	46.2	15.4	26.9	11.5	30.8R
Farm	17	3	4	10	4	1	11	2	12	7	9	13	1	7	7	9	3	8	-	5
	3.5	3.8	2.6	4.1	2.3	2.6	4.3	3.6	4.4	3.8	4.7	3.7	1.1	2.3	3.1	4.8	3.5	5.3	-	5.6
	100.0	17.6	23.5	58.8	23.5	5.9	64.7	11.8	70.6	41.2	52.9	76.5	5.9	41.2	41.2	52.9	17.6R	47.1R	-	29.4R
Laborers	9	1	3	5	3	1	5	3	5	5	5	6	2	5	3	2	1	5	-	1
	1.8	1.3	1.9	2.0	1.7	2.6	2.0	5.4	1.8	2.7	2.6	1.7	2.3	1.6	1.3	1.1	1.2	3.3	-	1.1
	100.0	11.1	33.3	55.6	33.3	11.1	55.6	33.3	55.6	55.6	55.6	66.7	22.2	55.6	33.3	22.2	11.1	55.6R	-	11.1
Other (Net)	163	25	45	87	54	11	84	16	94	57	63	112	31	99	69	61	23	46	47	29
	33.2	32.1	29.0	35.7	31.2	28.2	32.9	28.6	34.2	31.1	32.6	32.3	35.2	31.9	30.9	32.4	26.7	30.7	40.5	32.2
	100.0	15.3	27.6	53.4	33.1	6.7	51.5	9.8	57.7	35.0	38.7	68.7	19.0	60.7	42.3	37.4	14.1	28.2	28.8P	17.8
Student	5	1	1	3	-	-	1	1	2	1	1	4	2	4	1	-	3	-	1	-
	1.0	1.3	0.6	1.2	-	-	0.4	1.8	0.7	0.5	0.5	1.2	2.3	1.3	0.4	-	3.5	-	0.9	-
	100.0	20.0	20.0	60.0	-	-	20.0	20.0	40.0	20.0	20.0	80.0	40.0	80.0	20.0	-	60.0Q	-	20.0	-
Military	2	1	1	-	-	-	2	-	1	2	-	2	1	2	-	1	1	-	-	1
	0.4	1.3	0.6	-	-	-	0.8	-	0.4	1.1	-	0.6	1.1	0.6	-	0.5	1.2	-	-	1.1
	100.0	50.0	50.0	-	-	-	100.0	-	50.0	100.0	-	100.0	50.0	100.0	-	50.0	50.0	-	-	50.0

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 94
Occupation Of Head Of Household

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING	OF GRAYWATER REUSED				
	TOTAL	2 OR LESS	3-9													10+	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
Retired/Unemployed	156	23	43	84	54	11	81	15	91	54	62	106	28	93	68	60	19	46	46	28
	31.8	29.5	27.7	34.4	31.2	28.2	31.8	26.8	33.1	29.5	32.1	30.5	31.8	30.0	30.5	31.9	22.1	30.7	39.7	31.1
	100.0	14.7	27.6	53.8	34.6	7.1	51.9	9.6	58.3	34.6	39.7	67.9	17.9	59.6	43.6	38.5	12.2	29.5	29.5p	17.9
Unknown	19	2	6	9	6	5	11	4	9	4	5	14	5	8	9	7	4	2	4	5
	3.9	2.6	3.9	3.7	3.5	12.8	4.3	7.1	3.3	2.2	2.6	4.0	5.7	2.6	4.0	3.7	4.7	1.3	3.4	5.6
	100.0	10.5	31.6	47.4	31.6	26.3D	57.9	21.1	47.4	21.1	26.3	73.7	26.3	42.1	47.4	36.8	21.1	10.5	21.1	26.3
						FH1J														
Sigma	491	78	155	244	173	39	255	56	275	183	193	347	88	310	223	188	86	150	116	90
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	15.9	31.6	49.7	35.2	7.9	51.9	11.4	56.0	37.3	39.3	70.7	17.9	63.1	45.4	38.3	17.5	30.5	23.6	18.3

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 95
Race

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										SOURCES OF GRAYWATER REUSE						GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL										HAS A FACE WATER SYSTM	HAS A SUB- GRAY- WATER SYSTM	DISP. GRAY- WATER ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING										
		2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	WATER DIR- ECTLY	TABLE FRUIT GARDN	NON- WATER -ING									
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.					
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*					
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*					
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*					
White	436	67	142	214	152	34	222	50	248	158	167	313	76	279	193	163	76	137	99	80					
	88.8	85.9	91.6	87.7	87.9	87.2	87.1	89.3	90.2	86.3	86.5	90.2	86.4	90.0	86.5	86.7	88.4	91.3	85.3	88.9					
	100.0	15.4	32.6	49.1	34.9	7.8	50.9	11.5	56.9	36.2	38.3	71.8	17.4	64.0	44.3	37.4	17.4	31.4	22.7	18.3					
Black/African-American	8	5	1	2	1	1	6	-	1	3	4	4	3	5	3	4	3	2	2	-					
	1.6	6.4	0.6	0.8	0.6	2.6	2.4	-	0.4	1.6	2.1	1.2	3.4	1.6	1.3	2.1	3.5	1.3	1.7	-					
	100.0	62.5B	12.5	25.0	12.5	12.5	75.0H	-	12.5	37.5	50.0	50.0	37.5	62.5	37.5	50.0	37.5	25.0	25.0	-					
		C																							
Asian Or Pacific Islander	5	2	-	3	1	-	2	-	3	3	1	4	1	3	3	1	1	-	3	1					
	1.0	2.6	-	1.2	0.6	-	0.8	-	1.1	1.6	0.5	1.2	1.1	1.0	1.3	0.5	1.2	-	2.6	1.1					
	100.0	40.0B	-	60.0	20.0	-	40.0	-	60.0	60.0	20.0	80.0	20.0	60.0	60.0	20.0	20.0	-	60.0Q	20.0					
Other	29	3	8	17	14	2	16	4	17	13	13	20	5	14	17	15	2	10	8	6					
	5.9	3.8	5.2	7.0	8.1	5.1	6.3	7.1	6.2	7.1	6.7	5.8	5.7	4.5	7.6	8.0	2.3	6.7	6.9	6.7					
	100.0	10.3	27.6	58.6	48.3	6.9	55.2	13.8	58.6	44.8	44.8	69.0	17.2	48.3	58.6	51.7	6.9	34.5	27.6	20.7					
Unknown	13	1	4	8	5	2	9	2	6	6	8	6	3	9	7	5	4	1	4	3					
	2.6	1.3	2.6	3.3	2.9	5.1	3.5	3.6	2.2	3.3	4.1	1.7	3.4	2.9	3.1	2.7	4.7	0.7	3.4	3.3					
	100.0	7.7	30.8	61.5	38.5	15.4	69.2	15.4	46.2	46.2	61.5	46.2	23.1	69.2	53.8	38.5	30.8Q	7.7	30.8	23.1					
Sigma	491	78	155	244	173	39	255	56	275	183	193	347	88	310	223	188	86	150	116	90					
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0					
	100.0	15.9	31.6	49.7	35.2	7.9	51.9	11.4	56.0	37.3	39.3	70.7	17.9	63.1	45.4	38.3	17.5	30.5	23.6	18.3					

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 96
Hispanic Origin

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM HAS A HAS A SUR- SUB- DISP.			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTEM	SURFC GRAY- WATER SYSTEM	GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)		(P)	(Q)	(R)	(S)
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
Yes	38	6	14	18	16	3	22	5	22	23	21	28	5	23	18	22	6	12	11	8
	7.7	7.7	9.0	7.4	9.2	7.7	8.6	8.9	8.0	12.6	10.9	8.1	5.7	7.4	8.1	11.7	7.0	8.0	9.5	8.9
	100.0	15.8	36.8	47.4	42.1	7.9	57.9	13.2	57.9	60.5	55.3	73.7	13.2	60.5	47.4	57.9	15.8	31.6	28.9	21.1
No	453	72	141	226	157	36	233	51	253	160	172	319	83	287	205	166	80	138	105	82
	92.3	92.3	91.0	92.6	90.8	92.3	91.4	91.1	92.0	87.4	89.1	91.9	94.3	92.6	91.9	88.3	93.0	92.0	90.5	91.1
	100.0	15.9	31.1	49.9	34.7	7.9	51.4	11.3	55.8	35.3	38.0	70.4	18.3	63.4	45.3	36.6	17.7	30.5	23.2	18.1
Sigma	491	78	155	244	173	39	255	56	275	183	193	347	88	310	223	188	86	150	116	90
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	15.9	31.6	49.7	35.2	7.9	51.9	11.4	56.0	37.3	39.3	70.7	17.9	63.1	45.4	38.3	17.5	30.5	23.6	18.3

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 97
Own Or Rent

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE								GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL			BATH/ SHOWR	GARBG		DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	FACE GRAY- WATER SYSTM	SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER VEGE- TABLE GARDN	NON- FRUIT -ING					
		2 OR LESS	3-9		10+	DIS- POSAL										KITCH SINK	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
		(A)	(B)		(C)	(D)										(E)	(F)	(G)	(H)	(I)
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
Own	384	48	111	212	141	29	191	44	222	139	150	269	70	238	176	148	53	118	92	80
	78.2	61.5	71.6	86.9	81.5	74.4	74.9	78.6	80.7	76.0	77.7	77.5	79.5	76.8	78.9	78.7	61.6	78.7	79.3	88.9
	100.0	12.5	28.9	55.2A	36.7	7.6	49.7	11.5	57.8	36.2	39.1	70.1	18.2	62.0	45.8	38.5	13.8	30.7P	24.0P	20.8PQ
				B																
Rent or lease	85	26	35	24	28	6	52	8	36	31	33	59	13	56	38	34	30	26	17	8
	17.3	33.3	22.6	9.8	16.2	15.4	20.4	14.3	13.1	16.9	17.1	17.0	14.8	18.1	17.0	18.1	34.9	17.3	14.7	8.9
	100.0	30.6C	41.2C	28.2	32.9	7.1	61.2H	9.4	42.4	36.5	38.8	69.4	15.3	65.9	44.7	40.0	35.3Q	30.6	20.0	9.4
																	RS			
Other	15	2	9	4	3	3	8	3	13	10	7	12	4	11	8	5	1	4	6	1
	3.1	2.6	5.8	1.6	1.7	7.7	3.1	5.4	4.7	5.5	3.6	3.5	4.5	3.5	3.6	2.7	1.2	2.7	5.2	1.1
	100.0	13.3	60.0C	26.7	20.0	20.0D	53.3	20.0	86.7	66.7	46.7	80.0	26.7	73.3	53.3	33.3	6.7	26.7	40.0	6.7
Unknown	7	2	-	4	1	1	4	1	4	3	3	7	1	5	1	1	2	2	1	1
	1.4	2.6	-	1.6	0.6	2.6	1.6	1.8	1.5	1.6	1.6	2.0	1.1	1.6	0.4	0.5	2.3	1.3	0.9	1.1
	100.0	28.6B	-	57.1	14.3	14.3	57.1	14.3	57.1	42.9	42.9	100.0	14.3	71.4	14.3	14.3	28.6	28.6	14.3	14.3
Sigma	491	78	155	244	173	39	255	56	275	183	193	347	88	310	223	188	86	150	116	90
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	15.9	31.6	49.7	35.2	7.9	51.9	11.4	56.0	37.3	39.3	70.7	17.9	63.1	45.4	38.3	17.5	30.5	23.6	18.3

Proportions/Means: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 98
Kitchen Appliances

												GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
												HAS A HAS A								
												SUR- FACE GRAY- WATER SYSTM	SUB- GRAY- WATER SYSTM	DISP. DIR- ECTLY						
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE								WATER TABLE FRUIT GARDN	NON- ING							
	TOTAL	2 OR LESS	3-9	10+	BATH/ DIS- SHWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	GRAY- WATER DIR- ECTLY	VEGE- TABLE FRUIT GARDN	NON- ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
Microwave	457	72	144	230	158	36	235	52	254	168	178	321	83	290	206	173	78	145	106	84
	93.1	92.3	92.9	94.3	91.3	92.3	92.2	92.9	92.4	91.8	92.2	92.5	94.3	93.5	92.4	92.0	90.7	96.7	91.4	93.3
	100.0	15.8	31.5	50.3	34.6	7.9	51.4	11.4	55.6	36.8	38.9	70.2	18.2	63.5	45.1	37.9	17.1	31.7	23.2	18.4
No microwave	34	6	11	14	15	3	20	4	21	15	15	26	5	20	17	15	8	5	10	6
	6.9	7.7	7.1	5.7	8.7	7.7	7.8	7.1	7.6	8.2	7.8	7.5	5.7	6.5	7.6	8.0	9.3	3.3	8.6	6.7
	100.0	17.6	32.4	41.2	44.1	8.8	58.8	11.8	61.8	44.1	44.1	76.5	14.7	58.8	50.0	44.1	23.5	14.7	29.4	17.6
No answer	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sigma	491	78	155	244	173	39	255	56	275	183	193	347	88	310	223	188	86	150	116	90
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	15.9	31.6	49.7	35.2	7.9	51.9	11.4	56.0	37.3	39.3	70.7	17.9	63.1	45.4	38.3	17.5	30.5	23.6	18.3

Proportions/Means: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 99
Marital Status

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL				BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING										
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)								
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*						
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*						
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*						
Married	287	41	92	145	98	22	145	35	155	99	106	190	53	181	131	99	43	96	60	58						
	58.5	52.6	59.4	59.4	56.6	56.4	56.9	62.5	56.4	54.1	54.9	54.8	60.2	58.4	58.7	52.7	50.0	64.0	51.7	64.4						
	100.0	14.3	32.1	50.5	34.1	7.7	50.5	12.2	54.0	34.5	36.9	66.2	18.5	63.1	45.6	34.5	15.0	33.4P	20.9	20.2						
																	R									
Not Married	195	35	61	94	73	15	106	20	115	79	83	150	35	123	90	83	41	51	53	32						
	39.7	44.9	39.4	38.5	42.2	38.5	41.6	35.7	41.8	43.2	43.0	43.2	39.8	39.7	40.4	44.1	47.7	34.0	45.7	35.6						
	100.0	17.9	31.3	48.2	37.4	7.7	54.4	10.3	59.0	40.5	42.6	76.9	17.9	63.1	46.2	42.6	21.0Q	26.2	27.2	16.4						
Widowed	49	6	11	28	19	6	22	5	30	15	25	36	13	28	23	21	8	12	15	8						
	10.0	7.7	7.1	11.5	11.0	15.4	8.6	8.9	10.9	8.2	13.0	10.4	14.8	9.0	10.3	11.2	9.3	8.0	12.9	8.9						
	100.0	12.2	22.4	57.1	38.8	12.2	44.9	10.2	61.2	30.6	51.0	73.5	26.5	57.1	46.9	42.9	16.3	24.5	30.6	16.3						
Divorced/Separated	75	15	27	32	24	6	45	8	46	33	28	57	7	47	35	33	16	19	21	12						
	15.3	19.2	17.4	13.1	13.9	15.4	17.6	14.3	16.7	18.0	14.5	16.4	8.0	15.2	15.7	17.6	18.6	12.7	18.1	13.3						
	100.0	20.0	36.0	42.7	32.0	8.0	60.0	10.7	61.3	44.0	37.3	76.0L	9.3	62.7	46.7	44.0	21.3	25.3	28.0	16.0						
Single	71	14	23	34	30	3	39	7	39	31	30	57	15	48	32	29	17	20	17	12						
	14.5	17.9	14.8	13.9	17.3	7.7	15.3	12.5	14.2	16.9	15.5	16.4	17.0	15.5	14.3	15.4	19.8	13.3	14.7	13.3						
	100.0	19.7	32.4	47.9	42.3	4.2	54.9	9.9	54.9	43.7	42.3	80.3	21.1	67.6	45.1	40.8	23.9	28.2	23.9	16.9						
Unknown	9	2	2	5	2	2	4	1	5	5	4	7	-	6	2	6	2	3	3	-						
	1.8	2.6	1.3	2.0	1.2	5.1	1.6	1.8	1.8	2.7	2.1	2.0	-	1.9	0.9	3.2	2.3	2.0	2.6	-						
	100.0	22.2	22.2	55.6	22.2	22.2	44.4	11.1	55.6	55.6	44.4	77.8	-	66.7	22.2	66.7	22.2	33.3	33.3	-						
Sigma	491	78	155	244	173	39	255	56	275	183	193	347	88	310	223	188	86	150	116	90						
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0						
	100.0	15.9	31.6	49.7	35.2	7.9	51.9	11.4	56.0	37.3	39.3	70.7	17.9	63.1	45.4	38.3	17.5	30.5	23.6	18.3						

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 100
Detailed Occupation

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										SOURCES OF GRAYWATER REUSE					GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED							
	TOTAL				BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A FACE GRAY- WATER SYSTEM	HAS A SUB- SURFC GRAY- WATER SYSTEM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING												
		2 OR LESS	3-9	10+																								
																	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.								
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)										
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*								
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*								
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*								
Accountant	4	-	2	2	1	1	3	-	3	2	2	4	-	4	2	2	1	1	1	1								
	0.8	-	1.3	0.8	0.6	2.6	1.2	-	1.1	1.1	1.0	1.2	-	1.3	0.9	1.1	1.2	0.7	0.9	1.1								
	100.0	-	50.0	50.0	25.0	25.0	75.0	-	75.0	50.0	50.0	100.0	-	100.0	50.0	50.0	25.0	25.0	25.0	25.0								
Architect/Engineer	9	2	1	6	5	3	6	1	2	3	5	4	2	6	3	6	5	1	1	2								
	1.8	2.6	0.6	2.5	2.9	7.7	2.4	1.8	0.7	1.6	2.6	1.2	2.3	1.9	1.3	3.2	5.8	0.7	0.9	2.2								
	100.0	22.2	11.1	66.7	55.6	33.3H	66.7	11.1	22.2	33.3	55.6	44.4	22.2	66.7	33.3	66.7	55.6Q	11.1	11.1	22.2								
						I											R											
Artist/Entertainer/Writer	11	-	3	7	7	2	7	-	6	3	3	8	1	6	8	6	4	3	2	2								
	2.2	-	1.9	2.9	4.0	5.1	2.7	-	2.2	1.6	1.6	2.3	1.1	1.9	3.6	3.2	4.7	2.0	1.7	2.2								
	100.0	-	27.3	63.6	63.6	18.2	63.6	-	54.5	27.3	27.3	72.7	9.1	54.5	72.7	54.5	36.4	27.3	18.2	18.2								
Business, Non-Managerial Professional	13	1	4	8	7	2	4	2	7	4	5	10	1	7	6	8	2	5	4	-								
	2.6	1.3	2.6	3.3	4.0	5.1	1.6	3.6	2.5	2.2	2.6	2.9	1.1	2.3	2.7	4.3	2.3	3.3	3.4	-								
	100.0	7.7	30.8	61.5	53.8	15.4	30.8	15.4	53.8	30.8	38.5	76.9	7.7	53.8	46.2	61.5	15.4	38.5	30.8	-								
Computer Programmer/System Analyst	4	2	1	1	2	-	2	-	-	-	1	3	-	3	2	1	2	1	1	-								
	0.8	2.6	0.6	0.4	1.2	-	0.8	-	-	-	0.5	0.9	-	1.0	0.9	0.5	2.3	0.7	0.9	-								
	100.0	50.0	25.0	25.0	50.0	-	50.0	-	-	-	25.0	75.0	-	75.0	50.0	25.0	50.0	25.0	25.0	-								
Dentist/Doctor/Optometrist/Pharmacist	3	-	1	1	1	-	-	-	3	-	-	3	-	3	-	1	-	-	-	-								
	0.6	-	0.6	0.4	0.6	-	-	-	1.1	-	-	0.9	-	1.0	-	0.5	-	-	-	-								
	100.0	-	33.3	33.3	33.3	-	-	-	100.0	-	-	100.0	-	100.0	-	33.3	-	-	-	-								
Economist/Mathematician/Scientist	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 100
Detailed Occupation

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL				BATH/ SHWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A SUR- FACE WATER SYSTM	HAS A SUB- SURFC WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING										
		2 OR LESS	3-9	10+																						
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)								
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*						
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0						
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*						
Educator/Lecturer/Teacher	13	1	3	8	4	-	9	3	9	5	4	12	2	9	8	5	-	7	2	4						
	2.6	1.3	1.9	3.3	2.3	-	3.5	5.4	3.3	2.7	2.1	3.5	2.3	2.9	3.6	2.7	-	4.7	1.7	4.4						
	100.0	7.7	23.1	61.5	30.8	-	69.2	23.1	69.2	38.5	30.8	92.3	15.4	69.2	61.5	38.5	-	53.8P	15.4	30.8						
Lawyer/Paralegal	1	-	-	1	1	-	-	1	-	-	-	1	-	1	1	-	-	1	-	-						
	0.2	-	-	0.4	0.6	-	-	1.8	-	-	-	0.3	-	0.3	0.4	-	-	0.7	-	-						
	100.0	-	-	100.0	100.0	-	-	100.0FH	-	-	-	100.0	-	100.0	100.0	-	-	100.0	-	-						
Medical Technician/Paramedic/ R.N./Therapist	7	3	2	2	2	-	4	1	5	4	4	4	2	7	2	-	1	3	1	1						
	1.4	3.8	1.3	0.8	1.2	-	1.6	1.8	1.8	2.2	2.1	1.2	2.3	2.3	0.9	-	1.2	2.0	0.9	1.1						
	100.0	42.9	28.6	28.6	28.6	-	57.1	14.3	71.4	57.1	57.1	57.1	28.6	100.0	28.6	-	14.3	42.9	14.3	14.3						
Religious/Social Worker	1	-	-	1	-	-	1	-	1	-	-	1	-	1	1	-	-	-	1	-						
	0.2	-	-	0.4	-	-	0.4	-	0.4	-	-	0.3	-	0.3	0.4	-	-	-	0.9	-						
	100.0	-	-	100.0	-	-	100.0	-	100.0	-	-	100.0	-	100.0	100.0	-	-	-	100.0	-						
Administrator/Company Officer/ Manager/Supervisor	39	8	9	22	15	3	20	5	21	14	19	24	8	23	19	17	5	16	6	8						
	7.9	10.3	5.8	9.0	8.7	7.7	7.8	8.9	7.6	7.7	9.8	6.9	9.1	7.4	8.5	9.0	5.8	10.7	5.2	8.9						
	100.0	20.5	23.1	56.4	38.5	7.7	51.3	12.8	53.8	35.9	48.7	61.5	20.5	59.0	48.7	43.6	12.8	41.0	15.4	20.5						
Banker/Controller/Financial Analyst	2	-	-	2	-	-	1	1	2	1	1	2	-	1	2	1	-	1	-	1						
	0.4	-	-	0.8	-	-	0.4	1.8	0.7	0.5	0.5	0.6	-	0.3	0.9	0.5	-	0.7	-	1.1						
	100.0	-	-	100.0	-	-	50.0	50.0	100.0	50.0	50.0	100.0	-	50.0	100.0	50.0	-	50.0	-	50.0						
Builder/Contractor	4	-	1	3	1	-	3	-	2	1	-	2	1	4	2	3	1	-	-	2						
	0.8	-	0.6	1.2	0.6	-	1.2	-	0.7	0.5	-	0.6	1.1	1.3	0.9	1.6	1.2	-	-	2.2						
	100.0	-	25.0	75.0	25.0	-	75.0	-	50.0	25.0	-	50.0	25.0	100.0	50.0	75.0	25.0	-	-	50.0						

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 100
Detailed Occupation

	SOURCES OF GRAYWATER REUSE											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			BATH/SHOWER	GARBG DIS-POSAL	KITCH SINK	DISH-WASHR	WASH-ING MACH.	CAR WASH-ING	CLEAN-ING HOUSE	HAS A SUR-FACE GRAY-WATER SYSTM	HAS A SUB-SURFC GRAY-WATER SYSTM	DISP. WATER DIR-ECTLY	WATER TABLE FRUIT GARDN	NON-VEGE-ING	VOLUME OF GRAYWATER REUSED				
	TOTAL	2 OR LESS	3-9													10+	<10 GALS.	10-49 GALS.	50-199 GALS.	200+ GALS.
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
Buyer/Purchasing Agent	1	-	-	1	-	-	-	-	1	-	1	1	-	1	1	1	-	1	-	-
	0.2	-	-	0.4	-	-	-	-	0.4	-	0.5	0.3	-	0.3	0.4	0.5	-	0.7	-	-
	100.0	-	-	100.0	-	-	-	-	100.0	-	100.0	100.0	-	100.0	100.0	100.0	-	100.0	-	-
Owner Of Business, Company, Or Store	16	1	7	7	4	2	12	3	13	10	7	11	1	11	10	6	4	3	5	4
	3.3	1.3	4.5	2.9	2.3	5.1	4.7	5.4	4.7	5.5	3.6	3.2	1.1	3.5	4.5	3.2	4.7	2.0	4.3	4.4
	100.0	6.3	43.8	43.8	25.0	12.5	75.0	18.8	81.3	62.5	43.8	68.8	6.3	68.8	62.5	37.5	25.0	18.8	31.3	25.0
Public Official	3	-	-	3	2	-	1	1	1	1	2	-	1	1	3	2	-	-	2	1
	0.6	-	-	1.2	1.2	-	0.4	1.8	0.4	0.5	1.0	-	1.1	0.3	1.3	1.1	-	-	1.7	1.1
	100.0	-	-	100.0	66.7	-	33.3	33.3	33.3	33.3	66.7	-	33.3K	33.3	100.0	66.7	-	-	66.7	33.3
Mailroom/Messenger/Postal Worker	5	2	1	2	3	-	2	1	1	2	1	4	-	4	3	3	-	3	2	-
	1.0	2.6	0.6	0.8	1.7	-	0.8	1.8	0.4	1.1	0.5	1.2	-	1.3	1.3	1.6	-	2.0	1.7	-
	100.0	40.0	20.0	40.0	60.0	-	40.0	20.0	20.0	40.0	20.0	80.0	-	80.0	60.0	60.0	-	60.0	40.0	-
Bank Teller/Bookkeeper/Cashier	3	1	1	1	2	1	2	-	3	1	2	2	2	2	2	1	1	-	1	1
	0.6	1.3	0.6	0.4	1.2	2.6	0.8	-	1.1	0.5	1.0	0.6	2.3	0.6	0.9	0.5	1.2	-	0.9	1.1
	100.0	33.3	33.3	33.3	66.7	33.3	66.7	-	100.0	33.3	66.7	66.7	66.7	66.7	66.7	33.3	33.3	-	33.3	33.3
Clerk (all types, except sales)	6	1	2	3	3	-	2	-	3	1	3	4	1	6	2	4	3	2	1	-
	1.2	1.3	1.3	1.2	1.7	-	0.8	-	1.1	0.5	1.6	1.2	1.1	1.9	0.9	2.1	3.5	1.3	0.9	-
	100.0	16.7	33.3	50.0	50.0	-	33.3	-	50.0	16.7	50.0	66.7	16.7	100.0	33.3	66.7	50.0	33.3	16.7	-
Computer/CRT/Data Entry/Keypunch Operator	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 100
Detailed Occupation

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										SOURCES OF GRAYWATER REUSE					GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL				BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING								
		2 OR LESS	3-9	10+													<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.				
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)						
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*				
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*				
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*				
Insurance Adjuster	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Receptionist/Secretary/Typist	3	-	2	1	2	-	2	1	1	2	2	-	-	2	1	-	2	1	-	-				
	0.6	-	1.3	0.4	1.2	-	0.8	1.8	0.4	1.1	1.0	-	-	0.6	0.4	-	2.3	0.7	-	-				
	100.0	-	66.7	33.3	66.7	-	66.7	33.3	33.3	66.7	66.7	-	-	66.7	33.3	-	66.7	33.3	-	-				
Sales-Insurance/Real Estate/ Services	2	-	1	1	-	-	1	-	-	-	1	1	-	1	1	-	1	1	-	-				
	0.4	-	0.6	0.4	-	-	0.4	-	-	-	0.5	0.3	-	0.3	0.4	-	1.2	0.7	-	-				
	100.0	-	50.0	50.0	-	-	50.0	-	-	-	50.0	50.0	-	50.0	50.0	-	50.0	50.0	-	-				
Sales-Industrial/Wholesale	3	-	3	-	1	-	1	-	2	1	1	3	1	1	1	-	1	2	-	-				
	0.6	-	1.9	-	0.6	-	0.4	-	0.7	0.5	0.5	0.9	1.1	0.3	0.4	-	1.2	1.3	-	-				
	100.0	-	100.0	-	33.3	-	33.3	-	66.7	33.3	33.3	100.0	33.3	33.3	33.3	-	33.3	66.7	-	-				
Sales-Retail	10	3	4	3	4	1	6	-	4	4	4	8	-	5	3	3	-	3	2	2				
	2.0	3.8	2.6	1.2	2.3	2.6	2.4	-	1.5	2.2	2.1	2.3	-	1.6	1.3	1.6	-	2.0	1.7	2.2				
	100.0	30.0	40.0	30.0	40.0	10.0	60.0	-	40.0	40.0	40.0	80.0	-	50.0	30.0	30.0	-	30.0	20.0	20.0				
Baker/Butcher/Seamstress/ Tailor	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Carpenter/Electrician/Painter/ Plumber	14	2	7	5	2	-	8	2	7	4	5	11	4	10	7	2	2	7	3	2				
	2.9	2.6	4.5	2.0	1.2	-	3.1	3.6	2.5	2.2	2.6	3.2	4.5	3.2	3.1	1.1	2.3	4.7	2.6	2.2				
	100.0	14.3	50.0	35.7	14.3	-	57.1	14.3	50.0	28.6	35.7	78.6	28.6	71.4	50.0	14.3	14.3	50.0	21.4	14.3				

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 100
Detailed Occupation

	SOURCES OF GRAYWATER REUSE											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER											HAS A HAS A			WATER					
												SUR- SUB- DISP.			VEGE-					
												FACE SURFC GRAY-			TABLE NON-					
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	WATER DIR- ECTLY	FRUIT GARDN	WATER -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
Construction or Road Machine Operator	10	3	2	5	1	-	3	2	4	5	4	8	4	7	-	2	2	2	4	2
	2.0	3.8	1.3	2.0	0.6	-	1.2	3.6	1.5	2.7	2.1	2.3	4.5	2.3	-	1.1	2.3	1.3	3.4	2.2
	100.0	30.0	20.0	50.0	10.0	-	30.0	20.0	40.0	50.0	40.0	80.0	40.0	70.0	-	20.0	20.0	20.0	40.0	20.0
Foreman	3	-	1	2	-	-	1	-	2	2	1	2	-	2	2	2	-	1	1	-
	0.6	-	0.6	0.8	-	-	0.4	-	0.7	1.1	0.5	0.6	-	0.6	0.9	1.1	-	0.7	0.9	-
	100.0	-	33.3	66.7	-	-	33.3	-	66.7	66.7	33.3	66.7	-	66.7	66.7	66.7	-	33.3	33.3	-
Mechanic/Repairman	12	1	4	6	5	2	6	1	8	6	4	11	1	7	3	1	1	3	5	2
	2.4	1.3	2.6	2.5	2.9	5.1	2.4	1.8	2.9	3.3	2.1	3.2	1.1	2.3	1.3	0.5	1.2	2.0	4.3	2.2
	100.0	8.3	33.3	50.0	41.7	16.7	50.0	8.3	66.7	50.0	33.3	91.7	8.3	58.3	25.0	8.3	8.3	25.0	41.7	16.7
Utility Lineman/Service	2	2	-	-	-	-	-	-	2	-	-	2	1	2	1	-	1	1	-	-
	0.4	2.6	-	-	-	-	-	-	0.7	-	-	0.6	1.1	0.6	0.4	-	1.2	0.7	-	-
	100.0	100.0BC	-	-	-	-	-	-	100.0	-	-	100.0	50.0	100.0	50.0	-	50.0	50.0	-	-
Technician (except Medical)	10	-	3	7	6	2	6	-	5	2	3	7	2	5	6	6	2	2	5	1
	2.0	-	1.9	2.9	3.5	5.1	2.4	-	1.8	1.1	1.6	2.0	2.3	1.6	2.7	3.2	2.3	1.3	4.3	1.1
	100.0	-	30.0	70.0	60.0	20.0	60.0	-	50.0	20.0	30.0	70.0	20.0	50.0	60.0	60.0	20.0	20.0	50.0	10.0
Delivery/Routeman	5	2	2	1	2	-	4	-	3	3	1	4	1	3	4	1	4	-	1	-
	1.0	2.6	1.3	0.4	1.2	-	1.6	-	1.1	1.6	0.5	1.2	1.1	1.0	1.8	0.5	4.7	-	0.9	-
	100.0	40.0	40.0	20.0	40.0	-	80.0	-	60.0	60.0	20.0	80.0	20.0	60.0	80.0	20.0	80.0qs	-	20.0	-
Driver-Bus/Taxi/Truck	12	3	6	2	4	-	7	1	6	6	4	8	2	9	6	4	3	5	1	2
	2.4	3.8	3.9	0.8	2.3	-	2.7	1.8	2.2	3.3	2.1	2.3	2.3	2.9	2.7	2.1	3.5	3.3	0.9	2.2
	100.0	25.0	50.0C	16.7	33.3	-	58.3	8.3	50.0	50.0	33.3	66.7	16.7	75.0	50.0	33.3	25.0	41.7	8.3	16.7

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 100
Detailed Occupation

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			BATH/ SHOWER	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A SUR- FACE WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- VEGE- -ING	OF GRAYWATER REUSED				
	TOTAL	2 OR LESS	3-9													10+	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
Factory Machine Operator	22	1	12	9	9	2	11	-	12	9	9	14	5	17	11	9	3	5	9	3
	4.5	1.3	7.7	3.7	5.2	5.1	4.3	-	4.4	4.9	4.7	4.0	5.7	5.5	4.9	4.8	3.5	3.3	7.8	3.3
	100.0	4.5	54.5A	40.9	40.9	9.1	50.0	-	54.5	40.9	40.9	63.6	22.7	77.3	50.0	40.9	13.6	22.7	40.9	13.6
Factory/Railroad Worker	4	-	1	3	2	-	2	-	2	1	-	3	1	3	3	-	-	1	1	1
	0.8	-	0.6	1.2	1.2	-	0.8	-	0.7	0.5	-	0.9	1.1	1.0	1.3	-	-	0.7	0.9	1.1
	100.0	-	25.0	75.0	50.0	-	50.0	-	50.0	25.0	-	75.0	25.0	75.0	75.0	-	-	25.0	25.0	25.0
Member Of The Armed Forces	2	1	1	-	-	-	2	-	1	2	-	2	1	2	-	1	1	-	-	1
	0.4	1.3	0.6	-	-	-	0.8	-	0.4	1.1	-	0.6	1.1	0.6	-	0.5	1.2	-	-	1.1
	100.0	50.0	50.0	-	-	-	100.0	-	50.0	100.0	-	100.0	50.0	100.0	-	50.0	50.0	-	-	50.0
Barber/Beautician	1	-	-	1	-	-	-	-	1	1	-	1	-	1	-	-	-	1	-	-
	0.2	-	-	0.4	-	-	-	-	0.4	0.5	-	0.3	-	0.3	-	-	-	0.7	-	-
	100.0	-	-	100.0	-	-	-	-	100.0	100.0	-	100.0	-	100.0	-	-	-	100.0	-	-
Bartender/Cook/Waiter/Waitress	5	2	3	-	3	-	3	1	1	.3	-	4	2	3	1	4	2	1	1	1
	1.0	2.6	1.9	-	1.7	-	1.2	1.8	0.4	1.6	-	1.2	2.3	1.0	0.4	2.1	2.3	0.7	0.9	1.1
	100.0	40.0C	60.0C	-	60.0	-	60.0	20.0	20.0	60.0	-	80.0	40.0	60.0	20.0	80.0	40.0	20.0	20.0	20.0
Child Care Worker/Housekeeper/ Maid	8	3	3	2	3	-	2	2	5	5	5	5	1	5	4	5	2	2	1	-
	1.6	3.8	1.9	0.8	1.7	-	0.8	3.6	1.8	2.7	2.6	1.4	1.1	1.6	1.8	2.7	2.3	1.3	0.9	-
	100.0	37.5	37.5	25.0	37.5	-	25.0	25.0	62.5	62.5	62.5	62.5	12.5	62.5	50.0	62.5	25.0	25.0	12.5	-
Dental Assistant/Practical Nurse	2	1	1	-	-	-	-	-	2	-	-	2	1	2	-	-	-	-	1	1
	0.4	1.3	0.6	-	-	-	-	-	0.7	-	-	0.6	1.1	0.6	-	-	-	-	0.9	1.1
	100.0	50.0	50.0	-	-	-	-	-	100.0	-	-	100.0	50.0	100.0	-	-	-	-	50.0	50.0

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 100
Detailed Occupation

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL											HAS A	HAS A	DISP.	WATER	NON- VEGE- TABLE FRUIT GARDN	WATER									
		2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	WATER DIR- ECTLY												
															FACE			SURFC	GRAY- WATER							
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)								
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*						
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*						
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*						
Fireman/Guard/Policeman	6	1	2	3	2	-	1	2	2	2	3	5	1	4	2	1	-	1	-	5						
	1.2	1.3	1.3	1.2	1.2	-	0.4	3.6	0.7	1.1	1.6	1.4	1.1	1.3	0.9	0.5	-	0.7	-	5.6						
	100.0	16.7	33.3	50.0	33.3	-	16.7	33.3F	33.3	33.3	50.0	83.3	16.7	66.7	33.3	16.7	-	16.7	-	83.3PQR						
Janitor/Porter	4	1	2	1	-	-	1	-	3	2	4	3	-	2	2	2	-	2	-	1						
	0.8	1.3	1.3	0.4	-	-	0.4	-	1.1	1.1	2.1	0.9	-	0.6	0.9	1.1	-	1.3	-	1.1						
	100.0	25.0	50.0	25.0	-	-	25.0	-	75.0	50.0	100.0	75.0	-	50.0	50.0	50.0	-	50.0	-	25.0						
Farmer	17	3	4	10	4	1	11	2	12	7	9	13	1	7	7	9	3	8	-	5						
	3.5	3.8	2.6	4.1	2.3	2.6	4.3	3.6	4.4	3.8	4.7	3.7	1.1	2.3	3.1	4.8	3.5	5.3	-	5.6						
	100.0	17.6	23.5	58.8	23.5	5.9	64.7	11.8	70.6	41.2	52.9	76.5	5.9	41.2	41.2	52.9	17.6R	47.1R	-	29.4R						
Student	5	1	1	3	-	-	1	1	2	1	1	4	2	4	1	-	3	-	1	-						
	1.0	1.3	0.6	1.2	-	-	0.4	1.8	0.7	0.5	0.5	1.2	2.3	1.3	0.4	-	3.5	-	0.9	-						
	100.0	20.0	20.0	60.0	-	-	20.0	20.0	40.0	20.0	20.0	80.0	40.0	80.0	20.0	-	60.0Q	-	20.0	-						
Construction/Shipping Worker	3	-	2	1	1	-	2	2	1	2	2	2	-	3	1	1	1	2	-	-						
	0.6	-	1.3	0.4	0.6	-	0.8	3.6	0.4	1.1	1.0	0.6	-	1.0	0.4	0.5	1.2	1.3	-	-						
	100.0	-	66.7	33.3	33.3	-	66.7	66.7H	33.3	66.7	66.7	66.7	-	100.0	33.3	33.3	33.3	66.7	-	-						
Fisherman/Gardener/Lumberman	6	1	1	4	2	1	3	1	4	3	3	4	2	2	2	1	-	3	-	1						
	1.2	1.3	0.6	1.6	1.2	2.6	1.2	1.8	1.5	1.6	1.6	1.2	2.3	0.6	0.9	0.5	-	2.0	-	1.1						
	100.0	16.7	16.7	66.7	33.3	16.7	50.0	16.7	66.7	50.0	50.0	66.7	33.3	33.3	33.3	16.7	-	50.0	-	16.7						
Housewife	16	3	6	7	6	1	6	1	8	4	7	12	6	9	7	5	1	8	1	2						
	3.3	3.8	3.9	2.9	3.5	2.6	2.4	1.8	2.9	2.2	3.6	3.5	6.8	2.9	3.1	2.7	1.2	5.3	0.9	2.2						
	100.0	18.8	37.5	43.8	37.5	6.3	37.5	6.3	50.0	25.0	43.8	75.0	37.5	56.3	43.8	31.3	6.3	50.0R	6.3	12.5						

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 100
Detailed Occupation

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										SOURCES OF GRAYWATER REUSE					GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL				BATH/ SHWR	GARBG		DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	SUB- SURFC GRAY- WATER	DISP. DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING								
		2 OR LESS	3-9	10+		DIS- POSAL	KITCH SINK																	
																	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*				
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*				
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*				
Retired	101	11	20	65	31	7	51	10	62	36	40	64	14	61	42	44	14	29	33	14				
	20.6	14.1	12.9	26.6	17.9	17.9	20.0	17.9	22.5	19.7	20.7	18.4	15.9	19.7	18.8	23.4	16.3	19.3	28.4	15.6				
	100.0	10.9	19.8	64.4A	30.7	6.9	50.5	9.9	61.4	35.6	39.6	63.4	13.9	60.4	41.6	43.6	13.9	28.7	32.7P	13.9				
				B															S					
Unemployed/Temporarily laid off	8	2	3	3	3	-	4	1	5	2	2	7	2	3	5	1	1	2	2	2				
	1.6	2.6	1.9	1.2	1.7	-	1.6	1.8	1.8	1.1	1.0	2.0	2.3	1.0	2.2	0.5	1.2	1.3	1.7	2.2				
	100.0	25.0	37.5	37.5	37.5	-	50.0	12.5	62.5	25.0	25.0	87.5	25.0	37.5	62.5	12.5	12.5	25.0	25.0	25.0				
Unable to work	31	7	14	9	14	3	20	3	16	12	13	23	6	20	14	10	3	7	10	10				
	6.3	9.0	9.0	3.7	8.1	7.7	7.8	5.4	5.8	6.6	6.7	6.6	6.8	6.5	6.3	5.3	3.5	4.7	8.6	11.1				
	100.0	22.6	45.2C	29.0	45.2	9.7	64.5	9.7	51.6	38.7	41.9	74.2	19.4	64.5	45.2	32.3	9.7	22.6	32.3	32.3				
No member/unknown	19	2	6	9	6	5	11	4	9	4	5	14	5	8	9	7	4	2	4	5				
	3.9	2.6	3.9	3.7	3.5	12.8	4.3	7.1	3.3	2.2	2.6	4.0	5.7	2.6	4.0	3.7	4.7	1.3	3.4	5.6				
	100.0	10.5	31.6	47.4	31.6	26.3D	57.9	21.1	47.4	21.1	26.3	73.7	26.3	42.1	47.4	36.8	21.1	10.5	21.1	26.3				
						FH IJ																		
Sigma	491	78	155	244	173	39	255	56	275	183	193	347	88	310	223	188	86	150	116	90				
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0				
	100.0	15.9	31.6	49.7	35.2	7.9	51.9	11.4	56.0	37.3	39.3	70.7	17.9	63.1	45.4	38.3	17.5	30.5	23.6	18.3				

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 101
MSA

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WAT- ING					
	2 OR LESS	3-9	10+	BATH/ DIS- SHWR	GARBG POSAL	KITCH SINK	DISH- ING WASHR	CAR WASH- ING MACH.	CLEAN -ING HOUSE											
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
0040 ABILENE, TX	2	1	-	1	1	-	1	1	2	1	1	2	-	1	-	-	-	-	-	2
	0.4	1.3	-	0.4	0.6	-	0.4	1.8	0.7	0.5	0.5	0.6	-	0.3	-	-	-	-	-	2.2
	100.0	50.0	-	50.0	50.0	-	50.0	50.0	100.0	50.0	50.0	100.0	-	50.0	-	-	-	-	-	100.0
0080 AKRON, OH	2	1	1	-	-	-	1	-	1	-	-	1	-	1	-	-	2	-	-	-
	0.4	1.3	0.6	-	-	-	0.4	-	0.4	-	-	0.3	-	0.3	-	-	2.3	-	-	-
	100.0	50.0	50.0	-	-	-	50.0	-	50.0	-	-	50.0	-	50.0	-	-	100.0	-	-	-
0240 ALLENTOWN-BETHLEHEM- EASTON PA	2	-	1	1	2	-	1	-	1	2	1	-	1	1	2	1	1	-	-	1
	0.4	-	0.6	0.4	1.2	-	0.4	-	0.4	1.1	0.5	-	1.1	0.3	0.9	0.5	1.2	-	-	1.1
	100.0	-	50.0	50.0	100.0	-	50.0	-	50.0	100.0	50.0	-	50.0K	50.0	100.0	50.0	50.0	-	-	50.0
0280 ALTOONA, PA	1	-	-	1	1	-	1	1	-	1	1	1	-	-	-	1	-	1	-	-
	0.2	-	-	0.4	0.6	-	0.4	1.8	-	0.5	0.5	0.3	-	-	-	0.5	-	0.7	-	-
	100.0	-	-	100.0	100.0	-	100.0	100.0H	-	100.0	100.0	100.0	-	-	-	100.0	-	100.0	-	-
0440 ANN ARBOR, MI	1	-	-	1	1	-	1	-	-	-	-	1	-	1	1	1	-	-	1	-
	0.2	-	-	0.4	0.6	-	0.4	-	-	-	-	0.3	-	0.3	0.4	0.5	-	-	0.9	-
	100.0	-	-	100.0	100.0	-	100.0	-	-	-	-	100.0	-	100.0	100.0	100.0	-	-	100.0	-
0460 APPLETON-OSHKOSH-NEENAH, WI	2	-	1	1	1	-	1	-	1	-	-	1	1	2	1	-	-	1	-	1
	0.4	-	0.6	0.4	0.6	-	0.4	-	0.4	-	-	0.3	1.1	0.6	0.4	-	-	0.7	-	1.1
	100.0	-	50.0	50.0	50.0	-	50.0	-	50.0	-	-	50.0	50.0	100.0	50.0	-	-	50.0	-	50.0
0520 ATLANTA, GA	4	-	2	2	2	-	2	1	3	4	4	-	2	4	3	1	-	1	-	1
	0.8	-	1.3	0.8	1.2	-	0.8	1.8	1.1	2.2	2.1	-	2.3	1.3	1.3	0.5	-	0.7	-	1.1
	100.0	-	50.0	50.0	50.0	-	50.0	25.0	75.0	100.0	100.0	-	50.0	100.0K	75.0	25.0	-	25.0	-	25.0
													K							

K

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 101
MSA

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER											SOURCES OF GRAYWATER REUSE					GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
												HAS A SUR- FACE GRAY- WATER SYSTEM	HAS A SUB- SURFC GRAY- WATER SYSTEM	DISP. WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- VEGE- TABLE -ING									
	2 OR TOTAL	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE															
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)						
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*					
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*					
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*					
0640 AUSTIN-SAN MARCOS, TX	5	3	1	1	1	1	3	1	2	2	3	4	-	4	2	2	2	1	1	-					
	1.0	3.8	0.6	0.4	0.6	2.6	1.2	1.8	0.7	1.1	1.6	1.2	-	1.3	0.9	1.1	2.3	0.7	0.9	-					
	100.0	60.0C	20.0	20.0	20.0	20.0	60.0	20.0	40.0	40.0	60.0	80.0	-	80.0	40.0	40.0	40.0	20.0	20.0	-					
0680 BAKERSFIELD, CA	2	-	1	1	-	-	-	-	1	-	-	1	-	-	1	-	-	1	-	1					
	0.4	-	0.6	0.4	-	-	-	-	0.4	-	-	0.3	-	-	0.4	-	-	0.7	-	1.1					
	100.0	-	50.0	50.0	-	-	-	-	50.0	-	-	50.0	-	-	50.0	-	-	50.0	-	50.0					
0720 BALTIMORE, MD	6	2	-	4	4	-	1	-	4	3	2	3	-	4	2	4	2	3	1	-					
	1.2	2.6	-	1.6	2.3	-	0.4	-	1.5	1.6	1.0	0.9	-	1.3	0.9	2.1	2.3	2.0	0.9	-					
	100.0	33.3B	-	66.7	66.7	-	16.7	-	66.7	50.0	33.3	50.0	-	66.7	33.3	66.7	33.3	50.0	16.7	-					
0730 BANGOR, ME	1	-	-	1	1	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-					
	0.2	-	-	0.4	0.6	-	-	-	-	-	-	-	-	0.3	-	0.5	1.2	-	-	-					
	100.0	-	-	100.0	100.0	-	-	-	-	-	-	-	-	100.0	-	100.0	100.0	-	-	-					
0760 BATON ROUGE, LA	1	-	-	1	1	-	1	-	1	1	-	1	1	-	1	-	-	-	1	-					
	0.2	-	-	0.4	0.6	-	0.4	-	0.4	0.5	-	0.3	1.1	-	0.4	-	-	-	0.9	-					
	100.0	-	-	100.0	100.0	-	100.0	-	100.0	100.0	-	100.0	100.0	-	100.0	-	-	-	100.0	-					
0870 BENTON HARBOR, MI	1	-	-	1	-	-	-	-	1	1	-	1	-	1	-	-	-	1	-	-					
	0.2	-	-	0.4	-	-	-	-	0.4	0.5	-	0.3	-	0.3	-	-	-	0.7	-	-					
	100.0	-	-	100.0	-	-	-	-	100.0	100.0	-	100.0	-	100.0	-	-	-	100.0	-	-					
0875 BERGEN-PASSAIC, NJ	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-					
	0.2	-	-	0.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.9	-					
	100.0	-	-	100.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0	-					

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 101
MSA

	SOURCES OF GRAYWATER REUSE											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SUR- FACE WATER SYSTM	HAS A SUB- GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY							
	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	WATER DIR- ECTLY	TABLE FRUIT GARDN	NON- WATER -ING					
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
0880 BILLINGS, MT	2	-	1	1	2	-	1	-	-	-	-	2	1	1	-	1	1	1	-	-
	0.4	-	0.6	0.4	1.2	-	0.4	-	-	-	-	0.6	1.1	0.3	-	0.5	1.2	0.7	-	-
	100.0	-	50.0	50.0	100.0	-	50.0	-	-	-	-	100.0	50.0	50.0	-	50.0	50.0	50.0	-	-
0920 BILOXI-GULFPORT- PASCAGOULA, MS	1	-	-	1	1	-	1	1	1	-	-	1	1	-	1	-	-	1	-	-
	0.2	-	-	0.4	0.6	-	0.4	1.8	0.4	-	-	0.3	1.1	-	0.4	-	-	0.7	-	-
	100.0	-	-	100.0	100.0	-	100.0	100.0	100.0	-	-	100.0	100.0	-	100.0	-	-	100.0	-	-
0960 BINGHAMTON, NY	2	-	1	1	2	-	2	-	1	-	1	1	1	1	2	1	-	1	1	-
	0.4	-	0.6	0.4	1.2	-	0.8	-	0.4	-	0.5	0.3	1.1	0.3	0.9	0.5	-	0.7	0.9	-
	100.0	-	50.0	50.0	100.0	-	100.0	-	50.0	-	50.0	50.0	50.0	50.0	100.0	50.0	-	50.0	50.0	-
1000 BIRMINGHAM, AL	1	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
	0.2	-	-	-	-	-	0.4	-	0.4	-	-	0.3	-	-	-	-	-	-	-	-
	100.0	-	-	-	-	-	100.0	-	100.0	-	-	100.0	-	-	-	-	-	-	-	-
1120 BOSTON, MA-NH	3	-	2	1	1	-	1	1	1	-	1	2	-	3	2	2	1	-	2	-
	0.6	-	1.3	0.4	0.6	-	0.4	1.8	0.4	-	0.5	0.6	-	1.0	0.9	1.1	1.2	-	1.7	-
	100.0	-	66.7	33.3	33.3	-	33.3	33.3	33.3	-	33.3	66.7	-	100.0	66.7	66.7	33.3	-	66.7	-
1125 BOULDER-LONGMONT, CO	2	-	-	2	2	-	1	1	1	1	1	2	-	1	-	2	-	-	-	2
	0.4	-	-	0.8	1.2	-	0.4	1.8	0.4	0.5	0.5	0.6	-	0.3	-	1.1	-	-	-	2.2
	100.0	-	-	100.0	100.0	-	50.0	50.0	50.0	50.0	50.0	100.0	-	50.0	-	100.0	-	-	-	100.0
1145 BRAZORIA, TX	1	-	-	1	-	-	-	-	1	1	-	-	-	-	1	-	-	-	1	-
	0.2	-	-	0.4	-	-	-	-	0.4	0.5	-	-	-	-	0.4	-	-	-	0.9	-
	100.0	-	-	100.0	-	-	-	-	100.0	100.0	-	-	-	-	100.0	-	-	-	100.0	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 101
MSA

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE								GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
												HAS A SUR- FACE WATER SYSTM	HAS A SUB- SURFC WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	TABLE FRUIT GARDN	NON- WATER -ING				
	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE							<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)		(P)	(Q)	(R)	(S)
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
1150 BREMERTON, WA	1	1	-	-	-	-	-	-	1	1	-	-	-	1	-	1	1	-	-	-
	0.2	1.3	-	-	-	-	-	-	0.5	0.5	-	-	-	0.3	-	0.5	1.2	-	-	-
	100.0	100.0	-	-	-	-	-	-	100.0	100.0	-	-	-	100.0	-	100.0	100.0	-	-	-
1160 BRIDGEPORT, CT	1	-	-	1	1	-	1	-	-	-	-	-	-	1	-	1	1	-	-	-
	0.2	-	-	0.4	0.6	-	0.4	-	-	-	-	-	-	0.3	-	0.5	1.2	-	-	-
	100.0	-	-	100.0	100.0	-	100.0	-	-	-	-	-	-	100.0	-	100.0	100.0	-	-	-
1240 BROWNSVILLE-HARLINGEN- SAN BENITO, TX	3	1	-	2	-	-	1	-	3	1	1	3	-	2	1	1	-	1	2	-
	0.6	1.3	-	0.8	-	-	0.4	-	1.1	0.5	0.5	0.9	-	0.6	0.4	0.5	-	0.7	1.7	-
	100.0	33.3	-	66.7	-	-	33.3	-	100.0	33.3	33.3	100.0	-	66.7	33.3	33.3	-	33.3	66.7	-
1280 BUFFALO-NIAGRA FALLS, NY	4	1	-	2	2	-	3	-	2	-	1	4	-	2	2	1	1	1	-	2
	0.8	1.3	-	0.8	1.2	-	1.2	-	0.7	-	0.5	1.2	-	0.6	0.9	0.5	1.2	0.7	-	2.2
	100.0	25.0	-	50.0	50.0	-	75.0	-	50.0	-	25.0	100.0	-	50.0	50.0	25.0	25.0	25.0	-	50.0
1350 CASPER, WY	1	-	-	1	1	-	1	-	-	1	-	1	-	1	-	1	-	1	-	-
	0.2	-	-	0.4	0.6	-	0.4	-	-	0.5	-	0.3	-	0.3	-	0.5	-	0.7	-	-
	100.0	-	-	100.0	100.0	-	100.0	-	-	100.0	-	100.0	-	100.0	-	100.0	-	100.0	-	-
1440 CHARLESTON-NORTH CHARLESTON, SC	1	-	-	1	-	1	1	-	1	1	1	1	-	-	1	-	1	-	-	-
	0.2	-	-	0.4	-	2.6	0.4	-	0.4	0.5	0.5	0.3	-	-	0.4	-	1.2	-	-	-
	100.0	-	-	100.0	-	100.0	100.0	-	100.0	100.0	100.0	100.0	-	-	100.0	-	100.0	-	-	-
					0															
1580 CHEYENNE, WY	2	-	1	1	-	-	-	-	2	1	1	2	-	2	1	1	-	-	2	-
	0.4	-	0.6	0.4	-	-	-	-	0.7	0.5	0.5	0.6	-	0.6	0.4	0.5	-	-	1.7	-
	100.0	-	50.0	50.0	-	-	-	-	100.0	50.0	50.0	100.0	-	100.0	50.0	50.0	-	-	100.0	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 101
MSA

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										SOURCES OF GRAYWATER REUSE					GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
											HAS A SUR- FACE GRAY- WATER SYSTEM	HAS A SUB- SURFC GRAY- WATER SYSTEM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- VEGE- WATER -ING									
	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTEM	GRAY- WATER SYSTEM	GRAY- WATER DIR- ECTLY	TABLE FRUIT GARDN	NON- VEGE- WATER -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.					
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)					
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*				
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*				
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*				
1600 CHICAGO, IL	9	-	3	6	2	-	3	2	5	2	3	6	1	6	5	3	1	3	4	-				
	1.8	-	1.9	2.5	1.2	-	1.2	3.6	1.8	1.1	1.6	1.7	1.1	1.9	2.2	1.6	1.2	2.0	3.4	-				
	100.0	-	33.3	66.7	22.2	-	33.3	22.2	55.6	22.2	33.3	66.7	11.1	66.7	55.6	33.3	11.1	33.3	44.4	-				
1640 CINCINNATI, OH-KY-IN	2	-	2	-	-	1	1	-	1	-	1	1	1	2	1	1	-	1	-	-				
	0.4	-	1.3	-	-	2.6	0.4	-	0.4	-	0.5	0.3	1.1	0.6	0.4	0.5	-	0.7	-	-				
	100.0	-	100.0	-	-	50.0	50.0	-	50.0	-	50.0	50.0	50.0	100.0	50.0	50.0	-	50.0	-	-				
						I																		
1680 CLEVELAND-LORAIN-ELYRIA, OH	5	-	1	4	1	-	3	1	2	-	2	3	2	4	3	1	2	2	-	1				
	1.0	-	0.6	1.6	0.6	-	1.2	1.8	0.7	-	1.0	0.9	2.3	1.3	1.3	0.5	2.3	1.3	-	1.1				
	100.0	-	20.0	80.0	20.0	-	60.0	20.0	40.0	-	40.0	60.0	40.0	80.0	60.0	20.0	40.0	40.0	-	20.0				
1720 COLORADO SPRINGS, CO	1	-	-	1	1	1	1	-	-	-	1	1	-	1	-	1	-	-	1	-				
	0.2	-	-	0.4	0.6	2.6	0.4	-	-	-	0.5	0.3	-	0.3	-	0.5	-	-	0.9	-				
	100.0	-	-	100.0	100.0	100.0	100.0	-	-	-	100.0	100.0	-	100.0	-	100.0	-	-	100.0	-				
						HI																		
1840 COLUMBUS, OH	2	-	1	1	-	-	-	-	1	-	1	2	-	2	1	-	2	-	-	-				
	0.4	-	0.6	0.4	-	-	-	-	0.4	-	0.5	0.6	-	0.6	0.4	-	2.3	-	-	-				
	100.0	-	50.0	50.0	-	-	-	-	50.0	-	50.0	100.0	-	100.0	50.0	-	100.0	-	-	-				
1880 CORPUS CHRISTI, TX	2	1	-	1	1	-	1	-	2	-	-	2	-	2	-	-	-	-	-	1				
	0.4	1.3	-	0.4	0.6	-	0.4	-	0.7	-	-	0.6	-	0.6	-	-	-	-	-	1.1				
	100.0	50.0	-	50.0	50.0	-	50.0	-	100.0	-	-	100.0	-	100.0	-	-	-	-	-	50.0				
1920 DALLAS, TX	2	1	1	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-				
	0.4	1.3	0.6	-	-	-	-	-	-	-	-	0.3	1.1	0.3	-	-	1.2	-	-	-				
	100.0	50.0	50.0	-	-	-	-	-	-	-	-	50.0	50.0	50.0	-	-	50.0	-	-	-				

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 101
MSA

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A	HAS A	DISP.	WATER						
											FACE	SURFC	GRAY-	TABLE	NON-					
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	WATER DIR- ECTLY	FRUIT GARDN	WATER -ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
1960 DAVENPORT-ROCK ISLAND- MOLINE, IA-IL	1	-	-	-	1	-	-	-	1	-	-	1	1	-	1	-	-	1	-	-
	0.2	-	-	-	0.6	-	-	-	0.4	-	-	0.3	1.1	-	0.4	-	-	0.7	-	-
	100.0	-	-	-	100.0	-	-	-	100.0	-	-	100.0	100.0	-	100.0	-	-	100.0	-	-
2000 DAYTON-SPRINGFIELD, OH	1	-	1	-	-	1	1	-	-	-	-	1	-	-	-	1	-	1	-	-
	0.2	-	0.6	-	-	2.6	0.4	-	-	-	-	0.3	-	-	-	0.5	-	0.7	-	-
	100.0	-	100.0	-	-	100.0	100.0	-	-	-	-	100.0	-	-	-	100.0	-	100.0	-	-
						DHIJ														
2080 DENVER, CO	2	-	1	1	2	-	1	-	-	-	-	1	-	1	-	-	-	1	1	-
	0.4	-	0.6	0.4	1.2	-	0.4	-	-	-	-	0.3	-	0.3	-	-	-	0.7	0.9	-
	100.0	-	50.0	50.0	100.0	-	50.0	-	-	-	-	50.0	-	50.0	-	-	-	50.0	50.0	-
2160 DETROIT, MI	5	1	1	3	-	-	4	1	3	2	4	3	1	4	1	2	2	3	-	-
	1.0	1.3	0.6	1.2	-	-	1.6	1.8	1.1	1.1	2.1	0.9	1.1	1.3	0.4	1.1	2.3	2.0	-	-
	100.0	20.0	20.0	60.0	-	-	80.0	20.0	60.0	40.0	80.0	60.0	20.0	80.0	20.0	40.0	40.0	60.0	-	-
2320 EL PASO, TX	2	1	1	-	2	-	2	-	2	2	2	1	1	-	1	2	-	-	1	1
	0.4	1.3	0.6	-	1.2	-	0.8	-	0.7	1.1	1.0	0.3	1.1	-	0.4	1.1	-	-	0.9	1.1
	100.0	50.0	50.0	-	100.0	-	100.0	-	100.0	100.0	100.0	50.0	50.0	-	50.0	100.0	-	-	50.0	50.0
2560 FAYETTEVILLE, NC	1	-	1	-	-	-	-	-	1	1	1	1	1	-	1	1	-	1	-	-
	0.2	-	0.6	-	-	-	-	-	0.4	0.5	0.5	0.3	1.1	-	0.4	0.5	-	0.7	-	-
	100.0	-	100.0	-	-	-	-	-	100.0	100.0	100.0	100.0	100.0	-	100.0	100.0	-	100.0	-	-
2620 FLAGSTAFF, AZ-UT	1	-	-	1	1	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-
	0.2	-	-	0.4	0.6	-	-	-	-	-	0.5	-	-	-	0.4	0.5	-	-	0.9	-
	100.0	-	-	100.0	100.0	-	-	-	-	-	100.0	-	-	-	100.0	100.0	-	-	100.0	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 101
MSA

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE								GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
												HAS A SUR- FACE WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	VEGE- TABLE NON- ING				
	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE							<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)		(P)	(Q)	(R)	(S)
Base: Total Respondents	491 100.0 100.0	78* 100.0*100.0 15.9*	155 100.0 31.6	244 100.0 49.7	173 100.0 35.2	39* 100.0*100.0 7.9*	255 100.0*100.0 51.9	56* 100.0*100.0 11.4*	275 100.0 56.0	183 100.0 37.3	193 100.0 39.3	347 100.0 70.7	88* 100.0*100.0 17.9*	310 100.0 63.1	223 100.0 45.4	188 100.0 38.3	86* 100.0*100.0 17.5*	150 100.0 30.5	116 100.0 23.6	90* 100.0*100.0 18.3*
2680 FORT LAUDERDALE, FL	2 0.4 100.0	2 2.6 100.0	- - -	- - -	1 0.6 50.0	- - -	1 0.4 50.0	- - -	1 0.4 50.0	1 0.5 50.0	1 0.5 50.0	2 0.6 100.0	- - -	1 0.3 50.0	1 0.4 50.0	1 0.5 50.0	- - -	1 0.7 50.0	1 0.9 50.0	- - -
2700 FORT MYERS-CAPE CORAL, FL	2 0.4 100.0	1 1.3 50.0	1 0.6 50.0	- - -	1 0.6 50.0	1 2.6 50.0	1 0.4 50.0	- - -	2 0.7 100.0	2 1.1 100.0	1 0.5 50.0	2 0.6 100.0	- - -	1 0.3 50.0	- - -	- - -	- - -	- - -	1 0.9 50.0	- - -
2710 FORT PIERCE-PORT ST LUCIE, FL	1 0.2 100.0	- - -	- - -	1 0.4 100.0	1 0.6 100.0	- - -	1 0.4 100.0	- - -	- - -	1 0.5 100.0	1 0.5 100.0	1 0.3 100.0	- - -	- - -	- - -	1 0.5 100.0	- - -	1 0.7 100.0	- - -	- - -
2720 FORT SMITH, AR-OK	1 0.2 100.0	- - -	- - -	1 0.4 100.0	1 0.6 100.0	- - -	- - -	- - -	1 0.5 100.0	1 0.5 100.0	1 0.3 100.0	- - -	1 0.3 100.0	- - -	1 0.5 100.0	- - -	- - -	- - -	1 0.9 100.0	- - -
2750 FORT WALTON BEACH, FL	1 0.2 100.0	1 1.3 100.0	- - -	- - -	1 0.6 100.0	- - -	- - -	- - -	1 0.4 100.0	- - -	1 0.5 100.0	1 0.3 100.0	- - -	1 0.3 100.0	- - -	1 0.5 100.0	- - -	- - -	1 0.9 100.0	- - -
2800 FORT WORTH-ARLINGTON, TX	7 1.4 100.0	1 1.3 14.3	3 1.9 42.9	3 1.2 42.9	4 2.3 57.1	2 5.1 28.6	3 1.2 42.9	3 5.4 42.9F	5 1.8 71.4	4 2.2 57.1	2 1.0 28.6	6 1.7 85.7	3 3.4 42.9M	2 0.6 28.6	3 1.3 42.9	1 0.5 14.3	- - -	1 0.7 14.3	3 2.6 42.9	2 2.2 28.6
2900 GAINSVILLE, FL	1 0.2 100.0	- - -	- - -	1 0.4 100.0	- - -	1 2.6 100.0	1 0.4 100.0	- - -	1 0.4 100.0	1 0.5 100.0	- - -	1 0.3 100.0	- - -	- - -	1 0.4 100.0	1 0.5 100.0	- - -	- - -	1 0.9 100.0	- - -

Proportions/Means: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 101
MSA

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SURFACE GRAY-WATER SYSTM	HAS A SUB-SURFC GRAY-WATER SYSTM	DISP. DIR-ECTLY	WATER TABLE FRUIT GARDN	NON-VEGE-ING					
	2 OR LESS	3-9	10+	BATH/SHOWR	GARBG DIS-POSAL	KITCH SINK	DISH-WASHR	WASH-ING MACH.	CAR WASH-ING	CLEAN-ING HOUSE										
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
2920 GALVESTON-TEXAS CITY, TX	1	-	1	-	-	-	1	-	1	1	-	1	-	1	-	1	-	-	1	-
	0.2	-	0.6	-	-	-	0.4	-	0.4	0.5	-	0.3	-	0.3	-	0.5	-	-	0.9	-
	100.0	-	100.0	-	-	-	100.0	-	100.0	100.0	-	100.0	-	100.0	-	100.0	-	-	100.0	-
3000 GRAND RAPIDS-MUSKEGON-HOLLAND, MI	1	-	1	-	1	-	1	-	1	1	1	-	-	-	1	1	-	-	1	-
	0.2	-	0.6	-	0.6	-	0.4	-	0.4	0.5	0.5	-	-	-	0.4	0.5	-	-	0.9	-
	100.0	-	100.0	-	100.0	-	100.0	-	100.0	100.0	100.0	-	-	-	100.0	100.0	-	-	100.0	-
3160 GREENVILLE-SPARTANBURG-ANDERSON, SC	1	-	-	1	1	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-
	0.2	-	-	0.4	0.6	-	-	-	-	-	-	0.3	-	-	-	0.5	-	-	0.9	-
	100.0	-	-	100.0	100.0	-	-	-	-	-	-	100.0	-	-	-	100.0	-	-	100.0	-
3240 HARRISBURG-LEBANON-CARLISLE, PA	4	1	2	1	2	-	3	-	1	1	1	2	-	2	3	-	1	2	1	-
	0.8	1.3	1.3	0.4	1.2	-	1.2	-	0.4	0.5	0.5	0.6	-	0.6	1.3	-	1.2	1.3	0.9	-
	100.0	25.0	50.0	25.0	50.0	-	75.0	-	25.0	25.0	25.0	50.0	-	50.0	75.0	-	25.0	50.0	25.0	-
3360 HOUSTON, TX	2	1	1	-	-	-	1	-	1	2	2	2	-	2	-	1	-	1	-	-
	0.4	1.3	0.6	-	-	-	0.4	-	0.4	1.1	1.0	0.6	-	0.6	-	0.5	-	0.7	-	-
	100.0	50.0	50.0	-	-	-	50.0	-	50.0	100.0	100.0	100.0	-	100.0	-	50.0	-	50.0	-	-
3400 HUNTINGTON-ASHLAND, WV-KY-OH	2	1	-	1	1	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-
	0.4	1.3	-	0.4	0.6	-	-	-	-	-	0.5	-	-	0.3	-	0.5	-	0.7	-	-
	100.0	50.0	-	50.0	50.0	-	-	-	-	-	50.0	-	-	50.0	-	50.0	-	50.0	-	-
3480 INDIANAPOLIS, IN	2	-	1	1	1	-	2	-	-	-	1	2	-	1	2	-	-	2	-	-
	0.4	-	0.6	0.4	0.6	-	0.8	-	-	-	0.5	0.6	-	0.3	0.9	-	-	1.3	-	-
	100.0	-	50.0	50.0	50.0	-	100.0	-	-	-	50.0	100.0	-	50.0	100.0	-	-	100.0	-	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 101
MSA

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A HAS A									
											SUR- SUB- DISP.			WATER						
											FACE SURFC GRAY-			VEGE-						
	TOTAL	2 OR LESS	3-9	10+	BATH/ DIS- KITCH DISH- ING CAR CLEAN GRAY- GRAY- WATER TABLE NON- FRUIT WATER <10 10-49 199 200+ SHOWR POSAL SINK WASHR MACH. ING HOUSE WATER WATER DIR- GARDN -ING GALS. GALS. GALS. GALS.															
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
3610 JAMESTOWN, NY	1	-	-	1	-	-	1	-	-	1	-	-	-	1	1	1	-	1	-	-
	0.2	-	-	0.4	-	-	0.4	-	-	0.5	-	-	-	0.3	0.4	0.5	-	0.7	-	-
	100.0	-	-	100.0	-	-	100.0	-	-	100.0	-	-	-	100.0	100.0	100.0	-	100.0	-	-
3680 JOHNSTOWN, PA	2	1	-	1	1	-	-	-	2	-	-	2	-	2	1	1	1	-	1	-
	0.4	1.3	-	0.4	0.6	-	-	-	0.7	-	-	0.6	-	0.6	0.4	0.5	1.2	-	0.9	-
	100.0	50.0	-	50.0	50.0	-	-	-	100.0	-	-	100.0	-	100.0	50.0	50.0	50.0	-	50.0	-
3700 JONESBORO, AR	1	-	1	-	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
	0.2	-	0.6	-	0.6	-	-	-	0.4	-	-	0.3	-	0.3	-	-	-	-	-	-
	100.0	-	100.0	-	100.0	-	-	-	100.0	-	-	100.0	-	100.0	-	-	-	-	-	-
3720 KALAMAZOO-BATLE CREEK, MI	2	-	-	2	1	-	1	-	1	-	1	1	1	-	-	-	-	1	1	-
	0.4	-	-	0.8	0.6	-	0.4	-	0.4	-	0.5	0.3	1.1	-	-	-	-	0.7	0.9	-
	100.0	-	-	100.0	50.0	-	50.0	-	50.0	-	50.0	50.0	50.0	-	-	-	-	50.0	50.0	-
3760 KANSAS CITY, MO-KS	2	-	-	2	1	-	1	1	1	1	1	2	-	2	1	2	-	2	-	-
	0.4	-	-	0.8	0.6	-	0.4	1.8	0.4	0.5	0.5	0.6	-	0.6	0.4	1.1	-	1.3	-	-
	100.0	-	-	100.0	50.0	-	50.0	50.0	50.0	50.0	50.0	100.0	-	100.0	50.0	100.0	-	100.0	-	-
3810 KILLEEN-TEMPLE, TX	3	-	1	1	-	-	1	-	2	1	1	3	-	3	3	1	-	1	1	1
	0.6	-	0.6	0.4	-	-	0.4	-	0.7	0.5	0.5	0.9	-	1.0	1.3	0.5	-	0.7	0.9	1.1
	100.0	-	33.3	33.3	-	-	33.3	-	66.7	33.3	33.3	100.0	-	100.0	100.0	33.3	-	33.3	33.3	33.3
3880 LAFAYETTE, LA	1	-	-	1	1	-	1	-	-	-	-	1	1	-	1	-	-	1	-	-
	0.2	-	-	0.4	0.6	-	0.4	-	-	-	-	0.3	1.1	-	0.4	-	-	0.7	-	-
	100.0	-	-	100.0	100.0	-	100.0	-	-	-	-	100.0	100.0	-	100.0	-	-	100.0	-	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 101
MSA

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE								GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL	2 OR LESS	3-9	10+	GARBG			WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- -ING	OF GRAYWATER REUSED				
					BATH/ SHOWR	DIS- POSAL	KITCH SINK									<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
3960 LAKE CHARLES, LA	1	-	1	-	-	-	-	-	1	-	-	1	-	1	1	-	-	1	-	-
	0.2	-	0.6	-	-	-	-	-	0.4	-	-	0.3	-	0.3	0.4	-	-	0.7	-	-
	100.0	-	100.0	-	-	-	-	-	100.0	-	-	100.0	-	100.0	100.0	-	-	100.0	-	-
4000 LANCASTER, PA	1	-	-	1	-	-	-	-	1	-	-	1	-	1	-	1	1	-	-	-
	0.2	-	-	0.4	-	-	-	-	0.4	-	-	0.3	-	0.3	-	0.5	1.2	-	-	-
	100.0	-	-	100.0	-	-	-	-	100.0	-	-	100.0	-	100.0	-	100.0	100.0	-	-	-
4040 LANSING-EAST LANSING, MI	1	-	-	1	-	1	1	-	-	1	1	1	-	1	-	1	-	1	-	-
	0.2	-	-	0.4	-	2.6	0.4	-	-	0.5	0.5	0.3	-	0.3	-	0.5	-	0.7	-	-
	100.0	-	-	100.0	-	100.0	100.0	-	-	100.0	100.0	100.0	-	100.0	-	100.0	-	100.0	-	-
						DH														
4100 LAS CRUCES, NM	1	-	1	-	1	-	-	-	1	-	1	1	-	1	-	-	-	-	-	1
	0.2	-	0.6	-	0.6	-	-	-	0.4	-	0.5	0.3	-	0.3	-	-	-	-	-	1.1
	100.0	-	100.0	-	100.0	-	-	-	100.0	-	100.0	100.0	-	100.0	-	-	-	-	-	100.0
4120 LAS VEGAS, NV-AZ	3	-	1	2	1	1	2	-	1	1	2	1	-	2	1	1	2	-	-	1
	0.6	-	0.6	0.8	0.6	2.6	0.8	-	0.4	0.5	1.0	0.3	-	0.6	0.4	0.5	2.3	-	-	1.1
	100.0	-	33.3	66.7	33.3	33.3	66.7	-	33.3	33.3	66.7	33.3	-	66.7	33.3	33.3	66.7	-	-	33.3
4280 LEXINGTON, KY	2	-	1	1	2	-	2	-	1	1	1	2	-	1	1	2	1	1	-	-
	0.4	-	0.6	0.4	1.2	-	0.8	-	0.4	0.5	0.5	0.6	-	0.3	0.4	1.1	1.2	0.7	-	-
	100.0	-	50.0	50.0	100.0	-	100.0	-	50.0	50.0	50.0	100.0	-	50.0	50.0	100.0	50.0	50.0	-	-
4320 LIMA, OH	2	1	-	1	1	-	2	-	-	-	-	1	-	2	2	-	-	1	1	-
	0.4	1.3	-	0.4	0.6	-	0.8	-	-	-	-	0.3	-	0.6	0.9	-	-	0.7	0.9	-
	100.0	50.0	-	50.0	50.0	-	100.0	-	-	-	-	50.0	-	100.0	100.0	-	-	50.0	50.0	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 101
MSA

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										SOURCES OF GRAYWATER REUSE					GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL										HAS A	SUB-	DISP.	WATER										
		2 OR LESS	3-9	10+	GARBG			WASH- ING	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	GRAY- WATER DIR- ECTLY	TABLE FRUIT GARDN	NON- -ING									
					BATH/ SHOWR	DIS- POSAL	KITCH SINK									FACE	SURFC	GRAY- VEGE-	<10	10-49	199	200+		
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)					
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*				
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*				
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*				
4400 LITTLE ROCK-NORTH LITTLE ROCK, AR	1	-	-	1	-	-	1	-	-	-	-	1	-	1	-	-	-	1	-	-				
	0.2	-	-	0.4	-	-	0.4	-	-	-	-	0.3	-	0.3	-	-	-	0.7	-	-				
	100.0	-	-	100.0	-	-	100.0	-	-	-	-	100.0	-	100.0	-	-	-	100.0	-	-				
4420 LONGVIEW-MARSHALL, TX	1	-	1	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	1	-				
	0.2	-	0.6	-	-	-	-	-	0.4	-	-	0.3	1.1	0.3	-	-	-	-	0.9	-				
	100.0	-	100.0	-	-	-	-	-	100.0	-	-	100.0	100.0	100.0	-	-	-	-	100.0	-				
4480 LOS ANGELES-LONG BEACH, CA	13	1	3	8	3	1	7	1	9	6	4	11	4	8	9	5	2	5	3	2				
	2.6	1.3	1.9	3.3	1.7	2.6	2.7	1.8	3.3	3.3	2.1	3.2	4.5	2.6	4.0	2.7	2.3	3.3	2.6	2.2				
	100.0	7.7	23.1	61.5	23.1	7.7	53.8	7.7	69.2	46.2	30.8	84.6	30.8	61.5	69.2	38.5	15.4	38.5	23.1	15.4				
4520 LOUISVILLE, KY-IN	2	1	1	-	1	-	1	-	2	2	1	2	-	1	-	2	-	1	1	-				
	0.4	1.3	0.6	-	0.6	-	0.4	-	0.7	1.1	0.5	0.6	-	0.3	-	1.1	-	0.7	0.9	-				
	100.0	50.0	50.0	-	50.0	-	50.0	-	100.0	100.0	50.0	100.0	-	50.0	-	100.0	-	50.0	50.0	-				
4880 MCALLEN-EDINBURG- MISSION, TX	1	-	1	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-				
	0.2	-	0.6	-	-	-	-	-	0.4	-	-	0.3	-	0.3	-	-	-	-	-	-				
	100.0	-	100.0	-	-	-	-	-	100.0	-	-	100.0	-	100.0	-	-	-	-	-	-				
4900 MELBOURNE-TITUSVILLE- PALM BAY, FL	4	-	1	3	-	-	2	-	3	2	-	3	1	3	2	-	-	-	1	3				
	0.8	-	0.6	1.2	-	-	0.8	-	1.1	1.1	-	0.9	1.1	1.0	0.9	-	-	-	0.9	3.3				
	100.0	-	25.0	75.0	-	-	50.0	-	75.0	50.0	-	75.0	25.0	75.0	50.0	-	-	-	25.0	75.0q				
4920 MEMPHIS, TN-AR-MS	1	1	-	-	1	-	1	-	-	1	-	1	-	-	1	1	-	-	1	-				
	0.2	1.3	-	-	0.6	-	0.4	-	-	0.5	-	0.3	-	-	0.4	0.5	-	-	0.9	-				
	100.0	100.0	-	-	100.0	-	100.0	-	-	100.0	-	100.0	-	-	100.0	100.0	-	-	100.0	-				

Proportions/Mer.ns: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 101
MSA

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										SOURCES OF GRAYWATER REUSE			GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
											HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING							
	2 OR LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE												
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)			
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*		
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*		
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*		
5000 MIAMI, FL	2	-	-	2	-	-	-	-	-	-	1	1	1	2	1	1	-	1	-	-		
	0.4	-	-	0.8	-	-	-	-	-	-	0.5	0.3	1.1	0.6	0.4	0.5	-	0.7	-	-		
	100.0	-	-	100.0	-	-	-	-	-	-	50.0	50.0	50.0	100.0	50.0	50.0	-	50.0	-	-		
5015 MIDDLESEX-SOMERSET- HUNTERDON, NJ	2	-	-	1	1	-	1	-	1	1	-	1	-	2	1	1	-	1	-	-		
	0.4	-	-	0.4	0.6	-	0.4	-	0.4	0.5	-	0.3	-	0.6	0.4	0.5	-	0.7	-	-		
	100.0	-	-	50.0	50.0	-	50.0	-	50.0	50.0	-	50.0	-	100.0	50.0	50.0	-	50.0	-	-		
5080 MILWAUKEE-WAUKESHA, WI	4	-	2	2	-	-	2	2	2	2	2	3	2	4	2	2	1	2	-	-		
	0.8	-	1.3	0.8	-	-	0.8	3.6	0.7	1.1	1.0	0.9	2.3	1.3	0.9	1.1	1.2	1.3	-	-		
	100.0	-	50.0	50.0	-	-	50.0	50.0	50.0	50.0	50.0	75.0	50.0	100.0	50.0	50.0	25.0	50.0	-	-		
5120 MINNEAPOLIS-ST. PAUL, MN-WI	4	-	1	3	2	-	4	-	4	3	2	2	-	3	1	4	2	-	1	1		
	0.8	-	0.6	1.2	1.2	-	1.6	-	1.5	1.6	1.0	0.6	-	1.0	0.4	2.1	2.3	-	0.9	1.1		
	100.0	-	25.0	75.0	50.0	-	100.0	-	100.0	75.0	50.0	50.0	-	75.0	25.0	100.0	50.0	-	25.0	25.0		
5160 MOBILE, AL	1	-	-	1	-	-	-	-	1	-	-	-	1	1	1	-	-	1	-	-		
	0.2	-	-	0.4	-	-	-	-	0.4	-	-	-	1.1	0.3	0.4	-	-	0.7	-	-		
	100.0	-	-	100.0	-	-	-	-	100.0	-	-	-	100.0	100.0	100.0	-	-	100.0	-	-		
												K										
5190 MONMOUTH-OCEAN, NJ	2	-	-	2	-	-	1	-	1	-	-	-	-	2	-	1	1	-	-	-		
	0.4	-	-	0.8	-	-	0.4	-	0.4	-	-	-	-	0.6	-	0.5	1.2	-	-	-		
	100.0	-	-	100.0	-	-	50.0	-	50.0	-	-	-	-	100.0	-	50.0	50.0	-	-	-		
5350 NASHUA, NH	1	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1		
	0.2	-	0.6	-	-	-	-	-	-	0.5	-	-	-	0.3	-	-	-	-	-	1.1		
	100.0	-	100.0	-	-	-	-	-	-	100.0	-	-	-	100.0	-	-	-	-	-	100.0		

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 101
MSA

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED					
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			BATH/ SHWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WAT- ER -ING	OF GRAYWATER REUSED					
	TOTAL	2 OR LESS	3-9													10+	<10 GALS.	10-49 GALS.	199 GALS.	200+ GALS.	
				(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)						(M)
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*	
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*	
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*	
5380 NASSAU-SUFFOLK, NY	2	-	1	-	-	-	-	-	2	-	-	2	-	1	1	-	-	2	-	-	
	0.4	-	0.6	-	-	-	-	-	0.7	-	-	0.6	-	0.3	0.4	-	-	1.3	-	-	
	100.0	-	50.0	-	-	-	-	-	100.0	-	-	100.0	-	50.0	50.0	-	-	100.0	-	-	
5600 NEW YORK, NY	2	-	1	1	-	-	1	-	-	1	-	1	-	1	1	1	1	1	-	-	
	0.4	-	0.6	0.4	-	-	0.4	-	-	0.5	-	0.3	-	0.3	0.4	0.5	1.2	0.7	-	-	
	100.0	-	50.0	50.0	-	-	50.0	-	-	50.0	-	50.0	-	50.0	50.0	50.0	50.0	50.0	-	-	
5640 NEWARK, NJ	5	-	1	4	2	1	2	-	2	1	1	1	1	3	1	2	1	2	-	1	
	1.0	-	0.6	1.6	1.2	2.6	0.8	-	0.7	0.5	0.5	0.3	1.1	1.0	0.4	1.1	1.2	1.3	-	1.1	
	100.0	-	20.0	80.0	40.0	20.0	40.0	-	40.0	20.0	20.0	20.0	20.0	60.0	20.0	40.0	20.0	40.0	-	20.0	
5660 NEWBURGH, NY-PA	2	-	1	1	1	1	1	-	-	2	2	1	-	1	1	1	-	2	-	-	
	0.4	-	0.6	0.4	0.6	2.6	0.4	-	-	1.1	1.0	0.3	-	0.3	0.4	0.5	-	1.3	-	-	
	100.0	-	50.0	50.0	50.0	50.0H	50.0	-	-	100.0	100.0	50.0	-	50.0	50.0	50.0	-	100.0	-	-	
5720 NORFOLK-VIRGINIA BEACH- NEWPORT NEWS, VA-NC	2	1	-	-	-	1	-	-	-	1	-	1	-	1	1	2	-	-	1	-	
	0.4	1.3	-	-	-	2.6	-	-	-	0.5	-	0.3	-	0.3	0.4	1.1	-	-	0.9	-	
	100.0	50.0	-	-	-	50.0DFHJ	-	-	-	50.0	-	50.0	-	50.0	50.0	100.0	-	-	50.0	-	
5775 OAKLAND, CA	5	1	1	3	1	1	5	-	1	1	3	2	-	2	3	3	-	4	-	-	
	1.0	1.3	0.6	1.2	0.6	2.6	2.0	-	0.4	0.5	1.6	0.6	-	0.6	1.3	1.6	-	2.7	-	-	
	100.0	20.0	20.0	60.0	20.0	20.0	100.0	-	20.0	20.0	60.0	40.0	-	40.0	60.0	60.0	-	80.0	-	-	
5880 OKLAHOMA CITY, OK	1	-	-	1	-	-	-	-	-	1	1	1	-	1	-	1	-	-	1	-	
	0.2	-	-	0.4	-	-	-	-	-	0.5	0.5	0.3	-	0.3	-	0.5	-	-	0.9	-	
	100.0	-	-	100.0	-	-	-	-	-	100.0	100.0	100.0	-	100.0	-	100.0	-	-	100.0	-	

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 101
MSA

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER DIR- ECTLY	DISP. WATER TABLE FRUIT GARDN	NON- WATER -ING						
	TOTAL	2 OR LESS	3-9	10+	BATH/ SHOWER	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	WATER DIR- ECTLY	TABLE FRUIT GARDN	NON- WATER -ING				
																	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
5945 ORANGE COUNTY, CA	2	1	1	-	2	-	1	-	1	1	1	1	-	-	-	2	-	1	1	-
	0.4	1.3	0.6	-	1.2	-	0.4	-	0.4	0.5	0.5	0.3	-	-	-	1.1	-	0.7	0.9	-
	100.0	50.0	50.0	-	100.0	-	50.0	-	50.0	50.0	50.0	50.0	-	-	-	100.0	-	50.0	50.0	-
5960 ORLANDO, FL	2	-	1	1	-	1	2	1	2	2	2	2	-	2	1	1	-	1	1	-
	0.4	-	0.6	0.4	-	2.6	0.8	1.8	0.7	1.1	1.0	0.6	-	0.6	0.4	0.5	-	0.7	0.9	-
	100.0	-	50.0	50.0	-	50.0	100.0	50.0	100.0	100.0	100.0	100.0	-	100.0	50.0	50.0	-	50.0	50.0	-
						D														
6020 PARKERSBURG-MARIETTA, WV-OH	2	-	-	2	-	-	-	-	1	1	1	2	1	2	-	1	-	1	-	1
	0.4	-	-	0.8	-	-	-	-	0.4	0.5	0.5	0.6	1.1	0.6	-	0.5	-	0.7	-	1.1
	100.0	-	-	100.0	-	-	-	-	50.0	50.0	50.0	100.0	50.0	100.0	-	50.0	-	50.0	-	50.0
6160 PHILADELPHIA, PA-NJ	9	3	2	4	2	-	4	3	3	1	2	4	3	6	4	6	1	2	2	2
	1.8	3.8	1.3	1.6	1.2	-	1.6	5.4	1.1	0.5	1.0	1.2	3.4	1.9	1.8	3.2	1.2	1.3	1.7	2.2
	100.0	33.3	22.2	44.4	22.2	-	44.4	33.3H	33.3	11.1	22.2	44.4	33.3	66.7	44.4	66.7	11.1	22.2	22.2	22.2
								IJ												
6200 PHOENIX-MESA, AZ	9	1	2	6	1	2	2	-	7	4	3	9	1	7	2	1	-	2	3	3
	1.8	1.3	1.3	2.5	0.6	5.1	0.8	-	2.5	2.2	1.6	2.6	1.1	2.3	0.9	0.5	-	1.3	2.6	3.3
	100.0	11.1	22.2	66.7	11.1	22.2D	22.2	-	77.8	44.4	33.3	100.0	11.1	77.8	22.2	11.1	-	22.2	33.3	33.3
						F														
6280 PITTSBURGH, PA	7	2	1	4	2	1	2	-	3	3	5	4	-	5	4	3	3	3	1	-
	1.4	2.6	0.6	1.6	1.2	2.6	0.8	-	1.1	1.6	2.6	1.2	-	1.6	1.8	1.6	3.5	2.0	0.9	-
	100.0	28.6	14.3	57.1	28.6	14.3	28.6	-	42.9	42.9	71.4	57.1	-	71.4	57.1	42.9	42.9	42.9	14.3	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 101
MSA

	SOURCES OF GRAYWATER REUSE											GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WAT- ING					
				GARBG BATH/ DIS- SHWR POSAL		KITCH SINK	WASH- ING WASHR	CAR WASH- ING	CLEAN -ING HOUSE											
	TOTAL	2 OR LESS	3-9	10+	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
6440 PORTLAND-VANCOUVER, OR- WA	3	-	1	1	-	-	2	-	2	1	-	2	-	2	1	1	1	2	-	-
	0.6	-	0.6	0.4	-	-	0.8	-	0.7	0.5	-	0.6	-	0.6	0.4	0.5	1.2	1.3	-	-
	100.0	-	33.3	33.3	-	-	66.7	-	66.7	33.3	-	66.7	-	66.7	33.3	33.3	33.3	66.7	-	-
6450 PORTSMOUTH-ROCHESTER, NH-ME	2	-	-	2	2	-	2	1	1	-	-	1	-	2	2	-	-	1	-	1
	0.4	-	-	0.8	1.2	-	0.8	1.8	0.4	-	-	0.3	-	0.6	0.9	-	-	0.7	-	1.1
	100.0	-	-	100.0	100.0	-	100.0	50.0	50.0	-	-	50.0	-	100.0	100.0	-	-	50.0	-	50.0
6560 PUEBLO, CO	1	-	-	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	1
	0.2	-	-	0.4	-	-	-	-	0.4	-	-	0.3	1.1	-	-	-	-	-	-	1.1
	100.0	-	-	100.0	-	-	-	-	100.0	-	-	100.0	100.0	-	-	-	-	-	-	100.0
6720 RENO, NV	1	-	-	1	-	1	1	-	-	-	1	1	-	-	1	1	-	-	1	-
	0.2	-	-	0.4	-	2.6	0.4	-	-	-	0.5	0.3	-	-	0.4	0.5	-	-	0.9	-
	100.0	-	-	100.0	-	100.0	100.0	-	-	-	100.0	100.0	-	-	100.0	100.0	-	-	100.0	-
					DHI															
6780 RIVERSIDE-SAN BERNARDINO, CA	13	-	6	7	2	-	8	-	8	6	6	10	2	7	4	3	1	3	5	4
	2.6	-	3.9	2.9	1.2	-	3.1	-	2.9	3.3	3.1	2.9	2.3	2.3	1.8	1.6	1.2	2.0	4.3	4.4
	100.0	-	46.2	53.8	15.4	-	61.5	-	61.5	46.2	46.2	76.9	15.4	53.8	30.8	23.1	7.7	23.1	38.5	30.8
6800 ROANOKE, VA	1	-	-	1	-	-	1	-	1	-	1	-	-	-	1	-	-	-	1	-
	0.2	-	-	0.4	-	-	0.4	-	0.4	-	0.5	-	-	-	0.4	-	-	-	0.9	-
	100.0	-	-	100.0	-	-	100.0	-	100.0	-	100.0	-	-	-	100.0	-	-	-	100.0	-
6840 ROCHESTER, NY	4	-	2	2	1	-	3	-	1	1	4	2	-	3	2	1	2	1	1	-
	0.8	-	1.3	0.8	0.6	-	1.2	-	0.4	0.5	2.1	0.6	-	1.0	0.9	0.5	2.3	0.7	0.9	-
	100.0	-	50.0	50.0	25.0	-	75.0	-	25.0	25.0	100.0	50.0	-	75.0	50.0	25.0	50.0	25.0	25.0	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 101
MSA

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING					
	2 OR LESS	3-9	10+	BATH/ SHOWR	GARBG DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE							<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
6880 ROCKFORD, IL	1	-	1	-	1	-	1	1	1	-	1	1	-	-	1	-	-	-	1	-
	0.2	-	0.6	-	0.6	-	0.4	1.8	0.4	-	0.5	0.3	-	-	0.4	-	-	-	0.9	-
	100.0	-	100.0	-	100.0	-	100.0	100.0	100.0	-	100.0	100.0	-	-	100.0	-	-	-	100.0	-
6895 ROCKY MOUNT, NC	1	-	-	1	-	-	1	-	-	1	1	-	1	1	-	1	-	1	-	-
	0.2	-	-	0.4	-	-	0.4	-	-	0.5	0.5	-	1.1	0.3	-	0.5	-	0.7	-	-
	100.0	-	-	100.0	-	-	100.0	-	-	100.0	100.0	-	100.0	100.0	-	100.0	-	100.0	-	-
K																				
6920 SACRAMENTO, CA	1	1	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	1	-	-
	0.2	1.3	-	-	-	-	-	0.4	-	-	0.3	-	0.3	-	-	-	-	0.7	-	-
	100.0	100.0	-	-	-	-	-	100.0	-	-	100.0	-	100.0	-	-	-	-	100.0	-	-
7040 ST. LOUIS, MO-IL	3	1	-	2	-	-	-	2	-	1	2	1	2	-	1	1	1	1	1	-
	0.6	1.3	-	0.8	-	-	-	0.7	-	0.5	0.6	1.1	0.6	-	0.5	1.2	0.7	0.9	-	-
	100.0	33.3	-	66.7	-	-	-	66.7	-	33.3	66.7	33.3	66.7	-	33.3	33.3	33.3	33.3	-	-
7120 SALINAS, CA	1	1	-	-	-	1	-	1	1	-	1	-	1	-	-	-	-	-	-	1
	0.2	1.3	-	-	-	0.4	-	0.4	0.5	-	0.3	-	0.3	-	-	-	-	-	-	1.1
	100.0	100.0	-	-	-	100.0	-	100.0	100.0	-	100.0	-	100.0	-	-	-	-	-	-	100.0
7240 SAN ANTONIO, TX	2	-	-	2	1	-	1	2	1	-	2	1	1	1	-	-	-	2	-	-
	0.4	-	-	0.8	0.6	-	0.4	0.7	0.5	-	0.6	1.1	0.3	0.4	-	-	-	1.7	-	-
	100.0	-	-	100.0	50.0	-	50.0	100.0	50.0	-	100.0	50.0	50.0	50.0	-	-	-	100.0	-	-
7320 SAN DIEGO, CA	9	-	4	4	6	1	6	1	6	5	5	7	2	5	3	5	1	4	1	1
	1.8	-	2.6	1.6	3.5	2.6	2.4	1.8	2.2	2.7	2.6	2.0	2.3	1.6	1.3	2.7	1.2	2.7	0.9	1.1
	100.0	-	44.4	44.4	66.7	11.1	66.7	11.1	66.7	55.6	55.6	77.8	22.2	55.6	33.3	55.6	11.1	44.4	11.1	11.1

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 101
MSA

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			SOURCES OF GRAYWATER REUSE								GRAYWATER SYSTEM HAS A HAS A			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED			
	TOTAL	2 OR LESS	3-9	10+	GARBG		WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	FACE GRAY- WATER SYSTM	SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING	OF GRAYWATER REUSED					
					BATH/ SHOWR	DIS- POSAL									KITCH SINK	DISH- WASHR	10-49 GALS.	50- 199 GALS.	200+ GALS.	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
7360 SAN FRANCISCO, CA	2	-	1	-	2	-	1	-	1	1	-	2	-	1	1	1	-	1	-	1
	0.4	-	0.6	-	1.2	-	0.4	-	0.4	0.5	-	0.6	-	0.3	0.4	0.5	-	0.7	-	1.1
	100.0	-	50.0	-	100.0	-	50.0	-	50.0	50.0	-	100.0	-	50.0	50.0	50.0	-	50.0	-	50.0
7400 SAN JOSE, CA	6	-	1	5	2	1	3	-	1	4	3	6	1	2	5	3	1	2	1	2
	1.2	-	0.6	2.0	1.2	2.6	1.2	-	0.4	2.2	1.6	1.7	1.1	0.6	2.2	1.6	1.2	1.3	0.9	2.2
	100.0	-	16.7	83.3	33.3	16.7	50.0	-	16.7	66.7	50.0	100.0	16.7	33.3	83.3	50.0	16.7	33.3	16.7	33.3
7460 SAN LUIS OBISPO- ATASCADERO-PASO ROBLES, CA	2	1	-	1	1	1	-	2	1	1	1	2	1	2	-	-	-	1	1	-
	0.4	1.3	-	0.4	0.6	2.6	-	3.6	0.4	0.5	0.5	0.6	1.1	0.6	-	-	-	0.7	0.9	-
	100.0	50.0	-	50.0	50.0	50.0*	-	100.0*	50.0	50.0	50.0	100.0	50.0	100.0	-	-	-	50.0	50.0	-
H																				
7480 SANTA BARBARA-SANTA MARIA LOMPOC, CA	2	1	1	-	1	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-
	0.4	1.3	0.6	-	0.6	-	-	-	0.4	-	-	0.3	-	0.3	-	0.5	-	-	-	-
	100.0	50.0	50.0	-	50.0	-	-	-	50.0	-	-	50.0	-	50.0	-	50.0	-	-	-	-
7510 SARASOTA-BRADENTON, FL	1	-	1	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-
	0.2	-	0.6	-	-	-	0.4	-	-	-	0.5	0.3	-	-	-	0.5	1.2	-	-	-
	100.0	-	100.0	-	-	-	100.0	-	-	-	100.0	100.0	-	-	-	100.0	100.0	-	-	-
7520 SAVANNAH, GA	1	-	-	1	-	-	1	-	-	-	-	1	-	1	1	-	1	-	-	-
	0.2	-	-	0.4	-	-	0.4	-	-	-	-	0.3	-	0.3	0.4	-	1.2	-	-	-
	100.0	-	-	100.0	-	-	100.0	-	-	-	-	100.0	-	100.0	100.0	-	100.0	-	-	-
7560 SCRANTON-WILKES-BARRE- HAZELTON, PA	1	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-
	0.2	-	0.6	-	-	-	0.4	-	-	-	0.5	-	-	-	-	-	-	0.7	-	-
	100.0	-	100.0	-	-	-	100.0	-	-	-	100.0	-	-	-	-	-	-	100.0	-	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

Table 101
MSA

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SURFACE WATER SYSTM	HAS A SUB-SURFC WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	TABLE FRUIT GARDN	NON- WAT- ING					
	2 OR LESS	3-9	10+	BATH/ SHWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTM	GRAY- WATER SYSTM	WATER DIR- ECTLY	TABLE FRUIT GARDN	NON- WAT- ING	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
7600 SEATTLE-BELLEVUE- EVERETT, WA	4	1	-	3	2	-	2	2	1	1	2	2	1	4	3	2	2	1	1	-
	0.8	1.3	-	1.2	1.2	-	0.8	3.6	0.4	0.5	1.0	0.6	1.1	1.3	1.3	1.1	2.3	0.7	0.9	-
	100.0	25.0	-	75.0	50.0	-	50.0	50.0H	25.0	25.0	50.0	50.0	25.0	100.0	75.0	50.0	50.0	25.0	25.0	-
7800 SOUTH BEND, IN	1	1	-	-	-	-	-	-	-	1	1	-	1	1	-	-	1	-	-	-
	0.2	1.3	-	-	-	-	-	-	-	0.5	0.5	-	1.1	0.3	-	-	1.2	-	-	-
	100.0	100.0	-	-	-	-	-	-	-	100.0	100.0	-	100.0	100.0	-	-	100.0	-	-	-
												K								
7880 SPRINGFIELD, IL	1	-	-	1	-	-	1	-	1	1	1	1	-	-	-	1	1	-	-	-
	0.2	-	-	0.4	-	-	0.4	-	0.4	0.5	0.5	0.3	-	-	-	0.5	1.2	-	-	-
	100.0	-	-	100.0	-	-	100.0	-	100.0	100.0	100.0	100.0	-	-	-	100.0	100.0	-	-	-
7920 SPRINGFIELD, MO	2	1	-	1	-	-	-	1	1	1	2	1	-	1	2	2	-	1	-	-
	0.4	1.3	-	0.4	-	-	-	1.8	0.4	0.5	1.0	0.3	-	0.3	0.9	1.1	-	0.7	-	-
	100.0	50.0	-	50.0	-	-	-	50.0F	50.0	50.0	100.0	50.0	-	50.0	100.0	100.0	-	50.0	-	-
8050 STATE COLLEGE, PA	1	-	-	1	-	-	1	-	-	1	1	-	-	1	1	1	-	1	-	-
	0.2	-	-	0.4	-	-	0.4	-	-	0.5	0.5	-	-	0.3	0.4	0.5	-	0.7	-	-
	100.0	-	-	100.0	-	-	100.0	-	-	100.0	100.0	-	-	100.0	100.0	100.0	-	100.0	-	-
8120 STOCKTON-LODI, CA	2	-	2	-	2	-	-	1	1	1	1	1	-	1	2	2	-	1	1	-
	0.4	-	1.3	-	1.2	-	-	1.8	0.4	0.5	0.5	0.3	-	0.3	0.9	1.1	-	0.7	0.9	-
	100.0	-	100.0	-	100.0	-	-	50.0F	50.0	50.0	50.0	50.0	-	50.0	100.0	100.0	-	50.0	50.0	-
8160 SYRACUSE, NY	2	-	-	2	-	-	-	-	1	1	-	-	-	2	1	1	-	-	-	-
	0.4	-	-	0.8	-	-	-	-	0.4	0.5	-	-	-	0.6	0.4	0.5	-	-	-	-
	100.0	-	-	100.0	-	-	-	-	50.0	50.0	-	-	-	100.0	50.0	50.0	-	-	-	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 101
MSA

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER			BATH/ SHOWR	GARBG		DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE	HAS A FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. GRAY- WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- VEGE- TABLE -ING	OF GRAYWATER REUSED				
	TOTAL	2 OR LESS	3-9		10+	DIS- POSAL										KITCH SINK	<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
8200 TACOMA, WA	2	1	1	-	2	-	2	-	2	2	2	2	-	1	1	1	-	1	1	-
	0.4	1.3	0.6	-	1.2	-	0.8	-	0.7	1.1	1.0	0.6	-	0.3	0.4	0.5	-	0.7	0.9	-
	100.0	50.0	50.0	-	100.0	-	100.0	-	100.0	100.0	100.0	100.0	-	50.0	50.0	50.0	-	50.0	50.0	-
8280 TAMPA-ST. PETERSBURG- CLEARWATER, FL	7	1	3	3	1	2	5	1	4	4	5	6	3	4	2	2	3	1	1	2
	1.4	1.3	1.9	1.2	0.6	5.1	2.0	1.8	1.5	2.2	2.6	1.7	3.4	1.3	0.9	1.1	3.5	0.7	0.9	2.2
	100.0	14.3	42.9	42.9	14.3	28.60	71.4	14.3	57.1	57.1	71.4	85.7	42.9	57.1	28.6	28.6	42.9	14.3	14.3	28.6
8400 TOLEDO, OH	3	2	-	1	-	1	2	-	1	1	1	1	-	1	1	2	1	1	1	-
	0.6	2.6	-	0.4	-	2.6	0.8	-	0.4	0.5	0.5	0.3	-	0.3	0.4	1.1	1.2	0.7	0.9	-
	100.0	66.78	-	33.3	-	33.30	66.7	-	33.3	33.3	33.3	33.3	-	33.3	33.3	66.7	33.3	33.3	33.3	-
8480 TRENTON, NJ	1	-	-	1	1	1	-	-	1	-	1	1	-	-	-	1	-	-	-	1
	0.2	-	-	0.4	0.6	2.6	-	-	0.4	-	0.5	0.3	-	-	-	0.5	-	-	-	1.1
	100.0	-	-	100.0	100.0	100.0	-	-	100.0	-	100.0	100.0	-	-	-	100.0	-	-	-	100.0
8520 TUCSON, AZ	4	-	4	-	-	-	-	-	4	-	-	3	1	4	-	-	-	1	2	1
	0.8	-	2.6	-	-	-	-	-	1.5	-	-	0.9	1.1	1.3	-	-	-	0.7	1.7	1.1
	100.0	-	100.00	-	-	-	-	-	100.0	-	-	75.0	25.0	100.0	-	-	-	25.0	50.0	25.0
8560 TULSA, OK	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-
	0.2	-	0.6	-	0.6	-	0.4	-	-	-	-	-	-	-	-	0.5	-	0.7	-	-
	100.0	-	100.0	-	100.0	-	100.0	-	-	-	-	-	-	-	-	100.0	-	100.0	-	-
8640 TYLER, TX	1	1	-	-	1	-	1	1	1	-	-	1	-	1	-	-	-	-	1	-
	0.2	1.3	-	-	0.6	-	0.4	1.8	0.4	-	-	0.3	-	0.3	-	-	-	-	0.9	-
	100.0	100.0	-	-	100.0	-	100.0	100.0	100.0	-	-	100.0	-	100.0	-	-	-	-	100.0	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 101
MSA

	SOURCES OF GRAYWATER REUSE										GRAYWATER SYSTEM			USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER										HAS A SUR- FACE GRAY- WATER SYSTM	HAS A SUB- SURFC GRAY- WATER SYSTM	DISP. WATER DIR- ECTLY	WATER TABLE FRUIT GARDN	NON- WATER -ING					
	2 OR LESS	3-9	10+	BATH/ SHWR	DIS- POSAL	KITCH SINK	DISH- WASHR	WASH- ING MACH.	CAR WASH- ING	CLEAN -ING HOUSE							<10 GALS.	10-49 GALS.	50- 199 GALS.	200+ GALS.
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0*	100.0	100.0	100.0	100.0	100.0*	100.0	100.0	100.0	100.0*	100.0	100.0	100.0*
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
8680 UTICA-ROME, NY	1	-	-	1	-	-	1	-	1	-	1	1	-	1	1	-	-	-	1	-
	0.2	-	-	0.4	-	-	0.4	-	0.4	-	0.5	0.3	-	0.3	0.4	-	-	-	0.9	-
	100.0	-	-	100.0	-	-	100.0	-	100.0	-	100.0	100.0	-	100.0	100.0	-	-	-	100.0	-
8735 VENTURA, CA	1	-	-	-	1	1	1	1	1	1	1	1	-	1	1	1	-	-	-	1
	0.2	-	-	-	0.6	2.6	0.4	1.8	0.4	0.5	0.5	0.3	-	0.3	0.4	0.5	-	-	-	1.1
	100.0	-	-	-	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	-	100.0	100.0	100.0	-	-	-	100.0
8840 WASHINGTON, DC-MD-VA-WV	6	-	2	4	1	-	1	1	3	3	2	5	-	4	5	3	1	2	1	2
	1.2	-	1.3	1.6	0.6	-	0.4	1.8	1.1	1.6	1.0	1.4	-	1.3	2.2	1.6	1.2	1.3	0.9	2.2
	100.0	-	33.3	66.7	16.7	-	16.7	16.7	50.0	50.0	33.3	83.3	-	66.7	83.3	50.0	16.7	33.3	16.7	33.3
8940 WAUSAU, WI	2	-	2	-	1	-	1	-	2	-	2	2	-	2	2	-	1	-	1	-
	0.4	-	1.3	-	0.6	-	0.4	-	0.7	-	1.0	0.6	-	0.6	0.9	-	1.2	-	0.9	-
	100.0	-	100.0	-	50.0	-	50.0	-	100.0	-	100.0	100.0	-	100.0	100.0	-	50.0	-	50.0	-
8960 WEST PALM BEACH-BOCA RATON, FL	1	1	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-	1	-
	0.2	1.3	-	-	-	-	-	-	0.4	0.5	-	0.3	1.1	0.3	-	-	-	-	0.9	-
	100.0	100.0	-	-	-	-	-	-	100.0	100.0	-	100.0	100.0	100.0	-	-	-	-	100.0	-
9000 WHEELING, WV-OH	2	-	-	2	1	-	1	1	1	2	2	1	-	1	2	2	-	1	1	-
	0.4	-	-	0.8	0.6	-	0.4	1.8	0.4	1.1	1.0	0.3	-	0.3	0.9	1.1	-	0.7	0.9	-
	100.0	-	-	100.0	50.0	-	50.0	50.0	50.0	100.0	100.0	50.0	-	50.0	100.0	100.0	-	50.0	50.0	-
9140 WILLIAMSPORT, PA	2	-	1	-	1	-	2	-	-	-	2	-	-	-	2	1	-	1	1	-
	0.4	-	0.6	-	0.6	-	0.8	-	-	-	1.0	-	-	-	0.9	0.5	-	0.7	0.9	-
	100.0	-	50.0	-	50.0	-	100.0	-	-	-	100.0	-	-	-	100.0	50.0	-	50.0	50.0	-

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S
* small base

Table 101
MSA

	NUMBER OF YEARS HH HAS BEEN REUSING GRAYWATER				SOURCES OF GRAYWATER REUSE							GRAYWATER SYSTEM		USES OF GRAYWATER		VOLUME OF GRAYWATER REUSED				
												HAS A SUR- FACE	HAS A SUB- SURFC	DISP. GRAY-	WATER TABLE					
												GRAY-	GRAY-	WATER	FRUIT					
	2 OR TOTAL	LESS	3-9	10+	BATH/ SHOWR	DIS- POSAL	KITCH SINK	DISH- WASHR	ING MACH.	WASH- ING	CLEAN -ING HOUSE	GRAY- WATER SYSTEM	GRAY- WATER SYSTEM	DIR- ECTLY	GARDN -ING	<10 GALS.	10-49 GALS.	199 GALS.	200+ GALS.	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	491	78*	155	244	173	39*	255	56*	275	183	193	347	88*	310	223	188	86*	150	116	90*
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	15.9*	31.6	49.7	35.2	7.9*	51.9	11.4*	56.0	37.3	39.3	70.7	17.9*	63.1	45.4	38.3	17.5*	30.5	23.6	18.3*
9260 YAKIMA, WA	3	-	1	2	2	-	3	-	-	1	2	3	-	3	1	2	1	1	1	-
	0.6	-	0.6	0.8	1.2	-	1.2	-	-	0.5	1.0	0.9	-	1.0	0.4	1.1	1.2	0.7	0.9	-
	100.0	-	33.3	66.7	66.7	-	100.0	-	-	33.3	66.7	100.0	-	100.0	33.3	66.7	33.3	33.3	33.3	-
9280 YORK, PA	2	-	1	1	-	-	1	-	1	-	-	2	-	1	2	1	-	1	-	1
	0.4	-	0.6	0.4	-	-	0.4	-	0.4	-	-	0.6	-	0.3	0.9	0.5	-	0.7	-	1.1
	100.0	-	50.0	50.0	-	-	50.0	-	50.0	-	-	100.0	-	50.0	100.0	50.0	-	50.0	-	50.0
9320 YOUNGSTOWN-WARREN, OH	1	-	1	-	1	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-
	0.2	-	0.6	-	0.6	-	-	1.8	-	-	-	-	-	0.3	-	-	-	0.7	-	-
	100.0	-	100.0	-	100.0	-	-	100.0	0.4	-	-	-	-	100.0	-	-	-	100.0	-	-
9360 YUMA, AZ	1	1	-	-	1	-	-	-	-	1	1	-	1	-	1	1	-	-	-	-
	0.2	1.3	-	-	0.6	-	-	-	-	0.5	0.3	-	0.3	-	0.5	1.2	-	-	-	-
	100.0	100.0	-	-	100.0	-	-	-	-	100.0	100.0	-	100.0	-	100.0	100.0	-	-	-	-
NOT INDICATED	147	27	53	66	53	10	84	19	94	52	49	109	33	90	72	44	25	35	31	39
	29.9	34.6	34.2	27.0	30.6	25.6	32.9	33.9	34.2	28.4	25.4	31.4	37.5	29.0	32.3	23.4	29.1	23.3	26.7	43.3
	100.0	18.4	36.1	44.9	36.1	6.8	57.1	12.9	63.9	35.4	33.3	74.1	22.4	61.2	49.00	29.9	17.0	23.8	21.1	26.5QR
Sigma	491	78	155	244	173	39	255	56	275	183	193	347	88	310	223	188	86	150	116	90
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	100.0	15.9	31.6	49.7	35.2	7.9	51.9	11.4	56.0	37.3	39.3	70.7	17.9	63.1	45.4	38.3	17.5	30.5	23.6	18.3

Proportions/Mean: Columns Tested (5% risk level) - A/B/C - D/E/F/G/H/I/J - K/L/M - N/O - P/Q/R/S

* small base

BANNER DEFINITIONS

BANNER DEFINITIONS

GRAYWATER

1. Total

Region

2. New England (MA, ME, NH, VT, CT, RI)
3. Mid-Atlantic (NY, NJ, PA, DE, MD)
4. Southeast (VA, WV, TN, KY, NC, SC, GA, FL, AL, MS, LA, AR)
5. Great Lakes (MN, WI, OH, IN, MI, IL)
6. Midwest (MO, ND, SD, IA, NE, KS)
7. Southwest (TX, OK, NM, AZ, NV)
8. Rocky Mountains (UT, CO, WY, ID, MT)
9. West (CA, OR, WA)

Market Size

10. Urban/Large MSA's (1,000,000 and over)
11. Suburban/Smaller MSA's (250,000 – 999,999)
12. Rural (Non-MSA's)

Own/Rent Residence

13. Own
14. Rent or Lease/Other

Frequency of Reusing Graywater (Q.1)

15. Once a week or more
16. Less than once a week

Septic Tank vs. Sewer (Q.26)

17. Septic Tank
18. Sewer

Water Source (Q.27)

19. Municipal water
20. Private well water

BANNER DEFINITIONS (Cont')

GRAYWATER

1. Total

Number of years household has been reusing graywater (Q.2)

2. 2 or less
3. 3-9
4. 10+

Sources of graywater reuse (Q.8a)

5. Bath/Shower
6. Garbage Disposal
7. Kitchen Sink
8. Dishwasher
9. Washing Machine
10. Car Washing
11. Cleaning House

Graywater System (Q.21/22)

12. Has a surface graywater system
13. Has a subsurface graywater system
14. Disposes graywater directly (No system, or hose only disposal)

Uses of graywater (Q.10)

15. Water vegetables/fruit garden
16. Use graywater for non-soil/lawn/plant watering (Net)

Volume of graywater reused (Q.8b)

17. <10 gallons
18. 10 – 49 gallons
19. 50 – 199 gallons
20. 200 gallons or more

QUESTIONNAIRE

W4RE003-1

0698

1. How often does your household reuse graywater? ("X" ONE BOX)
 (10)

Less than once a year	Once every few months.....	A couple times a month.....
Once or twice a year	About once a month	At least once a week
2. How many years has your household been reusing graywater? (WRITE IN NUMBER OF YEARS BELOW. IF LESS THAN ONE YEAR, PLEASE ENTER ZERO)
 _____ Years (11-12)
3. How many years has your household been reusing graywater at your current residence? (WRITE IN NUMBER OF YEARS BELOW. IF LESS THAN ONE YEAR, PLEASE ENTER ZERO)
 _____ Years (13-14)
- 4a. During which months of the year does your household reuse graywater? ("X" ALL THAT APPLY)
 (15)

January	April.....	July	October
February	May.....	August	November
March.....	June.....	September	December.....
- 4b. During which month of the year, if any, does your household reuse graywater most? ("X" ONE BOX)
 (16)

January	April.....	July	October
February	May.....	August	November
March.....	June.....	September	December.....
5. In what type of residence do you reuse graywater? ("X" ALL THAT APPLY)
 (17)

Single family house.....	Condo/Co-op.....	Vacation home.....
Multiple family house	Apartment	Other
6. What specifically caused you to start using graywater? (WRITE IN ON LINES BELOW)
 _____ (18) (22)
 _____ (19) (23)
 _____ (20) (24)
 _____ (21) (25)
7. Who in your household made the decision to begin reusing graywater? ("X" ONE BOX)
 (26)

Male Head of Household	Other Male aged 18 or older.....	Other.....
Female Head of Household ...	Other Female aged 18 or older ...	
- 8a. How often does your household store or reuse graywater from each source below: ("X" ONE BOX FOR EACH)

	More Than Once a Day	Once a Day	A Few Times a Week	Once a Week	A Few Times a Month	Once a Month	Less Often Than Once a Month	Never	
Bath/Shower.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	☐ 6	☐ 7	☐ 8	(27)
In sink garbage disposal.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	☐ 6	☐ 7	☐ 8	(28)
Hand dishwashing in sink	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	☐ 6	☐ 7	☐ 8	(29)
Automatic dishwasher.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	☐ 6	☐ 7	☐ 8	(30)
Laundry/Washing machine.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	☐ 6	☐ 7	☐ 8	(31)
Car washing (at your home).....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	☐ 6	☐ 7	☐ 8	(32)
House cleaning - using water combined with cleaning products ..	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	☐ 6	☐ 7	☐ 8	(33)
- 8b. On average, approximately how many gallons of graywater are reused each month? (WRITE IN NUMBER OF GALLONS) _____ (34-37)
9. Does your household have a fruit or vegetable garden at any time during the year?
 (38)
 Yes..... ☐ 1 No..... ☐ 2

W4RE003-1

0698

1. How often does your household reuse graywater? ("X" ONE BOX)

(10)
 Less than once a year ☐ 1 Once every few months..... ☐ 3 A couple times a month..... ☐ 5
 Once or twice a year ☐ 2 About once a month ☐ 4 At least once a week ☐ 6

2. How many years has your household been reusing graywater? (WRITE IN NUMBER OF YEARS BELOW. IF LESS THAN ONE YEAR, PLEASE ENTER ZERO)

_____ Years (11-12)

3. How many years has your household been reusing graywater at your current residence? (WRITE IN NUMBER OF YEARS BELOW. IF LESS THAN ONE YEAR, PLEASE ENTER ZERO)

_____ Years (13-14)

- 4a. During which months of the year does your household reuse graywater? ("X" ALL THAT APPLY)

(15)
 January..... ☐ 1 April..... ☐ 4 July..... ☐ 7 October..... ☐ 0
 February..... ☐ 2 May..... ☐ 5 August..... ☐ 8 November..... ☐ x
 March..... ☐ 3 June..... ☐ 6 September..... ☐ 9 December..... ☐ y

- 4b. During which month of the year, if any, does your household reuse graywater most? ("X" ONE BOX)

(16)
 January..... ☐ 1 April..... ☐ 4 July..... ☐ 7 October..... ☐ 0
 February..... ☐ 2 May..... ☐ 5 August..... ☐ 8 November..... ☐ x
 March..... ☐ 3 June..... ☐ 6 September..... ☐ 9 December..... ☐ y

5. In what type of residence do you reuse graywater? ("X" ALL THAT APPLY)

(17)
 Single family house..... ☐ 1 Condo/Co-op..... ☐ 3 Vacation home..... ☐ 5
 Multiple family house..... ☐ 2 Apartment..... ☐ 4 Other..... ☐ 6

6. What specifically caused you to start using graywater? (WRITE IN ON LINES BELOW)

_____ (18) (22)
 _____ (19) (23)
 _____ (20) (24)
 _____ (21) (25)

7. Who in your household made the decision to begin reusing graywater? ("X" ONE BOX)

(26)
 Male Head of Household..... ☐ 1 Other Male aged 18 or older..... ☐ 3 Other..... ☐ 5
 Female Head of Household... ☐ 2 Other Female aged 18 or older... ☐ 4

- 8a. How often does your household store or reuse graywater from each source below: ("X" ONE BOX FOR EACH)

	More Than Once a Day	Once a Day	A Few Times a Week	Once a Week	A Few Times a Month	Once a Month	Less Often Than Once a Month	Never	
Bath/Shower.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	☐ 6	☐ 7	☐ 8	(27)
In sink garbage disposal.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	☐ 6	☐ 7	☐ 8	(28)
Hand dishwashing in sink.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	☐ 6	☐ 7	☐ 8	(29)
Automatic dishwasher.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	☐ 6	☐ 7	☐ 8	(30)
Laundry/Washing machine.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	☐ 6	☐ 7	☐ 8	(31)
Car washing (at your home).....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	☐ 6	☐ 7	☐ 8	(32)
House cleaning - using water combined with cleaning products ..	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	☐ 6	☐ 7	☐ 8	(33)

- 8b. On average, approximately how many gallons of graywater are reused each month? (WRITE IN NUMBER OF GALLONS) _____

(34-37)

9. Does your household have a fruit or vegetable garden at any time during the year?

(38)
 Yes..... ☐ 1 No..... ☐ 2

10. For which of the following purposes, if any, does your household reuse graywater? ("X" ALL THAT APPLY)

Driveway/street cleaning	(39) ☐ 1	Watering lawn/soil/pastures	☐ 6
In sink garbage disposal flushing	☐ 2	Watering shrubs/trees	☐ 7
Sub-surface irrigation	☐ 3	Watering vegetable/fruit garden	☐ 8
Toilet flushing	☐ 4	Other (PLEASE SPECIFY)	☐ 9
Watering flowers/plants	☐ 5		

40-41R

(IF ANSWERED "WATER FLOWERS/PLANTS" OR "WATER VEGETABLE/FRUIT GARDEN" IN Q.10, CONTINUE WITH Q.11. OTHERWISE SKIP TO Q.13)

11. How often do you use graywater for watering flowers/plants and vegetable/fruit garden? ("X" ONE BOX FOR EACH)

	Flowers/Plants (42)	Vegetable/Fruit Garden (43)
More than once a day	☐ 1	☐ 1
Once a day	☐ 2	☐ 2
A few times a week	☐ 3	☐ 3
Once a week	☐ 4	☐ 4
A few times a month	☐ 5	☐ 5
Once a month	☐ 6	☐ 6
Less often than once a month	☐ 7	☐ 7

12. In what seasons do you use graywater for watering flowers/plants and vegetables/fruits? ("X" ALL THAT APPLY FOR EACH BELOW)

	Flowers/Plants (44)	Vegetable/Fruit Garden (45)
Winter	☐ 1	☐ 1
Spring	☐ 2	☐ 2
Summer	☐ 3	☐ 3
Fall	☐ 4	☐ 4

13. Why does your household reuse graywater? ("X" ALL THAT APPLY)

Cost of sewage treatment	(46) ☐ 1	No sewer hook-up	☐ 5
Cost of water/water bills	☐ 2	Trying to reduce flow to septic system	☐ 6
Environmental considerations	☐ 3	Water supply restrictions	☐ 7
Local regulations	☐ 4	Other (PLEASE SPECIFY)	☐ 8

47-48R

14. Where did your household first learn about reusing graywater? ("X" ONE BOX BELOW UNDER Q.14)

15. What methods does your household currently use to keep updated on graywater reuse? ("X" ALL THAT APPLY BELOW UNDER Q.15)

	Q.14 (49)	Q.15 (51)
Advertisement for graywater system	☐ 1	☐ 1
Co-worker	☐ 2	☐ 2
Farmer/Farm Association	☐ 3	☐ 3
Friend/Family member	☐ 4	☐ 4
Internet	☐ 5	☐ 5
Local/State Government meetings	☐ 6	☐ 6
Local/State Government publications	☐ 7	☐ 7
Magazines	☐ 8	☐ 8
Newspapers	☐ 9	☐ 9
Pamphlets/Newsletters/Flyers/Announcements	☐ 0	☐ 0
	(50)	(52)
Plumber/Handyman	☐ 1	☐ 1
Water company	☐ 2	☐ 2
Other	☐ 3	☐ 3

16. How likely are you to continue reusing graywater in the next 12 months? ("X" ONE BOX)

(53)

Very likely ☐ 1 Somewhat likely ☐ 2 Somewhat unlikely ☐ 3 Very unlikely ☐ 4

17. Over the next 12 months, do you think your household will . . . ? ("X" ONE BOX)

Reuse **more** graywater than it currently does (54) ☐ 1 Reuse **about the same amount of** graywater than it currently does ☐ 2 Reuse **less** graywater than it currently does ☐ 3

- 18a. Which of the following, if any, do you feel are disadvantages to reusing graywater? ("X" ALL THAT APPLY)

Cost of collection/distribution system	(55) ☐ 1	Governmental regulations	☐ 4	Odors	☐ 6
Disappointing cost savings in water bills	☐ 2	Health concerns	☐ 5	Other	☐ 7
Environmental concerns	☐ 3	Maintenance/labor	☐ 6	None	☐ 8

- 18b. How safe is the gray water that is reused?

(56)

Very safe ☐ 1 Might or might not be safe ☐ 3 Very unsafe ☐ 5

Somewhat safe ☐ 2 Somewhat unsafe ☐ 4

30. Which of the following products, if any, are discharged into the graywater that is reused? (X ALL THAT APPLY)
- | | | |
|--|--|--|
| (22) | (23) | (24) |
| Bleach..... ☐ 1 | Baking soda..... ☐ 1 | Automatic dish washer detergent.. ☐ 1 |
| Fabric softener..... ☐ 2 | Borax..... ☐ 2 | Rinse agents for dishwashers..... ☐ 2 |
| Laundry boosters..... ☐ 3 | Carpet cleaners..... ☐ 3 | Film and spot remover..... ☐ 3 |
| Laundry detergent..... ☐ 4 | Disinfectant cleaners..... ☐ 4 | Hand/Body soap..... ☐ 4 |
| Laundry presoaks..... ☐ 5 | Floor/furniture cleaners..... ☐ 5 | Car washing liquid..... ☐ 5 |
| Laundry prewashes/stain remover.. ☐ 6 | Multi-surface cleaners..... ☐ 6 | Drain opening liquid..... ☐ 6 |
| All purpose household cleaners..... ☐ 7 | Tub/tile/sink cleaners..... ☐ 7 | Packaged water softeners..... ☐ 7 |
| Ammonia..... ☐ 8 | Hand dish washing liquid... ☐ 8 | |

31. For each product discharged into graywater, approximately how much is used per usage occasion? ("X" ONE BOX FOR EACH PRODUCT "X'd" IN Q.30)

	1 Teaspoon	1 Tablespoon	1/4 Cup	1/2 Cup	1 Cup or More	
Bleach.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	(25)
Fabric softener.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	(26)
Laundry boosters.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	(27)
Laundry detergent.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	(28)
Laundry presoaks.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	(29)
Laundry prewashes/stain remover...	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	(30)
All purpose household cleaners.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	(31)
Ammonia.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	(32)
Baking soda.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	(33)
Borax.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	(34)
Carpet cleaners.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	(35)
Disinfectant cleaners.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	(36)
Floor/furniture cleaners.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	(37)
Multi-surface cleaners.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	(38)
Tub/tile/sink cleaners.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	(39)
Hand dish washing liquid.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	(40)
Automatic dish washer detergent..	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	(41)
Rinse agents for dishwashers.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	(42)
Film and spot remover.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	(43)
Hand/Body soap.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	(44)
Car washing liquid.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	(45)
Drain opening liquid.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	(46)
Packaged water softeners.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	(47)

FOR CLASSIFICATION PURPOSES ONLY

32. How often does your household participate in each activity/hobby? ("X" ONE BOX FOR EACH "X'd" IN Q.31)

	More Than Once a Day	Once a Day	A Few Times a Week	Once a Week	A Few Times a Month	Once a Month	Less Often Than Once a Month	Never	
Bicycling/Mountain Biking.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	☐ 6	☐ 7	☐ 8	(48)
Camping.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	☐ 6	☐ 7	☐ 8	(49)
Crafts.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	☐ 6	☐ 7	☐ 8	(50)
Fishing.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	☐ 6	☐ 7	☐ 8	(51)
Gardening.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	☐ 6	☐ 7	☐ 8	(52)
Hiking.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	☐ 6	☐ 7	☐ 8	(53)
Painting/Sculpting.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	☐ 6	☐ 7	☐ 8	(54)
Running/Walking.....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	☐ 6	☐ 7	☐ 8	(55)
Sports/Athletics/Working Out....	☐ 1	☐ 2	☐ 3	☐ 4	☐ 5	☐ 6	☐ 7	☐ 8	(56)

33. Please indicate your gender:

(57)
Male..... ☐ 1 Female..... ☐ 2

34. Please indicate: Your Age: _____ (58-59)

35. Do you have a child in your household that currently wears diapers, or not?

(60)
Yes..... ☐ 1 → (CONTINUE) No..... ☐ 2 → (SKIP TO BOX BELOW)

36. Please indicate which type of diapers you use: ("X" ALL THAT APPLY)

Disposable diapers (61) Cloth diapers that are cleaned
that are thrown away... ☐ 1 by an outside service..... ☐ 2 Cloth diapers that are cleaned
in your household..... ☐ 3

62-79R
80-3

THANK YOU FOR YOUR PARTICIPATION!
PLEASE RETURN COMPLETED QUESTIONNAIRE IN THE ENCLOSED POSTAGE PAID ENVELOPE.